

Survey Map Troy Downtown District Area 2010









1. Survey No. LN-AS-001-008	Survey name: Troy Downtown District	:	
3. County:	4. Address (Street No.)	Street (name)	
Lincoln	210	Boone Street	
5.City: Vicinity: Troy	6. UTM: 15/674874/4316292		7. Township/Range/Section: T: 49N R: 1W S: 26
8.Historic name (if known): Cottle House		9. Present/other Britton House	name (if known):
10. Ownership: ☐ Private ☐ Public	11a. Historic use (if knov Domestic: single dwel		11b. Current use: Culture: museum
HISTORICAL INFORMATION			
12. Construction date: 1832	15. Architect:		18. Previously surveyed? ☐ Cite survey name in box 22 cont. (page 3)
13. Significant date/period: 1832	16. Builder/contra Sherman Cottl		19. On National Register? ☐ individual ☐ district Cite nomination name in box 22 cont. (page 3)
14. Area(s) of significance: Criterion A: early settlement Criterion C; architecture	17. Original or sig Sherman Cott		20. National Register eligible? ⊠ individually eligible ⊠ district potential (⊠ C □ NC) □ not eligible □ not determined
21. History and significance on continua	tion page. ⊠	22. Sources of in	formation on continuation page. ⊠
ARCHITECTURAL INFORMATION	ON		
23. Category of property: ⊠ building(s) ☐ site ☐ structure [object	30: Roof material Asphalt shingle		37.Windows: ⊠ historic ☐ replacement Pane arrangement: double-hung 9/9
24. Vernacular or property type:	31. Chimney plac Side left; side		38. Acreage (rural): Visible from public road? ⊠
25. Architectural Style: Federal	32. Structural sys Unknown	tem:	39. Changes (describe in box 41 cont.): Addition(s) Date(s): Altered Date(s):
26. Plan shape: T-plan	33. Exterior wall of Weatherboard	•	☐ Moved Date(s): ☐ Other Date(s):
27. No. of stories: 2.0	34. Foundation m Limestone	aterial:	Endangered by:
28. No. of bays (1 st floor):	35. Basement typ Unknown	e:	40. No. of outbuildings (describe in box 40 cont.): 0
29. Roof type: Medium gable	36. Front porch ty 1.0-story central	pe/placement: Open porch	41. Further description of building features and associated resources on continuation page. ⊠
OTHER			·
42. Current owner/address: Lincoln County Historical & Archaeolo	ogical Ruth Keenoy	d by (name and org	i.): 44. Survey date: May 13, 2010
Society 201 Main Street Troy, MO 63379	5229 Oleatha Av St. Louis, MO 63 ruthkeenoy@yah	139	45. Date of revisions:
FOR SHPO USE			
Date entered in inventory:	Level of survey reconnaissance	□ intensive	Additional research needed? ☐ yes ☐ no



MISSOURI DEPARTMENT OF NATURAL RESOURCES STATE HISTORIC PRESERVATION OFFICE, P.O. Box 176, Jefferson City, MO 65102


ARCHITECTURAL	HISTORIC II	NVENTORY	FORM

National Register Status:	Other:
☐ listed ☐ in listed district	
Name:	
☐ pending listing ☐ eligible (individually)	
☐ eligible (district) ☐ not eligible	
not determined	

LOCATION MAP (include north arrow)



SITE MAP/PLAN (include north arrow)



Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	



ARCHITECTURAL/HISTORIC INVENTORY FORM



ADDITIONAL INFORMATION:

21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

This dwelling, believed to be the oldest residential property in Troy, was constructed in 1832 by Sherman Cottle, son of Joseph Cottle; who surveyed and laid out the town in 1819. The house is named for a later owner, James H. Britton (1817 – 1900). Britton moved to Troy from Virginia in 1840. In Troy, he operated a general store and served as postmaster. Britton later served as Lincoln County Treasurer and Representative in the Missouri State Legislature in 1852-56. In 1857, Britton moved to St. Louis where he served as a bank president and mayor of the city in 1875-76. Britton died in 1900 in Ardsley, New York.

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. *Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book)*. [Self-published, 1994].

St. Louis Public Library. Website (Mayors of St. Louis). Available at: http://exhibits.slpl.lib.mo.us/mayors/data/dt49584725.asp. Access date: 5 July 2010.

Sanborn Fire Insurance Maps, 1895 – 1927.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The dwelling faces east (toward Spring Park, #006) which borders the lot's eastern edge. A public sidewalk bounds the lot's northern edge. The house rests on a residential type lot that has grass and a gravel walk leading from the public spaces (park and sidewalk) to the dwelling. A sign bearing the name, "Britton House" is located in the northeast section of the front yard. A fenced private garden is situated south of the dwelling. This area abuts the rear warehouse wing of Troy Marble & Granite (#003).

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

The Cottle House is a two-story Federal style dwelling with weatherboard siding and a limestone foundation. The house has an end-gable plan with interior end brick chimneys, gable returns, and a primary (east) elevation one-story central porch. Within the porch bay is an entry with a wood panel door. Above the door is an original transom. The porch is supported by four square columns. It has a flat roof with a second-floor balustrade that is centers on the second-story entry, which is similar in appearance to the lower level door/transom. Frame steps at the façade lead to the porch (which is raised). Extending around the porch is a frame first-story level balustrade. Single windows of 12-over-12 design flank the façade's upper and lower level doors. The dwelling has a rear two-story ell. The ell has a secondary one-story porch on the north elevation. This porch is situated off-center and similar in design to the façade porch. The rear porch also has a frame balustrade, second-story level entrance, and roofline balcony. Within the porch's first-story space are two entries – one facing north (toward Boone Street) and one facing west. Both entrances have wood paneled doors. Side (north/south) and rear ell windows are all 12-over-12 design. At the southwest corner of the dwelling is a one-story shed wing.









1. Survey No. LN-AS-001-007	2. Su Tro	rvey name: y Downtown District		
3. County:	4. Ad	dress (Street No.)	Street (name)	
Lincoln	211		Boone Street	
5.City: Vicin		M: /674872/4316307		7. Township/Range/Section: T: 49N R: 1W S: 26
8.Historic name (if known):	13/	01701217310301	0 Present/other	name (if known):
Troy Methodist Church			Ingersoll Chap	pel
10. Ownership: ☑ Private ☐ Public		Historic use (if know eligion: church	/n):	11b. Current use: Funerary: chapel
HISTORICAL INFORMATION				
12. Construction date: 1900-1901		15. Architect:		18. Previously surveyed? ☐ Cite survey name in box 22 cont. (page 3)
13. Significant date/period: 1900-1901		16. Builder/contra	ctor:	19. On National Register? ☐ individual ☐ district Cite population pages in hex 22 cent. (page 2)
14. Area(s) of significance: Criterion C: architecture (Criterion Consideration A)		17. Original or sig Troy Methodis		Cite nomination name in box 22 cont. (page 3) 20. National Register eligible? ☐ individually eligible ☐ district potential (☐ C☐ NC) ☐ not eligible ☐ not determined
21. History and significance on conti	nuation pag	ge. 🛛	22. Sources of in	formation on continuation page.
ARCHITECTURAL INFORMA	TION			
23. Category of property: ⊠ building(s) ☐ site ☐ structu		30: Roof material: Asphalt shingle		37.Windows: ⊠ historic ☐ replacement Pane arrangement: triple sash stained
object 24. Vernacular or property type:		21 Chimnov place	omont:	glass lights 38. Acreage (rural):
24. Vernaculal of property type.		31. Chimney plac N/A	ement.	Visible from public road? ⊠
25. Architectural Style: Shingle style		32. Structural sys Brick	tem:	39. Changes (describe in box 41 cont.): ☐ Addition(s) Date(s):
26. Plan shape: Irregular		33. Exterior wall of Brick; Wood sh		
27. No. of stories:		34. Foundation m	aterial:	Endangered by:
				40. No. of outbuildings (doosibe in hou
28. No. of bays (1 st floor):		35. Basement typ Full	e:	40. No. of outbuildings (describe in box 40 cont.): 0
29. Roof type: High gable		36. Front porch ty Platform	pe/placement: Central	41. Further description of building features and associated resources on continuation page. ⊠
OTHER		•		
42. Current owner/address: Ingersoll Funeral Chapel		43. Form prepare Ruth Keenoy	d by (name and org	g.): 44. Survey date: May 13, 2010
211 Boone Street		5229 Oleatha Ave	enue	45 D. L. C
Troy, MO 63379		St. Louis, MO 63 ruthkeenoy@yah		45. Date of revisions:
FOR SHPO USE				
Date entered in inventory:		Level of survey		Additional research needed?
•		reconnaissance	☐ intensive	□ yes □ no



AKOTITEOTOKAEMIOTOKI	O INVERTIGICAL A ORIM
onal Register Status:	Other:

700		
N	ational Register Status:	Other:
	☐ listed ☐ in listed district	
N	ame:	
	pending listing eligible (individually)	
	☐ eligible (district) ☐ not eligible	
	not determined	

LOCATION MAP (include north arrow)



SITE MAP/PLAN (include north arrow)



Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	Primary elevation; view is northwest





ADDITIONAL INFORMATION:

21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

The congregation of Troy Methodist Church was established in 1859. The building that stands today (currently in use as a funeral chapel) was constructed in 1900 – 1901 on the site of the former church, donated by H.W. Kemper. The cornerstone was laid August 24, 1900. Costs of construction were \$5,565, and brick from the former church was used. The cornerstone was laid by Troy Masonic Lodge; and a dedication service was held on February 24, 1901. The basement was enlarged in 1924. An educational wing was added in 1950-51.

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. *Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book)*. [Self-published, 1994].

Sanborn Fire Insurance Maps, 1895, 1902, 1913, 1927.

Williams, Charles R., John Clare and Robert Jackson. *Lincoln County Pictorial History Book* (Vol. 1, Book No. 1). Troy: Robert Jackson / Troy Free Press, 1975.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The parcel is located at the northwest intersection of Boone and Union Streets. The lot borders the downtown commercial district (to the east) and a residential neighborhood toward the west. A public sidewalk extends along the lot's southern boundary. An asphalt parking lot is located immediately north of the building.

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

The former church is a Shingle style building with a raised limestone foundation, exterior brick walls, and an asphalt-shingled steeply pitched gable roof. The façade faces east toward Union Street. The building has a front-gable plan with corner tower bays. Centrally at the façade (recessed between the tower bays) is an open platform/stoop with a set of concrete stairs (at either end of the stoop). The stairs frame a lower level entrance (below the stoop) that holds a single-light wood panel door flanked by sidelights. Entrances are also located at the stoop level, providing entry via the tower wings at either end of the facade. The south tower wing is one and a half-story in height. The north wing is 2.0-story in height. Both tower wings have flared pyramidal roofs. The north tower appears to be a belfry. It has louvered openings on all elevations. Tower walls are clad in decorative wood shingles and hold stained glass lights on the east, north, and south walls. Above the center of the façade, within the gable field (also covered with decorative wood shingles), is a large stained glass light. This large window is separated horizontally by a decorative sawtooth wood band. The lower half of the window has three two-over-two (horizontal sash) stained glass lights further divided vertically by engaged frame pilasters. The upper half of the window bay is arched and similar in design to the lower window. The front gable field has diamond-shaped and fish scale shingles. Decorative arched wood patterns surround the upper façade window. A louvered vent above the large arched window has a triangular wood pendant below the sill. The building's side elevations (north and south) have stained glass lights. The north elevation windows are paired triple-sash design. The south elevation windows are also triple-sash and placed as groups of three. A 1950s educational wing is situated at the building's southwest corner. This wing has exterior six-course brick walls and a steeply pitched cross-gabled roof. Several slender stained glass lights extend the full height of the rear wing. Another wing projects at the northwest corner of the church. This projection has a flat roof with metal coping, and ten-light, steel sash windows. At the building's north elevation (just east of the rear flat roof corner wing) is a projection with a steeply pitched hipped roof.















1. Survey No. LN-AS-001-006		rvey name: y Downtown District			
3. County: Lincoln	4. Ad	dress (Street No.)	Street (name) SW Corner Main	and Boone Streets	
5.City: Vicinity Troy		M: 674917/4316293		7. Township/Range/Section: T: 49N R: 1W S: 26	
8.Historic name (if known): Old Town Spring			9. Present/other Woods Fort Hi	name (if known): storic Site	
10. Ownership: ☑ Private ☐ Public		Historic use (if know creation/subsistence		11b. Current use: Recreation: commemorative use	
HISTORICAL INFORMATION					
12. Construction date: 1819 (spring); 1957 (commemorativ	e)	15. Architect:		18. Previously surveyed? ☐ Cite survey name in box 22 cont. (page 3)	
13. Significant date/period: 1819; 1957; 1975		16. Builder/contra	ctor:	19. On National Register? ☐ individual ☐ district Cite nomination name in box 22 cont. (page 3)	
14. Area(s) of significance: Criterion A: community planning and development	i	17. Original or sig City of Troy	nificant owner:	20. National Register eligible? ☐ individually eligible ☐ district potential (☐ C☐ NC) ☐ not eligible ☐ not determined	
21. History and significance on continu	ation pag	је. ⊠	22. Sources of in	formation on continuation page.	
ARCHITECTURAL INFORMAT 23. Category of property:		30: Roof material: Wood shingles		37.Windows: ⊠ historic ☐ replacement Pane arrangement: 6-light, single sash	
object 24. Vernacular or property type: Log – dovetail notch – single pen		31. Chimney plac Exterior	ement:	38. Acreage (rural): Visible from public road? ⊠	
25. Architectural Style:		32. Structural sys	tem:	39. Changes (describe in box 41 cont.): Addition(s) Date(s): Altered Date(s):	
26. Plan shape: Rectangular		33. Exterior wall o	ladding:	☐ Moved Date(s): ☐ Other Date(s):	
27. No. of stories: 1.0		34. Foundation m Log	aterial:	Endangered by:	
28. No. of bays (1 st floor):		35. Basement typ None	e:	40. No. of outbuildings (describe in box 40 cont.): 0	
29. Roof type: Medium gable		36. Front porch ty None	pe/placement:	41. Further description of building features and associated resources on continuation page. ⊠	
OTHER			-		
42. Current owner/address: City of Troy 200 Main Street		43. Form prepare Ruth Keenoy 5229 Oleatha Ave	d by (name and org	g.): 44. Survey date: May 13, 2010	
Troy, MO 63379		St. Louis, MO 63	139	45. Date of revisions:	
FOR SHPO USE					
Date entered in inventory:		Level of survey reconnaissance	intensive	Additional research needed? ☐ yes ☐ no	



MISSOURI DEPARTMENT OF NATURAL RESOURCES STATE HISTORIC PRESERVATION OFFICE, P.O. Box 176, Jefferson City, MO 65102


ARCHITECTURAL/HISTORIC	INVENTORY	FORM
AILUI II LU I UILALII II JI UILU		

National Register Status:	Other:
☐ listed ☐ in listed district	
Name:	
☐ pending listing ☐ eligible (individually)	
☐ eligible (district) ☐ not eligible	
not determined	

LOCATION MAP (include north arrow)



SITE MAP/PLAN (include north arrow)



Ruth Keenoy	April 29, 2010	Viene (increased at a late late leader) in the order and illustrates at the level of the contract of the
	1 / \pi 1 20, 20 10	View (immediately below) is north and illustrates two buildings on the site.
		Second view is west and illustrates commemorative marker. Third view is southwest and illustrates one of the property's two log reconstruction properties.













ADDITIONAL INFORMATION:

21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

The property was originally used as a public spring, donated to Troy by Joseph and Azubah Cottle when the town was laid out in 1819. The spring was closed in 1929 when a sewer system was added that disrupted the spring's flow. In 1957, the park was created (see description below) and dedicated as a commemorative site for Woods' Fort. Afterward, two log buildings and a granite monument (donated by the D.A.R. in 1958) were added to honor Woods' Fort, a stockade constructed during the War of 1812 (no longer extant). The entire site (which includes the park, associated log buildings, water fountain, and commemorative markers) would be considered as a single contributing element of Troy's downtown historic district, provided that the district's period of significance extends through 1958.

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book). [Self-published, 1994].

Goodspeed. History of Lincoln County, Missouri From the Earliest Time to the Present. Chicago: The Goodspeed Publishing Company, 1888.

Sanborn Fire Insurance Maps, 1895, 1902, 1913, 1927.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The site is a public park situated along the west side of Main Street at its intersection with Boone Street (north end of the park). Within the park are two log buildings constructed in the mid-twentieth century (late 1950s). One of the log buildings represents an early settlement home and the other represents an outbuilding. A round granite monument (1958) with a flat circular limestone base is located near the northeast corner of the parcel. Near the east end of the park is a flat granite marker that covers a bicentennial time capsule dedicated on December 5, 1976. A stone water fountain (c. 1950s, possibly earlier) is located at the western edge of the park. The site is surrounded by a public sidewalk at the east and north. Adjacent to the site is Britton House (#008 - west) and Troy Lodge (#005 - south). The parcel holds mature plantings and trees, as well as a Missouri Historical Society marker bearing an overview of Troy's history (north end near Boone Street).

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

The log buildings on the site have wooden shingled gabled roofs and exterior dovetail notched log walls. Both buildings face east toward Main Street. The south building is an outbuilding with a gable-front plan. The façade holds a single door of vertical board construction. Side (north and south) elevations have single sash small windows. The dwelling is situated north of the outbuilding and has an end-gable plan. The single pen cabin façade holds a vertical board door (centrally placed) with a small single-light window. Offsetting the entrance to the south is a six-light single-sash window. The north elevation has an exterior end limestone chimney. There is a single door (vertical wood design) at the rear (west) elevation and a single window at the south elevation.









TROY

Troy, laid out on the site of Woods' Fort in 1819, lies on an old Sac and Fox Indian campsite where first settlers Joseph Cottle and Zadock Woods built their cabins, 1801. It was the Sac and Fox tribes, outraged by their 1804 land cession which included this region, who carried the War of 1812 west of the Mississippi into north Missouri.

To defend their homes, pioneers in this area, which is now Lincoln County, aided by Rangers under Nathan Boone, built Woods, Howard, Stout, Clark, and Cap au Gris forts as a first line of defense. At Fort Cap au Gris, Maj. (later U. S. Pres.) Zachary Taylor's command rendezvoused, Sept., 1814, and five months after the war, at Fort Howard, May 24, 1815. Black Hawk's band skirmished with settlers and Rangers in the Battle of the Sink Hole. In 1824 the Sac and Fox finally gave up all claim to the region.

The Lincoln County seat, earlier at Old Monroe and Alexandria, was located here 1829. The county, organized, 1818, was named by its first settler, Christopher Clark, for Lincoln counties, N. C., and Ky., which honor Revolutionary Gen. Benjamin Lincoln.

(See other side)
Erected by State Historical Society of Missouri
and State Highway Commission, 1957











1. Survey No. LN-AS-001-022	2. Surve Troy D	Survey name: Troy Downtown District					
		ess (Street No.)	Street (name)				
Lincoln	175		E. Cherry Street				
5.City: Vicinity Troy		4896/4316458		7. Township/Range/Section: T: 49N R: 1W S: 26			
8.Historic name (if known): Troy Free Press 9. Present/other name (if known):							
		1a. Historic use (if known): Commerce: business		11b. Current use: Commerce: specialty store			
HISTORICAL INFORMATION							
12. Construction date: 1922		15. Architect:		18. Previously surveyed? ☐ Cite survey name in box 22 cont. (page 3)			
13. Significant date/period: 1922		16. Builder/contractor:		19. On National Register? ☐ individual ☐ district Cite nomination name in box 22 cont. (page 3)			
14. Area(s) of significance: Criterion A: commerce; Criterion C: architecture		17. Original or significant owner:		20. National Register eligible? ⊠ individually eligible ⊠ district potential (⊠ C □ NC) □ not eligible □ not determined			
21. History and significance on continu	ation page.	age. 22. Sources of informa		formation on continuation page. 🗵			
ARCHITECTURAL INFORMATION							
23. Category of property: ⊠ building(s) ☐ site ☐ structure ☐ object		0: Roof material: Not visible		37.Windows: ⊠ historic ⊠ replacement Pane arrangement: fixed light commercial; 1/1 replacement			
24. Vernacular or property type: One-part commercial block		31. Chimney placement: N/A		38. Acreage (rural): Visible from public road? ⊠			
25. Architectural Style:		32. Structural system: Brick		39. Changes (describe in box 41 cont.): ☐ Addition(s) Date(s): ☐ Altered Date(s): c. 1990			
26. Plan shape: Rectangular		Exterior wall c Brick	ladding:	☐ Moved Date(s): ☐ Other Date(s):			
27. No. of stories: 1.0		34. Foundation material: Concrete		Endangered by:			
28. No. of bays (1 st floor):		35. Basement type: Unknown		40. No. of outbuildings (describe in box 40 cont.): 0			
29. Roof type: Flat		36. Front porch type/placement: None		41. Further description of building features and associated resources on continuation page. ⊠			
OTHER	l		_				
42. Current owner/address: Martin & Donna Dunard		43. Form prepared by (name and org.): Ruth Keenoy		g.): 44. Survey date: May 13, 2010			
2 Dunard Drive Troy, MO 63379		5229 Oleatha Ave St. Louis, MO 63 uthkeenoy@yah	139	45. Date of revisions:			
FOR SHPO USE							
Date entered in inventory:		Level of survey reconnaissance intensive		Additional research needed? ☐ yes ☐ no			



MISSOURI DEPARTMENT OF NATURAL RESOURCES STATE HISTORIC PRESERVATION OFFICE, P.O. Box 176, Jefferson City, MO 65102

ARCHITECTURA	L/HISTORIC	INVENTORY	FORM

National Register Status:	Other:
☐ listed ☐ in listed district	
Name:	
pending listing ligible (individually)	
☐ eligible (district) ☐ not eligible	
not determined	

LOCATION MAP (include north arrow)



SITE MAP/PLAN (include north arrow)

Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	Primary (south) elevation; view is northeast.



ARCHITECTURAL/HISTORIC INVENTORY FORM



ARCHITECTURAL/HISTORIC INVENTORY FORM

ADDITIONAL INFORMATION:

21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

The Troy Free Press building was constructed for the associated newspaper business, established in 1878 by William J. and John A. Knott. John Knott sold his interest to Chrisman Henry Ward in 1881; and William sold to Henry F. Childers later that year. Ownership continued to evolve; and when the building was constructed (in 1922), the newspaper was operated by Henry Childers' son, Elihu. By that time, circulation reached approximately 3,200 customers. The new Free Press Building opened in 1923, boasting one of the "finest printing plants in a town of its size" with "the only Duplex press in any town of several times the size of Troy." During construction, the press was added before the exterior walls were constructed. The newspaper began to wane following Childers' death in 1934; and it was purchased in 1941 by Leland Chesley. Once again, ownership changed several times. Eventually the business merged with the *Lincoln County Journal* (c. 1990).

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book). [Self-published, 1994].

Sanborn Fire Insurance Maps, 1895, 1902, 1913, 1927.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The Troy Free Press Building is situated just east of Main Street (on E. Cherry Street) in downtown Troy. The building abuts a former garage (185 E. Cherry Street, #021) at the east elevation. A concrete sidewalk flanks the building's façade (south elevation). A narrow graveled alley extends along the building's west elevation.

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

The Troy Free Press Building is a modern 1920s-era commercial building with a truncated southwest corner entrance. The main entrance has been altered (c. 1990) with the addition of a glass and metal commercial style door. The transom above the door (as well as window transoms visible on the façade) is covered with plywood. The entry is offset (to the east) by three fixed sash commercial style windows that appear original. The door and windows are surrounded by baker's brick. Baker's brick also adorns the upper façade and the corner area above the entrance. The façade retains a painted sign, "Troy Free Press," which is set within a decorative space created by the baker's brick. Stepped brick corbelling extends horizontally above the façade's glazed brick band. Windows on the north elevation have been altered and currently hold one-over-one aluminum sash lights. It appears that these openings originally held large commercial style windows. The roofline is stepped with metal coping.













1. Survey No. 2. St LN-AS-001-020 Tro		2. Survey name: Troy Downtown District		
l recordi		4. Address (Street No.) Street (
Lincoln 180			E. Cherry Street	
5.City: Vicin Troy		M: 674911/4316457		7. Township/Range/Section: T: 49N R: 1W S: 26
8.Historic name (if known): Foster's Bus Line			9. Present/other Turnbull's Bus	name (if known): Line / Plymouth Dealership / Car-Jo Ceramics
10. Ownership: ☑ Private ☐ Public		Historic use (if know mmerce: specialty:		11b. Current use: Vacant
HISTORICAL INFORMATION				
12. Construction date: c. 1925		15. Architect:		18. Previously surveyed? ☐ Cite survey name in box 22 cont. (page 3)
13. Significant date/period: c. 1925 - 1942		16. Builder/contra	actor:	19. On National Register? ☐ individual ☐ district Cite nomination name in box 22 cont. (page 3)
14. Area(s) of significance: Criterion A: commerce; Criterion (architecture	D:	17. Original or sig	nificant owner:	20. National Register eligible? ☐ individually eligible ☐ district potential (☐ C☐ NC) ☐ not eligible ☐ not determined
21. History and significance on conti	nuation pag	ge. 🛛	22. Sources of in	formation on continuation page.
ARCHITECTURAL INFORMA	TION			
23. Category of property: ⊠ building(s) □ site □ structu object	re 🗌	30: Roof material Unknown (not		37.Windows: ⊠ historic ☐ replacement Pane arrangement: 1/1, 2/2, 6/6 and commercial fixed sash
24. Vernacular or property type: Two-part commercial block		31. Chimney placement: Side right		38. Acreage (rural): Visible from public road? ⊠
25. Architectural Style:		32. Structural system: Brick		39. Changes (describe in box 41 cont.): ☐ Addition(s) Date(s): c. 1940 ☐ Altered Date(s):
26. Plan shape: Rectangular		33. Exterior wall cladding: Brick		☐ Moved Date(s): ☐ Other Date(s):
27. No. of stories: 2.0		34. Foundation material: Concrete		Endangered by:
28. No. of bays (1 st floor):		35. Basement type: Unknown		40. No. of outbuildings (describe in box 40 cont.): 0
29. Roof type: Flat		36. Front porch type/placement:		41. Further description of building features and associated resources on continuation page. ⊠
OTHER				·
42. Current owner/address: Joann & Kyle Throgmorton		Ruth Keenoy	d by (name and org	(a): 44. Survey date: May 13, 2010
180 E. Cherry Street Troy, MO 63379		5229 Oleatha Avenue St. Louis, MO 63139 ruthkeenoy@yahoo.com		45. Date of revisions:
FOR SHPO USE		, ,		
Date entered in inventory:		Level of survey reconnaissance	☐ intensive	Additional research needed? ☐ yes ☐ no



ARCHITECTURAL/HISTORIC INVENTORY FORM

National Register Status:	Other:
☐ listed ☐ in listed district	
Name:	
☐ pending listing ☐ eligible (individually)	
eligible (district) not eligible	
not determined	

LOCATION MAP (include north arrow)



SITE MAP/PLAN (include north arrow) E CHERRY ST

Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	Primary (north) and west elevations; view is southeast.





ARCHITECTURAL/HISTORIC INVENTORY FORM

ADDITIONAL INFORMATION:

21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

The building was constructed c. 1925 as a bus depot for Foster's Bus Line, which operated in Troy from 1920 – 1942. Established by M.C. Foster in 1920, the business initially offered service between Troy, Silex, and Wentzville. Prior to this building, the original owner (M.C. Foster) operated the bus line from 185 E. Cherry Street (see Survey #21). Bus service was extended to St. Charles by the early 1920s and in 1926 to St. Louis (and later to Hannibal and Quincy, Illinois). In 1936, the bus line added routes to Keokuk and Cedar Rapids, Iowa. Foster sold the business to Burlington Trailways in 1942; after which time it became known as Turnbull's. During the 1960s, the basement of the building was converted for use as a bomb shelter and the site for civil defense meetings.

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book). [Self-published, 1994].

Interview with Mary Anne Kemper and Judy Hechler, 14 August 2010.

Sanborn Fire Insurance Maps, 1913, 1927.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The former dealership at 180 Cherry Street is located one-half block east of Main Street in downtown Troy. The property rests on a gravel/concrete lot. A concrete sidewalk borders the building's façade (north side). Second Street border's the lot at the east.

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

This former auto dealership is a brick two-story building that has been minimally altered since construction in c. 1925. The primary (north) elevation is built up at the façade and features an original band of stepped decorative brick pendants along upper façade wall. Below the patterned brick, the building bears the painted sign for "Turnbull's Bus Line." Fainter painted signs appear on the west wall (which appears to be for a grocery) and the east wall (for a Plymouth dealership). There is an original commercial style window on the primary elevation (east end) with an upper multi-light band. This window is offset by a garage bay with an overhead track door, and by a commercial (single-light original) door and one-over-one window. The south elevation has a commercial style window bay that imitates the one noted on the north elevation. There are one-story wing additions at the east and west elevations. The east wing addition has two garage bays (north elevation) with modern overhead track doors. This wing is constructed of hollow core tile and the façade is covered with brick. The west wing appears older. The wing is constructed of brick and has a garage bay (north elevation) and brick flue. Both the main building block and wings have metal roofline coping.












1. Survey No. 2. S LN-AS-001-021		2. Survey name: Troy Downtown District		
		4. Address (Street No.) Street (name)		
Lincoln 185		,		
5.City: Vicinity		902/4316462		7. Township/Range/Section: T: 49N R: 1W S: 26
8.Historic name (if known): Foster's Bus Line			9. Present/other The Treasure 9	name (if known): Shop / Crider Health Center
10. Ownership: ☑ Private ☐ Public		oric use (if know portation: garage		11b. Current use: Commerce: specialty store
HISTORICAL INFORMATION				
12. Construction date: c. 1910	1	5. Architect:		18. Previously surveyed? ☐ Cite survey name in box 22 cont. (page 3)
13. Significant date/period:	1	6. Builder/contra	ctor:	19. On National Register? ☐ individual ☐ district Cite nomination name in box 22 cont. (page 3)
14. Area(s) of significance:	1	7. Original or sig	nificant owner:	20. National Register eligible? ☐ individually eligible ☐ district potential (☐ C ☐ NC) ☐ not eligible ☐ not determined
21. History and significance on continu	ation page.		22. Sources of in	formation on continuation page. 🗵
ARCHITECTURAL INFORMAT	ION			
23. Category of property: Solution District Structure		0: Roof material: Not visible		37.Windows: ☐ historic ☑ replacement Pane arrangement: fixed single-light
24. Vernacular or property type: One-part commercial block	3	31. Chimney placement: N/A		38. Acreage (rural): Visible from public road? ⊠
25. Architectural Style:	32	32. Structural system: Brick		39. Changes (describe in box 41 cont.): ☐ Addition(s) Date(s): ☐ Altered Date(s): c. 1990
26. Plan shape: Rectangular	3	33. Exterior wall cladding: Brick		☐ Moved Date(s): ☐ Other Date(s):
27. No. of stories: 1.0		34. Foundation material: Concrete		Endangered by:
28. No. of bays (1 st floor):		35. Basement type: Unknown		40. No. of outbuildings (describe in box 40 cont.): 0
29. Roof type: Flat		36. Front porch type/placement: None		41. Further description of building features and associated resources on continuation page. ⊠
OTHER				
42. Current owner/address: Martin & Donna Dunard	R	tuth Keenoy	d by (name and org	g.): 44. Survey date: May 13, 2010
2 Dunard Drive Troy, MO 63379		5229 Oleatha Avenue St. Louis, MO 63139 ruthkeenoy@yahoo.com		45. Date of revisions:
FOR SHPO USE				
Date entered in inventory:		evel of survey reconnaissance	□ intensive	Additional research needed? ☐ yes ☐ no



ARCHITECTURAL/HISTORIC INVENTORY FORM

National Register Status:	Other:
☐ listed ☐ in listed district	
Name:	
☐ pending listing ☐ eligible (individually)	
☐ eligible (district) ☐ not eligible	
not determined	

LOCATION MAP (include north arrow)



SITE MAP/PLAN (include north arrow)



Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	Primary (south) and east elevations; view is northwest.



ARCHITECTURAL/HISTORIC INVENTORY FORM



ADDITIONAL INFORMATION:

21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

The building was constructed c. 1910 and used as a feed store. In 1920 it was used as Foster's Bus Line depot (see Survey #20) that relocated c. 1925 to a new building across the street at 180 E. Cherry.

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book). [Self-published, 1994].

Interview with Mary Anne Kemper and Judy Hechler, 14 August 2010.

Sanborn Fire Insurance Maps, 1895, 1902, 1913, 1927.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The property is located in downtown Troy, approximate one-half block east of Main Street. The primary (south) elevation is bordered by a concrete sidewalk. The west elevation abuts an adjacent brick commercial building. An asphalt parking lot borders the east and north elevations.

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

The building at 185 E. Cherry Street is a one-story brick building with a primary (south elevation) central recessed entrance. The entry is flanked by fixed-sash commercial style windows (paired lights). All of the building's doors and windows are modern, dating to c. 1990. There is evidence of an original window configuration on the east elevation, indicating that the building probably originally held some arched, one-over-one windows. A modern wood awning extends along the façade above the entry/windows. The roofline is stepped with metal coping.






1. Survey No. LN-AS-001-026			2. Survey name: Troy Downtown District		
1.1		4. Address (Street No.) Street (name)		` ′	
Lincoln	100			W. Cherry Street	
5.City: Troy	Vicinity:	6. UTI 15/6	M: 674819/4316409		7. Township/Range/Section: T: 49N R: 1W S: 26
8.Historic name (if known): The Leader; Lincoln Telepho	one Buildin	g		9. Present/other Sheller Insurar	name (if known): nce
10. Ownership: ⊠ Private □ Public			Historic use (if know mmerce: general st		11b. Current use: Domestic: multiple dwelling; Commerce: business
HISTORICAL INFORMA	ATION		<u> </u>		
12. Construction date: c. 1900			15. Architect:		18. Previously surveyed? ☐ Cite survey name in box 22 cont. (page 3)
13. Significant date/period:			16. Builder/contra	ctor:	19. On National Register? ☐ individual ☐ district Cite nomination name in box 22 cont. (page 3)
14. Area(s) of significance:			17. Original or sig	nificant owner:	20. National Register eligible? ☐ individually eligible ☐ district potential (☐ C☐ NC) ☐ not eligible ☐ not determined
21. History and significance of	n continuat	tion pag	e. 🛚	22. Sources of in	formation on continuation page.
ARCHITECTURAL INFO	ORMATIO	ON			
23. Category of property: ⊠ building(s) □ site □ object	structure [30: Roof material: Not visible		37.Windows: ☐ historic ☒ replacement Pane arrangement: 9/9 double-hung
24. Vernacular or property typ One-part commercial	e:		31. Chimney placement: Side left		38. Acreage (rural): Visible from public road? ⊠
25. Architectural Style:			32. Structural system: Brick		39. Changes (describe in box 41 cont.): ☐ Addition(s) Date(s): c. 1940 ☐ Altered Date(s): c. 2000
26. Plan shape: Rectangular			33. Exterior wall cladding: Brick, synthetic		☐ Moved Date(s): ☐ Other Date(s):
27. No. of stories: 1.0			34. Foundation material: Limestone		Endangered by:
28. No. of bays (1 st floor):			35. Basement type: Full		40. No. of outbuildings (describe in box 40 cont.): 0
29. Roof type: Flat			36. Front porch type/placement: None		41. Further description of building features and associated resources on continuation page. ⊠
OTHER					•
42. Current owner/address: Gary & Rebecca Sheller			Ruth Keenoy	d by (name and org	g.): 44. Survey date: May 13, 2010
170 W. Cherry Street Troy, MO 63379			5229 Oleatha Avenue St. Louis, MO 63139 ruthkeenoy@yahoo.com		45. Date of revisions:
FOR SHPO USE					
Date entered in inventory:			Level of survey reconnaissance	☐ intensive	Additional research needed? ☐ yes ☐ no




ARCHITECTURAL/HISTORIC	INVENTORY	FORM
AILUI II LU I UILALII II JI UILU		

National Register Status:	Other:
☐ listed ☐ in listed district	
Name:	
☐ pending listing ☐ eligible (individually)	
☐ eligible (district) ☐ not eligible	
not determined	

LOCATION MAP (include north arrow)



SITE MAP/PLAN (include north arrow)



Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	Primary elevation; view is southeast.





ADDITIONAL INFORMATION:

21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

The building was utilized as a general store and constructed c. 1900 (per Sanborn maps). It was used additionally as a newspaper office for *The Leader* and a telephone office (east end of building). The building was used later as a grocery store (Kroger).

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book). [Self-published, 1994].

Sanborn Fire Insurance Maps, 1895, 1902, 1913, 1927.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The property is situated in downtown Troy, just south of Main Street. The façade (north) elevation faces W. Cherry Street, which is bordered by a concrete sidewalk. The building's east elevation is also bordered by a concrete sidewalk, as well as Union Street. The rear (south) elevation faces an asphalt parking area/alley. A band of trees/foliage border the building's west elevation.

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

This brick commercial building retains much of its original appearance with the exception of the façade, which has been clad with synthetic siding and holds replacement style windows with nine-light muntins (double-hung). The façade has paired modern doors situated centrally. Above the doors is a non-original fanlight transom. The side and rear elevations retain original exterior brick walls. At the east end of the building is a one-story brick c. 1940 wing that has a flat roof and original eight-light awning windows with steel sashes. This wing has a concrete foundation and an original glass block surround on the façade (north elevation). The primary door (on the wing/façade) is replacement design. The building retains an original stepped façade wall with metal coping.











1. Survey No. LN-AS-001-024	Survey name: Troy Downtown District	t	
3. County:	4. Address (Street No.)	Street (name)	
Lincoln	171	W. Cherry Street	
5.City: Vicinity:	6. UTM: 15/674808/4316413		7. Township/Range/Section: T: 49N R: 1W S: 26
8.Historic name (if known): Kuhne Brothers Ice House		9. Present/other Flashback Tatt	
10. Ownership:	11a. Historic use (if know	vn).	11b. Current use:
☐ Public	Agriculture: processing		Commerce: specialty store
HISTORICAL INFORMATION			
12. Construction date: c. 1910	15. Architect:		18. Previously surveyed? ☐ Cite survey name in box 22 cont. (page 3)
13. Significant date/period: c. 1910	16. Builder/contra Kuhne Family	actor:	19. On National Register? ☐ individual ☐ district ☐ district
14. Area(s) of significance: Criterion A: agriculture	17. Original or sig Allie, Henry, G	gnificant owners: George & Phillip Kuh	Cite nomination name in box 22 cont. (page 3) 20. National Register eligible? individually eligible individually eligible
21. History and significance on continua	ation page. 🛛	22. Sources of in	formation on continuation page.
ARCHITECTURAL INFORMAT	ON		
23. Category of property: ⊠ building(s) ☐ site ☐ structure object	30: Roof material		37.Windows: ⊠ historic ⊠ replacement Pane arrangement: 2/2 and fixed sash
24. Vernacular or property type: Warehouse	31. Chimney plac N/A	ement:	38. Acreage (rural): Visible from public road? ⊠
25. Architectural Style:	32. Structural sys Concrete bloc	tem: k	39. Changes (describe in box 41 cont.): ☐ Addition(s) Date(s): ☐ Altered Date(s): c. 1990
26. Plan shape: Rectangular	33. Exterior wall of Textured conc		☐ Moved Date(s): ☐ Other Date(s):
27. No. of stories: 2.0	34. Foundation m		Endangered by:
28. No. of bays (1 st floor):	35. Basement typ		40. No. of outbuildings (describe in box
6	Unknown		40 cont.): 1
29. Roof type: Low hip	36. Front porch ty None	/pe/placement:	41. Further description of building features and associated resources on continuation page. ⊠
OTHER			
42. Current owner/address: David Kuhl	Ruth Keenoy	ed by (name and org	i.): 44. Survey date: May 13, 2010
305 E. Wood Street Troy, MO 63379	5229 Oleatha Ave St. Louis, MO 63	139	45. Date of revisions:
FOR SURO USE	ruthkeenoy@yah	OO.COM	1
FOR SHPO USE Date entered in inventory:	Level of survey		Additional research needed?
23.5 Shorod in involtory.	reconnaissance	intensive	yes no




ARCHITECTURAL/HISTORIC INVENTORY FORM

National Register Status:	Other:
☐ listed ☐ in listed district	
Name:	
☐ pending listing ☐ eligible (individually)	
☐ eligible (district) ☐ not eligible	
not determined	

LOCATION MAP (include north arrow)



SITE MAP/PLAN (include north arrow)



Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	Primary elevation - view is northeast; side elevation - view is southeast;
	,	outbuilding - view is southwest.













ARCHITECTURAL/HISTORIC INVENTORY FORM

ADDITIONAL INFORMATION:

21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

The building was originally part of a poultry production warehouse through the 1920s, possibly later (per Sanborn maps). The main portion of the building that faces Cherry Street was utilized as the warehouse. The rear section of the building had a cold storage room (northwest side) and at the north end was a large ice machine. The associated outbuilding is not contributing due to modern exterior synthetic siding.

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book). [Self-published, 1994].

Sanborn Fire Insurance Maps, 1902, 1913, 1927.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The building is located in downtown Troy, approximately one-half block west of Main Street. Concrete sidewalks border the building's primary (south), west and east elevations. The walkway on the east side of the building is stepped and appears to have served as a loading dock (the concrete walk is raised, like a platform, above the street level). The rear (north elevation) abuts a warehouse clad with prefabricated metal siding. The outbuilding has a concrete foundation, indicating that it may be an older property. The building has been sided with synthetic materials in recent years. Sanborn maps illustrate that this area was originally used for cold storage (1910s-1920s). The Kuhne Family also operated a mercantile establishment in downtown Troy that burned in 1991.

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

The building at 171 W. Cherry Street is a large rectangular plan building with a low hipped roof and exterior textured block walls. At the crest of the roof is a frame (original) louvered gable monitor/vent. The primary (south) elevation holds three recessed entry storefronts. These appear original with single-light doors offset by commercial style windows. The central storefront has an added canvas awning. Although the building has had most secondary elevation doors and windows replaced, original openings are intact. Some original two-over-two windows remain on the west elevation.















1. Survey No. LN-AS-001-001			vey name: Downtown District			
3. County:		4. Address (Street No.)		Street (name)		
Lincoln 21		211		West Collier Stre	eet	
1		6. UTN			7. Township/Range/Section:	
Troy		15/6	/674748/4316466		T: 49N R: 1W S: 26	
8.Historic name (if known): Lincoln County Jail					er name (if known): nty Historical & Archaeological Society	
10. Ownership: ⊠ Private □ Public		Gov	,		11b. Current use: Culture: museum	
HISTORICAL INFORMA	ATION					
12. Construction date: 1876			15. Architect:		18. Previously surveyed? Cite survey name in box 22 cont. (page 3)	
13. Significant date/period: 1876			16. Builder/contra P.J. Pauley & I		19. On National Register? ☐ individual ☐ district Cite nomination name in box 22 cont. (page 3)	
14. Area(s) of significance: Criterion A: politics/governr Criterion C: architecture	nent		17. Original or significant owner: Lincoln County		20. National Register eligible? ⊠ individually eligible ⊠ district potential (⊠ C □ NC) □ not eligible □ not determined	
21. History and significance or	n continua	tion page	ge. 🖂 22. Sources of information		information on continuation page. ⊠	
ARCHITECTURAL INFO	ORMATIO	ON				
23. Category of property: ⊠ building(s) ☐ site ☐ sobject	structure [30: Roof material: Asphalt shingles		37.Windows: ⊠ historic ☐ replacement Pane arrangement: double-hung, 2/2	
24. Vernacular or property typ	e:		31. Chimney placement: Exterior		38. Acreage (rural): Visible from public road? ⊠	
25. Architectural Style: Gothic Revival (jail); Italian	ate (reside	ence)	32. Structural system: Brick		39. Changes (describe in box 41 cont.): Addition(s) Date(s): Altered Date(s):	
26. Plan shape: Irregular			33. Exterior wall cladding: Brick		☐ Moved Date(s): ☐ Other Date(s):	
27. No. of stories: 1.0 (jail); 2.0 (residence)			34. Foundation material: Limestone		Endangered by:	
28. No. of bays (1 st floor): 6 (jail & residence facing W. Collier)			35. Basement type: Unknown		40. No. of outbuildings (describe in box 40 cont.): 0	
29. Roof type: Flat (jail); Low hip (residence)			36. Front porch type/placement: N/A		41. Further description of building features and associated resources on continuation page. ⊠	
OTHER						
42. Current owner/address: Lincoln County Historical & Archaeological Society; 201 Main Street		ogical	43. Form prepared by (name and org.): Ruth Keenoy 5229 Oleatha Avenue		rg.): 44. Survey date: May 13, 2010	
Troy, MO 63379			St. Louis, MO 63139 ruthkeenoy@yahoo.com		45. Date of revisions:	
FOR SHPO USE		•	, ,			
Date entered in inventory:			Level of survey		Additional research needed?	
			reconnaissance		│	




ARCHITECTURAL/HISTORIC INVENTORY FORM

National Register Status:	Other:
☐ listed ☐ in listed district	
Name:	
pending listing eligible (individually)	
☐ eligible (district) ☐ not eligible	
☐ not determined	

LOCATION MAP (include north arrow)



SITE MAP/PLAN (include north arrow)



Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	South elevation; view is northwest







ADDITIONAL INFORMATION:

21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

The property was constructed in 1870 by P.J. Pauley & Bro. as the Lincoln County Jail and jailer's residence. Costs of construction were estimated as \$7,500. The property replaced an earlier courthouse/jail constructed in 1829-30. The property remained in use as the jail/jailer's residence until 1979 when the county erected a modern facility. Currently the buildings (which are adjoined) are used by the Lincoln County Historical & Archaeological Society.

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book). [Self-published, 1994].

Sanborn Fire Insurance Maps, 1895, 1902, 1913, 1927.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The site includes a jail (east) and residence (west) situated immediately west of the Lincoln County Courthouse. The property appears to have main access at both the south (211 W. Collier) and north (201 Main Street) elevations. The property is situated on an asphalt-paved parking lot that is surrounded by the county courthouse (east), sidewalk (south), and parking areas (west and north).

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

The property consists of two adjoined buildings, both of which are of brick construction. At the west end of the complex is a one-story jail with a flat roof. It appears that access to the jail was via the jailer's residence – a two-story brick Italianate building at the east end of the property. The jail is Gothic Revival in style with corner brick buttresses and stepped corbel table near the roofline. One gothic arched window is noted at the north elevation. Remaining windows have original limestone bell arches. All of the jail's windows are covered with exterior iron bars. The two-story residential wing and holds off-center entrances on the south and north elevations. The south elevation retains an original wood paneled door and single-light transom that is offset (at the east) by a single window. The residence has a low hipped roof with asphalt shingles, exterior five-course common bond brick walls, and a limestone foundation. Paired Italianate brackets are visible below the cornices. All of the residential windows are two-over-two, double-hung design with stone swag arches and stone sills.













1. Survey No. LN-AS-001-031		Survey name: Troy Downtown District		
3. County: Lincoln		Idress (Street No.)	Street (name) Main Street	
5.City: Vicinity: 6		ГМ: /674780/4316652		7. Township/Range/Section: T: 49N R: 1W S: 26
8.Historic name (if known): Sacred Heart Rectory	1		9. Present/other Academy Too	name (if known): West
10. Ownership: ☑ Private ☐ Public		11a. Historic use (if known): Religion: rectory		11b. Current use: Education: nursery school
HISTORICAL INFORMATION				
12. Construction date: 1960		15. Architect:		18. Previously surveyed? ☐ Cite survey name in box 22 cont. (page 3)
13. Significant date/period: 1960		16. Builder/contra	ctor:	19. On National Register? ☐ individual ☐ district Cite nomination name in box 22 cont. (page 3)
14. Area(s) of significance: Criterion C: architecture		17. Original or sig Sacred Heart	nificant owner: Catholic Church	20. National Register eligible? ☐ individually eligible ☐ district potential (☐ C☐ NC) ☐ not eligible ☐ not determined
21. History and significance on contin	uation pa	ge. 🗌	22. Sources of in	formation on continuation page.
ARCHITECTURAL INFORMA 23. Category of property:	TION	30: Roof material:		37.Windows: ☐ historic ☒ replacement
□ building(s) □ site □ structure object	e 🗌	Not visible		Pane arrangement: 1/1 double-hung
24. Vernacular or property type:		31. Chimney placement: N/A		38. Acreage (rural): Visible from public road? ⊠
25. Architectural Style:		32. Structural system:		39. Changes (describe in box 41 cont.): ☐ Addition(s) Date(s): ☐ Altered Date(s): c. 2000
26. Plan shape: Gable-Front		33. Exterior wall cladding: Brick		☐ Moved Date(s): ☐ Other Date(s):
27. No. of stories: 2.0		34. Foundation material: Concrete		Endangered by:
28. No. of bays (1 st floor):		35. Basement type: Full		40. No. of outbuildings (describe in box 40 cont.): 2
29. Roof type: Low gable		36. Front porch type/placement: Open porch Centered		41. Further description of building features and associated resources on continuation page. ⊠
OTHER				
42. Current owner/address: Richard & Brenda Saxe		43. Form prepared by (name and org.): Ruth Keenoy		g.): 44. Survey date: May 13, 2010
336 Beverly Ann Drive Troy, MO 63379		5229 Oleatha Avenue St. Louis, MO 63139 ruthkeenoy@yahoo.com		45. Date of revisions:
FOR SHPO USE				
Date entered in inventory:		Level of survey reconnaissance	☐ intensive	Additional research needed? ☐ yes ☐ no




ARCHITECTURAL/HISTORIC	INVENTORY	FORM

National Register Status:	Other:
☐ listed ☐ in listed district	
Name:	
pending listing eligible (individually)	
☐ eligible (district) ☐ not eligible	
not determined	

LOCATION MAP (include north arrow)





Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	Primary and south elevations, view is northeast – outbuildings, view is east.



ARCHITECTURAL/HISTORIC INVENTORY FORM



ADDITIONAL INFORMATION:

21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

The property was constructed as a rectory in 1960 to support the Sacred Heart Catholic Church, formerly located adjacent to the property (toward the south, 180 Main Street). The building was used to house the sisters who taught at Sacred Heart School.



ARCHITECTURAL/HISTORIC INVENTORY FORM

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book). [Self-published, 1994].

Sanborn Fire Insurance Map, 1927.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The property is located on the east side of Main Street just north of the downtown business district. The building is bordered at the primary (west) elevation by a concrete sidewalk. A landscaped yard surrounds the building which holds mature trees and a lawn. A concrete walk (with steps) leads from the sidewalk to the primary porch. At the north end of the lot is an associated parking lot. An asphalt drive divides the lot from the building and leads to the rear (west) lot which holds a modern secondary building (associated with the nursery school) and a two-car garage building (prefabricated). A playground is located immediately south of the building on the south end of the lot. A chain link fence surrounds the playground.

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

The building was constructed in 1960 as a rectory. The façade holds a centered one-story porch with limestone walls (partially enclosing the open style porch, which is an original feature) and a low gabled roof. The central entry holds a c. 2000 door with sidelights/transom. Windows on the lower level are two-by-two sliding design. Upper story windows are one-over-one replacement. The foundation is poured concrete that is scored at the side and rear elevations. The primary elevation foundation has a limestone veneer that matches the porch detailing.












1. Survey No. LN-AS-001-032	2. Survey name: Troy Downtown District						
3. County: Lincoln	4. Address (Street No.) 180	Street (name) Main Street					
5.City: Vicinity:	6. UTM: 15/674805/4316596		7. Township/Range/Section: T: 49N R: 1W S: 26				
8.Historic name (if known): Sacred Heart Catholic Church		9. Present/other Stefanina's	name (if known):				
10. Ownership: ☑ Private ☐ Public	11a. Historic use (if known): Religion: church		11b. Current use: Commerce: restaurant				
HISTORICAL INFORMATION							
12. Construction date: 1954	15. Architect:		18. Previously surveyed? ☐ Cite survey name in box 22 cont. (page 3)				
13. Significant date/period: 1954	16. Builder/contra	actor:	19. On National Register? ☐ individual ☐ district Cite nomination name in box 22 cont. (page 3)				
14. Area(s) of significance: Criterion C: architecture	17. Original or sig Sacred Heart	nificant owner: Catholic Church	20. National Register eligible? ☐ individually eligible ☐ district potential (☐ C☐ NC) ☐ not eligible ☐ not determined				
21. History and significance on continua	tion page. 🗵	22. Sources of in	formation on continuation page.				
23. Category of property:	30: Roof material	:	37.Windows: ⊠ historic ☐ replacement				
 ☑ building(s) ☐ site ☐ structure [object 24. Vernacular or property type: 	Asphalt 31. Chimney place	ti	Pane arrangement: multi-light awning and glass block 38. Acreage (rural):				
24. Vernacular or property type.	Rear, left	ement.	Visible from public road?				
25. Architectural Style: Art Moderne influence	32. Structural sys	tem:	39. Changes (describe in box 41 cont.): ☐ Addition(s) Date(s): ☐ Altered Date(s): 2001				
26. Plan shape: Irregular	33. Exterior wall of Brick	cladding:	☐ Moved Date(s): ☐ Other Date(s):				
27. No. of stories: 1.0	34. Foundation m Concrete	aterial:	Endangered by:				
28. No. of bays (1 st floor):	35. Basement typ Full	e:	40. No. of outbuildings (describe in box 40 cont.): 0				
29. Roof type: Flat gable	36. Front porch ty Enclosed	pe/placement: Centered	41. Further description of building features and associated resources on continuation page. ⊠				
OTHER							
42. Current owner/address: Dan & Linda Breen	43. Form prepare Ruth Keenoy 5229 Oleatha Ave	ed by (name and org	.): 44. Survey date: May 13, 2010				
180 N. Main Street Troy, MO 63379	St. Louis, MO 63 ruthkeenoy@yah	139	45. Date of revisions:				
FOR SHPO USE							
Date entered in inventory:	Level of survey reconnaissance	intensive	Additional research needed? ☐ yes ☐ no				



ARCHITECTURAL/HISTORIC	INVENTORY	FORM
AILUI II LU I UILALII II JI UILU		

National Register Status:	Other:
☐ listed ☐ in listed district	
Name:	
☐ pending listing ☐ eligible (individually)	
☐ eligible (district) ☐ not eligible	
not determined	

LOCATION MAP (include north arrow)



SITE MAP/PLAN (include north arrow) 104 131 105 105 106 132 T49N-R1W

Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	Primary and north elevations; view is southeast.





ADDITIONAL INFORMATION:

21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

The property, currently in use as a restaurant, was constructed for the Sacred Heart Catholic Church congregation when an earlier church (located immediately south of this property at 200 Main Street) burned in 1954. It appears that the rear portion of the building served as a school. The congregation was established prior to 1874, when a permanent church was established in a former Presbyterian church. A new building was constructed in 1906 and dedicated in 1907 – this is the property that burned in 1954 and was replaced by the current property.

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book). [Self-published, 1994].

Sanborn Fire Insurance Map, 1927.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The former church building is situated in downtown Troy at the north end of the downtown commercial district. The building is surrounded by a concrete sidewalks (south and west), as well as paved parking lots (north and east).

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

The irregular plan church/school combination building (presently used as a restaurant) appears much as it did in the 1950s (when first constructed). The building retains original stained glass windows and a partially enclosed entrance/vestibule area with glass block walls. The porch has a low gabled roof and paired doors. Interior space has been retained as originally planned and holds former confessional booths, school restrooms/finishes (rear), and a baptismal area. Floors, windows, and ceilings are intact. Original awning style (stained glass) and glass block windows are also intact.










1. Survey No. LN-AS-001-035	2. Survey name: Troy Downtown District	t					
3. County: Lincoln	4. Address (Street No.) 200	Street (name) Main Street					
5.City: Vicinity: Troy	6. UTM: 15/674821/4316561		7. Township/Range/Section: T: 49N R: 1W S: 26				
8.Historic name (if known): Bank of Troy		9. Present/other Troy City Hall /	name (if known): / Police Department				
10. Ownership: ☑ Private ☐ Public	11a. Historic use (if knov Commerce: financial i		11b. Current use: Vacant				
HISTORICAL INFORMATION							
12. Construction date: 1966	15. Architect:		18. Previously surveyed? ☐ Cite survey name in box 22 cont. (page 3)				
13. Significant date/period:	16. Builder/contra	actor:	19. On National Register? ☐ individual ☐ district Cite nomination name in box 22 cont. (page 3)				
14. Area(s) of significance:	17. Original or sig Bank of Troy	gnificant owner:	20. National Register eligible? ☐ individually eligible ☐ district potential (☐ C ☐ NC) ☐ not eligible ☐ not determined				
21. History and significance on continua	ation page. 🛛	22. Sources of in	formation on continuation page. 🗵				
ARCHITECTURAL INFORMAT							
23. Category of property: ⊠ building(s) ☐ site ☐ structure object	30: Roof material Not visible	:	37.Windows: ⊠ historic ☐ replacement Pane arrangement:				
24. Vernacular or property type:	31. Chimney plac N/A	ement:	38. Acreage (rural): Visible from public road? ⊠				
25. Architectural Style:	32. Structural sys	tem:	39. Changes (describe in box 41 cont.): ☐ Addition(s) Date(s): ☐ Altered Date(s): c. 2000				
26. Plan shape: Irregular	33. Exterior wall of Brick	cladding:	☐ Moved Date(s): ☐ Other Date(s):				
27. No. of stories: 1.0	34. Foundation m Concrete	aterial:	Endangered by:				
28. No. of bays (1 st floor):	35. Basement typ Unknown	e:	40. No. of outbuildings (describe in box 40 cont.): 0				
29. Roof type: Flat	36. Front porch ty Open	/pe/placement: One-story flat ro	41. Further description of building features and associated resources on continuation page. ⊠				
OTHER	OTHER						
42. Current owner/address: City of Troy	Ruth Keenoy	ed by (name and org	g.): 44. Survey date: May 13, 2010				
200 Main Street Troy, MO 63379	5229 Oleatha Avo St. Louis, MO 63 ruthkeenoy@yah	3139	45. Date of revisions:				
FOR SHPO USE							
Date entered in inventory:	Level of survey ☐ reconnaissance	intensive	Additional research needed? ☐ yes ☐ no				



ARCHITECTURAL/HISTORIC	INVENTORY	FORM
AILUI II LU I UILALII II JI UILU		

National Register Status:	Other:
☐ listed ☐ in listed district	
Name:	
☐ pending listing ☐ eligible (individually)	
☐ eligible (district) ☐ not eligible	
not determined	

LOCATION MAP (include north arrow)



SITE MAP/PLAN (include north arrow)

Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	Primary and north elevations; view is southeast.



ARCHITECTURAL/HISTORIC INVENTORY FORM



ADDITIONAL INFORMATION:

21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

The building was constructed in 1966 by the Bank of Troy. The Bank of Troy was purchased by Boatman's Bank in 1972 (which occupied the building until 1990). It was used as City Hall and the Troy Police Department until July 2010 at which time these offices moved to a former church building at 800 Cap Au Gris. The building is currently owned by the City of Troy and is vacant.

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book). [Self-published, 1994].

Kemper, Mary Anne. Interview with George Giles and Charles Kemper Jr., 20 August 2010.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The building is located in downtown Troy at the southeast corner of Main and College Streets. A concrete sidewalk borders the lot's primary (west) boundary. A clock with a cast iron surround/pedestal is free standing on the lot's northwest corner. Landscaping that includes shrubs and low perennials surround the east and north elevations. An asphalt-paved lot is situated at the rear (west) end of the lot.

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

The property is a contemporary bank style structure with single-light commercial style entrances at the east (primary) and rear (west) elevations. Windows are single-sash fixed lights and are recessed, as is the primary entry bay. A canopy type awning extends above the entrances and above the primary elevation windows. The building was recently remodeled for current governmental-related use.









ARCHITECTURAL/HISTORIC INVENT	ORY FORM
-------------------------------	----------

3. County: Lincoln 201 Main Street	1. Survey No. LN-AS-001-002		Survey name: Troy Downtown Distri			
Scity: Troy Vicinity: 6 10/16/18/18/18/18/18/18/18/18/18/18/18/18/18/			4. Address (Street No.)		Street (name)	
Troy		T	201		Main Street	
Lincoln County Courthouse 10. Ownership:						T: 49N R: 1W S: 26
HISTORICAL INFORMATION 12. Construction date:						
15. Architect: 15. Architect: Gustave Bachmann 18. Previously surveyed? □ Cite survey name in box 22 cont. (page 3)	10. Ownership: ☐ Private ☐ Public					
13. Significant date/period:	HISTORICAL INFORMA	ATION				
Edwards & Griffith					mann	
14. Area(s) of significance: Criterion A: politics/government 17. Original or significant owner: 20. National Register eligible?						☐ individual ☐ district
21. History and significance on continuation page.	Criterion A: politics/government					20. National Register eligible? ☑ individually eligible ☑ district potential (☑ C ☐ NC)
23. Category of property: 30: Roof material: Asphalt shingles 37.Windows: historic replacement Pane arrangement: double hung, 2/2 Pane arrangement: date arrangement:	21. History and significance o	n continuat	tion pag	page. 22. Sources of informa		
23. Category of property: 30: Roof material: Asphalt shingles 37.Windows: historic replacement Pane arrangement: double hung, 2/2 Pane arrangement: date arrangement:	ARCHITECTURAL INFO	ORMATIO	ON			
24. Vernacular or property type: 31. Chimney placement: Center, rear 38. Acreage (rural): Visible from public road?	□ building(s) □ site □	structure [
Georgian						38. Acreage (rural): Visible from public road? ⊠
26. Plan shape: Cruciform 27. No. of stories: 2.0 28. No. of bays (1st floor): 7 29. Roof type: Low hip 29. Roof type: Low hip 29. Current owner/address: City of Troy 201 Main Street Troy, MO 63379 202. State of revisions: 233. Exterior wall cladding: Brick 34. Foundation material: Limestone 340. No. of outbuildings (describe in box 40 cont.): 0 41. Further description of building features and associated resources on continuation page. 41. Further description of building features and associated resources on continuation page. 42. Current owner/address: City of Troy 201 Main Street Troy, MO 63379 43. Form prepared by (name and org.): Ruth Keenoy 5229 Oleatha Avenue St. Louis, MO 63139 ruthkeenoy@yahoo.com 44. Survey date: May 13, 2010 45. Date of revisions: FOR SHPO USE Date entered in inventory: Level of survey Additional research needed?						
2.0 Limestone 28. No. of bays (1st floor): 7 35. Basement type: Full 40. No. of outbuildings (describe in box 40 cont.): 0 29. Roof type: Low hip 36. Front porch type/placement: Portico 1-story Center façade 41. Further description of building features and associated resources on continuation page. OTHER 42. Current owner/address: City of Troy 201 Main Street Troy, MO 63379 43. Form prepared by (name and org.): Ruth Keenoy 5229 Oleatha Avenue St. Louis, MO 63139 ruthkeenoy@yahoo.com FOR SHPO USE Date entered in inventory: Level of survey Additional research needed?						☐ Moved Date(s): ☐ Other Date(s):
7 Full 40 cont.): 0 29. Roof type: Low hip 26. Front porch type/placement: Portico 1-story Center façade 27. Further description of building features and associated resources on continuation page. ☑ OTHER 41. Further description of building features and associated resources on continuation page. ☑ OTHER 42. Current owner/address: City of Troy 201 Main Street Troy, MO 63379 St. Louis, MO 63139 ruthkeenoy@yahoo.com FOR SHPO USE Date entered in inventory: Level of survey Additional research needed?					Endangered by:	
Low hip Portico 1-story Center façade and associated resources on continuation page. ☑ OTHER 42. Current owner/address:						
OTHER 42. Current owner/address: City of Troy 201 Main Street Troy, MO 63379 FOR SHPO USE Date entered in inventory: 43. Form prepared by (name and org.): Ruth Keenoy 5229 Oleatha Avenue 5229 Oleatha Avenue St. Louis, MO 63139 ruthkeenoy@yahoo.com 44. Survey date: May 13, 2010 45. Date of revisions: 45. Date of revisions:					and associated resources on continuation	
City of Troy 201 Main Street Troy, MO 63379 FOR SHPO USE Date entered in inventory: Ruth Keenoy 5229 Oleatha Avenue St. Louis, MO 63139 ruthkeenoy@yahoo.com 45. Date of revisions: Additional research needed?	OTHER					, · · -
Troy, MO 63379 St. Louis, MO 63139 ruthkeenoy@yahoo.com 45. Date of revisions: FOR SHPO USE Date entered in inventory: Level of survey Additional research needed?	City of Troy		Ruth Keenoy		rg.): 44. Survey date: May 13, 2010	
FOR SHPO USE Date entered in inventory: Level of survey Additional research needed?	Troy, MO 63379		St. Louis, MO 63139		45. Date of revisions:	
Date entered in inventory: Level of survey Additional research needed?	FOR SHPO USE			,		•
				Level of survey reconnaissance	☐ intensive	Additional research needed?




ARCHITECTURAL/HISTORIC INVENTORY FORM

Г	National Register Status:	Other:
	☐ listed ☐ in listed district	
	Name:	
	☐ pending listing ☐ eligible (individually)	
	☐ eligible (district) ☐ not eligible	
	not determined	

LOCATION MAP (include north arrow)



SITE MAP/PLAN (include north arrow)



Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	Primary & south elevations; view is northwest.





21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

The Lincoln County Courthouse was constructed in 1869-1870. It was designed by Gustave Bachmann, a German immigrant who also designed the Montgomery County courthouse. Plans were somewhat altered during construction when four additional windows were provided on the south and east (primary elevations); walls were reduced from 18 to 14 inches in thickness; oak (rather than pine) was used to construct the roof/cupola; and window sills were installed as stone (rather than cast iron). Construction costs were \$27,447.50.

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. *Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book)*. [Self-published, 1994].

Ohman, Marian M. A History of Missouri's Counties, County Seats, and Courthouse Squares. Columbia: University of Missouri-Columbia Extension Division, 1983.

Sanborn Fire Insurance Maps, 1895, 1902, 1913, 1927.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The county courthouse site encompasses 0.89 acre. Surrounding the courthouse, which is centrally located on the lot, is an expansive lawn. Mature trees surround the building. Sidewalks surround the lot. Walks lead directly to the courthouse at the east (primary), south, and north sides of the parcel. An asphalt parking lot abuts the rear (west) entrance. Situated on the front lawn of the courthouse are park benches and a commemorative war memorial erected in 1971. The front lawn also holds two concrete planters (that flank the front walk) and a flagpole (south of the main entrance). A contemporary sign that bears the buildings occupants/offices is situated at the southeast corner of the primary elevation.

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

The Lincoln County Courthouse is a two-story brick Georgian style building with a cupola, asphalt-shingled hipped roof, exterior common bond brick walls, and a limestone foundation. The cupola has an asphalt-shingled octagonal dome with a finial. The cupola also features dentilled trim (near the cap) and exterior weatherboard siding. Arched eight light windows surround the cupola which rests on a frame platform surrounded by a decorative iron balconet. The building's primary elevation also supports a balconet, similar in design, which rests on the roof of the façade porch. The façade entry/porch is centrally located. The porch has a flat roof supported by Corinthian columns. The primary entrance is situated centrally within the porch bay and holds original paired doors of single-light, four-panel design. A large sunburst transom is situated above the doors. This entrance is mirrored at the second-floor level (leading to the balconet). Single windows of two-over-two double-hung design flank the doors at the façade. A fanlight opening is noted in the façade pediment above the projecting entrance/porch bay. Remaining windows are two-over-two design. All have brick arches and sills. The building has a rear two-story addition (west end). The north elevation of the rear wing has arched recessed areas but no windows. A much smaller addition that is one-story in height is situated at the southeast corner of the building near the south original elevation and primary porch projection (south end).























ARCHITECTURAL/HISTORIC IN	VENTORY FORM
---------------------------	--------------


1. Survey No. LN-AS-001-033			vey name: Downtown District		
		4. Address (Street No.) Street (name)		Street (name)	
Lincoln 260					
5.City: Vicinity: 6. UT 15.			TM: 7/674836/4316518		7. Township/Range/Section: T: 49N R: 1W S: 26
8.Historic name (if known): Troy Post Office		•		9. Present/other Lincoln Title Co	
		44- 1	·		
10. Ownership: ☑ Private ☐ Public		Go	Historic use (if known): overnment: post office ommerce: specialty store		11b. Current use: Commerce: business
HISTORICAL INFORMA	ATION				
12. Construction date: c. 1925			15. Architect:	18. Previously surveyed? ☐ Cite survey name in box 22 cont. (page 3)	
13. Significant date/period: c. 1925			16. Builder/contra	ctor:	19. On National Register? ☐ individual ☐ district Cite nomination name in box 22 cont. (page 3)
14. Area(s) of significance: Criterion A: government an Criterion C: architecture	d commer	ce	17. Original or sig United States	nificant owner: Postal Division	20. National Register eligible? ☐ individually eligible ☐ district potential (☐ C☐ NC) ☐ not eligible ☐ not determined
21. History and significance o	n continuat	ion pag	je. 🛛	22. Sources of in	formation on continuation page. 🛛
ARCHITECTURAL INFO	ORMATIO	ON			
23. Category of property: building(s) site	structure [30: Roof material: Not visible		37.Windows: ☐ historic ☐ replacement Pane arrangement: 1/1 and 6/6 double-
object 24. Vernacular or property typ	e:		31. Chimney plac	ement:	hung 38. Acreage (rural):
Two-part commercial block			Side right and side left		Visible from public road? ⊠
25. Architectural Style:			32. Structural system:		39. Changes (describe in box 41 cont.): ☐ Addition(s) Date(s): ☐ Altered Date(s): c. 1990
26. Plan shape: Rectangular			33. Exterior wall cladding: Brick		☐ Moved Date(s): ☐ Other Date(s):
27. No. of stories: 2.0			34. Foundation material: Concrete		Endangered by:
28. No. of bays (1 st floor):			35. Basement type:		40. No. of outbuildings (describe in box
6			Unknown		40 cont.): 0
29. Roof type: Flat			36. Front porch type/placement: None		41. Further description of building features and associated resources on continuation page.
OTUED.					
OTHER 42. Current owner/address:			43. Form prepare	d by (name and org	g.): 44. Survey date: May 13, 2010
Thomas & Ellen Burkemper			Ruth Keenoy		
P.O. Box 209 Troy, MO 63379			5229 Oleatha Ave St. Louis, MO 63	139	45. Date of revisions:
		ruthkeenoy@yah	oo.com	I	
FOR SHPO USE Date entered in inventory:			Level of survey		Additional research needed?
Date entered in inventory.			reconnaissance	☐ intensive	ges no



ARCHITECTURAL/HISTORIC	INVENTORY	FORM

National Register Status:	Other:
☐ listed ☐ in listed district	
Name:	
☐ pending listing ☐ eligible (individually)	
eligible (district) not eligible	
not determined	

LOCATION MAP (include north arrow)



SITE MAP/PLAN (include north arrow) 60 T49N-R1W-

Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	Primary and north elevations; view is southeast.





21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

The building was constructed c. 1925 and throughout the 1920s was used as a post office (west / primary side) and an auto accessories store (east / rear side).

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book). [Self-published, 1994].

Sanborn Fire Insurance Maps, 1913 and 1927.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The building is a commercial property type located in downtown Troy at the northeast intersection of Main and Collier Streets. A concrete sidewalk surrounds the lot at the west and south. An asphalt paved drive extends along the north side of the lot to the rear alley/parking lot. Landscaping with trees and shrubs is noted at the north end of the building. A contemporary street lamp is situated on the sidewalk at the northwest lot corner.

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

This two-story brick commercial building has a poured concrete foundation and stepped built-up side elevations that obscure views of the roof. The façade has two entrances facing Main Street at the lower level. At the north end of the elevation are paired single-light, wood paneled doors. A transom above the doors is enclosed. The entry is offset by two single windows of one-over-one replacement design. The adjacent sidewalk is stepped at the building's center façade and provides service to a central door (situated lower than the north entrance). This entry holds a single-light commercial style door with an enclosed transom. A metal awning extends above the entrance. The south end of the façade holds commercial style windows that have been partially infilled and altered with the addition of contemporary six-over-six paired windows. Entrances and windows (at all elevations) retain original jack arches and limestone sills. The upper façade holds five windows of replacement one-over-one design. Above the windows is a decorative brick pattern (rectangular). Above the brick decorative band is a terra cotta tile cornice with dentils. A secondary commercial style (recessed cant) entrance is noted at the south elevation facing Collier Street. Windows on the south and rear (east) elevations are one-over-one design. The rear elevation has an upper (second-story) level entrance accessed via metal stairs. Rear elevation windows have single-light transoms. There is no fenestration at the north elevation.








1. Survey No. LN-AS-001-034		urvey name: by Downtown District		
3. County: Lincoln	4. Ad	4. Address (Street No.) Street (name) 300 Main Street		
5.City: Vici			7. Township/Range/Section: T: 49N R: 1W S: 26	
8.Historic name (if known): Hanni Motor Company	<u>.</u>		9. Present/other Brett Grunlow,	name (if known): CPA / Dalton Law Firm
10. Ownership: ☐ Private ☐ Public		Historic use (if know ommerce: specialty s		11b. Current use: Commerce: business
HISTORICAL INFORMATIO	N			
12. Construction date: 1927		15. Architect:		18. Previously surveyed? ☐ Cite survey name in box 22 cont. (page 3)
13. Significant date/period: 1927		16. Builder/contra	ctor:	19. On National Register? ☐ individual ☐ district Cite nomination name in box 22 cont. (page 3)
14. Area(s) of significance: Criterion A: commerce Criterion C: architecture		17. Original or sig	nificant owner:	20. National Register eligible? ☐ individually eligible ☐ district potential (☐ C☐ NC) ☐ not eligible ☐ not determined
21. History and significance on cor	tinuation pa	ge. 🛛	22. Sources of in	formation on continuation page.
ARCHITECTURAL INFORM	IATION			
23. Category of property: ⊠ building(s) ☐ site ☐ struc object	ture 🗌	30: Roof material: Asphalt shingles		37.Windows: ☐ historic ☒ replacement Pane arrangement: fixed single sash and one-over-one double-hung
24. Vernacular or property type:		31. Chimney placement: N/A		38. Acreage (rural): Visible from public road? ⊠
25. Architectural Style: Art Deco		32. Structural system: Brick		39. Changes (describe in box 41 cont.): ☐ Addition(s) Date(s): ☐ Altered Date(s): c. 1990
26. Plan shape: Rectangular		33. Exterior wall cladding: Brick and stucco		☐ Moved Date(s): ☐ Other Date(s):
27. No. of stories: 2.0		34. Foundation material: Concrete Endangered by:		Endangered by:
28. No. of bays (1 st floor):		35. Basement type: Unknown		40. No. of outbuildings (describe in box 40 cont.): 0
29. Roof type: Low gable	36. Front porch type/placement: None		41. Further description of building features and associated resources on continuation page. ⊠	
OTHER			-	
42. Current owner/address: The Popcorn Club, LLC		43. Form prepare Ruth Keenoy 5229 Oleatha Ave	d by (name and org	1.): 44. Survey date: May 13, 2010
300 Main Street Troy, MO 63379	St. Louis, MO 63 ruthkeenoy@yah	139	45. Date of revisions:	
FOR SHPO USE				
Date entered in inventory:	Level of survey reconnaissance	intensive	Additional research needed? ☐ yes ☐ no	



ARCHITECTURAL/HISTORIC INVENTORY FORM

National Register Status:	Other:
☐ listed ☐ in listed district	
Name:	
☐ pending listing ☐ eligible (individually)	
☐ eligible (district) ☐ not eligible	
not determined	

LOCATION MAP (include north arrow)



SITE MAP/PLAN (include north arrow)

Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	Primary elevation; view is southeast.





21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

The property was constructed as an auto dealership (1927) and afterward used as a movie theater (Trojan Theater). The building is on the site of the former Laclede Hotel (which burned). It is believed that the foundation of the hotel was used when the current building was constructed.

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book). [Self-published, 1994].

Interview with Mary Anne Kemper and Judy Hechler, 14 August 2010.

Sanborn Fire Insurance Maps, 1913 and 1927.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The building is located in downtown Troy at the southeast intersection of Main and Collier Streets. A sidewalk borders the property's façade (west elevation). The building is flanked by Collier Street at the north (no sidewalk) and a parking lot/alley at the rear (east elevation). A narrow walk extends between the building's south elevation and an adjacent commercial building (320 Main Street).

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

The two-story building has a low gabled roof and a built-up Art Deco style façade clad with stucco that is consistent with the property's former use as a theater. Contrasting lighter bands of stucco are noted in the upper false façade that provide a streamlined decorative motif. The lower level of the elevation has an off-center (north end) recessed theater entrance with a projecting beveled bay which held a ticket booth. The booth projection has an Ozark stone type base and upper fixed-sash windows on the projecting elevations. Single-light commercial style doors flank the ticket booth. Recessed poster/advertising bays flank either side of the theater entrance. South of the former theater entrance/ticketing area, the façade holds four linear fixed sash windows (c. 1990). A single-door offsets the altered commercial bay at the south elevation. This opening holds a contemporary multi-panel door. The second story of the façade holds four single windows with replacement one-over-one lights. There is no fenestration at the north elevation (facing Collier Street).







1. Survey No. LN-AS-001-028	Survey name: Troy Downtown District		
3. County: Lincoln	4. Address (Street No.) Street (name) 301 Main Street		
5.City: Vicinity:	6. UTM:	Main Street	7. Township/Range/Section:
Troy	15/674838/4316485		T: 49N R: 1W S: 26
8.Historic name (if known): Western Auto		9. Present/other Lincare Home	name (if known): Health Supplies / Orthodontics
10. Ownership: ☑ Private ☐ Public	11a. Historic use (if know Commerce: specialty s		11b. Current use: Commerce: specialty store
HISTORICAL INFORMATION		•	
12. Construction date: 1964	15. Architect:		18. Previously surveyed? ☐ Cite survey name in box 22 cont. (page 3)
13. Significant date/period:	16. Builder/contra	actor:	19. On National Register? ☐ individual ☐ district Cite nomination name in box 22 cont. (page 3)
14. Area(s) of significance:	17. Original or sig Walter L. & Ev		20. National Register eligible? ☐ individually eligible ☐ district potential (☐ C ☐ NC) ☐ not eligible ☐ not determined
21. History and significance on continua	tion page. 🛛	22. Sources of in	formation on continuation page. 🛛
ARCHITECTURAL INFORMATION	ON		
23. Category of property: ⊠ building(s) ☐ site ☐ structure [object	30: Roof material:		37.Windows: ⊠ historic ☐ replacement Pane arrangement: single-pane commercial
24. Vernacular or property type: One-part commercial block	31. Chimney plac Offset, right	ement:	38. Acreage (rural): Visible from public road? ⊠
25. Architectural Style:	32. Structural sys	tem:	39. Changes (describe in box 41 cont.): ☐ Addition(s) Date(s): ☐ Altered Date(s): c. 1970; 1980
26. Plan shape: Rectangular	33. Exterior wall o	cladding:	☐ Moved Date(s): ☐ Other Date(s):
27. No. of stories: 1.0	34. Foundation m Brick	aterial:	Endangered by:
28. No. of bays (1 st floor): 10	35. Basement typ Unknown	e:	40. No. of outbuildings (describe in box 40 cont.): 0
29. Roof type: Low gable	36. Front porch ty None	pe/placement:	41. Further description of building features and associated resources on continuation page. ⊠
OTHER	,		<u>'</u>
42. Current owner/address: Mark & Karen Curt 201 Frenchman Bluff Lane	43. Form prepare Ruth Keenoy 5229 Oleatha Ave	d by (name and org	.): 44. Survey date: May 13, 2010
Troy, MO 63379	St. Louis, MO 63 ruthkeenoy@yah	139	45. Date of revisions:
FOR SHPO USE			
Date entered in inventory:	Level of survey reconnaissance	☐ intensive	Additional research needed? ☐ yes ☐ no



National Register Status:	Other:
☐ listed ☐ in listed district	
Name:	
☐ pending listing ☐ eligible (individually)	
☐ eligible (district) ☐ not eligible	
I mak datamasina d	

LOCATION MAP (include north arrow)



70.6

T49N-R1W

SITE MAP/PLAN (include north arrow)

Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	Primary and north elevations; view is southwest.
,		





21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

The building was constructed in 1964 as a Western Auto to accommodate the growing needs of the earlier location (adjacent to this building) at 309 Main Street. Both buildings were used by the Curt Family who retain ownership today.

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book). [Self-published, 1994].

Sanborn Fire Insurance Map, 1927.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The property is located in downtown Troy along the west side of Main Street. The building is situated at the southwest corner of Main and W. Collier Streets. The building's primary (east) and north elevations are bordered by concrete sidewalks. At the rear (west) elevation is Union Street (which serves as an alley). The south elevation is bounded by an attached one-story brick commercial building.

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

The building is a one-story brick commercial property with a low gabled roof and exterior brick walls. The building's primary (east) elevation features a continuous band of single-pane commercial style windows. Within the center of the façade are paired glass and aluminum commercial style doors. A flat awning that appears to be constructed of concrete extends above the window/entry openings along the full width of the façade. A thin band of concrete serves as a sill below the windows at the façade. Above the façade awning, the elevation has prefabricated metal siding. The gable field holds prefabricated siding that appears more modern than the band above façade windows/doors. There is no fenestration on the north elevation; but a rear concrete block addition (west end of the building, probably constructed in 1971) has a single-window on the north elevation. The rear addition has a west elevation entry and a flat roof with metal roofline coping.







		rvey name: / Downtown District				
3. County: 4. Add		droop (Stroot No.)	Street (name)			
Lincoln 309		dress (Street No.)	Main Street			
5.City:	Vicinity:	6. UT				wnship/Range/Section:
Troy		15/6	674841/4316480		T: -	49N R: 1W S: 26
8.Historic name (if known):				9. Present/other		
Western Auto				Appliances Pa	arts and	d Service
10. Ownership:		11a. F	Historic use (if know	n):	11b.	Current use:
☑ Private ☐ Public			mmerce: specialty s	•	Co	ommerce: specialty store
HISTORICAL INFORMA	ATION					
12. Construction date:			15. Architect:			18. Previously surveyed? ☐
1946						Cite survey name in box 22 cont. (page 3)
13. Significant date/period:			16. Builder/contra	ctor:		19. On National Register?
1946						☐ individual ☐ district
14 Area(a) of significance.			17 Original anais	nificant accord		Cite nomination name in box 22 cont. (page 3)
14. Area(s) of significance: Criterion A: commerce; Crit	tarion C		17. Original or sig Walter J. & Cla			20. National Register eligible? ☐ individually eligible
architecture	lenon C,		vvaller 3. & Cla	ara Curt		☐ individually eligible ☐ district potential (☐ C ☐ NC)
are/mostare						not eligible not determined
21. History and significance or	n continua	tion pag	je. 🛛	22. Sources of ir	nformat	tion on continuation page. ⊠
ARCHITECTURAL INFO	ORMATI	ON				
23. Category of property:			30: Roof material:			37.Windows: ⊠ historic ⊠ replacement
⊠ building(s) ☐ site ☐ sobject	structure [Not visible		Pane arrangement: single-light commercial	
24. Vernacular or property type:		31. Chimney place	ement:		38. Acreage (rural):	
One-block commercial		N/A			Visible from public road? ⊠	
25. Architectural Style:			32. Structural system:			39. Changes (describe in box 41 cont.):
			Brick		Addition(s) Date(s):	
26. Plan shape:			33. Exterior wall cladding:			☐ Altered Date(s): c. 1970 ☐ Moved Date(s):
Rectangular			Brick			Other Date(s):
27. No. of stories:			24 Foundation motorials			Endangered by:
1.0			34. Foundation material: Limestone			
28. No. of bays (1 st floor):			35. Basement type:			40. No. of outbuildings (describe in box
3			Unknown			40 cont.): 0
29. Roof type:			36. Front porch type/placement:			41. Further description of building features and
Flat		None			associated resources on continuation page.	
			l			
OTHER						
42. Current owner/address:		43. Form prepared by (name and org.):		g.):	44. Survey date: May 13, 2010	
			Ruth Keenoy			
201 Frenchman Bluff Lane		5229 Oleatha Ave St. Louis, MO 63			45. Date of revisions:	
Troy, MO 63379		ruthkeenoy@yaho				
EOD SHDO HSE						ı
FOR SHPO USE Date entered in inventory:			Level of survey			Additional research needed?
Date entered in inventory.			reconnaissance	☐ intensive		yes no




ARCHITECTURAL/HISTORIC	INVENTORY	FORM

National Register Status:	Other:
☐ listed ☐ in listed district	
Name:	
☐ pending listing ☐ eligible (individually)	
☐ eligible (district) ☐ not eligible	
☐ not determined	

LOCATION MAP (include north arrow)



SITE MAP/PLAN (include north arrow)



Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	Primary and south elevations; view is northwest.





21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

The building was constructed in 1946 as a Western Auto store; owned at that time by Walter J. and Clara Curt. The Curts opened the store originally at 440 Main Street (in 1940) and had this building constructed in 1946 to accommodate the growing business. In 1955, Walter L. Curt (Walter J.'s son) and his wife, Evelyn, took over the business. It expanded in 1964 when the north wing was constructed (currently utilized by a separate business that is identified as 301 N. Main Street, #028). Walter L. and Evelyn Curt held ownership until 1976, at which time the family's third generation (present owners, Mark and Karen Curt) took over the business.

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. *Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book)*. [Self-published, 1994].

Sanborn Fire Insurance Maps, 1895, 1927.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The building is located in downtown Troy on the south side of Main Street. The building is fronted by a concrete sidewalk. The south elevation faces a vacant lot (that formerly held a commercial building). The open lot, as it borders the property, currently holds a landscaped area with shrubs, plants, and a park bench. The south end of the lot is paved with asphalt and serves as a parking area. The building's north elevation is attached to an adjacent commercial building. The rear (west) elevation borders Union Street (which serves as an alley).

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

This one-story commercial building has a brick exterior and a flat roof. The façade has a central recessed cant entrance with a solid wood door (centrally placed). The entry is flanked by commercial style glass windows. Above the entry is an original transom light. A wide band of decorative brick patterning extends the full width of the upper façade. The south elevation has trompe l'oeil painted windows. The roofline is stepped and has terra cotta coping.








1. Survey No. LN-AS-001-029		2. Survey nar Troy Downt			
		4. Address (Street No.)		Street (name)	
Lincoln 320					
5.City: Troy	Vicinity:	6. UTM: 15/674847/	/4316482		7. Township/Range/Section: T: 49N R: 1W S: 26
8.Historic name (if known): Poly Wulf's Barber Shop				9. Present/other Lincoln County	name (if known): / Farmer's Mutual Insurance
10. Ownership: ⊠ Private □ Public		11a. Historic Commerce	use (if know e: specialty s	n): etore	11b. Current use: Business: office building
HISTORICAL INFORMA	ATION				
12. Construction date: c. 1910		15. Ar	chitect:		18. Previously surveyed? ☐ Cite survey name in box 22 cont. (page 3)
13. Significant date/period: c. 1910		16. Bu	uilder/contra	ctor:	19. On National Register? ☐ individual ☐ district Cite nomination name in box 22 cont. (page 3)
14. Area(s) of significance: Criterion A: commerce Criterion C: architecture			riginal or sig ly Wulf	nificant owner:	20. National Register eligible? ☐ individually eligible ☐ district potential (☐ C☐ NC) ☐ not eligible ☐ not determined
21. History and significance of	n continuat	ion page. 🛚		22. Sources of in	formation on continuation page.
ARCHITECTURAL INFO	ORMATIO	ON			
23. Category of property: ⊠ building(s) ☐ site ☐ object		30: Ro	oof material: t visible		37.Windows: ☐ historic ☐ replacement Pane arrangement: 1/1 double-hung and fixed commercial
24. Vernacular or property typ Two-part commercial block	e: k		31. Chimney placement: Side, left		38. Acreage (rural): Visible from public road? ⊠
25. Architectural Style:			32. Structural system: Brick		39. Changes (describe in box 41 cont.): ☐ Addition(s) Date(s): ☐ Altered Date(s): c. 1980
26. Plan shape: Rectangular			33. Exterior wall cladding: Brick		☐ Moved Date(s): ☐ Other Date(s):
27. No. of stories: 2.0			34. Foundation material: Brick		Endangered by:
28. No. of bays (1 st floor):			35. Basement type: Unknown		40. No. of outbuildings (describe in box 40 cont.): 0
29. Roof type: Flat		36. Fr None	36. Front porch type/placement: None		41. Further description of building features and associated resources on continuation page. ⊠
OTHER				-	
42. Current owner/address: Lincoln County Farmers Mi	utual	Ruth I	Keenoy	d by (name and org	g.): 44. Survey date: May 13, 2010
320 Main Street Troy, MO 63379		St. Lo	5229 Oleatha Avenue St. Louis, MO 63139 ruthkeenoy@yahoo.com		45. Date of revisions:
FOR SHPO USE		<u>·</u>			
Date entered in inventory:			of survey onnaissance	☐ intensive	Additional research needed? yes no




ARCHITECTURAL/HISTORIC INVENTORY FORM

National Register Status:	Other:
☐ listed ☐ in listed district	
Name:	
☐ pending listing ☐ eligible (individually)	
eligible (district) not eligible	
not determined	

LOCATION MAP (include north arrow)



SITE MAP/PLAN (include north arrow)



Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	Primary elevation, view is southeast.



ARCHITECTURAL/HISTORIC INVENTORY FORM



21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

The building appears older than 1910; but based on Sanborn maps, the associated lot was vacant during the years 1895 – 1902. This was probably due to a major fire that occurred in 1888 along the east side of Main Street. Apparently the building held a barbershop in 1913.

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book). [Self-published, 1994].

Sanborn Fire Insurance Maps: 1895, 1902, 1913, 1927.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The building is located on the east side of Main Street in downtown Troy. A concrete sidewalk fronts the property at the primary (west) elevation. Offsetting the property to the north is a two-story commercial building. A one-story commercial building is attached to the property's south wall.

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

The building is a two-story brick commercial property with a flat roof. The lower façade storefront has been updated (c. 1980) with glass and aluminum commercial style windows and doors. There are two entries at the façade, both of which are set within the southern half of the elevation. Below the windows (lower level) is scored concrete that mimics a laid brick pattern. Above the windows/doors is a canvas awning that bears the name of the present tenant/owner. Upper story windows retain original brick arches and concrete sills, though the lights themselves have been replaced in recent decades. A decorative cast iron band is noted at the façade near the roofline. Metal coping caps the elevation walls (near the roof).





1. Survey No. LN-AS-001-030		Survey name: Troy Downtown District			
1 1 2 2 2 2 2		4. Address (Street No.) Street (name) 340 Main Street		, ,	
		6. UTI 15/6	M: 674853/4316474		7. Township/Range/Section: T: 49N R: 1W S: 26
8.Historic name (if known): Bessie Mae Shop				9. Present/other Scentchips	name (if known):
10. Ownership: ☑ Private ☐ Public			listoric use (if know mmerce: specialty s		11b. Current use: Commerce: specialty store
HISTORICAL INFORMA	TION				
12. Construction date: c. 1935			15. Architect:		18. Previously surveyed? ☐ Cite survey name in box 22 cont. (page 3)
13. Significant date/period: c. 1935			16. Builder/contra	ctor:	19. On National Register? ☐ individual ☐ district Cite nomination name in box 22 cont. (page 3)
14. Area(s) of significance: Criterion A: commerce Criterion C: architecture			17. Original or sig	nificant owner:	20. National Register eligible? ☐ individually eligible ☐ district potential (☐ C☐ NC) ☐ not eligible ☐ not determined
21. History and significance on	continuat	ion pag	e. 🛚	22. Sources of in	formation on continuation page.
ARCHITECTURAL INFO	RMATIC	NC			
23. Category of property: Dividing Site Site	tructure [30: Roof material: Not visible		37.Windows: ☑ historic ☐ replacement Pane arrangement: fixed sash commercial
24. Vernacular or property type One-part commercial	e :		31. Chimney plac N/A	ement:	38. Acreage (rural): Visible from public road? ⊠
25. Architectural Style:			32. Structural system: Brick		39. Changes (describe in box 41 cont.): ☐ Addition(s) Date(s): ☐ Altered Date(s): c. 1970
26. Plan shape:			33. Exterior wall cladding: Brick		☐ Moved Date(s): ☐ Other Date(s):
27. No. of stories: 1.0			34. Foundation material: Brick		Endangered by:
28. No. of bays (1 st floor):			35. Basement type: Unknown		40. No. of outbuildings (describe in box 40 cont.): 0
29. Roof type: Flat			36. Front porch type/placement: None		41. Further description of building features and associated resources on continuation page. ⊠
OTHER				_	
42. Current owner/address: Dorothy L. Giles			Ruth Keenoy	d by (name and org	i.): 44. Survey date: May 13, 2010
700 Second Street Troy, MO 63379		5229 Oleatha Avenue St. Louis, MO 63139 ruthkeenoy@yahoo.com		45. Date of revisions:	
FOR SHPO USE					
Date entered in inventory:			Level of survey reconnaissance	intensive	Additional research needed? ☐ yes ☐ no




ARCHITECTURAL/HISTORIC INVENTORY FORM

National Register Status:	Other:
☐ listed ☐ in listed district	
Name:	
☐ pending listing ☐ eligible (individually)	
☐ eligible (district) ☐ not eligible	
not determined	

LOCATION MAP (include north arrow)



SITE MAP/PLAN (include north arrow)



Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	Primary elevation, view is southeast.







21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

The property was constructed after 1927 (per Sanborn maps) and was used as the Bessie Mae Shop through the 1970s.

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book). [Self-published, 1994].

Interview with Mary Anne Kemper and Judy Hechler, 14 August 2010.

Sanborn Fire Insurance Maps 1913, 1927.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The building is located in downtown Troy along the west side of Main Street. It is fronted by a concrete sidewalk (west elevation). The side elevations (north/south) are attached to adjacent two-story brick commercial buildings. The rear lot line is bounded by Second Street which also serves as an alley.

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

The property is a one-story commercial building with a three-fixed-light commercial window bay that is offset by a recessed square entry. The entrance holds a single-light commercial style door (not original) with a modified surround (enclosed). A decorative brick band extends along the façade above the window/door. Above this band, the upper façade holds diamond-shaped brick work. There is metal coping at the roofline.






1. Survey No. LN-AS-001-036		Survey name: Troy Downtown District			
3. County: 4. A Lincoln 350		` '		Street (name) Main Street	
		6. UTM: 15/674	JTM: 5/674854/4316466		7. Township/Range/Section: T: 49N R: 1W S: 26
8.Historic name (if known): Finley's Shoe Store	1			9. Present/other Red Wing Shoo	
10. Ownership: ☑ Private ☐ Public			oric use (if know nerce: specialty s		11b. Current use: Commerce: specialty store
HISTORICAL INFORMATI	ON				
12. Construction date: 1950		1	5. Architect:		18. Previously surveyed? ☐ Cite survey name in box 22 cont. (page 3)
13. Significant date/period: 1950		10	6. Builder/contra	ctor:	19. On National Register? ☐ individual ☐ district Cite nomination name in box 22 cont. (page 3)
14. Area(s) of significance: Criterion A: commerce		1	7. Original or sig	nificant owner:	20. National Register eligible? ☐ individually eligible ☐ district potential (☐ C ☐ NC) ☐ not eligible ☐ not determined
21. History and significance on co	ontinuati	on page.		22. Sources of inf	formation on continuation page.
ARCHITECTURAL INFOR 23. Category of property:		30	0: Roof material:		37.Windows: ☐ historic ☒ replacement
□ building(s) □ site □ strue object	ucture _		Not visible		Pane arrangement: Single-light commercial
24. Vernacular or property type: One-part commercial block		3.	1. Chimney place N/A	ement:	38. Acreage (rural): Visible from public road? ⊠
25. Architectural Style:		32	32. Structural system:		39. Changes (describe in box 41 cont.): ☐ Addition(s) Date(s): ☐ Altered Date(s): c. 1975
26. Plan shape: Rectangular		33	33. Exterior wall cladding: Brick		☐ Moved Date(s): ☐ Other Date(s):
27. No. of stories: 1.0		34	34. Foundation material: Concrete		Endangered by:
28. No. of bays (1 st floor):		3	35. Basement type: Unknown		40. No. of outbuildings (describe in box 40 cont.): 0
29. Roof type: Flat			36. Front porch type/placement: Open One-story awning		41. Further description of building features and associated resources on continuation page.
OTHER		1			
42. Current owner/address: John and Mary Woolfolk		R	tuth Keenoy	d by (name and org	g.): 44. Survey date: May 13, 2010
1 Regency Court Troy, MO 63379		S	5229 Oleatha Avenue St. Louis, MO 63139 ruthkeenoy@yahoo.com		45. Date of revisions:
FOR SHPO USE					
Date entered in inventory:			evel of survey reconnaissance	intensive	Additional research needed? ☐ yes ☐ no



National Register Status:	Other:
☐ listed ☐ in listed district	
Name:	
☐ pending listing ☐ eligible (individually)	
☐ eligible (district) ☐ not eligible	
☐ not determined	

LOCATION MAP (include north arrow)



SITE MAP/PLAN (include north arrow)

Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	Primary elevation; view is southeast.





21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

The building was constructed c. 1940 as a single-story commercial building that held a men's shop, Finley's; which occupied the property for two or three decades.

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book). [Self-published, 1994].

Interview with Mary Anne Kemper and Judy Hechler, 14 August 2010.

Sanborn map, 1927.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The building is a one-story commercial property in downtown Troy. A concrete sidewalk flanks the property's façade (east elevation). The north and south elevations abut adjacent commercial buildings. The rear building elevation faces an asphalt-paved parking lot and alley.

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

This one-story commercial building is an unadorned rectangular building with a flat roof, brick façade exterior, and two individual storefronts. The façade features two single-light commercial style doors at the center of the elevation – each of which provides entry to a separate store/commercial space. A projecting brick party wall divides the doors. Each of the entrances is offset by two-fixed-light commercial style windows. An asphalt-clad awning supported by wood columns extends above the entrances/windows along the sidewalk. Louvered vents are noted in the upper façade wall above the awning.






1. Survey No. LN-AS-001-037	Survey name: Troy Downtown District		
3. County: Lincoln	4. Address (Street No.) 360	Street (name) Main Street	
5.City: Vicinity: Troy	6. UTM: 15/674860/4316459		7. Township/Range/Section: T: 49N R: 1W S: 26
8.Historic name (if known): Henebry's Barber Shop	•	9. Present/other My Three Ladi	
10. Ownership: ☑ Private ☐ Public	11a. Historic use (if know Commerce: restauran		11b. Current use: Commerce: restaurant
HISTORICAL INFORMATION			
12. Construction date: c. 1940	15. Architect:		18. Previously surveyed? ☐ Cite survey name in box 22 cont. (page 3)
13. Significant date/period: c. 1940	16. Builder/contra	actor:	19. On National Register? ☐ individual ☐ district Cite nomination name in box 22 cont. (page 3)
14. Area(s) of significance: Criterion A: commerce	17. Original or sig	gnificant owner:	20. National Register eligible? ☐ individually eligible ☐ district potential (☐ C☐ NC) ☐ not eligible ☐ not determined
21. History and significance on continua	ition page. ⊠	22. Sources of in	formation on continuation page.
ARCHITECTURAL INFORMAT 23. Category of property: ☐ building(s) ☐ site ☐ structure	30: Roof material	:	37.Windows: ⊠ historic ☐ replacement Pane arrangement:
object 24. Vernacular or property type:	31. Chimney place	omont:	38. Acreage (rural):
One-part commercial block	N/A	ement.	Visible from public road? ✓
25. Architectural Style:	32. Structural sys	tem:	39. Changes (describe in box 41 cont.): ☐ Addition(s) Date(s): ☐ Altered Date(s): c. 1990
26. Plan shape: Rectangular	33. Exterior wall of Stucco and Ca		☐ Moved Date(s): ☐ Other Date(s):
27. No. of stories: 1.0	34. Foundation m Unknown	aterial:	Endangered by:
28. No. of bays (1 st floor):	35. Basement typ Unknown	e:	40. No. of outbuildings (describe in box 40 cont.): 0
29. Roof type: Flat	36. Front porch ty None	pe/placement:	41. Further description of building features and associated resources on continuation page. ⊠
OTHER			
42. Current owner/address: Cliff Tucker Properties, LLC 2101 Spielhagen Road	43. Form prepare Ruth Keenoy 5229 Oleatha Avo	ed by (name and org	J.): 44. Survey date: May 13, 2010
Troy, MO 63379	St. Louis, MO 63 ruthkeenoy@yah	139	45. Date of revisions:
FOR SHPO USE			
Date entered in inventory:	Level of survey reconnaissance	intensive	Additional research needed? ☐ yes ☐ no



ARCHITECTURAL/HISTORIC	INVENTORY	FORM
AILUI II LU I UILALII II JI UILU		

National Register Status:	Other:
☐ listed ☐ in listed district	
Name:	
☐ pending listing ☐ eligible (individually)	
☐ eligible (district) ☐ not eligible	
not determined	

LOCATION MAP (include north arrow)



SITE MAP/PLAN (include north arrow)

Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	Primary elevation; view is southeast.



ARCHITECTURAL/HISTORIC INVENTORY FORM



21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

The building was originally used as a barber shop. Though modified with exterior concrete sheathing, this alteration appears to have been completed at least 50 years ago.

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book). [Self-published, 1994].

Sanborn map, 1927.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The building is situated in downtown Troy along the east side of Main Street. A concrete sidewalk extends along the building's east (primary) elevation. The side (north and south) elevations abut adjacent commercial buildings. The rear building is flanked by an asphalt-paved lot and alley.

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

The building is a one-story small commercial property with a flat roof, stucco exterior, and Carrara glass below the commercial storefront window. An off-center entry with a recessed cant is situated at the south end of the elevation. The entry holds a single-light commercial style door with an overhead transom (replacement) light. A commercial window bay is situated at the east end of the elevation and holds three (replacement) single-sash lights. A canvas awning extends above the entrance and window. Terra cotta tile coping extends horizontally across the roofline/upper exterior wall.







1. Survey No.			vey name:			
LN-AS-001-038		Troy	Downtown District			
3. County: 4.		4. Add	ress (Street No.)	Street (name)	Street (name)	
Lincoln 380		380		Main Street		
5.City:	Vicinity:	6. UTM:			7. Town	ship/Range/Section:
Troy		15/6	74859/4316454			N R: 1W S: 26
8.Historic name (if known):				9. Present/other		
Troy Post Office				B & J Shoes a	nd Repai	r
10. Ownership:		11a. H	listoric use (if know	rn):	11b. Cu	irrent use:
☑ Private ☐ Public		Gov	ernment: post offic			merce: specialty store
		Con	nmerce: business			·
HISTORICAL INFORMA	TION					
12. Construction date:			15. Architect:		1	8. Previously surveyed?
c. 1890					С	ite survey name in box 22 cont. (page 3)
13. Significant date/period:			16. Builder/contra	ctor:	1	9. On National Register?
c. 1890-1925						☐ individual ☐ district
14. Area(s) of significance:			17. Original or sig	nificant owner:		ite nomination name in box 22 cont. (page 3) 0. National Register eligible?
Criterion A: commerce			H.F. Childers	milicant owner.		o. National Register eligible? ☐ individually eligible
			Till I Offindoro			district potential (\(\simeq \) C \(\simeq \) NC)
						not eligible not determined
21. History and significance or	n continuat	tion page	ge. 22. Sources of information		formation	n on continuation page. 🛛
ARCHITECTURAL INFO	ORMATIO	ON				
23. Category of property:		<u> </u>	30: Roof material:		3	7.Windows: ⊠ historic ☐ replacement
building(s) □ site □ s	structure [Not visible			ane arrangement:
object						
24. Vernacular or property typ			31. Chimney place	ement:		8. Acreage (rural):
Two-part commercial block	(Side, left		V	ïsible from public road? ⊠
25. Architectural Style:			32. Structural syst	em:		9. Changes (describe in box 41 cont.):
			Brick			Addition(s) Date(s):
26. Plan shape:			33. Exterior wall c	ladding:	——— <u> </u>	Altered Date(s): c. 1940 Moved Date(s):
Rectangular			Brick, stucco, 0			Other Date(s):
27. No. of stories:			34. Foundation ma	atorial:		ndangered by:
2.0			Unknown			
28. No. of bays (1 st floor):			35. Basement type Unknown	e:		No. of outbuildings (describe in box 0 cont.):
						,
29. Roof type: Flat			36. Front porch ty	pe/placement:	4 ¹	1. Further description of building features and ssociated resources on continuation page.
ιιαι			None			
OTHER						
42. Current owner/address:				d by (name and org	g.): 4	4. Survey date: May 13, 2010
Lurlye Moore			Ruth Keenoy			
671 Highway AA			5229 Oleatha Ave		4	5. Date of revisions:
Troy, MO 63379			St. Louis, MO 63 ruthkeenoy@yaho			
EOD SUDO USE					1	
FOR SHPO USE Date entered in inventory:			Level of survey		Ι Λ	dditional research needed?
Date entered in inventory.			reconnaissance	☐ intensive		yes no




ARCHITECTURAL/HISTORIC INVENTORY FORM

National Register Status:	Other:
☐ listed ☐ in listed district	
Name:	
☐ pending listing ☐ eligible (individually)	
☐ eligible (district) ☐ not eligible	
not determined	

LOCATION MAP (include north arrow)



SITE MAP/PLAN (include north arrow)



Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	Primary and north elevations; view is southeast.



ARCHITECTURAL/HISTORIC INVENTORY FORM



21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

This building held a post office until the 1920s when it relocated to the building at 260 Main Street. The upper floor was used by a printing business and dentist during the late nineteenth/early twentieth century. The property burned during a fire in 1905 (and was rebuilt) at which time it was owned by H.F. Childers, editor of the *Troy Free Press*.

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book). [Self-published, 1994].

Sanborn maps, 1895, 1902, 1913, and 1927.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The building is a commercial property located on the east side of Main Street in downtown Troy. The building is fronted by a concrete sidewalk. North and south (side) elevations abut adjacent commercial buildings. The rear elevation faces a paved asphalt parking lot and alley.

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

This two-story brick commercial building was remodeled in c. 1940 at which time the façade was clad with stucco and the primary storefront was remodeled. The building retains an original recessed cant entrance with a single-light wood door. Above the door is a single-light transom. The entry is centrally placed and offset by replacement light commercial style windows with Carrara glass surrounds. At the south end of the façade is a recessed area that holds an original wood staircase leading to the upper level entrance. A horizontal band of modern siding is noted on the façade that separates the lower storefront from upper façade windows. The windows (of which there are three) are double-hung single-light design. Window openings are arched and retain original sills covered with stucco. The façade wall rises above the roofline and is capped with terra cotta tiles. The north elevation extends above the adjacent one-story building and features original arched double-hung windows.







1. Survey No. LN-AS-001-039			vey name: Downtown District			
		,				
3. County: Lincoln		4. Add	Iress (Street No.)	Street (name) Main Street		
5.City:	Vicinity:	6. UTM:		Main Street	7. Tov	vnship/Range/Section:
Troy			674864/4316443		T: 4	
8.Historic name (if known): Troy Lodge No. 34; Farmers	and Mech	nanics Ba	ank	9. Present/other Harke's Shopp		if known): npbell's Mattress
10. Ownership: ☐ Private ☐ Public		Soc	listoric use (if know cial: meeting hall mmerce: financial ir	•		Current use: mmerce: specialty store
HISTORICAL INFORMA	ATION					
12. Construction date: 1906			15. Architect:			18. Previously surveyed? ☐ Cite survey name in box 22 cont. (page 3)
13. Significant date/period: 1906			16. Builder/contra	ctor:		19. On National Register? ☐ individual ☐ district Cite nomination name in box 22 cont. (page 3)
14. Area(s) of significance: Criterion A: social and commerce Criterion C: architecture			17. Original or significant owner(s): Troy Lodge; Farmers and Merchants Bank		ants	20. National Register eligible? ☐ individually eligible ☐ district potential (☐ C ☐ NC) ☐ not eligible ☐ not determined
21. History and significance of	n continuat	tion page	ge. 🛛 22. Sources of informa		nformatio	on on continuation page. 🛛
ARCHITECTURAL INFO	ORMATIO	ON				
23. Category of property: Solution District Dist	structure [30: Roof material: Not visible			37.Windows: ⊠ historic ☐ replacement Pane arrangement:
24. Vernacular or property typ Two-part commercial block			31. Chimney place Side, right	ement:		38. Acreage (rural): Visible from public road? ⊠
25. Architectural Style:			32. Structural system: Brick			39. Changes (describe in box 41 cont.): ☐ Addition(s) Date(s): ☐ Altered Date(s): c. 1970
26. Plan shape: Rectangular			33. Exterior wall of Brick	ladding:		☐ Moved Date(s): ☐ Other Date(s):
27. No. of stories: 2.0			34. Foundation macConcrete	aterial:		Endangered by:
28. No. of bays (1 st floor):			35. Basement type Unknown	e:		40. No. of outbuildings (describe in box 40 cont.): 0
29. Roof type: Flat			36. Front porch ty None	pe/placement:		41. Further description of building features and associated resources on continuation page. ⊠
OTHER				-		
42. Current owner/address: Harke's Shoppe 28 Scarlet Oak Court			43. Form prepare Ruth Keenoy 5229 Oleatha Ave	d by (name and org	g.):	44. Survey date: May 13, 2010
Troy, MO 63379			St. Louis, MO 63139 ruthkeenoy@yahoo.com			45. Date of revisions:
FOR SHPO USE						
Date entered in inventory:			Level of survey ☐ reconnaissance	☐ intensive		Additional research needed? ☐ yes ☐ no




ARCHITECTURAL/HISTORIC INVENTORY FORM

Г	National Register Status:	Other:
	☐ listed ☐ in listed district	
	Name:	
	☐ pending listing ☐ eligible (individually)	
	☐ eligible (district) ☐ not eligible	
	not determined	

LOCATION MAP (include north arrow)



SITE MAP/PLAN (include north arrow)



Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	Primary and north elevations; view is northeast.



ARCHITECTURAL/HISTORIC INVENTORY FORM



21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

Troy Lodge No. 34 was organized in 1841 and met originally at the courthouse. The lodge later met at the Universalist Church (extant, 540 Main Street) prior to construction of this property in 1906. The lodge used the upper story and the Farmers and Mechanics Bank occupied the first floor through 1931 when it failed during the Great Depression. In 1935, the Bank of Troy occupied the building and remained through 1966 when the bank moved to a new building at 200 Main Street (see Survey # 35 - 200 Main Street). The building replaced an earlier property that burned in 1905.

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book). [Self-published, 1994].

Sanborn maps, 1895, 1903, and 1913.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The building is situated in downtown Troy at the northeast corner of Main and Cherry Streets. Concrete sidewalks flank the west and south elevations. The north elevation abuts an adjacent commercial property. The building's rear (east) is flanked by an asphalt paved parking lot and alley.

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

This building is a two-story buff brick commercial property with a flat roof and a concrete foundation. The primary and side (south) elevation have been altered with exterior (c. 1970) stone veneer (lower level storefront). The building has an off-center recessed entry with paired single-light replacement doors. There is a replacement transom light above the doors. Offsetting the entry at the main elevation is a c. 1970 commercial style window bay with paired fixed glass and aluminum lights. The side (south) elevation has a similar commercial style window (east end) and a single door entry (west end). Two openings in the mid elevation (lower level) have been enclosed. A canvas awning extends above the entrance and commercial style windows at the primary (east) and south (partial) elevations. Upper story windows are partially infilled with synthetic siding and hold replacement one-over-one windows. The window openings retain original limestone sills and decorative fan jack arches. A course of pink granite extends horizontally along all elevations at the sill level. The building retains original pink granite quoins. A pink granite date stone that bears the name of the lodge, Masonic symbol, and date of establishment is centered at the upper façade between the elevation's two windows. The building retains an original heavy terra cotta cornice along the roofline decorated with dentils and scalloped shells.







1. Survey No. LN-AS-001-023	Survey name: Troy Downtown District		
3. County: Lincoln	4. Address (Street No.) Street (name) 399 (323) Main Street		
5.City: Vicinity: Troy	6. UTM: 15/674839/4316432		7. Township/Range/Section: T: 49N R: 1W S: 26
8.Historic name (if known):		9. Present/other	name (if known):
10. Ownership: ☑ Private ☐ Public	11a. Historic use (if know Commerce	/n):	11b. Current use: Commerce: vacant
HISTORICAL INFORMATION			
12. Construction date: c. 1980	15. Architect:		18. Previously surveyed? ☐ Cite survey name in box 22 cont. (page 3)
13. Significant date/period:	16. Builder/contra	actor:	19. On National Register? ☐ individual ☐ district Cite nomination name in box 22 cont. (page 3)
14. Area(s) of significance:	17. Original or sig	nificant owner:	20. National Register eligible? ☐ individually eligible ☐ district potential (☐ C ☐ NC) ☐ not eligible ☐ not determined
21. History and significance on continua	tion page. ⊠	22. Sources of in	formation on continuation page.
ARCHITECTURAL INFORMATI			
23. Category of property: ⊠ building(s) ☐ site ☐ structure [object	30: Roof material: Asphalt and m		37.Windows: ⊠ historic ☐ replacement Pane arrangement: fixed commercial sash
24. Vernacular or property type: One-part commercial block	31. Chimney plac N/A	ement:	38. Acreage (rural): Visible from public road? ⊠
25. Architectural Style:	32. Structural sys Concrete bloc		39. Changes (describe in box 41 cont.): ☐ Addition(s) Date(s): ☐ Altered Date(s):
26. Plan shape: L-plan	33. Exterior wall of Concrete block		☐ Moved Date(s): ☐ Other Date(s):
27. No. of stories: 1.0	34. Foundation m Concrete block		Endangered by:
28. No. of bays (1 st floor):	35. Basement typ Unknown	e:	40. No. of outbuildings (describe in box 40 cont.): 0
29. Roof type: Flat	36. Front porch ty Platform	pe/placement: Wrap around	41. Further description of building features and associated resources on continuation page. ⊠
OTHER	,		•
42. Current owner/address: Charles & Barbara Williams	Ruth Keenoy	d by (name and org	i.): 44. Survey date: May 13, 2010
369 Madden Road Troy, MO 63379	5229 Oleatha Ave St. Louis, MO 63 ruthkeenoy@yah	139	45. Date of revisions:
FOR SHPO USE			
Date entered in inventory:	Level of survey reconnaissance	intensive	Additional research needed? ☐ yes ☐ no




ARCHITECTURAL/HISTORIC INVENTORY FORM

National Register Status:	Other:
☐ listed ☐ in listed district	
Name:	
☐ pending listing ☐ eligible (individually)	
☐ eligible (district) ☐ not eligible	
not determined	

LOCATION MAP (include north arrow)



SITE MAP/PLAN (include north arrow)



Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	Primary elevation; view is northwest.





ARCHITECTURAL/HISTORIC INVENTORY FORM

ADDITIONAL INFORMATION:

21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

The property, which does not appear on Sanborn maps, appears to be a modern commercial property. The construction date falls outside of the district's period of significance. The building, which is vacant, was most recently used as a restaurant. It is on the site of a former department store, Carp's.

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book). [Self-published, 1994].

Sanborn Fire Insurance Map, 1927.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The building is situated in downtown Troy at the northwest corner of Main and Cherry Streets. Concrete sidewalks border the lot at the east (primary) and south. A grassy lot extends between Main Street and the building façade (east end of the lot). The lot holds a small tree (not mature). An asphalt parking lot borders the building's north elevation. Union Street (which serves as an alley) extends along the west end of the building.

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

This one-story commercial building is constructed of concrete block. The primary entry is situated on the wing that extends linear to Main Street. The entry is centered and holds a modern multi-panel door. The entrance is flanked by fixed sash commercial style windows. A projecting block wing (with no fenestration) extends toward Main Street at the north end of the building. A concrete block stoop/platform extends along the façade on both wings. Above the platform porch is a hipped heavy awning with asphalt shingles. The roof is flat and features metal coping along the roofline.






1. Survey No. LN-AS-001-040	2. Survey name: Troy Downtown District		
3. County: Lincoln	4. Address (Street No.) 400	Street (name) Main Street	
5.City: Vicinity: Troy	6. UTM: 15/674864/4316436		7. Township/Range/Section: T: 49N R: 1W S: 26
8.Historic name (if known): Withrow Harness Shop		9. Present/other Trojan Theater Insurance	name (if known): · / Lincoln County Jewelry / Clayton Duff
10. Ownership: ☑ Private ☐ Public	11a. Historic use (if know Commerce: specialty:	vn):	11b. Current use: Commerce: specialty store; business
HISTORICAL INFORMATION			
12. Construction date: 1871	15. Architect:		18. Previously surveyed? ☐ Cite survey name in box 22 cont. (page 3)
13. Significant date/period: 1871 - 1958	16. Builder/contra	actor:	19. On National Register? ☐ individual ☐ district Cite nomination name in box 22 cont. (page 3)
14. Area(s) of significance: Criterion A: commerce Criterion C: architecture	17. Original or sig Joseph Withro	gnificant owner: ow; T.W. Withrow, S	20. National Register eligible?
21. History and significance on continuat	ion page. 🛛	22. Sources of in	formation on continuation page.
ARCHITECTURAL INFORMATION 23. Category of property:	ON 30: Roof material		37.Windows: ☐ historic ☒ replacement
Solution Structure Struct		•	Pane arrangement: one-over-one double hung; fixed light commercial
24. Vernacular or property type: Two-part commercial block	31. Chimney plac Side left	ement:	38. Acreage (rural): Visible from public road? ⊠
25. Architectural Style:	32. Structural sys Brick	tem:	39. Changes (describe in box 41 cont.): ☐ Addition(s) Date(s): ☐ Altered Date(s): 0.1080
26. Plan shape: Rectangular	33. Exterior wall of Brick	cladding:	
27. No. of stories: 2.0	34. Foundation m Brick	aterial:	Endangered by:
28. No. of bays (1 st floor):	35. Basement typ Unknown	e:	40. No. of outbuildings (describe in box 40 cont.): 0
29. Roof type: Flat	36. Front porch ty None	pe/placement:	41. Further description of building features and associated resources on continuation page. ⊠
OTHER			
42. Current owner/address: Hudson-Poetz, Inc.	Ruth Keenoy	ed by (name and org	g.): 44. Survey date: May 13, 2010
400 Main Street Troy, MO 63379	5229 Oleatha Ave St. Louis, MO 63 ruthkeenoy@yah	139	45. Date of revisions:
FOR SHPO USE			
Date entered in inventory:	Level of survey reconnaissance	intensive	Additional research needed? ☐ yes ☐ no




ARCHITECTURAL/HISTORIC	INVENTORY	FORM

National Register Status:	Other:
☐ listed ☐ in listed district	
Name:	
☐ pending listing ☐ eligible (individually)	
☐ eligible (district) ☐ not eligible	
not determined	

LOCATION MAP (include north arrow)



SITE MAP/PLAN (include north arrow)



Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	Primary and north elevations; view is southeast.





ADDITIONAL INFORMATION:

21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

The building was originally used as a harness shop (north side) and drugstore (south side). The harness shop was established in 1833 by Joseph Withrow. Joseph's son, T.W. Withrow, continued to operate the harness shop until his death in 1922. John Sykora purchased the business at that time. Sykora apprenticed as a harness maker in 1890 under Julius Hechler. Afterward, he gained employment at Withrow's shop.

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. *Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book)*. [Self-published, 1994].

Interview with Mary Anne Kemper and Judy Hechler, 14 August 2010.

Sanborn Fire Insurance Maps, 1895 and 1927.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The building is located in downtown Troy at the southeast intersection of Cherry and Main Streets. A concrete sidewalk borders the property at the north (Cherry) and east (Main). The east walkway elevates adjacent to the building to create a ramp that is bordered with a wrought iron balustrade. An adjacent commercial building abuts the building's south elevation. A rear alley and parking lot are situated east of the property.

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

The building is a two-story brick commercial property with a flat roof and metal roofline coping. The primary (east) elevation holds two storefronts. The north end of the façade has two centered doors that lead to a jewelry store (current tenant). The entries are slightly recessed and hold single-light commercial style doors. Each of the doors is offset by a large commercial window. Awnings extend horizontally above each of the windows. Separating the north commercial storefront from the south business is a recessed entry that leads to the upper floor. This entrance is offset by another storefront with an off-center entry and adjacent large commercial style window. A single awning extends above the recessed (access to the second floor) entrance and the south façade storefront. The upper façade holds seven arched windows. The windows above the north storefront are larger (of which there are three) than those above the south storefront (of which there are four). The larger windows are partially infilled. Windows are replacement one-over-one with original jack arches and stone sills. A decorative brick teardrop cornice extends above the upper façade windows near the roofline. The north (side) elevation has upper story arched windows (partially infilled) with one-over-one replacement lights. The lower story of the north elevation has a commercial style window, a secondary entry, two windows infilled with glass block, and a one-over-one sash window (offsetting the entrance).







1. Survey No. LN-AS-001-019			2. Survey name: Troy Downtown District			
1 in a dia			4. Address (Street No.) Street (name)			
Lincoln 401-4			<u> </u>	Main Street		1: (5) (6) (1:
5.City: Vicinity: 6. UT			M: 674864/4316427		7. Tow T: 49	/nship/Range/Section: 9N R: 1W S: 26
8.Historic name (if known): IOOF Lodge No. 68; People	's Bank; Tr	oy Butc	her Shop	9. Present/other All About Home	•	f known):
10. Ownership: ☑ Private ☐ Public		Coi	Historic use (if know mmerce: specialty s eting hall			current use: nmerce: specialty store
HISTORICAL INFORMA	ATION					
12. Construction date: 1892			15. Architect:			18. Previously surveyed? Cite survey name in box 22 cont. (page 3)
13. Significant date/period: 1892; 1925			16. Builder/contra			19. On National Register? ☐ individual ☐ district Cite nomination name in box 22 cont. (page 3)
14. Area(s) of significance: Criterion A: commerce; soc Criterion C: architecture	cial history;			inificant owners: Order of Odd Fellow Jann (butcher shop)	/s;	20. National Register eligible? ☑ individually eligible ☑ district potential (☑ C ☐ NC) ☐ not eligible ☐ not determined
21. History and significance of	n continuat	ion pag	e. 🗵	22. Sources of in	nformatio	on on continuation page.
ARCHITECTURAL INFO	ORMATIO	ON				
23. Category of property: ⊠ building(s) ☐ site ☐ object	structure [30: Roof material: Asphalt shingles			37.Windows: ⊠ historic ☐ replacement Pane arrangement: 1/1
24. Vernacular or property typ Two-part commercial block			31. Chimney placement: Side right			38. Acreage (rural): Visible from public road? ⊠
25. Architectural Style: Italianate			32. Structural system: Brick			39. Changes (describe in box 41 cont.): ☐ Addition(s) Date(s): ☐ Altered Date(s): 1925
26. Plan shape: Rectangular			33. Exterior wall cladding: Brick			☐ Moved Date(s): ☐Other Date(s):
27. No. of stories: 2.0			34. Foundation material: Concrete (possibly limestone)			Endangered by:
28. No. of bays (1 st floor): 5			35. Basement type: Unknown			40. No. of outbuildings (describe in box 40 cont.): 0
29. Roof type: Flat			36. Front porch type/placement: None		;	41. Further description of building features and associated resources on continuation page. ⊠
OTHER						
42. Current owner/address: Greg & Lorie Schmidt			43. Form prepared by (name and org.): Ruth Keenoy		g.):	44. Survey date: May 13, 2010
2205 Muegge Road St. Charles, MO 63303			5229 Oleatha Avenue St. Louis, MO 63139 ruthkeenoy@yahoo.com			45. Date of revisions:
FOR SHPO USE					1	
Date entered in inventory:			Level of survey reconnaissance	intensive		Additional research needed? □ yes □ no



ARCHITECTURAL/HISTORIC INVENTORY FORM

ſ	National Register Status:	Other:
ı	☐ listed ☐ in listed district	
ı	Name:	
ı	☐ pending listing ☐ eligible (individually)	
ı	☐ eligible (district) ☐ not eligible	
ı	not determined	


LOCATION MAP (include north arrow)



SITE MAP/PLAN (include north arrow) 162 T49N-R1W

Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	Primary elevation; view is northwest.







ARCHITECTURAL/HISTORIC INVENTORY FORM

ADDITIONAL INFORMATION:

21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

IOOF Lodge No. 68 was constructed in 1892 for the Independent Order of Odd Fellows, organized in Troy in 1853. The group met at other locations prior to constructing a dedicated hall/lodge at the corner of Main and Cherry (in 1892). Membership grew steadily from 40 (1853) to 287 (1921). In 1988, the organization merged with Warrenton's IOOF Lodge #385. The building's second floor was used for lodge meetings, and the lower level was used for businesses that during the early twentieth century included a butcher shop and later, Harris Drug Store. The building is illustrated on the 1895 Sanborn Fire Insurance Map as the I.O.O.F. Hall and had a one-story rear wing at that time. Early businesses (lower level) included a bank and a bakery that operated in the late nineteenth-century through the 1920s

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. *Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book)*. [Self-published, 1994].

Interview with Mary Anne Kemper and Judy Hechler, 14 August 2010.

Sanborn Fire Insurance Maps, 1895, 1913, 1927.

Schmidt, Greg. Interview with Ruth Keenoy, 18 May 2010.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The Troy Lodge Building is located at the southwest corner of Main and Cherry Streets in downtown Troy. The building is flanked by concrete sidewalks along the primary (east) and north elevations. An adjacent commercial building abuts the building's south elevation. Union Street, which serves as an alley, extends along the western elevation.

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

Troy Lodge is a two-story commercial brick building. The property's nineteenth-century characteristics include original arched double-hung windows (upper floor), sawtooth brick pattern above windows, and ornate cast iron window hoods. In 1925, the building was altered by the renovation of a rear one-story wing to two-stories in height. Also at that time, the first-floor storefront was remodeled with the addition of exterior glazed brick pilasters, Carrara glass (below commercial windows), and a continuous band of glass blocks above the facade's first-story windows/doors. The building has two storefronts. The north storefront (401) has a flush entrance with a pediment above the door, sidelights, and a transom. The south storefront holds a recessed half-cant entry. Both entries hold single-light commercial style doors. The entrances are offset/flanked by large fixed windows. The façade bears an upper level date/name stone ("Troy Lodge No. 68, I.O.O.F."). The false front that extends above the roofline is capped with terra cotta coping.
















1. Survey No. LN-AS-001-018			Survey name: Troy Downtown District			
3. County: Lincoln		` '		Street (name) Main Street		
			M: 674869/4316418		7. Township/Range/Section: T: 49N R: 1W S: 26	
8.Historic name (if known): Troy Bakery & Restaurant				9. Present/other Attorneys at La	name (if known): aw	
10. Ownership: ☑ Private ☐ Public			listoric use (if know nmerce: specialty s		11b. Current use: Commerce: business	
HISTORICAL INFORMA	TION					
12. Construction date: c. 1880			15. Architect:		18. Previously surveyed? ☐ Cite survey name in box 22 cont. (page 3)	
13. Significant date/period: c. 1880			16. Builder/contra	ctor:	19. On National Register? ☐ individual ☐ district Cite nomination name in box 22 cont. (page 3)	
14. Area(s) of significance: Criterion A: commerce: Crit architecture	erion C;		17. Original or sig	nificant owner:	20. National Register eligible? ☐ individually eligible ☐ district potential (☐ C☐ NC) ☐ not eligible ☐ not determined	
21. History and significance or	n continuat	ion pag	e. 🛚	22. Sources of in	nformation on continuation page.	
ARCHITECTURAL INFORMATION 23. Category of property: ☐ building(s) ☐ site ☐ structure ☐			N 30: Roof material: Unknown (not visible)		37.Windows: ⊠ historic ☐ replacement Pane arrangement: 1/1	
object 24. Vernacular or property typ Two-part commercial block			31. Chimney placement: N/A		38. Acreage (rural): Visible from public road? ⊠	
25. Architectural Style: Italianate			32. Structural system: Brick		39. Changes (describe in box 41 cont.): ☐ Addition(s) Date(s): ☐ Altered Date(s): c. 1970	
26. Plan shape: Rectangular			33. Exterior wall cladding: Brick		☐ Moved Date(s): ☐ Other Date(s):	
27. No. of stories: 2.0			34. Foundation material: Limestone		Endangered by:	
28. No. of bays (1 st floor):			35. Basement type: Unknown		40. No. of outbuildings (describe in box 40 cont.): 0	
29. Roof type: Flat			36. Front porch type/placement: None		41. Further description of building features and associated resources on continuation page. ⊠	
OTHER						
42. Current owner/address: Greg & Lorie Schmidt			43. Form prepared by (name and org.): Ruth Keenoy 5229 Oleatha Avenue		g.): 44. Survey date: May 13, 2010	
2205 Muegge Road St. Charles, MO 63303			St. Louis, MO 63139 ruthkeenoy@yahoo.com		45. Date of revisions:	
FOR SHPO USE						
Date entered in inventory:			Level of survey reconnaissance	intensive	Additional research needed?	



ΛE	CHITEC.	TIID AI /L	JIGTODIC	INVENTORY	/ EODM
AГ	CHILEC	IURAL/F	115 I URIC	INVENTURI	FURIN

National Register Status:	Other:
☐ listed ☐ in listed district	
Name:	
☐ pending listing ☐ eligible (individually)	
☐ eligible (district) ☐ not eligible	
☐ not determined	

LOCATION MAP (include north arrow)



SITE MAP/PLAN (include north arrow) 162 T49N-R1W

Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	Primary elevation, view is northwest.





ARCHITECTURAL/HISTORIC INVENTORY FORM

ADDITIONAL INFORMATION:

21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

The building is one that survived the block's 1928 fire. It was constructed prior to 1895 (per the Sanborn fire insurance map) and at that time held a barber. A bakery moved into the building by c. 1900 and remained in use as a bakery until the mid-1960s. Names of the bakery business (after 1928) include Booth's Bakery (1928-1940s) and Hardy's Bakery (1940s-60s).

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book). [Self-published, 1994].

Sanborn Fire Insurance Maps, 1895, 1903, 1927.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The property is situated in downtown Troy. Bordering the primary (east) elevation is a concrete sidewalk. A two-story commercial building abuts the property at the north. A one-story commercial building abuts the property at the south. Union Street (which serves as an alley) is situated at the west end of the lot.

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

The building is a two-story brick commercial property with arched double-hung (second story) windows. The building retains original decorative window hoods, limestone sills, and a decorative cornice with terra cotta acanthus leaves and flowers. The façade retains original star-shaped tie rod supports. The lower level storefront has been modernized with replacement commercial style windows and a c. 1975 modern door. The recessed side entry has enclosed transoms above the door.










1. Survey No. 2 LN-AS-001-041			Survey name: Troy Downtown District			
3. County: Lincoln		` '		Street (name) Main Street		
5.City: Vicinity: 6. UT			4866/4316421		7. Township/Range/Section: T: 49N R: 1W S: 26	
8.Historic name (if known):	L			9. Present/other Mustang Sally's		
10. Ownership: ☑ Private ☐ Public			storic use (if know merce: specialty s		11b. Current use: Commerce: restaurant and bar	
HISTORICAL INFORMATI	ON					
12. Construction date: c. 1890		1	15. Architect:		18. Previously surveyed? ☐ Cite survey name in box 22 cont. (page 3)	
13. Significant date/period: c. 1890		1	Builder/contra	ctor:	19. On National Register? ☐ individual ☐ district Cite nomination name in box 22 cont. (page 3)	
14. Area(s) of significance: Criterion A: commerce Criterion C: architecture		1	17. Original or sig	nificant owner:	20. National Register eligible? ☐ individually eligible ☐ district potential (☐ C☐ NC) ☐ not eligible ☐ not determined	
21. History and significance on co	ontinuatio	on page.	\boxtimes	22. Sources of inf	formation on continuation page.	
ARCHITECTURAL INFOR	MATIO					
23. Category of property: Solution District Structure Str	ucture 🗌		30: Roof material: Not visible		37.Windows: ☐ historic ☒ replacement Pane arrangement: six over six double- hung, fixed sash commercial	
24. Vernacular or property type: Two-part commercial block		3	31. Chimney placement: N/A		38. Acreage (rural): Visible from public road? ⊠	
25. Architectural Style:		3	32. Structural system: Brick		39. Changes (describe in box 41 cont.): Addition(s) Date(s): Altered Date(s):	
26. Plan shape: Rectangular		3	33. Exterior wall cladding: Brick		☐ Moved Date(s): ☐ Other Date(s):	
27. No. of stories: 2.0		3	34. Foundation material: Not visible		Endangered by:	
28. No. of bays (1 st floor):		3	35. Basement type: Unknown		40. No. of outbuildings (describe in box 40 cont.): 0	
29. Roof type: Flat			36. Front porch type/placement: None		41. Further description of building features and associated resources on continuation page. ⊠	
OTHER		L_		_		
42. Current owner/address: Sally Haynie			Ruth Keenoy	d by (name and org	g.): 44. Survey date: May 13, 2010	
440 Main Street Troy, MO 63379			5229 Oleatha Avenue St. Louis, MO 63139 ruthkeenoy@yahoo.com		45. Date of revisions:	
FOR SHPO USE						
Date entered in inventory:			Level of survey ☐ reconnaissance ☐ intensive		Additional research needed? ☐ yes ☐ no	




ARCHITECTURAL/HISTORIC	INVENTORY	FORM
AILUI II LU I UILALII II JI UILU		

National Register Status:	Other:
☐ listed ☐ in listed district	
Name:	
☐ pending listing ☐ eligible (individually)	
☐ eligible (district) ☐ not eligible	
not determined	

LOCATION MAP (include north arrow)



SITE MAP/PLAN (include north arrow)



Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	Primary elevation; view is southeast.





ADDITIONAL INFORMATION:

21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

The building was originally used as a grocery store (lower floor). In the early 1900s, the upper story held a music store. In the 1920s, the building held an auto sales business. During the 1930s, the building held a hardware and sporting goods store. A Western Auto shop utilized the building in 1940 – 1946 and afterward, the building was used as an auto parts business.

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book). [Self-published, 1994].

Interview with Mary Anne Kemper and Judy Hechler, 14 August 2010.

Sanborn Fire Insurance Maps, 1895, 1902, 1913, 1927.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The building is situated in downtown Troy on the east side of Main Street. The primary elevation is bordered by a concrete sidewalk. Adjacent commercial buildings abut the property's north and south elevations. At the rear (east) is a paved alley.

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

The building is a two-story brick commercial building with a dentilled cornice and altered lower story storefront (c. 1990). The primary lower elevation has a recessed central entry that holds a single-light commercial style door (c. 1920). Commercial style windows flank the recess, and the lower story façade has exterior synthetic siding surrounding the windows/entry. A frame awning with asphalt shingle siding extends above the storefront. The upper façade holds five windows with six-over-six lights. Two windows (south end of elevation are arched. All of the windows retain stone sills. A brick patterned band extends horizontally above the windows.









3. County: 4.	Troy Downtown District Address (Street No.)			
1	Addrose (Stroot No.)			
I LIIICOIII		Street (name)		
T-	41-451 (409) . UTM:	Main Street	7. Tananahin/Danasa/Oastina	
5.City: Vicinity: 6.	. 01M: 15/674882/4316413		7. Township/Range/Section: T: 49N R: 1W S: 26	
8.Historic name (if known): City Building		9. Present/other The Mop Chop	name (if known): Shop / A Craft and Scrapbook Haven	
☐ Public ☐ G	1a. Historic use (if know lovernment: city hall and ommerce: business		11b. Current use: Commerce: specialty store	
HISTORICAL INFORMATION				
12. Construction date: 1930	15. Architect:		18. Previously surveyed? ☐ Cite survey name in box 22 cont. (page 3)	
13. Significant date/period: 1930	16. Builder/contrac	ctor:	19. On National Register? ☐ individual ☐ district Cite nomination name in box 22 cont. (page 3)	
14. Area(s) of significance: Criterion A: commerce; Criterion C: architecture	17. Original or sig		20. National Register eligible? ☐ individually eligible ☐ district potential (☐ C☐ NC) ☐ not eligible ☐ not determined	
21. History and significance on continuation	page. 🛛	22. Sources of in	formation on continuation page.	
ARCHITECTURAL INFORMATION	1			
23. Category of property: ☐ building(s) ☐ site ☐ structure ☐ object	30: Roof material: Not visible		37.Windows: ⊠ historic ⊠ replacement Pane arrangement: fixed single-light	
24. Vernacular or property type: One-part commercial block	31. Chimney place N/A	ement:	38. Acreage (rural): Visible from public road? ⊠	
25. Architectural Style:	32. Structural syst Brick	em:	39. Changes (describe in box 41 cont.): ☐ Addition(s) Date(s): ☐ Altered Date(s): 1959	
26. Plan shape: Rectangular	33. Exterior wall cl Brick	adding:	☐ Moved Date(s): ☐ Other Date(s):	
27. No. of stories: 1.0	34. Foundation ma Concrete	aterial:	Endangered by:	
28. No. of bays (1 st floor): 35. Basement ty Unknown		9:	40. No. of outbuildings (describe in box 40 cont.): 0	
9. Roof type: 36. Front porch type/placen Flat None		pe/placement:	41. Further description of building features and associated resources on continuation page. ⊠	
OTHER			,	
42. Current owner/address: (451) - Troy Esquires LLC P.O. Box 290; Troy, MO 63379	43. Form prepared Ruth Keenoy 5229 Oleatha Ave	d by (name and org	g.): 44. Survey date: May 13, 2010	
(441) – Julie Ohmert 838 Whitcomb Woods Dr., Troy, MO 63379 St. Louis, MO 63 ruthkeenoy@yaho		63139 45. Date of revisions:		
FOR SHPO USE				
Date entered in inventory:	Level of survey reconnaissance	□ intensive	Additional research needed? ☐ yes ☐ no	




ARCHITECTURAL/HISTORIC	INVENTORY	FORM
AILUI II LU I UILALII II JI UILU		

National Register Status:	Other:
☐ listed ☐ in listed district	
Name:	
☐ pending listing ☐ eligible (individually)	
☐ eligible (district) ☐ not eligible	
not determined	

LOCATION MAP (include north arrow)




SITE MAP/PLAN (include north arrow)



Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	Primary elevation; view is northwest.





ARCHITECTURAL/HISTORIC INVENTORY FORM

ADDITIONAL INFORMATION:

21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

The City Building was constructed in 1930 (which post-dates the city's Sanborn maps). Much of the block burned in 1928, and the building was constructed to replace the loss of an earlier commercial building. The property is identified as 409 Main Street in the city's building records (current); however the address on the building reflects 441-451 Main Street. The building held City Hall and was remodeled in 1959, at which time the building provided space for the city's fire truck. Other alterations included remodeling the entrance, providing an entry between the two sections of the building (inner wall) and new floor coverings. City Hall moved in 1993 to 200 Main Street (see Survey # 35). In addition to City Hall, the building also supported the East Missouri Power Company and Thornhill's Newspaper Office.

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. *Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book)*. [Self-published, 1994].

Interview with Mary Anne Kemper and Judy Hechler, 14 August 2010.

Kemper, Mary Anne. Interview with George Giles and Charles Kemper Jr., 20 August 2010.

Sanborn Fire Insurance Maps, 1895, 1902, 1913, 1927.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The City Building is situated in downtown Troy. A concrete sidewalk extends along the building's primary (east) elevation. Abutting the property at the north/south elevations are two-story brick commercial buildings. Union Street (which serves as an alley) extends along the lot's western boundary.

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

The City Building is a one-story brick commercial property with a stepped false façade that features terra cotta coping. The property has two storefronts – the one at the north end is larger and has single doors flanking the central window bay. The north storefront's doors are recessed; whereas the south storefront has one flush side entrance. The building has a marble base (just below commercial windows/doors). Some commercial windows appear to be replacement. The south storefront has replacement transom lights (fixed design). The north storefront has horizontal wood in place above the windows/doors. Doors are single-light original commercial design. The façade (above the storefront) on the south end bears a stone (or possibly concrete) sign with the building's name and date inscribed as "City 1930 Bldg." Decorative brick patterns are noted centrally and at the north end of the upper façade.







1. Survey No. LN-AS-001-042	2. Su Tro	rvey name: y Downtown District		
3. County: Lincoln	4. Ad 450-4	dress (Street No.)	Street (name) Main Street	
5.City: Vicinit	/: 6. UT			7. Township/Range/Section: T: 49N R: 1W S: 26
8.Historic name (if known): Ayde Lott & Creech Dry Goods Stor	e		9. Present/other Turning Pages	name (if known): on Main / Wedding Shoppe
10. Ownership: ☑ Private ☐ Public		Historic use (if know ommerce: specialty s		11b. Current use: Commerce: specialty store
HISTORICAL INFORMATION	•			
12. Construction date: c. 1870		15. Architect:		18. Previously surveyed? ☐ Cite survey name in box 22 cont. (page 3)
13. Significant date/period: c. 1870		16. Builder/contra	ictor:	19. On National Register? ☐ individual ☐ district Cite nomination name in box 22 cont. (page 3)
14. Area(s) of significance: Criterion A: commerce			nificant owner:	20. National Register eligible? ☐ individually eligible ☐ district potential (☐ C ☐ NC) ☐ not eligible ☐ not determined
21. History and significance on contin	uation pag	ge. 🛛	22. Sources of in	formation on continuation page.
ARCHITECTURAL INFORMA 23. Category of property:	ΓΙΟΝ	30: Roof material:		37.Windows: ☐ historic ☒ replacement
□ building(s) □ site □ structur object		Not visible		Pane arrangement: one-over-one double- hung and fixed light commercial
24. Vernacular or property type: Two-part commercial block		31. Chimney placement: N/A		38. Acreage (rural): Visible from public road? ⊠
25. Architectural Style: Italianate		32. Structural system: Brick		39. Changes (describe in box 41 cont.): ☐ Addition(s) Date(s): ☐ Altered Date(s): c. 1980
26. Plan shape: Rectangular		33. Exterior wall cladding: Brick		☐ Moved Date(s): ☐ Other Date(s):
27. No. of stories: 2.0		34. Foundation material: Brick		Endangered by:
28. No. of bays (1 st floor): 3		35. Basement type: Unknown		40. No. of outbuildings (describe in box 40 cont.): 0
29. Roof type: Flat		36. Front porch ty None	pe/placement:	41. Further description of building features and associated resources on continuation page. ⊠
OTHER				
42. Current owner/address: Beamer Properties, LLC	Ruth Keenoy		d by (name and org	g.): 44. Survey date: May 13, 2010
460 Main Street Troy, MO 63379		5229 Oleatha Ave St. Louis, MO 63 ruthkeenoy@yah	139	45. Date of revisions:
FOR SHPO USE				
Date entered in inventory:		Level of survey reconnaissance	intensive	Additional research needed? ☐ yes ☐ no




ARCHITECTURAL/HISTORIC INVENTORY FORM

National Register Status:	Other:
☐ listed ☐ in listed district	
Name:	
☐ pending listing ☐ eligible (individually)	
☐ eligible (district) ☐ not eligible	
not determined	

LOCATION MAP (include north arrow)



SITE MAP/PLAN (include north arrow)



Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	Primary elevation; view is southeast.



A





21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

The building was used as a millinery shop (north side) and grocery (south side). Sanborn maps indicate these businesses remained in the building in 1895 through 1913.

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book). [Self-published, 1994].

Sanborn Fire Insurance Maps, 1895, 1902, 1913, 1927.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The building is located in downtown Troy along the east side of Main Street. The building shares its north and south walls with adjacent commercial buildings. The primary elevation is fronted by a concrete sidewalk. A rear parking/alley area is situated east of the building.

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

The property is a two-story brick commercial building that was modified c. 1980 with the addition of a heavy frame awning that frames the building's upper façade windows and extends above the lower storefronts. The façade has two storefronts – the north storefront has a single-light commercial style door that is flanked by single-light commercial windows. The south storefront has a recessed entrance that is also flanked by single-light commercial style windows. This entry also holds access to the upper story. The building retains original Italianate window hoods above the façade's six windows. The window openings hold replacement one-over-one lights. A patterned brick cornice is intact above the windows. Metal coping extends along the upper façade and side walls that extend above the roofline.









ARCHITECTURAL/HISTORIC II	INVENTORY FORI	И
---------------------------	----------------	---


1. Survey No. LN-AS-001-016	2. Su Troy	rvey name: y Downtown District		
3. County: Lincoln	4. Ad 461-4	dress (Street No.)	Street (name) Main Street	
5.City: Vicinity Troy		M: 674887/4316404		7. Township/Range/Section: T: 49N R: 1W S: 26
8.Historic name (if known): Troy Building	,			name (if known): ed / Cannon Studio
10. Ownership: ☐ Private ☐ Public		a. Historic use (if known): Commerce: specialty store		11b. Current use: Commerce: specialty store
HISTORICAL INFORMATION				
12. Construction date: 1928		15. Architect:		18. Previously surveyed? ☐ Cite survey name in box 22 cont. (page 3)
13. Significant date/period: 1928		16. Builder/contra	ictor:	19. On National Register? ☐ individual ☐ district Cite nomination name in box 22 cont. (page 3)
14. Area(s) of significance: Criterion A: commerce; Criterion C architecture		17. Original or sig	nificant owner:	20. National Register eligible? ☐ individually eligible ☐ district potential (☐ C☐ NC) ☐ not eligible ☐ not determined
21. History and significance on continu	iation pag	ge. ⊠	22. Sources of in	formation on continuation page.
ARCHITECTURAL INFORMA 23. Category of property:	TION	30: Roof material		37.Windows: ⊠ historic ☐ replacement
□ Structure □ Structure □ Structure □ Structure		Not visible	•	Pane arrangement: 6/1
24. Vernacular or property type: Two-part commercial block		31. Chimney placement: N/A		38. Acreage (rural): Visible from public road? ⊠
25. Architectural Style: Renaissance Revival		32. Structural system: Brick		39. Changes (describe in box 41 cont.): ☐ Addition(s) Date(s): ☐ Altered Date(s): c. 2000
26. Plan shape: Rectangular		33. Exterior wall cladding: Brick		☐ Moved Date(s): ☐ Other Date(s):
27. No. of stories: 2.0		34. Foundation material: Concrete		Endangered by:
28. No. of bays (1 st floor):		35. Basement type: Unknown		40. No. of outbuildings (describe in box 40 cont.): 0
29. Roof type: Flat		36. Front porch ty None	pe/placement:	41. Further description of building features and associated resources on continuation page. ⊠
OTHER				
42. Current owner/address: Bruce L. & Princess Cannon		Ruth Keenoy	d by (name and org	g.): 44. Survey date: May 13, 2010
140 Highway EE Winfield, MO 63389		5229 Oleatha Ave St. Louis, MO 63 ruthkeenoy@yah	139	45. Date of revisions:
FOR SHPO USE				
Date entered in inventory:		Level of survey reconnaissance	intensive	Additional research needed? ☐ yes ☐ no



ARCHITECTURAL/HISTORIC INVENTORY FORM

National Register Status:	Other:
☐ listed ☐ in listed district	
Name:	
☐ pending listing ☐ eligible (individually)	
☐ eligible (district) ☐ not eligible	
not determined	

LOCATION MAP (include north arrow)



SITE MAP/PLAN (include north arrow) 162 162 163 T49N-R1W

Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	Primary elevation; view is northwest.



ARCHITECTURAL/HISTORIC INVENTORY FORM



21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

The Troy Building was constructed in 1928, following a fire that destroyed most buildings within the block. The building originally held an insurance company (second floor) owned by C.B. Cannon. Troy Insurance Company (as the business was known) moved in 1971 to a modern office building at Lincoln Drive/Cherry Street. Past businesses in the building include a variety of doctors, lawyers, and dentists offices, and Mattingly's Variety Store.

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book). [Self-published, 1994].

Sanborn Fire Insurance Maps, 1895, 1902, 1913, 1927.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The Troy Building is located in downtown Troy. The property is fronted (east elevation) by a concrete sidewalk. Adjacent commercial buildings (each one-story in height) abut the building's south and north elevations. Union Street (which serves as an alley / rear access route) runs parallel to the lot's west boundary.

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

The Troy Building is a two-story Renaissance Revival style commercial (double-front) building. The building has a central entrance (leading to second story offices) with an original 15-light door. Above the door is an original four-light transom. A decorative terra cotta band with egg-and-dart detailing surrounds the entrance. Above the door, a stone lintel bears the building's name (Troy Building) and date of construction (1928). A terra cotta band extends from the building (with a lower egg-and-dart motif) above the lintel/entrance. On the second-story level, the façade holds a section of patterned bricks with center paired diamond-tracery windows. At the center of the façade, near the roofline, are a terra cotta crest and a stepped parapet with terra cotta scrollwork. Additional terra cotta details include coping and tablet flower molding. Upper floor windows are original double-hung six-over-one design. The lower level storefronts (two – north and south ends) have marble surrounds, single-sash commercial style windows, and recessed single-door entrances. The north storefront appears relatively unaltered with an original wood/single-light glass door. The south storefront holds a modern commercial style door. Above the storefronts are canvas awnings.










1. Survey No. LN-AS-001-043		2. Sur Troy	vey name: Downtown District		
3. County: Lincoln		4. Add	dress (Street No.)	Street (name) Main Street	
	√icinity:	6. UTM: 15/674896/4316393			7. Township/Range/Section: T: 49N R: 1W S: 26
8.Historic name (if known): Erdsiek's Pharmacy				9. Present/other Good Times Ba	name (if known): ar and Grill
10. Ownership: ☑ Private ☐ Public			listoric use (if know mmerce	/n):	11b. Current use: Commerce: restaurant
HISTORICAL INFORMAT	ION				
12. Construction date: c. 1952			15. Architect:		18. Previously surveyed? ☐ Cite survey name in box 22 cont. (page 3)
13. Significant date/period:			16. Builder/contra	ctor:	19. On National Register? ☐ individual ☐ district Cite nomination name in box 22 cont. (page 3)
14. Area(s) of significance: Criterion A: commerce			17. Original or sig Al Erdsiek	nificant owner:	20. National Register eligible? ☐ individually eligible ☐ district potential (☐ C ☐ NC) ☐ not eligible ☐ not determined
21. History and significance on o	continuat	ion pag	e. 🛚	22. Sources of in	formation on continuation page.
ARCHITECTURAL INFOR	RMATIC	ON	30: Roof material:		37.Windows: ⊠ historic ☐ replacement
 □ building(s) □ site □ strong strong			Not visible		Pane arrangement: enclosed and one-over-one
24. Vernacular or property type: One-part commercial block			31. Chimney placement: N/A		38. Acreage (rural): Visible from public road?
25. Architectural Style:			32. Structural system: Unknown		39. Changes (describe in box 41 cont.): ☐ Addition(s) Date(s): ☐ Altered Date(s):
26. Plan shape: Rectangular			33. Exterior wall cladding: Tile		☐ Moved Date(s): ☐ Other Date(s):
27. No. of stories: 1.0			34. Foundation material: Concrete		Endangered by:
28. No. of bays (1 st floor):		35. Basement type: Unknown		40. No. of outbuildings (describe in box 40 cont.): 0	
29. Roof type: Flat		36. Front porch to None		pe/placement:	41. Further description of building features and associated resources on continuation page. ⊠
OTHER					
42. Current owner/address: Barbara J. Mudd	Ruth Kee		Ruth Keenoy	d by (name and org	g.): 44. Survey date: May 13, 2010
701 Main Street Troy, MO 63379		5229 Oleatha Avenue St. Louis, MO 63139 ruthkeenoy@yahoo.com		139	45. Date of revisions:
FOR SHPO USE					
Date entered in inventory:			Level of survey reconnaissance	intensive	Additional research needed? ☐ yes ☐ no




ARCHITECTURAL	_/HISTORIC	INVENTORY	FORM

National Register Status:	Other:
☐ listed ☐ in listed district	
Name:	
☐ pending listing ☐ eligible (individually)	
eligible (district) not eligible	
not determined	

LOCATION MAP (include north arrow)



SITE MAP/PLAN (include north arrow)



Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	Primary elevation; view is northeast.



ARCHITECTURAL/HISTORIC INVENTORY FORM



21. (cont.) History and significance. Expand box as necessary, or add continuation pages.
The building was constructed ca. 1960.

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book). [Self-published, 1994].

Sanborn Fire Insurance Maps, 1895, 1902, 1913, 1927.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The building is located in downtown Troy along the east side of Main Street. A concrete walk borders the primary elevation (west). Adjacent commercial buildings abut the north and south elevations. A rear alley is situated adjacent to the rear (east) elevation.

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

The property is a one-story flat roofed commercial building with a flat corner entrance that holds a single-light commercial style door. The entry bay door is surrounded by synthetic materials and a one-over-window window offsets the entrance at the south. The roof projects above the entrance, supported by a single round column. The west elevation holds a centered enclosed commercial window that is flanked by smaller enclosed windows.





1. Survey No. 2. LN-AS-001-044		Survey name: Troy Downtown District			
1.5		4. Address (Street No.) Street (name) 480 Main Street			
5.City: Vicin	ity: 6. UT			7. Township/Range/Section: T: 49N R: 1W S: 26	
8.Historic name (if known): Lincoln Oil Company	I		9. Present/other Headlines Salo		
10. Ownership: ☑ Private ☐ Public		11a. Historic use (if known): Commerce		11b. Current use: Commerce: specialty store	
HISTORICAL INFORMATION	J	_			
12. Construction date: c. 1945		15. Architect:		18. Previously surveyed? ☐ Cite survey name in box 22 cont. (page 3)	
13. Significant date/period:		16. Builder/contra	ctor:	19. On National Register? ☐ individual ☐ district Cite nomination name in box 22 cont. (page 3)	
14. Area(s) of significance:		17. Original or significant owner:		20. National Register eligible? ☐ individually eligible ☐ district potential (☐ C ☐ NC) ☐ not eligible ☐ not determined	
21. History and significance on conti	nuation pag	ge. 🗌	22. Sources of in	formation on continuation page.	
ARCHITECTURAL INFORMA	ATION				
23. Category of property: Dividing(s) site structure		30: Roof material: Not visible		37.Windows: ☐ historic ☒ replacement Pane arrangement: one-over-one double- hung and fixed light commercial	
24. Vernacular or property type: One-part commercial block		31. Chimney placement: Centre		38. Acreage (rural): Visible from public road? ⊠	
25. Architectural Style:		32. Structural system: Concrete block		39. Changes (describe in box 41 cont.): ☐ Addition(s) Date(s): ☐ Altered Date(s): c. 2000	
26. Plan shape: Rectangular		33. Exterior wall cladding: Brick veneer; concrete block		☐ Moved Date(s): ☐ Other Date(s):	
27. No. of stories: 1.0		34. Foundation material: Concrete block		Endangered by:	
28. No. of bays (1 st floor): 5		35. Basement type: Unknown		40. No. of outbuildings (describe in box 40 cont.): 0	
29. Roof type: Flat		36. Front porch type/placement: Side Open		41. Further description of building features and associated resources on continuation page. ⊠	
OTHER		1			
42. Current owner/address: Richard & Denise Howdeshell		43. Form prepared by (name and org.): Ruth Keenoy		J.): 44. Survey date: May 13, 2010	
1120 Cap Au Gris Troy, MO 63379		5229 Oleatha Avenue St. Louis, MO 63139 ruthkeenoy@yahoo.com		45. Date of revisions:	
FOR SHPO USE					
Date entered in inventory:		Level of survey reconnaissance	intensive	Additional research needed? ☐ yes ☐ no	




A DOLUTEOTUD AL JUICTODIO	INIVENITABLE	
ARCHITECTURAL/HISTORIC	INVENIURY	FURIN
		. •

Г	National Register Status:	Other:
	☐ listed ☐ in listed district	
	Name:	
	☐ pending listing ☐ eligible (individually)	
	☐ eligible (district) ☐ not eligible	
	not determined	

LOCATION MAP (include north arrow)



SITE MAP/PLAN (include north arrow)



Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	Primary elevation; view is northeast.



ARCHITECTURAL/HISTORIC INVENTORY FORM



21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

Building constructed as gas station and headquarters office for Lincoln Oil Company.

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book). [Self-published, 1994].

Sanborn Fire Insurance Maps, 1895, 1902, 1913, 1927.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The building is located in downtown Troy at the northeast intersection of Main and Wood Streets. The building is set back from the street and is bordered at the façade by a narrow parking (asphalt paved) lot and a concrete sidewalk. An asphalt paved parking lot and alley surround the building's south and east elevations. The north elevation is abutted by an adjacent commercial property.

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

The building is a one-story mid-century property with a contemporary storefront that surrounds the west and south elevations. The storefront has exterior brick veneer (west elevation) and vertical board siding (south elevation). The west elevation has a mansard awning; the south elevation has a hipped awning with a centered one-story central gabled porch/stoop. Entries are situated on the west and south elevations. The alterations appear to date to c. 2000. The original stepped walls rise above the altered elevations and retain terra cotta tile coping.







1. Survey No. LN-AS-001-015	Survey name: Troy Downtown District	2. Survey name: Troy Downtown District	
3. County: Lincoln	4. Address (Street No.) 481	Street (name) Main Street	
5.City: Vicinity: Troy	6. UTM: 15/674892/4316391	Wall Street	7. Township/Range/Section: T: 49N R: 1W S: 26
8.Historic name (if known): Russell Hardware		9. Present/other	
10. Ownership: ☑ Private ☐ Public	11a. Historic use (if know Commerce: specialty s		11b. Current use: Vacant
	Commerce: openiary	5.610	vacant
12. Construction date:	15. Architect:		18. Previously surveyed?
c. 1928 13. Significant date/period:	16. Builder/contra	ector:	Cite survey name in box 22 cont. (page 3) 19. On National Register?
70. Oigimount dato/penod.	To. Builden control	iotor.	individual district Cite nomination name in box 22 cont. (page 3)
14. Area(s) of significance: Criterion A: commerce	17. Original or sig Ira Russell	nificant owner:	20. National Register eligible? ☐ individually eligible ☐ district potential (☐ C☐ NC) ☐ not eligible ☐ not determined
21. History and significance on continua	tion page. 🛛	22. Sources of in	formation on continuation page.
ARCHITECTURAL INFORMATI	ON		
23. Category of property: ⊠ building(s) ☐ site ☐ structure [object	30: Roof material: Unknown (not		37.Windows: ☐ historic ☒ replacement Pane arrangement: fixed light commercial
24. Vernacular or property type: One-part commercial block	31. Chimney plac N/A	ement:	38. Acreage (rural): Visible from public road? ⊠
25. Architectural Style:	32. Structural sys Brick	tem:	39. Changes (describe in box 41 cont.): ☐ Addition(s) Date(s):
26. Plan shape: Rectangular	33. Exterior wall o	sladding:	
27. No. of stories: 1.0	34. Foundation m		Endangered by:
28. No. of bays (1 st floor):	35. Basement typ Unknown	e:	40. No. of outbuildings (describe in box 40 cont.): 0
29. Roof type: Flat	36. Front porch ty None	pe/placement:	41. Further description of building features and associated resources on continuation page. ⊠
OTHER			
42. Current owner/address: Gary & Rebecca Sheller	Ruth Keenoy	d by (name and org	1.): 44. Survey date: May 13, 2010
170 W. Cherry Street Troy, MO 63379	5229 Oleatha Ave St. Louis, MO 63 ruthkeenoy@yah	139	45. Date of revisions:
FOR SHPO USE	,		
Date entered in inventory:	Level of survey reconnaissance	☐ intensive	Additional research needed? ☐ yes ☐ no




ARCHITECTURAL/HISTORIC	INVENTORY	FORM
AILUI II LU I UILALII II JI UILU		

National Register Status:	Other:
☐ listed ☐ in listed district	
Name:	
☐ pending listing ☐ eligible (individually)	
☐ eligible (district) ☐ not eligible	
not determined	

LOCATION MAP (include north arrow)





Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	Primary elevation; view is northwest.





21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

The property was probably constructed in 1928. In January 1928, this portion of Main Street burned, including a nineteenth-century building (a tin shop) that was formerly on the parcel.

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book). [Self-published, 1994].

Sanborn Fire Insurance Maps, 1895; 1913; 1927.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The building is situated in downtown Troy. Bordering the property's façade (east elevation) is a concrete sidewalk. Adjacent commercial buildings (of two-story height) abut the property at the north and south. Rear access to the building is via Union Street (west elevation).

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

The building is a one-story commercial brick property with a flat roof, exterior brick walls, and a concrete foundation. The façade (east elevation) has a modified storefront with a central recessed square entrance (single-door) flanked by single-light commercial windows. The storefront is clad with synthetic siding. The entrance retains a single-light transom opening. Above the entrance is a modern louvered vent that may cover (or replace) a central decorative motif. The false façade wall is stepped.







		Survey name: Troy Downtown Distri	Survey name: Froy Downtown District		
1.1.1.1.1		4. Address (Street No.)			
Lincoln	T	499	Main Street		
5.City: Troy	Vicinity:	6. UTM: 15/674894/4316383		7. Township/Range/Section: T: 49N R: 1W S: 26	
8.Historic name (if known):	I			er name (if known):	
Yellow Drug Store; Haverka	mp Jewelry		Duane's Mu	sic	
10. Ownership: ☐ Private ☐ Public		11a. Historic use (if kno	own):	11b. Current use:	
☐ Filvate ☐ Fublic		Commerce: specialt	y store	Commerce: specialty store	
HISTORICAL INFORMA	ATION				
12. Construction date: c. 1870		15. Architect:		18. Previously surveyed? ☐ Cite survey name in box 22 cont. (page 3)	
13. Significant date/period: c. 1870		16. Builder/conf	ractor:	19. On National Register? ☐ individual ☐ district	
14. Area(s) of significance:		17 Original or s	significant owner:	Cite nomination name in box 22 cont. (page 3) 20. National Register eligible?	
Criterion A: commerce; Crit	terion C:	Henry Have		individually eligible	
architecture				□ district potential (□ C □ NC) □ not eligible □ not determined	
21. History and significance of	n continuat	tion page. 🛛	22. Sources of	information on continuation page.	
ARCHITECTURAL INFO	DMATI	ON	·		
23. Category of property:	JRIVIATIO	30: Roof materi	al:	37.Windows: ⊠ historic ☐ replacement	
□ building(s) □ site □ structure □				Pane arrangement: 1/1 double-hung and	
object 24. Vernacular or property type:		31. Chimney pla	acement:	fixed commercial 38. Acreage (rural):	
Two-part commercial block		N/A		Visible from public road? ⊠	
25. Architectural Style:		32. Structural sy Brick	/stem:	39. Changes (describe in box 41 cont.): ☐ Addition(s) Date(s):	
26. Plan shape:		33. Exterior wal	l cladding:		
Rectangular		Brick	. c.u.ug.	☐Other Date(s):	
27. No. of stories:		34. Foundation	material:	Endangered by:	
2.0		Limestone			
28. No. of bays (1 st floor): 6		35. Basement ty Unknown	/pe:	40. No. of outbuildings (describe in box 40 cont.): 0	
29. Roof type:		36. Front porch	type/placement:	41. Further description of building features and	
Flat		None		associated resources on continuation page.	
OTHER					
42. Current owner/address:			red by (name and o	org.): 44. Survey date: May 13, 2010	
Greg Schmidt & Lorie Adkin 2205 Muegge Road		Ruth Keenoy 5229 Oleatha A	venue		
St. Charles, MO 63303		St. Louis, MO	3139	45. Date of revisions:	
		ruthkeenoy@ya	ihoo.com		
FOR SHPO USE					
Date entered in inventory:		Level of survey reconnaissance	ce 🗌 intensive	Additional research needed? ☐ yes ☐ no	
			_ Intensive	11)00 1110	



National Register Status:	Other:
☐ listed ☐ in listed district	
Name:	
☐ pending listing ☐ eligible (individually)	
☐ eligible (district) ☐ not eligible	
not determined	

LOCATION MAP (include north arrow)





Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	View of primary (east) and south elevations (NW)



ARCHITECTURAL/HISTORIC INVENTORY FORM



ARCHITECTURAL/HISTORIC INVENTORY FORM

ADDITIONAL INFORMATION:

21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

The building is illustrated on the city's 1895 Sanborn fire insurance map. At that time, the property held Yellow Drug Store and Haverkamp's Jewelry. The second floor was used as offices. Much of the block burned in 1928, but this building (though damaged) was reconstructed. During the 1950s-60s, the building held Thornhill's Drug Store and a wallpaper/paint store. The north storefront formerly held an ice cream shop, The Princess.

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book). [Self-published, 1994].

Interview with Mary Anne Kemper and Judy Hechler, 14 August 2010.

Sanborn Fire Insurance Maps, 1895, 1902, 1913, 1927.

Williams, Charles R., John Clare and Robert Jackson. *Lincoln County Pictorial History Book* (Vol. 1, Book No. 1). Troy: Robert Jackson / Troy Free Press, 1975.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The building is situated at the northwest corner of Main and Wood Streets in downtown Troy. The property fronts Main Street (east) and is bordered at the east and south elevations by concrete sidewalks. Bordering the building's west elevation is Union Street (which serves as an alley). An adjacent commercial building (409 Main Street) abuts the building's north elevation.

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

The property is a 2-story brick commercial building with a flat roof, exterior brick walls, and a continuous limestone foundation. The first-story level façade has a modern storefront (c. 1985) with three projecting commercial style window bays and two recessed modern entrances. Surrounding the single-light windows and doors is modern synthetic exterior siding (first-story only). A mansard style frame canopy with asphalt shingles extends above the first-story entrances/windows. The second-story façade retains original one-over-one windows with stone sills and brick segmental arches. The façade extends falsely above the roofline and has decorative brick pendant corbelling. A low concrete sheathed (brick) wall capped with metal coping borders the top of the façade. The south elevation (which faces Wood Street) has three single door entrances with modern canvas awnings. Original windows are intact at the elevation. The windows are similar in design to those noted on the façade (east elevation). An original door and exterior wall staircase on the south elevation (east end) have been removed (date unknown). As noted above, a portion of the building was reconstructed following a fire in the late 1920s.







			Survey name: Troy Downtown District		
1.21.		ess (Street No.)	Street (name)		
Lincoln	T	501		Main Street	I = =
5.City: Troy	Vicinity:	6. UTM 15/67	: 74900/431364		7. Township/Range/Section: T: 49N R: 1W S: 26
8.Historic name (if known): Dyer Building					name (if known): y Gallery & Raintree Arts Council
10. Ownership: ⊠ Private □ Public			storic use (if know mercial: business		11b. Current use: Culture: art gallery
HISTORICAL INFORMA	ATION				
12. Construction date: c. 1890			15. Architect:		18. Previously surveyed? ☐ Cite survey name in box 22 cont. (page 3)
13. Significant date/period: c. 1890			16. Builder/contra	ctor:	19. On National Register? ☐ individual ☐ district Cite nomination name in box 22 cont. (page 3)
14. Area(s) of significance: Criterion A: commerce			17. Original or sig	nificant owner:	20. National Register eligible? ☐ individually eligible ☐ district potential (☐ C☐ NC) ☐ not eligible ☐ not determined
21. History and significance of	n continuat	ion page	. 🛛	22. Sources of in	formation on continuation page.
ARCHITECTURAL INFO	ORMATIO	ON			
23. Category of property: Solution District Dist	structure [30: Roof material: Corrugated me	etal and asphalt	37.Windows: ⊠ historic ⊠ replacement Pane arrangement: double-hung 6/6
24. Vernacular or property typ One-part commercial block		;	31. Chimney place N/A	ement:	38. Acreage (rural): Visible from public road? ⊠
25. Architectural Style:		;	32. Structural syst Brick	tem:	39. Changes (describe in box 41 cont.): ☐ Addition(s) Date(s): ☐ Altered Date(s): c. 2000
26. Plan shape: Rectangular		;	33. Exterior wall cladding: Brick		☐ Moved Date(s): ☐ Other Date(s):
27. No. of stories: 2.0			34. Foundation material: Poured concrete		Endangered by:
28. No. of bays (1 st floor):		;	35. Basement typ Unknown	e:	40. No. of outbuildings (describe in box 40 cont.): 0
29. Roof type: Flat gable			36. Front porch ty None	pe/placement:	41. Further description of building features and associated resources on continuation page. ⊠
OTHER		I			
42. Current owner/address: Jack & Teresa Wall			Ruth Keenoy	d by (name and org	g.): 44. Survey date: May 13, 2010
46 Southgate Drive Troy, MO 63379			5229 Oleatha Avenue St. Louis, MO 63139 ruthkeenoy@yahoo.com		45. Date of revisions:
FOR SHPO USE		I			1
Date entered in inventory:			Level of survey reconnaissance	intensive	Additional research needed? ☐ yes ☐ no



ARCHITECTURAL/HISTORIC	INVENTORY	FORM
AILUI II LU I UILALII II JI UILU		

National Register Status:	Other:
☐ listed ☐ in listed district	
Name:	
☐ pending listing ☐ eligible (individually)	
eligible (district) not eligible	
not determined	

LOCATION MAP (include north arrow)



SITE MAP/PLAN (include north arrow)

Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	Primary and north elevations; view is southwest





ARCHITECTURAL/HISTORIC INVENTORY FORM



ADDITIONAL INFORMATION:

21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

The property held Troy's first Kroger grocery store which opened in 1922 and operated in the building through 1941. Prior to that time, the building was used as a harness shop. After Kroger, the building held an antiques shop and in 1950, the lower floor held Brandes TV and Appliance Store. The upper floor was used as an apartment during the 1950s.

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book). [Self-published, 1994].

Interview with Mary Anne Kemper and Judy Hechler, 14 August 2010.

Sanborn Fire Insurance Maps, 1895, 1902, 1913, 1927.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The building is situated in an urban downtown setting. The building's south elevation abuts an adjacent business at 521 Main Street (#009). The primary elevation is bordered by a public sidewalk. Flanking the building's north elevation is a public sidewalk that borders the south side of Wood Street. At the west is an alley/Union Street.

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

The property is a two-story brick commercial building that faces east toward Main Street. The primary elevation has a first-story commercial storefront with glass single-light windows and a slightly off-center glass and metal commercial door. Situated at the south end of the first-story façade is a paneled door that leads to the second-story space. Second story façade windows are replacement design with original arches and concrete sills. Above these windows is an off-center louvered vent. The façade wall rises above the roofline and is stepped. The north elevation has two first-floor level entrances near the central and rear portions of the building. The entries have solid wood paneled doors with arched transoms. Windows at the first story (north elevation) are arched. Most are single-panel six-light design; three are double-hung six-over-six design. Second story windows are also six-over-six design.








1. Survey No. 2. LN-AS-001-009		Survey name: Troy Downtown District	:	
3. County:			Street (name)	
Lincoln	T	521	Main Street	
5.City: Troy	Vicinity:	6. UTM: 15/674905/4316351		7. Township/Range/Section: T: 49N R: 1W S: 26
8.Historic name (if known): Opera House (upper floor); s	store (lowe	r floor)		name (if known): nstreet Hearth and Home
10. Ownership: ⊠ Private □ Public		11a. Historic use (if know Culture: music facility,	vn): theater	11b. Current use: Commerce: hardware store
HISTORICAL INFORMA	ATION	I		I
12. Construction date: 1890		15. Architect:		18. Previously surveyed? ☐ Cite survey name in box 22 cont. (page 3)
13. Significant date/period: 1890 - 1919		16. Builder/contra L.J. Henry	actor:	19. On National Register? ☐ individual ☐ district Cite nomination name in box 22 cont. (page 3)
14. Area(s) of significance: Criterion A: social history Criterion C: architecture		17. Original or sig	nificant owner:	20. National Register eligible? ⊠ individually eligible ⊠ district potential (⊠ C □ NC) □ not eligible □ not determined
21. History and significance of	n continuat	tion page. 🗵	22. Sources of in	formation on continuation page.
ARCHITECTURAL INFO	ORMATIO	ON		
23. Category of property: building(s) site object		30: Roof material	:	37.Windows: ⊠ historic ☐ replacement Pane arrangement: 1/1 and 2/2 double hung
24. Vernacular or property typ Two-part commercial block		31. Chimney plac Rear, left	ement:	38. Acreage (rural): Visible from public road? ⊠
25. Architectural Style: Italian Renaissance		32. Structural sys Concrete shea	tem: athing	39. Changes (describe in box 41 cont.): ☐ Addition(s) Date(s): ☑ Altered Date(s): c. 1919; c. 1990
26. Plan shape: Rectangular		33. Exterior wall of Brick	cladding:	☐ Moved Date(s): ☐ Other Date(s):
27. No. of stories: 2.0		34. Foundation m Unknown	aterial:	Endangered by:
28. No. of bays (1 st floor):		35. Basement typ Unknown	e:	40. No. of outbuildings (describe in box 40 cont.): 0
29. Roof type: Flat		36. Front porch ty None	pe/placement:	41. Further description of building features and associated resources on continuation page. ⊠
OTHER				1
42. Current owner/address: Hechler Properties, LLC		Ruth Keenoy	d by (name and org	g.): 44. Survey date: May 13, 2010
Troy, MO 63379 St.		5229 Oleatha Ave St. Louis, MO 63 ruthkeenoy@yah	139	45. Date of revisions:
FOR SHPO USE		,		,
Date entered in inventory:		Level of survey ☐ reconnaissance	☐ intensive	Additional research needed? ☐ yes ☐ no




ARCHITECTURAL/HISTORIC INVENTORY FORM

ſ	National Register Status:	Other:
ı	☐ listed ☐ in listed district	
ı	Name:	
ı	☐ pending listing ☐ eligible (individually)	
ı	☐ eligible (district) ☐ not eligible	
ı	not determined	

LOCATION MAP (include north arrow)



SITE MAP/PLAN (include north arrow)



Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	Primary and south elevations; view is northwest





ARCHITECTURAL/HISTORIC INVENTORY FORM

ADDITIONAL INFORMATION:

21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

The building was constructed in 1890 by L.J. Henry, a local shoemaker/shoe repairman. Henry utilized the lower floor for his business, and the upper floor was used for entertainment purposes – "the social center of the town." Henry also served as Troy's mayor in 1918. He was born in Troy in 1849 and died (in Troy) in 1919. According to local residents, a ball was held in the building in 1898 "honoring Frank James." The building remained in use as an opera house until Henry's death; after which time it was sold to Albert & Lawrence Shaper and R.H. Kennedy who operated an automobile dealership. At that time, the building was modified and an interior elevator was added to transport the cars between floors. The property was also used as a "distribution center" for an orphan train that arrived in 1910.

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book). [Self-published, 1994].

Sanborn Fire Insurance Maps, 1895, 1902, 1913, 1927.

Information provided by residents Judy Hechler, George Giles, and James Duncan.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The building is situated on a downtown city lot that is bordered by a concrete public sidewalk (east/primary), an open lot (south), and an alley/Union Street (west). The building's north elevation abuts an adjacent business at 501 Main Street (#010).

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

The building (formerly Troy's opera house) is a two-part commercial two-story building with a cast iron façade. The first-story level holds a commercial storefront with five single pane glass windows and an off-center single-light commercial style door. The entry is flanked by wood paneled siding and a single-light window. Within the wood paneled section is a sign bearing the business name, "Hechler's Mainstreet Home and Hearth." A modern canvas awning extends the full width of the first-story level. Engaged cast iron pilasters with decorative capitals are situated at the north and south ends of the elevation. An imprint by the company that manufactured the cast-iron façade, Christopher & Simpson, St. Louis, MO, is located at the base of the building's north end façade pilaster. The second-story façade level holds eight double-hung windows divided by smaller cast-iron pilasters with Corinthian capitals. The windows have a starburst type pattern (cast iron) above them. Above the decorative starburst bands are single-light transoms. The building's cornice is decorated with four bands that include flowers and beading. Centered near the roofline is a projection that bears the name "Opera House." The south (side) elevation is exposed and has been covered with concrete sheathing. This elevation has original arched two-over-two windows the upper (second story) level. The second story level also holds an original arched door with a Queen Anne arched transom. The first-floor level has trompe l'oeil paintings of windows that imitate the second floor windows.












1. Survey No. 2. St LN-AS-001-013 Tro		2. Survey name: Troy Downtown District		
1.51.		4. Address (Street No.) Street (name) 530(a) Main Street		
5.City: Vic		6. UTM: 15/674900/4816359		7. Township/Range/Section: T: 49N R: 1W S: 26
8.Historic name (if known): Kempf-Hechler Building	l.		9. Present/other Hechler Hardw	
10. Ownership: ☑ Private ☐ Public	1	1a. Historic use (if know Commerce: specialty s		11b. Current use: Commerce: specialty store
HISTORICAL INFORMATION	ON			
12. Construction date: 1891-1893		15. Architect:		18. Previously surveyed? ☐ Cite survey name in box 22 cont. (page 3)
13. Significant date/period: 1891-1893		16. Builder/contra	ctor:	19. On National Register? ☐ individual ☐ district Cite nomination name in box 22 cont. (page 3)
14. Area(s) of significance: Criterion A: commerce Criterion C: architecture		17. Original or sig George Kemp	nificant owner: f; Julius Hechler	20. National Register eligible? ⊠ individually eligible ⊠ district potential (⊠ C □ NC) □ not eligible □ not determined
21. History and significance on con	ntinuation	n page. 🛛	22. Sources of in	formation on continuation page.
ARCHITECTURAL INFORM	MATION			
23. Category of property: ⊠ building(s) ☐ site ☐ struction struction is considered.	cture 🗌	30: Roof material: Unknown (not		37.Windows: ⊠ historic ☐ replacement Pane arrangement: 1/1; 2/2 double-hung and fixed commercial
24. Vernacular or property type: Two-part commercial block		31. Chimney place Side left	ement:	38. Acreage (rural): Visible from public road? ⊠
25. Architectural Style: Italian Renaissance		32. Structural syst	em:	39. Changes (describe in box 41 cont.): ☐ Addition(s) Date(s): ☐ Altered Date(s):
26. Plan shape: Rectangular		33. Exterior wall o	ladding:	☐ Moved Date(s): ☐ Other Date(s):
27. No. of stories: 2.0		34. Foundation management	aterial:	Endangered by:
28. No. of bays (1 st floor): 15		35. Basement typunknown	e:	40. No. of outbuildings (describe in box 40 cont.): 1 (NC)
29. Roof type: Flat		36. Front porch ty None	pe/placement:	41. Further description of building features and associated resources on continuation page. ⊠
OTHER				-
42. Current owner/address: Robert & Julie Hechler		43. Form prepare Ruth Keenoy 5229 Oleatha Ave	d by (name and org	.): 44. Survey date: May 13, 2010
530 Main Street Troy, MO 63379		St. Louis, MO 63 ruthkeenoy@yah	139	45. Date of revisions:
FOR SHPO USE				
Date entered in inventory:		Level of survey reconnaissance	intensive	Additional research needed? ☐ yes ☐ no



ARCHITECTURAL/HISTORIC INVENTORY FORM

National Register Status:	Other:
☐ listed ☐ in listed district	
Name:	
☐ pending listing ☐ eligible (individually)	
☐ eligible (district) ☐ not eligible	
not determined	

LOCATION MAP (include north arrow)



SITE MAP/PLAN (include north arrow) 138 40 113 60 T49N-R1W

Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	Primary and north elevations; view is southeast.



STA



ARCHITECTURAL/HISTORIC INVENTORY FORM

ADDITIONAL INFORMATION:

21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

The Hechler Hardware building was constructed in 1891-1893. The building's north section was constructed (1891) by George B. Kempf, who operated a grocery, harness shop, and (later) a hardware store in the building. Kempf's brother-in-law, Julius Hechler, opened a hardware store in the south half of the building when it was enlarged (1893). In 1910, Hechler's son Ernest purchased half-interest in the store. Julius Hechler died in 1929; and Ernest sold the business in 1966 to his son, Robert, who died in 2003. Currently the store is owned/operated by Robert's widow, Judy and his sons, Dan and Phil. Additional businesses that occupied the building include Hurd's Photography Studio (1893).

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. *Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book)*. [Self-published, 1994].

Hechler, Julie. Interview with Ruth Keenoy, 20 May 2010.

Sanborn Fire Insurance Maps, 1895, 1902, 1913, 1927.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.


The property is situated on two city lots (parcel numbers 113 and 139) in downtown Troy. The large brick commercial building is located at the southeast intersection of Main and Wood Streets. Concrete sidewalks flank the building at the west (Main Street) and north (Wood Street). East of the commercial block building (rear lot) is a rectangular plan warehouse type building that is covered with exterior metal siding (and is not contributing to the property, due to extensive alterations). The outbuilding was constructed in 1903 and sided in the 1970s. It has eight prefabricated doors (paired and single) on the west elevation. The former Universalist Church building (also bearing the address of 530 Main Street) abuts the store at the south elevation.

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

Hechler Hardware is a two-story commercial (double-front) building with a flat roof, brick exterior, and limestone foundation that has been sheathed in concrete. The primary (east) elevation has an original decorative cast-iron storefront that features Corinthian capped pilasters at the upper/lower floors, an acanthus leaf and flower motif along and above the cornice, and Queen Anne sashed (upper level) windows. Both Kempf and Hechler names are inscribed in the frieze. The façade has three street-level entrances; two of which (north/south ends) hold paired doors. The central entry has a single door. Windows and doors on the façade first-story level are original. The doors retain single-light/wood patterns; and the commercial style windows are set within their original framing. A canvas awning extends above the first-story façade openings. The building's north elevation (facing Wood Street) has a large painted advertisement for cigars. The elevation holds original arched two-over-two windows and a rear loading bay opening enclosed with vertical wood panels. The rear (east) elevation has a frame loading dock. Window openings are arched and hold original lights. The rear elevation doors are modern but retain their original transoms and brick arches.























		2. Survey name: Troy Downtown District		
3. County: Lincoln	4. Ad 530	dress (Street No.)	Street (name) Main Street	
5.City: Vici	nity: 6. UT	, ,		7. Township/Range/Section: T: 49N R: 1W S: 26
8.Historic name (if known): Universalist Church	 		9. Present/other Hechler Gifts	name (if known):
10. Ownership: ☑ Private ☐ Public		Historic use (if know ligion: church	/n):	11b. Current use: Commerce: specialty store
HISTORICAL INFORMATIO	N	,		
12. Construction date: 1837-1851		15. Architect:		18. Previously surveyed? ☐ Cite survey name in box 22 cont. (page 3)
13. Significant date/period: 1837-1851		16. Builder/contra Colonel David		19. On National Register? ☐ individual ☐ district Cite nomination name in box 22 cont. (page 3)
14. Area(s) of significance:		17. Original or sig Universalist C	nificant owner: nurch; Masonic Lod	20. National Register eligible?
21. History and significance on cor	tinuation pag	ge. 🛛	22. Sources of in	formation on continuation page.
ARCHITECTURAL INFORM 23. Category of property:		30: Roof material:		37.Windows: ⊠ historic ☐ replacement Pane arrangement:
object 24. Vernacular or property type:		31. Chimney plac Offset right	ement:	38. Acreage (rural): Visible from public road? ⊠
25. Architectural Style: Greek Revival		32. Structural system: Brick		39. Changes (describe in box 41 cont.): ☐ Addition(s) Date(s): ☐ Altered Date(s): c. 1980
26. Plan shape: Rectangular		33. Exterior wall cladding: Brick		☐ Moved Date(s): ☐ Other Date(s):
27. No. of stories: 2.0		34. Foundation material: Limestone		Endangered by:
28. No. of bays (1 st floor):		35. Basement type: Unknown		40. No. of outbuildings (describe in box 40 cont.): 0
29. Roof type: Medium gable		36. Front porch ty None	pe/placement:	41. Further description of building features and associated resources on continuation page. ⊠
OTHER				
42. Current owner/address: Robert and Judy Hechler		43. Form prepare Ruth Keenoy 5229 Oleatha Ave	d by (name and org	g.): 44. Survey date: May 13, 2010
530 Main Street Troy, MO 63379		St. Louis, MO 63 ruthkeenoy@yah	139	45. Date of revisions:
FOR SHPO USE				
Date entered in inventory:		Level of survey reconnaissance	intensive	Additional research needed? ☐ yes ☐ no




ARCHITECTURAL	/HISTORIC	INVENTORY	FORM

Г	National Register Status:	Other:	
	☐ listed ☐ in listed district		
	Name:		
	☐ pending listing ☐ eligible (individually)		
	☐ eligible (district) ☐ not eligible		
	not determined		

LOCATION MAP (include north arrow)



SITE MAP/PLAN (include north arrow)



Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	Primary elevation, view is northeast.



ARCHITECTURAL/HISTORIC INVENTORY FORM



ADDITIONAL INFORMATION:

21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

The building was partially constructed in 1837 by Colonel David Bailey and finished in 1851 or 1852, at which time it was purchased by trustees of the Universalist Church and Troy's Masonic Lodge (which used the upper floor). In 1856-59, Troy Christian Church occupied the building. The property is considered non-contributing due removal of the façade entrance and the addition of non-historic commercial style windows.

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book). [Self-published, 1994].

Sanborn Fire Insurance Maps, 1895, 1902, 1913, 1927.

Williams, Charles R., John Clare and Robert Jackson. Lincoln County Pictorial History Book. Troy, MO: Troy Free Press, 1975.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The building is located in downtown Troy at the south end of the Hechler Hardware building block on the east side of Main Street. The building's north elevation adjoins the adjacent commercial property. A concrete sidewalk borders the façade at the west. At the south end of the elevation, the building is offset by a concrete sidewalk and green space. An alley borders the east elevation.

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

The property is a two-story, gable-front plan building with a metal clad roof, brick exterior, and limestone foundation. The lower façade was altered c. 1980 with removal of the lower façade entry, transom and windows. Currently the lower façade has three bays of fixed-sash commercial style windows. A canvas awning extends above the first floor windows. The upper façade holds two original windows of four-over-four design. The windows retain Greek Revival style hoods and the front gable returns also reflect Greek Revival detailing. Entries are noted at the south elevation at both the first- and second-story levels. The upper story entrance is original although the associated staircase has been removed.







1. Survey No. LN-AS-001-046			vey name: Downtown District			
1.5		4. Address (Street No.)		Street (name)		
Lincoln 560			Main Street	T = =		
5.City: Troy	Vicinity:	6. UTI 15/6	M: 674908/4316331		7. Town T: 49	nship/Range/Section: NN R: 1W S: 26
8.Historic name (if known): Kemper Furniture		1		9. Present/other Troy Furniture		
10. Ownership: ⊠ Private □ Public			. Historic use (if known): commerce: specialty store			urrent use: nmerce: specialty store
HISTORICAL INFORMA	ATION				1	
12. Construction date: c. 1870			15. Architect:			18. Previously surveyed? Cite survey name in box 22 cont. (page 3)
13. Significant date/period: c. 1870			16. Builder/contra	ctor:	[19. On National Register? ☐ individual ☐ district Cite nomination name in box 22 cont. (page 3)
14. Area(s) of significance: Criterion A: commerce Criterion C: architecture			17. Original or sig Henry W. Kem		2	20. National Register eligible? ☐ individually eligible ☐ district potential (☐ C ☐ NC) ☐ not eligible ☐ not determined
21. History and significance of	n continuat	tion pag	e. 🛚	22. Sources of ir	nformatio	n on continuation page. ⊠
ARCHITECTURAL INFO	ORMATIO	ON				
23. Category of property: Solution District Dist	structure [30: Roof material: Not visible			37.Windows: ☑ historic ☐ replacement Pane arrangement:
24. Vernacular or property type: Two-part and three-part commercial block		block	31. Chimney placement: N/A			38. Acreage (rural): ∕isible from public road? ⊠
25. Architectural Style:			32. Structural system: Brick			39. Changes (describe in box 41 cont.): ☐ Addition(s) Date(s): c. 1975 ☐ Altered Date(s): c. 1975
26. Plan shape: Rectangular			33. Exterior wall cladding: Brick			☐ Moved Date(s): ☐Other Date(s):
27. No. of stories: 2.0			34. Foundation material: Limestone			Endangered by:
28. No. of bays (1 st floor): 15			35. Basement type: Unknown			10. No. of outbuildings (describe in box 10 cont.): 0
29. Roof type: Flat			36. Front porch type/placement: None			11. Further description of building features and associated resources on continuation page. ⊠
OTHER					I	
42. Current owner/address: Troy Furniture and Carpet, LLC			43. Form prepared by (name and org.): Ruth Keenoy		g.): 4	14. Survey date: May 13, 2010
560 Main Street Troy, MO 63379			5229 Oleatha Avenue St. Louis, MO 63139 ruthkeenoy@yahoo.com		4	45. Date of revisions:
FOR SHPO USE			, , , ,		.	
Date entered in inventory:			Level of survey ☐ reconnaissance ☐ intensive		_	Additional research needed? ☐ yes ☐ no
					- <u></u> -	




ARCHITECTURAL	/LISTODIC	INIVENITORY	EODM
ARCHITECTURAL	/HISTURIC	INVENIURY	FURIN

_		
	National Register Status:	Other:
	☐ listed ☐ in listed district	
	Name:	
	☐ pending listing ☐ eligible (individually)	
	☐ eligible (district) ☐ not eligible	
	☐ not determined	

LOCATION MAP (include north arrow)





PHOTOGRAPH

Photographer: Date: Description: Ruth Keenoy April 29, 2010 Primary elevation (north end), view is southeast.



ADDITIONAL INFORMATION:

21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

The property (originally two separate buildings) is associated with Henry W. Kemper, a German immigrant who opened a furniture and cabinet shop in 1869. Kemper also made caskets. Henry Kemper's son, Sam, continued the business after his death. In 1944, the business was purchased by Ted Schneider and in 1974 by C. Robert Hall. The property has always been in use as a furniture business. The property's south wing was constructed in c. 1890 and a central frame building constructed at about that time (which separated the north/south two-story brick wings) was used as a millinery shop. The business name was changed to Troy Furniture Company after Hall gained the business. The central frame building (used as the millinery shop) burned, and during the 1970s the central one-story wing was constructed.

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book). [Self-published, 1994].

Interview with Mary Anne Kemper, 14 August 2010.

Sanborn Fire Insurance Maps, 1895, 1902, 1913, 1927.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The building is located in downtown Troy on the east side of Main Street. A small green space is situated at the north end of the property, and a concrete sidewalk extends along the primary (west) and south elevations. The rear elevation faces Second Street.

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

The property consists of two nineteenth-century buildings at the north and south ends of the building block, connected by a low one-story modern wing (c. 1975). The north end of the complex consists of a two- and three-story commercial property that was associated with the Kemper Family and used as a furniture store/cabinet shop. This end of the property retains original brick decorative window hoods and sills, though lights are replaced by contemporary one-over-one windows. Window openings are arched (second and third-story levels). The lower storefront holds a modern glass and aluminum door flanked by multiple single-light commercial windows. This pattern continues along the entire façade, including the c. 1975 wing and south (nineteenth-century) wing. The south wing is a brick two-story building (c. 1890) with a stepped parapet and roofline coping. The façade of the wing has c. 1975 linear narrow windows and a contemporary glass and metal door with fixed sidelights. The wing has a prefabricated attached one-story rear wing addition that faces Second Street (which borders the east end of the lot).














1. Survey No. LN-AS-001-047		2. Survey name: Troy Downtown District		
3. County: Lincoln		F. Address (Street No.)	Street (name) Main Street	
5.City: Vic	cinity: 6	6. UTM: 15/674946/4316285		7. Township/Range/Section: T: 49N R: 1W S: 26
8.Historic name (if known): Lincoln County Motor Company			9. Present/other TFC Flooring C	
10. Ownership: ☑ Private ☐ Public	1	11a. Historic use (if known): Commerce: specialty store		11b. Current use: Commerce: specialty store
HISTORICAL INFORMATION	ON			
12. Construction date: c. 1930		15. Architect:		18. Previously surveyed? ☐ Cite survey name in box 22 cont. (page 3)
13. Significant date/period: c. 1930		16. Builder/contrac	ctor:	19. On National Register? ☐ individual ☐ district Cite nomination name in box 22 cont. (page 3)
14. Area(s) of significance: Criterion A: Commerce Criterion C: Architecture		17. Original or sign Harry & Gene		20. National Register eligible? ☐ individually eligible ☐ district potential (☐ C☐ NC) ☐ not eligible ☐ not determined
21. History and significance on co	ntinuatior	n page. ⊠ 22. Sources of informa		formation on continuation page.
ARCHITECTURAL INFORM 23. Category of property: ☐ building(s) ☐ site ☐ structure.		30: Roof material:		37.Windows: ⊠ historic ☐ replacement Pane arrangement:
object 24. Vernacular or property type:	cture	31. Chimney placement:		38. Acreage (rural):
One-part commercial		N/A	ament.	Visible from public road? ⊠
25. Architectural Style:		32. Structural syst	em:	39. Changes (describe in box 41 cont.): ☐ Addition(s) Date(s): c. 1980 ☐ Altered Date(s): c. 1980
26. Plan shape: Rectangular		33. Exterior wall cl Brick	adding:	☐ Moved Date(s): ☐ Other Date(s):
27. No. of stories: 1.0		34. Foundation material: Concrete		Endangered by:
28. No. of bays (1 st floor):		35. Basement type: Unknown		40. No. of outbuildings (describe in box 40 cont.): 0
29. Roof type: Flat		36. Front porch typ None	pe/placement:	41. Further description of building features and associated resources on continuation page. ⊠
OTHER		'		
42. Current owner/address:		43. Form prepared Ruth Keenoy 5229 Oleatha Ave	d by (name and org	.): 44. Survey date: May 13, 2010
		St. Louis, MO 637	139	45. Date of revisions:
FOR SHPO USE				
Date entered in inventory:		Level of survey reconnaissance intensive		Additional research needed? ☐ yes ☐ no



ARCHITECTURAL/HISTORIC	INVENTORY	FORM
AILUI II LU I UILALII II JI UILU		

National Register Status:	Other:
☐ listed ☐ in listed district	
Name:	
☐ pending listing ☐ eligible (individually)	
☐ eligible (district) ☐ not eligible	
not determined	

LOCATION MAP (include north arrow)





Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	Primary and south elevations, view is northeast.



ARCHITECTURAL/HISTORIC INVENTORY FORM



ADDITIONAL INFORMATION:

21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

The property was constructed as a General Motors' automobile dealership/garage and continued to be utilized as such through the 1970s. The original automobile dealership was Lincoln County Motor Company (through the 1950s).

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book). [Self-published, 1994].

Interview with Mary Anne Kemper and Judy Hechler, 14 August 2010.

Sanborn Fire Insurance Maps, 1895, 1902, 1913, 1927.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The building is located in downtown Troy at the southeast intersection of Main Street and Cap Au Gris. A concrete walk surrounds the north, west (primary) and south elevations. Parking lots are situated south and east of the building.

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

The property is a brick commercial property probably constructed as an automobile showroom and garage. The primary elevation features an arched parapet capped with terra cotta tile. Decorative terra cotta scrollwork flanks the parapet. The primary elevation is centered at the façade and holds a contemporary glass entry and surround. The bay is flanked by fixed commercial style windows that retain upper glass block transoms. Terra cotta cross patterns flank either end of the upper window bays and the central entry. A canvas awning (contemporary) stretches above the entry. The south elevation holds a contemporary entry (with a canvas awning) offset by modern single-pane windows. The east end of the building supports an original rear brick wing/garage. The wing has a barrel vaulted roof clad with metal. Original multi-light hopper windows are noted at the wing's north and south elevations. The north elevation retains three garage bay openings with overhead track doors. A more modern wing is noted at the northeast corner which has prefabricated siding, a gabled metal roof, and a concrete foundation.











1. Survey No. LN-AS-001-005	Survey name: Troy Downtown District	
3. County: Lincoln	4. Address (Street No.) Street (name) 611 Main Street	
5.City: Vicinity:	6. UTM: 15/674938/4316278	7. Township/Range/Section: T: 49N R: 1W S: 26
8.Historic name (if known): United Baptist Church of Troy	9. Present/othe Troy (Mason	er name (if known): ic) Lodge
10. Ownership: ☑ Private ☐ Public	11a. Historic use (if known): Religion: church	11b. Current use: Social: meeting hall
HISTORICAL INFORMATION		
12. Construction date: 1937	15. Architect:	18. Previously surveyed? Cite survey name in box 22 cont. (page 3)
13. Significant date/period: 1937 - 1966	16. Builder/contractor:	19. On National Register? ☐ individual ☐ district Cite nomination name in box 22 cont. (page 3)
14. Area(s) of significance: Criterion C: architecture (Criterion Consideration A)	17. Original or significant owner: United Baptist Church of Troy	20. National Register eligible? ☐ individually eligible ☐ district potential (☐ C☐ NC) ☐ not eligible ☐ not determined
21. History and significance on continua	ation page. 22. Sources of	information on continuation page. ⊠
ARCHITECTURAL INFORMAT	ION	
23. Category of property: ⊠ building(s) ☐ site ☐ structure object	30: Roof material: ☐ Asphalt shingles	37.Windows: ⊠ historic ☐ replacement Pane arrangement: double-hung 12/12
24. Vernacular or property type:	31. Chimney placement: Rear centre	38. Acreage (rural): Visible from public road? ⊠
25. Architectural Style: Colonial Revival	32. Structural system: Unknown	39. Changes (describe in box 41 cont.): ☐ Addition(s) Date(s): ☐ Altered Date(s):
26. Plan shape: Rectangular	33. Exterior wall cladding: Brick	☐ Moved Date(s): ☐ Other Date(s):
27. No. of stories: 1.5	34. Foundation material: Brick	Endangered by:
28. No. of bays (1 st floor):	35. Basement type: Full	40. No. of outbuildings (describe in box 40 cont.): 0
29. Roof type: Medium gable	36. Front porch type/placement: Closed, 1-story Centered	41. Further description of building features and associated resources on continuation page.
OTHER	· · · · · ·	•
42. Current owner/address: Troy Lodge #34 Masons	43. Form prepared by (name and o Ruth Keenoy	rg.): 44. Survey date: May 13, 2010
Moscow Mills, MO 63362	5229 Oleatha Avenue St. Louis, MO 63139 ruthkeenoy@yahoo.com	45. Date of revisions:
FOR SHPO USE	,	,
Date entered in inventory:	Level of survey ☐ reconnaissance ☐ intensive	Additional research needed? ☐ yes ☐ no



ARCHITECTURAL/HISTORIC	INVENTORY	FORM
AILUI II LU I UILALII II JI UILU		

National Register Status:	Other:
☐ listed ☐ in listed district	
Name:	
☐ pending listing ☐ eligible (individually)	
☐ eligible (district) ☐ not eligible	
☐ not determined	

LOCATION MAP (include north arrow)



SITE MAP/PLAN (include north arrow)

Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	Primary and north elevations; view is southwest



ARCHITECTURAL/HISTORIC INVENTORY FORM



ARCHITECTURAL/HISTORIC INVENTORY FORM

ADDITIONAL INFORMATION:

21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

The building was constructed in 1937 for the United Baptist Church of Troy congregation, which was established in 1844. The congregation constructed its first church in 1859 – a frame building (completed after the Civil War) located on West Boone (formerly Truxton) Street. In 1912, a new brick church was constructed on Main Street (dedicated September 6, 1917). The second church burned in 1937 and was replaced by the current building, which remained in use as a church until 1967. A new church was completed in 1967 at 800 Cap Au Gris Road. This latter building currently houses Troy's City Building Department. The former church building on Main Street has been utilized as a Masonic Lodge since 1967.

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. *Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book)*. [Self-published, 1994].

Sanborn Fire Insurance Maps, 1895, 1902, 1913, 1927.

Williams, Charles R., John Clare and Robert Jackson. *Lincoln County Pictorial History Book* (Vol. 1, Book No. 1). Troy: Robert Jackson / Troy Free Press, 1975.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The property is situated on a city lot that is bordered by a public concrete sidewalk (east end, bordering Main Street) and an alley (Union Street – west). The building is located north of Troy Marble & Granite (#004) and south of Public Spring Park (#006). There are no ancillary buildings associated with the property.

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

The property is a 1.0-story gable-front plan church with an asphalt-shingled gabled roof and exterior brick walls. The primary (east) elevation holds a central enclosed vestibule with a flat hipped roof. The entry (vestibule) projecting bay holds a commercial style glass door set within an original Colonial Revival style surround that has a broken pediment and engaged fluted pilasters. Above the entrance is a Masonic Lodge sign. The vestibule walls (north/south) hold original six-light single-sash windows. Flanking the vestibule are single windows of 12/12 double-hung design. Within the gable field (above the entrance) is an original arched tri-partite window bay with decorative engaged pilasters (dividing the three windows) and a Gothic light arch. Vents flank the upper gable bay window. Also visible at the façade are gable returns. An added date stone (at the northeast building corner) indicates that the property has been in use as a lodge since 1967. Visible near the foundation are windows, indicating that the building has a full basement. The south elevation has a one-half story wing with a shed roof. North and south elevations retain original windows (12/12 design), one of which has been covered at the south elevation. Fronting the building façade is an attached frame ramp with a frame handrail.











ARCHITECTUR	AL/HISTORIC	INVENTORY FORM
7110111 LO 1 O 1	AL/I 110 I OIXIO	


1. Survey No. LN-AS-001-004	2. Survey name: Troy Downtown District		
3. County: Lincoln	4. Address (Street No.) 621	Street (name) Main Street	
5.City: Vicinity: Troy	6. UTM: 15/674934/4316259		7. Township/Range/Section: T: 49N R: 1W S: 26
8.Historic name (if known): Troy Marble & Granite Works	1	9. Present/other Troy Marble &	name (if known): Granite Co., Inc.
10. Ownership: ☑ Private ☐ Public	11a. Historic use (if know Commerce: trade	/n):	11b. Current use: Commerce: trade
HISTORICAL INFORMATION			
12. Construction date: 1919	15. Architect:		18. Previously surveyed? ☐ Cite survey name in box 22 cont. (page 3)
13. Significant date/period: 1919	16. Builder/contra Oscar Allison	ictor:	19. On National Register? ☐ individual ☐ district Cite nomination name in box 22 cont. (page 3)
14. Area(s) of significance: Criterion A: commerce/trade Criterion C: architecture	17. Original or sig Oscar Allison	nificant owner:	20. National Register eligible? ☐ individually eligible ☐ district potential (☐ C☐ NC) ☐ not eligible ☐ not determined
21. History and significance on continua	ition page. ⊠	22. Sources of in	formation on continuation page. 🛛
ARCHITECTURAL INFORMATI			
23. Category of property: Dividing(s) site structure	30: Roof material: Asphalt shingle		37.Windows: ⊠ historic ⊠ replacement Pane arrangement: 2/1 fixed commercial; 1/1 double-hung; 6/6 double-hung
24. Vernacular or property type: One-part commercial	31. Chimney plac Side, right	ement:	38. Acreage (rural): Visible from public road? ⊠
25. Architectural Style:	32. Structural sys Brick	tem:	39. Changes (describe in box 41 cont.): ☐ Addition(s) Date(s):
26. Plan shape: L-plan	33. Exterior wall o	sladding:	
27. No. of stories: 1.0	34. Foundation m Limestone	aterial:	Endangered by:
28. No. of bays (1 st floor): 5	35. Basement typ Unknown	e:	40. No. of outbuildings (describe in box 40 cont.): 0
29. Roof type: Flat & low gable	36. Front porch ty Umbrage 1-story	pe/placement: Side and center	41. Further description of building features and associated resources on continuation page. ⊠
OTHER	<u>'</u>		
42. Current owner/address: Deborah Jo Thurman Trust	Ruth Keenoy	d by (name and org	.): 44. Survey date: May 13, 2010
100 Cottonwood Place Troy, MO 63379	5229 Oleatha Ave St. Louis, MO 63 ruthkeenoy@yah	139	45. Date of revisions:
FOR SHPO USE			
Date entered in inventory:	Level of survey reconnaissance	intensive	Additional research needed? ☐ yes ☐ no



ARCHITECTURAL/HISTORIC INVENTORY FORM

National Register Status:	Other:
☐ listed ☐ in listed district	
Name:	
pending listing ligible (individually)	
☐ eligible (district) ☐ not eligible	
not determined	

LOCATION MAP (include north arrow)



SITE MAP/PLAN (include north arrow)



Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	South and primary (east) elevations; view is northwest







ADDITIONAL INFORMATION:

21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

The Troy Marble & Granite Company, which manufactures cemetery monuments, was established in 1904 by Oscar Allison. In 1916, Dee Thurman became a partner of the firm. The current property was constructed shortly thereafter in 1919. Allison died in 1933, after which time Dee Thurman continued the business with Thomas F. Thurmon. The Thurmon Family continued to operate the business since that time.

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book). [Self-published, 1994].

Sanborn Fire Insurance Maps, 1895, 1902, 1913, 1927.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

Troy Marble & Granite is situated at the northwest corner of Marble and Main Streets in downtown Troy. The building is offset by public sidewalks at the east (Main) and south (Marble). Situated immediately north of the building is a Masonic lodge (originally constructed as a church).

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

The Troy Marble & Granite building is a one-story brick building with a flat and gabled roof. The building is constructed of brick and rests on a concrete foundation. There are two entrances at the façade – one is centrally located and recessed with paired single-light doors. The other entrance is situated at the building's northeast corner. This entry is recessed and holds a single-light door. A single marble column with a Corinthian capital supports the umbrage style corner porch, which is flanked by engaged limestone pilasters at either side of the porch. The column rests on a date stone that bears the imprint of "1905" – the date of the business's establishment (not the building's construction). The east end of the property (façade) has commercial style (storefront) windows of two over one design. Although the window glass does not appear original, the windows are in their original fenestrations. Some windows at the side (north and south) elevations are replacement one-over-one design. These lights were originally two-over-two design. Side elevation windows retain brick arches and sills. The rear linear wing at the west end of the building, which holds the work area, has original windows of six-over-six design, a small shed projection, and an enclosed garage bay that holds a two-light modern window. The west end of the rear wing appears to have been open in plan originally but has recently been enclosed with synthetic materials. The south elevation of the enclosed wing holds four modern double-hung windows.











1. Survey No. LN-AS-001-011		2. Sur Troy	vey name: Downtown District		
3. County: 4. Ad		4. Add	Iress (Street No.)	Street (name)	
Lincoln		631	,	Main Street	
5.City:	Vicinity:	6. UTM:			7. Township/Range/Section:
Troy		15/6	674918/4316214		T: 49N R: 1W S: 26
8.Historic name (if known): IGA Store				9. Present/other Colrillas, Inc.	name (if known):
10. Ownership: ⊠ Private □ Public			listoric use (if know nmerce: grocery	/n):	11b. Current use: Commerce: consignment store
HISTORICAL INFORMA	ATION]
12. Construction date:	ATION		15. Architect:		18. Previously surveyed? ☐
c. 1960					Cite survey name in box 22 cont. (page 3)
13. Significant date/period:			16. Builder/contractor:		19. On National Register? ☐ individual ☐ district
14. Area(s) of significance:			17 Original or sig	nificant ourser:	Cite nomination name in box 22 cont. (page 3) 20. National Register eligible?
14. Area(s) of significance.			17. Original or sig	milicant owner.	individually eligible
					☐ district potential (☐ C ☐ NC)
21. History and significance on continuation pa			e. 22. Sources of information on continuation page.		nformation on continuation page. 🛚
ARCHITECTURAL INFO	ORMATI	ON			
23. Category of property:	_	_	30: Roof material:		37.Windows: ⊠ historic ☐ replacement
□ building(s) □ site □ septiment	structure L		Corrugated me	etal	Pane arrangement: fixed single sash
object 24. Vernacular or property typ	e:		31. Chimney place	ement:	38. Acreage (rural):
Warehouse			N/A		Visible from public road? ⊠
25. Architectural Style:			32. Structural system:		39. Changes (describe in box 41 cont.):
			Concrete block	<	Addition(s) Date(s):
26. Plan shape:			33. Exterior wall cladding:		☐ Altered Date(s): ☐ Moved Date(s):
Rectangular			Concrete block, brick, prefabricated		
-			metal		Endangered by:
27. No. of stories:			34. Foundation m	aterial:	
1.0			Concrete		
28. No. of bays (1 st floor):			35. Basement type:		40. No. of outbuildings (describe in box
8			Unknown		40 cont.): 0
29. Roof type:			36. Front porch ty	pe/placement:	41. Further description of building features and
Low gable			None		associated resources on continuation page.
OTHER		'			·
42. Current owner/address:			43. Form prepare	d by (name and or	g.): 44. Survey date: May 13, 2010
Walter & Colette Wright		Ruth Keenoy		, , , , , , , , , , , , , , , , , , , ,	
P.O. Box 403 5229 Olea		5229 Oleatha Ave		45. Date of revisions:	
		St. Louis, MO 63 ruthkeenoy@yah	139		
FOR SHPO USE			, ,		
Date entered in inventory:			Level of survey		Additional research needed?
			reconnaissance	☐ intensive	☐ yes ☐ no



ARCHITECTURAL/HISTORIC INVENTORY FORM

National Register Status:	Other:
☐ listed ☐ in listed district	
Name:	
☐ pending listing ☐ eligible (individually)	
☐ eligible (district) ☐ not eligible	
not determined	

LOCATION MAP (include north arrow)



SITE MAP/PLAN (include north arrow) 168 192 193 T49N-R1W

Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	





21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

ADDITIONAL INFORMATION:

elevation.

The property was constructed c. 1960 as an IGA grocery store.
20 /cont \ Courses of information. Funeral box on processory, available antiquation page.
22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.
Clare, John and Margaret Clare. <i>Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book)</i> . [Self-published, 1994].
Interview with Mary Anne Kemper and Judy Hechler, 14 August 2010.
Sanborn Fire Insurance Maps, 1895, 1902, 1913, 1927.
40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages. The building is situated at the southwest corner of Main and Marble Streets in downtown Troy. A large parking lot fronts the building, which is set back from the street. A concrete sidewalk fronts the lot along Main Street (east); but not along Marble Street (north).
41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages. The building is a one-story concrete block, gable-front plan building with a flat gabled roof. The façade appears to have been altered during the mid-1970's through the addition/alteration of the building's storefront. The altered elevation has a three-quarters width

projecting shed wing that is clad with brick veneer and synthetic metal siding. The façade projection holds a five single-light commercial style band of windows that is offset at the north by a recessed modern glass/aluminum commercial style entry. The east (primary) elevation has a secondary solid metal door near the south end of the façade. The side (north/south) elevations have concrete block buttresses. A secondary solid door is noted near the west end of the north elevation. At the northwest corner of the building is a c. 1940 one and a half-story wing. The wing has a shed roof, exterior synthetic siding, and an overhead garage style door on the primary (east)









MISSOURI DEPARTMENT OF NATURAL RESOURCES STATE HISTORIC PRESERVATION OFFICE, P.O. Box 176, Jefferson City, MO 65102 ARCHITECTURAL/HISTORIC INVENTORY FORM

1. Survey No. LN-AS-001-003	2. Su Tro	rvey name: y Downtown District			
3. County: 4. Ac Lincoln 651		4. Address (Street No.) Street (name) 651 Main Street			
5.City: Vicini	ty: 6. UT			7. Township/Range/Section: T: 49N R: 1W S: 26	
8.Historic name (if known):	13/	074943/4310199	9. Present/other		
			Garden Gate		
10. Ownership: ☑ Private ☐ Public		Historic use (if know mmerce: unknown	/n):	11b. Current use: Commerce: business	
HISTORICAL INFORMATION					
12. Construction date: c. 1990		15. Architect:		18. Previously surveyed? ☐ Cite survey name in box 22 cont. (page 3)	
13. Significant date/period:		16. Builder/contra	ctor:	19. On National Register? ☐ individual ☐ district Cite nomination name in box 22 cont. (page 3)	
14. Area(s) of significance:		17. Original or sig	nificant owner:	20. National Register eligible? ☐ individually eligible ☐ district potential (☐ C ☐ NC) ☐ not eligible ☐ not determined	
21. History and significance on contin	nuation pag	ge. 🛛	22. Sources of in	formation on continuation page. ⊠	
ARCHITECTURAL INFORMA	TION				
23. Category of property: ⊠ building(s) ☐ site ☐ structu object	re 🗌	30: Roof material: Unknown (not		37.Windows: ☐ historic ☒ replacement Pane arrangement: single sash commercial and 1/1 double-hung	
24. Vernacular or property type: One-part commercial block		31. Chimney placement: N/A		38. Acreage (rural): Visible from public road? ⊠	
25. Architectural Style:		32. Structural system:		39. Changes (describe in box 41 cont.): ☐ Addition(s) Date(s):	
26. Plan shape: Rectangular		33. Exterior wall cladding: Brick			
27. No. of stories: 2.0		34. Foundation material: Concrete		Endangered by:	
28. No. of bays (1 st floor):		35. Basement type: Unknown		40. No. of outbuildings (describe in box 40 cont.): 0	
29. Roof type: Flat		36. Front porch type/placement: N/A		41. Further description of building features and associated resources on continuation page. ⊠	
OTHER					
42. Current owner/address: Walter & Colette Wright		Ruth Keenoy	d by (name and org	g.): 44. Survey date: May 13, 2010	
Troy, MO 63379 St. Loui		5229 Oleatha Ave St. Louis, MO 63 ruthkeenoy@yahe	139	45. Date of revisions:	
FOR SHPO USE					
Date entered in inventory:		Level of survey reconnaissance	□ intensive	Additional research needed? ☐ yes ☐ no	



MISSOURI DEPARTMENT OF NATURAL RESOURCES STATE HISTORIC PRESERVATION OFFICE, P.O. Box 176, Jefferson City, MO 65102

ARCHITECTURAL	/LICTODIC	INIVENITODY	EODM
ARCHITECTURAL	/HISTURIC	INVENIURY	FURIN

National Register Status:	Other:
☐ listed ☐ in listed district	
Name:	
☐ pending listing ☐ eligible (individually)	
☐ eligible (district) ☐ not eligible	
not determined	

LOCATION MAP (include north arrow)





PHOTOGRAPH

Photographer:	Date: April 29, 2010	Description:
Ruth Keenoy	April 29, 2010	Primary (east) and north elevations; view is southwest





ADDITIONAL INFORMATION:

21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

The building is just south of the limits of Troy's Sanborn map boundaries. It was recently constructed and does not contribute to the city's downtown historic district.

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book). [Self-published, 1994].

Interview with Mary Anne Kemper and Judy Hechler, 14 August 2010.

Sanborn Fire Insurance Maps, 1895, 1902, 1913, 1927.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The property is located in an urban (small town) setting. The building is set back from the street. A large asphalt parking lot extends from the street to the building. Sidewalks border the property lot at the north and east (along Main and Marble Streets).

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

The building has a flat roof, exterior brick walls, and a concrete foundation. Windows and doors are modern design. The primary entry is centrally located on the façade (east wall) and holds paired single-light commercial style doors. Lower story windows are all fixed sash with large single lights. A modern awning extends above windows and the primary entrance at the first-story level. Second floor windows are one-over-one design. The upper floor windows retain keystones and brick jack arches. At the north elevation is a one-story wing with a garage bay (east elevation) that holds an overhead track door.







MISSOURI DEPARTMENT OF NATURAL RESOURCES STATE HISTORIC PRESERVATION OFFICE, P.O. Box 176, Jefferson City, MO 65102 ARCHITECTURAL/HISTORIC INVENTORY FORM

1. Survey No. LN-AS-001-014	Survey name: Troy Downtown District			
3. County:	4. Address (Street No.) Street (name)			
Lincoln	541	Second Street		
5.City: Vicinity: Troy	6. UTM: 15/674981/4316359		7. Township/Range/Section: T: 49N R: 1W S: 26	
8.Historic name (if known): Troy Christian Church		9. Present/other Troy Elks Lodg		
10. Ownership: ☑ Private ☐ Public	11a. Historic use (if know Religion: church	vn):	11b. Current use: Social: meeting hall	
HISTORICAL INFORMATION				
12. Construction date: 1859	15. Architect:		18. Previously surveyed? ☐ Cite survey name in box 22 cont. (page 3)	
13. Significant date/period: 1859	16. Builder/contra	ictor:	19. On National Register? ☐ individual ☐ district Cite nomination name in box 22 cont. (page 3)	
14. Area(s) of significance:	17. Original or sig Christian Chui		20. National Register eligible? ☐ individually eligible ☐ district potential (☐ C ☐ NC) ☐ not eligible ☐ not determined	
21. History and significance on continuat	ion page. 🛚	22. Sources of in	formation on continuation page. ⊠	
ARCHITECTURAL INFORMATION	ON			
23. Category of property: Solution Site Structure	30: Roof material: Asphalt shingle		37.Windows: ⊠ historic ⊠ replacement Pane arrangement: obscured by iron bars	
24. Vernacular or property type:	31. Chimney plac Side left	ement:	38. Acreage (rural): Visible from public road? ⊠	
25. Architectural Style: Greek Revival	32. Structural sys Brick	tem:	39. Changes (describe in box 41 cont.): ☐ Addition(s) Date(s): ☐ Altered Date(s): 1911; 1950s, c. 1980	
26. Plan shape: Rectangular	33. Exterior wall of Brick	eladding:	☐ Moved Date(s): ☐ Other Date(s):	
27. No. of stories: 1.0	34. Foundation m Limestone	aterial:	Endangered by:	
28. No. of bays (1 st floor):	35. Basement typ Unknown	e:	40. No. of outbuildings (describe in box 40 cont.): 0	
29. Roof type: High gable	36. Front porch ty None	pe/placement:	41. Further description of building features and associated resources on continuation page. ⊠	
OTHER				
42. Current owner/address: Troy Elks Lodge 2805	Ruth Keenoy	d by (name and org	.): 44. Survey date: May 13, 2010	
541 Second Street Troy, MO 63379	5229 Oleatha Ave St. Louis, MO 63 ruthkeenoy@yah	139	45. Date of revisions:	
FOR SHPO USE				
Date entered in inventory:	Level of survey reconnaissance	intensive	Additional research needed? ☐ yes ☐ no	




MISSOURI DEPARTMENT OF NATURAL RESOURCES STATE HISTORIC PRESERVATION OFFICE, P.O. Box 176, Jefferson City, MO 65102

ARCHITECTURAL/HISTORIC INVENTORY FORM

National Register Status:	Other:
☐ listed ☐ in listed district	
Name:	
☐ pending listing ☐ eligible (individually)	
eligible (district) not eligible	
not determined	

LOCATION MAP (include north arrow)



SITE MAP/PLAN (include north arrow)

PHOTOGRAPH

Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	Primary and north elevations; view is southwest.





MISSOURI DEPARTMENT OF NATURAL RESOURCES STATE HISTORIC PRESERVATION OFFICE, P.O. Box 176, Jefferson City, MO 65102

ARCHITECTURAL/HISTORIC INVENTORY FORM

ADDITIONAL INFORMATION:

21. (cont.) History and significance. Expand box as necessary, or add continuation pages.

This building, constructed as a church in 1859, was originally established by the Church of Christ in Troy congregation; which later evolved as the Troy Christian Church and (most recently) First Christian, Disciples of Christ. The congregation originally met in the Universalist Church (currently associated with 530 Main Street) in 1856. The building on Second Street was completed in 1861 (construction began in 1859) but was infrequently used during the Civil War. Additions to the building were completed in 1911, and the interior was remodeled in the 1950s. A new building was constructed for the congregation in 1970 and the space was eventually utilized by the Elks Lodge.

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. *Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book)*. [Self-published, 1994].

Sanborn Fire Insurance Maps, 1895, 1902, 1913, 1927.

Williams, Charles R., John Clare and Robert Jackson. *Lincoln County Pictorial History Book* (Vol. 1, Book No. 1). Troy: Robert Jackson / Troy Free Press, 1975.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The former Church of Christ in Troy is situated on the north side of Second Street in downtown Troy. The property is fronted by a narrow asphalt-paved parking lot at the east (facing Second Street). A small concrete paved area utilized as a courtyard is situated along the south elevation. A cast iron fence separates the space from the front parking area/Second Street. A graveled area borders the building's north elevation.

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

The former Church of Christ in Troy is a brick gable-front plan early nineteenth-century building that has been modified since construction. The primary (east) elevation entrance, which is centrally located on the elevation, has modern paired six-light doors. The original lintel remains (above the doors), as do the solid brick flanking bays. These bays did not hold any openings originally. A prefabricated metal awning extends above the walk that leads to the entrance toward Second Street. The building retains an original pediment above the entrance, as well as brick buttresses on the primary and side elevations. The steeple has been removed; though the louvered frame base remains at the roofline ridge. Original window openings are intact on the south elevation; but all (four) original windows on the north elevation are covered by a 1950s-era shed brick wing. The building has a rear "T" wing with decorative brick corbelling that appears to date to the building's 1911 renovation.







⊕

MISSOURI DEPARTMENT OF NATURAL RESOURCES STATE HISTORIC PRESERVATION OFFICE, P.O. Box 176, Jefferson City, MO 65102

Δ	RCHITECTUR	AI /HISTORIC	INVENTORY FORM
_\			

1. Survey No. LN-AS-001-025	Survey name: Troy Downtown District	t		
3. County: Lincoln	4. Address (Street No.) Street (name) 201 Wood Street			
5.City: Vicinity: Troy	6. UTM: 15/674852/4316356	Wood Street	7. Township/Range/Section: T: 49N R: 1W S: 26	
8.Historic name (if known):	10/07 +002/40 10000	9. Present/other		
10. Ownership: ⊠ Private □ Public	11a. Historic use (if know Commerce: specialty		11b. Current use: Domestic: single dwelling	
HISTORICAL INFORMATION				
12. Construction date: c. 1940	15. Architect:		18. Previously surveyed? ☐ Cite survey name in box 22 cont. (page 3)	
13. Significant date/period:	16. Builder/contra	actor:	19. On National Register? ☐ individual ☐ district Cite nomination name in box 22 cont. (page 3)	
14. Area(s) of significance:	17. Original or sig	gnificant owner:	20. National Register eligible? ☐ individually eligible ☐ district potential (☐ C ☐ NC) ☐ not eligible ☐ not determined	
21. History and significance on continua	tion page. 🛛	22. Sources of in	formation on continuation page. ⊠	
ARCHITECTURAL INFORMATI	ON			
23. Category of property: ⊠ building(s) ☐ site ☐ structure object	30: Roof material		37.Windows: ⊠ historic ☐ replacement Pane arrangement:	
24. Vernacular or property type: One-story commercial block	31. Chimney place Side right	ement:	38. Acreage (rural): Visible from public road? ⊠	
25. Architectural Style:	32. Structural sys Concrete bloc	tem: k; brick veneer	39. Changes (describe in box 41 cont.): ☐ Addition(s) Date(s): ☐ Altered Date(s): c. 2000	
26. Plan shape: Rectangular	33. Exterior wall of Concrete block		☐ Moved Date(s): ☐ Other Date(s):	
27. No. of stories: 1.0	34. Foundation m		Endangered by:	
28. No. of bays (1 st floor):	35. Basement typ	e:	40. No. of outbuildings (describe in box 40 cont.): 0	
29. Roof type: Flat	36. Front porch ty None	/pe/placement:	41. Further description of building features and associated resources on continuation page. ⊠	
OTHER				
42. Current owner/address: Brent & Timi Pollard	Ruth Keenoy	ed by (name and org	g.): 44. Survey date: May 13, 2010	
251 Deer View Drive Troy, MO 63379	5229 Oleatha Av St. Louis, MO 63 ruthkeenoy@yah	3139	45. Date of revisions:	
FOR SHPO USE				
Date entered in inventory:	Level of survey reconnaissance	☐ intensive	Additional research needed? ☐ yes ☐ no	





not determined

MISSOURI DEPARTMENT OF NATURAL RESOURCES STATE HISTORIC PRESERVATION OFFICE, P.O. Box 176, Jefferson City, MO 65102 ARCHITECTURAL/HISTORIC INVENTORY FORM

National Register Status:	Other:
☐ listed ☐ in listed district	
Name:	
☐ pending listing ☐ eligible (individually)	
□ eligible (district) □ not eligible	

LOCATION MAP (include north arrow)





PHOTOGRAPH

Photographer:	Date:	Description:
Ruth Keenoy	April 29, 2010	South and east elevations; view is northwest.





ADDITIONAL INFORMATION:

21. (cont.) History and significance. Expand box as necessary, or add continuation pages.
Sanborn maps do not illustrate this property, which appears to have been constructed in the early-to-mid twentieth-century.

22. (cont.) Sources of information. Expand box as necessary, or add continuation pages.

Clare, John and Margaret Clare. Troy, Missouri – Celebrating 175 Years: 1819 – 1994 (Dosquicentennial Historical Book). [Self-published, 1994].

Sanborn Fire Insurance Maps, 1913, 1927.

40. (cont.) Description of environment and outbuildings. Expand box as necessary, or add continuation pages.

The building is located in downtown Troy just west of Main Street. The property is flanked by Wood Street (south), Union Street (east), and paved asphalt lots at the north and west elevations.

41. (cont.) Further description of important architectural features. Expand box as necessary, or add continuation pages.

This one-story concrete block building appears to have been re-oriented since original construction. Currently, the building is addressed to indicate that it faces Wood Street. The elevation that is currently designated as the rear, however (facing north toward Cherry Street) is clad with exterior (original) brick veneer. This elevation also has an original jack arch that may have stretched above a commercial storefront or garage style opening. Both the north and south elevations hold single central doors (modern). Each entry is flanked by single windows (not original) of fixed sash (south) and one-over-one (north) design. The south elevation has a modern shed awning with asphalt shingles that extends above the door/windows. The building has metal roofline coping.



