	4. PR	SENT LOCAL NAME(S) OR DESIGNATION(S)	
2. COUNTY Buchanan	5. OT	HER NAME(S)	
3. LOCATION OF Dept. of P & Z NEGATIVES ROll #1-8			
6. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTIO	N	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 2 29. BASEMENT? YES()
F CITY OR TOWN, STREET ADDRESS 709 South 9th Street		17. DATE(S) OR PERIOD Cal860 Vernacular/Italianate affcff	NO( ) 30. FOUNDATION MATERIAL
7. CITY OR TOWN IF RURAL, VICINITY St. Joseph		18. STYLE OR DESIGN	31. WALL CONSTRUCTION
8. DESCRIPTION OF LOCATION Legal: Lot 10, Block	11	19. ARCHITECT OR ENGINEER 2030	32. ROOF TYPE AND MATERIAL
Patee's Addition	Δ1,	20. CONTRACTOR OR BUILDER	Hip/Comp. Shingle 33. NO. OF BAYS
		21. ORIGINAL USE, IF APPARENT Single Family Residence OIA	FRONT 3 SIDE
		22. PRESENT USE Vacant	Painted 35. PLAN SHAPE Rectangular
		23. OWNERSHIP PUBLIC ( ) PRIVATE ( X )	(EXPLAIN IN NO. 42) ALTERED (XX)
		24. OWNER'S NAME AND ADDRESS IF KNOWN	MOVED ( )
9, COORDINATES UTM LAT		Alton Wood	INTERIORGOOD
LONG SITE ( ) STRU	UCTURE( )	25. OPEN TO PUBLIC? YES( )	38. PRESERVATION YES ( ) UNDERWAY ? NO (XX)
II. ON NATIONAL YES ( ) 12. IS IT	YES(X)		39. ENDANGERED? YES (XX) BY WHAT? NO ( ) Neglect/Poor Maintena
NO ( X)	NO( /		40, VISIBLE PROM TES(A)
15. NAME OF ESTABLISHED DISTRICT	NO( )		PUBLIC ROAD? NO()  41. DISTANCE FROM AND FRONTAGE ON ROAD
			FRONTAGE ON ROAD
Georgian floor plan with hiney. Two-bay porch attache Colonial Revival design witumns that support a molded jecting left bay contains a	ip roof ed to fr th stone entabla a single	and internal, side brick, 2/3 and internal, side brick chim- cont elevation (west) is an 1900 e piers with paired Tuscan col- ature and hip roof. Slightly pro- de door with transom; center and windows. Symmetrical upper	PHOTO MUST BE PROVIDED
		riginal 4/4 window sashes. All	fenestration has
applicant, A.L. Feuguay cal860. It has a high	; howe	indicate repair of the dwell ever, the characteristics of e of architectural integrity enate residential property t	f the building are y and is significant
44. DESCRIPTION OF ENVIRONMENT AND		commercial zone to west and	d south of property.
n residential neighbor			



ARCHITECTURAL/HISTORIC	INVENTORY S	URVEY FORM	BN-A	5009-002
I, NO. 14	4. PRESENT LOCAL NAM	ME(S) OR DESIGNATION	and the second s	
2. COUNTY Buchanan	5. OTHER NAME(S)			
3. LOCATION OF Dept. of P & Z  NEGATIVES Roll #1-9	O, OTHER RAME(S)			
8. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION_	16. THEMATIC C Architec		28. NO. OF STO	
IF CITY OR TOWN, STREET ADDRESS	I7. DATE(S) OR	<del></del>	29. BASEMENT?	YES ( ) No ( )
713 South 9th Street	c.1860	27+ C.1	30. FOUNDATION	MATERIAL
city or town if RURAL, VICINITY St. Joseph	18. <b>STYLE OR</b> Italiana		31. WALL CONS	TRUCTION
B. DESCRIPTION OF LOCATION	IS. ARCHITECT	OR ENGINEER	Brick	
Legal: Lot 9, Block 11,	20 CONTRACTO	R OR BUILDER	32. ROOF TYPE Hip/Comp.	AND MATERIAL Shingle
Patee's Addition	ZO. CONTRACTO	an 3	30 40 33. NO. OF BAY	YS
		<b>JSE, IF APPARENT</b> amily Residence	FRONT 5	SIDE
	22. PRESENT	*	Painted	
	Vacant	····		E Irregular
	23. OWNERSHIP		PUBLIC( ) 36. CHANGES (EXPLAIN IN NO. 42)	ADDITION() ALTERED (XX)
	24. OWNER'S A	NAME AND ADDRESS		MOVED ( )
9. COORDINATES UTM			37. CONDITION INTERIOR_	
LAT			EXTERIOR_	Good
LONG  O. SITE() STRUCTI	25. OPEN TO F	SOBFIC S	YES ( ) 38. PRESERVATION UNDERWAY?	NO KX)
BUILDING ( X) CBJE	T( ) 26. LOCAL COL	NTACT PERSON OR OF	RGANIZATION 39. ENDANGERED	S AES (X)
II. ON NATIONAL YES ( ) 12. IS IT YES ( ) ELIGIBLE?	S(X)	JRVEYS IN WHICH INC	Neglect/Po	<b>MO( )</b> Oor Maintenan
	FS(X)	NVETS IN WHICH IN	40. VISIBLE FR	NO (X)  PROPERTY  POOR Maintenance  ROM YES(X)  AD ? NO ( )
15. NAME OF ESTABLISHED DISTRICT			41. DISTANCE	FROM AND
			FRONTAGE	ON ROAD
42. FURTHER DESCRIPTION OF IMPORTANT	FEATURES 2 story,	3 bay, 2/3 Geo	orgian	
plan, brick dwelling with him	roof with brack	keted, boxed co	ornice PH	OTO JST
and two story side addition. attached to front elevation (			OFCII	,31
pedestal with Tuscan columns				BE
roof. Slightly projecting le	ft bay contains	single door en	ntry PROV	/IDED
with transon; second and thir 43. HISTORY AND SIGNIFICANCE entry				dows. All
fenestrations in original pla				wo bay
side/rear addition has a sing	le door with 1/	l double hung v	window on second st	cory in one
bay, other contains 1/1 douk hoodmolds.	le hung window o	on first only;	arched openings ha	ave brick
43. Building permit reco	rda indianto	gonst rugt	ion of an additi	on in
1888 and a porch in 1909,				
tor active in the city du	ring the late	e 19th and ea	arly 20th centur	cies. It
<del>has a high degree of alcl</del> 44. Description of Environment and			<del>is significant a</del> of mid 19th cer	
Italianate residential p	161	resentation	or mid facti cer	icury
44. In residential neigh		nercial zone	to west and sou	ith of
STOPET TY.			46. PREPARED	ву
BP #5812, 5/21/09; BP #BB304,	5/4/88; site;	1888 Sanborn m	Mary Jo	
RETURN THIS FORM WHEN COMPLET	D TO: OFFICE OF	HISTORIC PRESERY		St. Joseph
IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	P.O. BOX 17	'6 City, Missouri		REVISION DATE(S)



ļ.	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	BN-16-004-003
2. COUNTY		· ·
Buchanan 3. LOCATION OF Dept. of P & Z	5. OTHER NAME(S)	
NEGATIVES ROll #10-3		
6. SPECIFIC LEGAL LOCATION TOWNSHIP RANGESECTION	I6. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 2
IF CITY OR TOWN, STREET ADDRESS	17. DATE(S) OR PERIOD	NO( )
801 South 10th Street 7. CITY OR TOWN   IF RURAL, VICINITY	ca. 1870	Brick
St. Joseph	Italianate 42 19	31. WALL CONSTRUCTION
8. DESCRIPTION OF LOCATION Legal: Tot 9 Plack 10	19. ARCHITECT OR ENGINEER	Brick 32. ROOF TYPE AND MATERIAL
Legal: Lot 8, Block 10, Patee's Addition	20. CONTRACTOR OR BUILDER 40 99	Trunc. Hip/Comp Shind
	21. ORIGINAL USE, IF APPARENT	FRONT 3 SIDE
	Single Family Residence O/A	34. WALL TREATMENT Painted
	22. PRESENT USE OB	35. PLAN SHAPE Rectangular
	23. OWNERSHIP PUBLIC( ) PRIVATE(X)	(EXPLAIN IN
	24. OWNER'S NAME AND ADDRESS	MOVED ( )
9. COORDINATES UTM	IF KNOWN	37. CONDITION
LAT		EXTERIOR GOOD
LONG  10. SITE() STRUCTU	25. OPEN TO PUBLIC? YES( )  RE( ) NO(X)	36. PRESERVATION YES ( ) UNDERWAY ? NO (XX)
BUILDING ( X) OBJE	CT( ) 26. LOCAL CONTACT PERSON OR ORGANIZATION	***
DECIOTED 2	ES(X) NO( ) 27, OTHER SURVEYS IN WHICH INCLUDED	Poor Maintenance
13. PART OF ESTAB. YES ( ) 14. DISTRICT Y POTENTIAL?	(ES (X )	40. VISIBLE FROM YES (X ) PUBLIC ROAD ?
15. NAME OF ESTABLISHED DISTRICT	NO( )	41. DISTANCE FROM AND
	·	FRONTAGE ON ROAD
	granuare 2 story 2 have asymmetrical	
42. FURTHER DESCRIPTION OF IMPORTANT		1 211270
brick dwelling with truncated	hip roof and molded frieze. 2/3	PHOTO MUST
brick dwelling with truncated Georgian plan with left bay en bay porch is recent alteration	hip roof and molded frieze. 2/3 htry, enclosed first story. First h. Other bays contain 1/1 windows	РНОТО
brick dwelling with truncated Georgian plan with left bay en bay porch is recent alteration	hip roof and molded frieze. 2/3 atry, enclosed first story. First	PHOTO MUST BE
brick dwelling with truncated Georgian plan with left bay en bay porch is recent alteration	hip roof and molded frieze. 2/3 htry, enclosed first story. First h. Other bays contain 1/1 windows	PHOTO MUST
brick dwelling with truncated Georgian plan with left bay en bay porch is recent alteration	hip roof and molded frieze. 2/3 htry, enclosed first story. First h. Other bays contain 1/1 windows	PHOTO MUST BE
brick dwelling with truncated Georgian plan with left bay en bay porch is recent alteration with stone sills and ornamenta  43. HISTORY AND SIGNIFICANCE	hip roof and molded frieze. 2/3 atry, enclosed first story. First a. Other bays contain 1/1 windows al hoodmolds (probably cast iron).	PHOTO MUST BE PROVIDED
brick dwelling with truncated Georgian plan with left bay en bay porch is recent alteration with stone sills and ornamenta  43. HISTORY AND SIGNIFICANCE  y building permit of record is	hip roof and molded frieze. 2/3 htry, enclosed first story. First h. Other bays contain 1/1 windows	PHOTO MUST  BE PROVIDED  J. W. Atwill.
brick dwelling with truncated Georgian plan with left bay en bay porch is recent alteration with stone sills and ornamenta  43. HISTORY AND SIGNIFICANCE  by building permit of record is listic features of the dwelling heaper of architectural interpretations.	hip roof and molded frieze. 2/3 atry, enclosed first story. First a. Other bays contain 1/1 windows al hoodmolds (probably cast iron).  If for a portico in 1891 for applicant, ag, however, are cal870 Italianate. It is grity and is significant as a representation.	BE PROVIDED  J. W. Atwill.  It has a moderate-
brick dwelling with truncated Georgian plan with left bay en bay porch is recent alteration with stone sills and ornamenta  43. HISTORY AND SIGNIFICANCE  by building permit of record is listic features of the dwelling heaper of architectural interpretations.	hip roof and molded frieze. 2/3 atry, enclosed first story. First a. Other bays contain 1/1 windows al hoodmolds (probably cast iron).  If for a portico in 1891 for applicant, ag, however, are cal870 Italianate. It is grity and is significant as a representation.	BE PROVIDED  J. W. Atwill.  It has a moderate-
brick dwelling with truncated Georgian plan with left bay en bay porch is recent alteration with stone sills and ornamenta  43. HISTORY AND SIGNIFICANCE  y building permit of record is listic features of the dwellin h degree of architectural inte	hip roof and molded frieze. 2/3 atry, enclosed first story. First a. Other bays contain 1/1 windows al hoodmolds (probably cast iron).  If for a portico in 1891 for applicant, ag, however, are cal870 Italianate. It is grity and is significant as a representation.	BE PROVIDED  J. W. Atwill.  It has a moderate-
brick dwelling with truncated Georgian plan with left bay en bay porch is recent alteration with stone sills and ornamenta  43. HISTORY AND SIGNIFICANCE  by building permit of record is relative features of the dwelling heavy degree of architectural intestidential property type. (On 1	hip roof and molded frieze. 2/3 atry, enclosed first story. First a. Other bays contain 1/1 windows al hoodmolds (probably cast iron).  If for a portico in 1891 for applicant, ag, however, are cal870 Italianate. In a grity and is significant as a representation of the significant as a representation of the significant as a representation.	BE PROVIDED  J. W. Atwill.  It has a moderate-
brick dwelling with truncated Georgian plan with left bay en bay porch is recent alteration with stone sills and ornamenta  43. HISTORY AND SIGNIFICANCE  by building permit of record is listic features of the dwelling degree of architectural intestidential property type. (On 1	hip roof and molded frieze. 2/3 atry, enclosed first story. First a. Other bays contain 1/1 windows al hoodmolds (probably cast iron).  If for a portico in 1891 for applicant, ag, however, are cal870 Italianate. In a grity and is significant as a representation of the significant as a representation of the significant as a representation.	BE PROVIDED  J. W. Atwill.  It has a moderate-entation of Italianate
brick dwelling with truncated Georgian plan with left bay en bay porch is recent alteration with stone sills and ornamenta  43. HISTORY AND SIGNIFICANCE  by building permit of record is listic features of the dwelling had degree of architectural interidential property type. (On 1	hip roof and molded frieze. 2/3 atry, enclosed first story. First a. Other bays contain 1/1 windows al hoodmolds (probably cast iron).  If for a portico in 1891 for applicant, ag, however, are cal870 Italianate. It grity and is significant as a representation of the second state of the	BE PROVIDED  J. W. Atwill.  It has a moderate- entation of Italianate  al zone in close
decrease plan with truncated Georgian plan with left bay en bay porch is recent alteration with stone sills and ornamenta  43. HISTORY AND SIGNIFICANCE  by building permit of record is relative features of the dwelling had degree of architectural intestidential property type. (On 1  44. DESCRIPTION OF ENVIRONMENT AND or residential neighborhood primatic wimity to south and west.	hip roof and molded frieze. 2/3 atry, enclosed first story. First a. Other bays contain 1/1 windows al hoodmolds (probably cast iron).  If for a portico in 1891 for applicant, ag, however, are cal870 Italianate. It agrity and is significant as a representation of the second state of th	BE PROVIDED  J. W. Atwill.  It has a moderate- entation of Italianate  al zone in close



i. no. 18	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
2. COUNTY  Buchanan  3. LOCATION OF Dept of P & Z	5. OTHER NAME(S)	*
6. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS 806-808 South 10th Street 7. CITY OR TOWN IF RURAL, VICINITY St. Joseph 8. DESCRIPTION OF LOCATION Legal: Lot 11, Block 12,	I6. THEMATIC CATEGORY Architecture  17. DATE(S) OR PERIOD 1896 50 5/ Eclectic(Classic, Romanesque 8  18. STYLE OR DESIGN Colonial Revival)  19. ARCHITECT OR ENGINEER	28. NO. OF STORIES 2 29. BASEMENT? YES() NO() 30. FOUNDATION MATERIAL  31. WALL CONSTRUCTION Brick  32. ROOF TYPE AND MATERIAL Flat
Patee's Addition	20. CONTRACTOR OR BUILDER  21 ORIGINAL USE, IF APPARENT  22. PRESENT USE Same  23. OWNERSHIP  PUBLIC() PRIVATE(X)  24. OWNER'S NAME AND ADDRESS IF KNOWN	33. NO. OF BAYS FRONT 4 SIDE  34. WALL TREATMENT Stretcher  35. PLAN SHAPE "T"  36. CHANGES ADDITION() (EXPLAIN IN NO. 42) MOVED()
II. ON NATIONAL YES ( ) 12. IS IT Y NO ( X)	25. OPEN TO PUBLIC? YES( ) URE( ) CCT( ) 26. LOCAL CONTACT PERSON OR ORGANIZATION (ES(X) NO( ) 27. OTHER SURVEYS IN WHICH INCLUDED	114 124
molded, brick parapet. "U" vation (east) has received moralling and pedestals with work Recessed end bays contain simple bays contain picture windows  43. HISTORY AND SIGNIFICANCE paired raised brick frame. Dentiled has a gable effect which consulding permit records indicates a high degree of architect	FEATURES 2 story, 4 bay, symmetrical, lat roof, brick, string courses, and shaped porch attached to front eleajor alteration; it has an open brick ood planks supporting a hip roof.  Ingle doors with transoms. Center with transoms; second story contains a 1/1 windows with transom; openings a cornice at back of parapet except a tains Romanesque ornamentation of bricate construction in 1896 for applicational integrity and is significant as type (with Romanesque and Colonial Reconstruction in Reco	BE PROVIDED  are defined with center where parapet ck. ant, E. E. Lomack. a representation of
se proximity to commercial zon	arily of ca 1860-90 buildings; vacan	
45. SOURCES OF INFORMATION BP #4474, 3/21/96; site  RETURN THIS FORM WHEN COMPLET  IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	ED TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102	46. PREPARED BY Mary Jo Winder  47. ORGANIZATION City of St. Joseph 48. DATE 49. REVISION DATE(S) 7/88



I. NO. ЦД	PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
2. COUNTY  Buchanan 5.	OTHER NAME(S)	
3. LOCATION OF Dept. of P & Z NEGATIVES Roll #10-1		
6. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 13, 29. BASEMENT? YES ( )
IF CITY OR TOWN, STREET ADDRESS	it. DATE(S) OR PERIOD ca. 1870/1889	NO( )
813 South 10th Street 7. CITY OR TOWN IF RURAL, VICINITY	18. STYLE OR DESIGN /3	OC. FORMATION MATERIAL
St. Joseph	2nd Empire/Vernacular	31. WALL CONSTRUCTION  Brick
8. description of Location Legal: Lot 4, Block 9,		32. ROOF TYPE AND MATERIAL
Patee's Addition	20. CONTRACTOR OR BUILDER ろう こう	Mansard/Comp. Shingle
	21. ORIGINAL USE, IF APPARENT Single Family Residence + U	FRONT 3 SIDE
	22. PRESENT USE	? 30
	Same 23. OWNERSHIP PUBLIC (	35. PLAN SHAPE Rectangula: ) 36. CHANGES ADDITION()
	23. OWNERSHIP POBLICE PRIVATE(X	) (EXPLAIN IN ALTERED (XX)
	24. OWNER'S NAME AND ADDRESS IF KNOWN	MOVED ( )
9, COORDINATES UTM		INTERIOR
LAT Long	25. OPEN TO PUBLIC? YES(	EXTERIOR
IO. SITE ( ) STRUCTURE BUILDING ( X) OBJECT		111111
II. ON NATIONAL YES ( ) 12, IS IT YES		BY WHAT? NO()
REGISTER ? NO ( X) ELIGIBLE ? NO  13. PART OF ESTAB. YES ( ) 14. DISTRICT YES	211 0111211 00111210 111 1111011 111011	Poor Maintenance  40. VISIBLE FROM YES(X)
HIST. DISTRICT? NO ( X) POTENTIAL? NO	<u> </u>	PUBLIC ROAD ? NO()
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND Frontage on Road
42. FURTHER DESCRIPTION OF IMPORTANT FE	ATURES 1½ story, 3 bay, brick	
dwelling with mansard roof with		PHOTO MUST
	o front elevation (west) is later and flat roof with molded cornice.	
alteration with Tuscan columns of Left bay contains single door w		BE
right bays contain 1/1 windows		PROVIDED
contain 1/1 windows.		
lding permit records indicate co	onstruction of a residence addition	in 1889 for applicant,
cick Martin; however, stylistic	features indicate the original con	struction to be cal870.
nacular 2nd Empire residential p	al integrity and is significant as property type. (On 1883 Sanborn ma	n)
	,	,
		•
44. DESCRIPTION OF ENVIRONMENT AND OUT	BUILDINGS	
	ly of ca1860-90 buildings; commerc	ial zone in close
<del></del>		46. PREPARED BY
45. SOURCES OF INFORMATION		1 Mary do winder
<b>45. SOURCES OF INFORMATION</b> BP #11941, 7/6/48; BP #D112, 7/	24/89; site; 1883 Sanborn map	Mary Jo Winder  47. ORGANIZATION



#### MICCOLIDI OFFICE

. no. <b>39</b>	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
2. COUNTY Buchanan	5. OTHER NAME(S)	
3. LOCATION OF Dept. of P & Z NEGATIVES Roll #10-2		
3. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 2 29. BASEMENT? YES()
IF CITY OR TOWN, STREET ADDRESS	17. DATE(S) OR PERIOD	NO( )
309 South 10th Street	ca. 1880/1905	30. FOUNDATION MATERIAL Brick
city or town if rural, vicinity St. Joseph	18. STYLE OR DESIGN 50 18  Italianate/Colonial Revival	31. WALL CONSTRUCTION
B. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick
Legal: Lot 6, Block 9,	20. CONTRACTOR OR BUILDER 30	32.ROOF TYPE AND MATERIAL Gable/Comp. Shingle
Patee's Addition	20. CONTRACTOR OR BUILDED	33. NO. OF BAYS
	Single Family Residence	FRONT 3 SIDE
	22. PRESENT USE	Stretcher
	Same	35. PLAN SHAPE Rectangular
	23. OWNERSHIP PUBLIC ( PRIVATE (X	(EXPLAIN IN
	24. OWNER'S NAME AND ADDRESS	MOVED ( )
9. COORDINATES UTM	IF KNOWN  Iva C. Ritchey	37. CONDITION INTERIOR
9. COORDINATES UTM Lat		EXTERIOR Good
LONG	25. OPEN TO PUBLIC? YES(	INDEDWAY O
• •	TURE( ) NO(X  JECT ( ) 26. LOCAL CONTACT PERSON OR ORGANIZATION	, NO (XX)
II. ON NATIONAL YES ( ) 12, IS I'T	YES (X)	BY WHAT? NO()
REGISTER ? NO ( X) ELIGIBLE ?	27, OTHER SURVEYS IN WHICH INCLUDED	Poor Maintenance
I3. PART OF ESTAB. YES ( ) I4. DISTRICT POTENTIAL	? NO( )	40. VISIBLE FROM YES (X ) PUBLIC ROAD? NO ( )
5. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD
		THE
42. FURTHER DESCRIPTION OF IMPORTANT	FEATURES 2 story, 3 bay, asymmetrical	DUOTO
-	ble roof with console brackets.	PHOTO
	ation (west) has Colonial Revival	
	ntablature with dentils and enframed lief ornamentation over entry bay.	BE
	r with transom; 1/1 double hung	PROVIDED
	ond story. Other bays contain same	
	ow with identical treatment, both stor	
ding permit files indicate	repairs in 1905 for applicant, G. A. S	prengle; however,
istic leatures are cal880 lead of degree of integrity and	talianate and cal890 Colonial Revival is significant both for its vernacular	(porch). It has
erty type characteristics and	nd its Colonial Revival porch. (On 188	83 Sanborn man)
	_ (333 22)	map,
•		
44. DESCRIPTION OF ENVIRONMENT AND		
esidential neighborhood prindimity to south and west.	marily of cal860-90 buildings; commerc	ial zone in close
45. SOURCES OF INFORMATION		46. PREPARED BY Mary Jo Winder
BP #2699, 7/3/05; site; 1883	Sanborn map	47. ORGANIZATION
	<del>-</del>	



1. NO. 41	PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
2. COUNTY Buchanan 5.	OTHER NAME(S)	· ·
3. LOCATION OF Dept. of P & Z  NEGATIVES Roll #10-0		
6. SPECIFIC LEGAL LOCATION TOWNSHIPRANGESECTION	I6. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
IF CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	NO( )
317 South 10th Street	1901	30. FOUNDATION MATERIAL  Brick
7. CITY OR TOWN IF RURAL, VICINITY St. Joseph	18. STYLE OR DESIGN 49 Classic Revival/Oueen Anne	31. WALL CONSTRUCTION
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick
Legal: Lot 3, Block 9,	20. CONTRACTOR OR BUILDER	32. ROOF TYPE AND MATERIAL
Patee's Addition	30 63 4	The state of the s
	21. ORIGINAL USE, IF APPARENT Single Family Residence	FRONT 5 SIDE 34. WALL TREATMENT
	22. PRESENT USE	Stretcher
	Same	35. PLAN SHAPEIrregular
	23. OWNERSHIP PUBLIC ( PRIVATE(X	) 36. CHANGES ADDITION ( )
	24. OWNER'S NAME AND ADDRESS	NO. 42)  ALTERED (XX)  MOVED ( )
	IF KNOWN	37. CONDITION
9, COORDINATES UTM		INTERIORFair
LONG	25. OPEN TO PUBLIC? YES(	) 38. PRESERVATION YES ( )
IO. SITE ( ) STRUCTURE		) UNDERWAY ? NO XX )
BUILDING ( X) OBJECT		N 39. ENDANGERED? YES $X$ ) BY WHAT? NO()
REGISTER ? NO ( X) ELIGIBLE ? NO		Poor Maintenance
13. PART OF ESTAB. YES ( ) 14. DISTRICT YES POTENTIAL? NO	(X )	40. VISIBLE FROM YES (X ) PUBLIC ROAD?
15. NAME OF ESTABLISHED DISTRICT	<u>`                                    </u>	41. DISTANCE FROM AND
		FRONTAGE ON ROAD
42. FURTHER DESCRIPTION OF IMPORTANT FE	ATURES $2\frac{1}{2}$ story, 5 bay, asymmetric	za .
rick dwelling with hip roof and		РНОТО
	olygonal bay unit with hip roof;	MUST
<del>-</del> -	ndow (except first story center	
	openings that have stone sills s, textured brick panel between	PROVIDED
the contract of the contract o	in upper 1/2 story contains small	
indows; projecting front gable	square windows, gable wall has asn	
43. HISTORY AND SIGNIFICANCE paired,		windl mamah
43. HISTORY AND SIGNIFICANCE paired, inclosed porch attached to right	two bays in a later alteration (o	
43. HISTORY AND SIGNIFICANCE paired, inclosed porch attached to right probably along the entire front	two bays in a later alteration (o and open) with single door band of	1/1 window and hip
43. HISTORY AND SIGNIFICANCE paired, inclosed porch attached to right probably along the entire front coof; second story contains typically second story second story contains typically second story seco	two bays in a later alteration (o and open) with single door band of cal window sashes with stone sills	1/1 window and hip and brick voissures.
43. HISTORY AND SIGNIFICANCE paired, inclosed porch attached to right probably along the entire front coof; second story contains typic Building permit records indica	two bays in a later alteration (or and open) with single door band of cal window sashes with stone sills at the construction in 1901 for applicate	1/1 window and hip and brick voissures.
43. HISTORY AND SIGNIFICANCE paired, inclosed porch attached to right probably along the entire front coof; second story contains typically building permit records indicates a moderate to high degree of	two bays in a later alteration (or and open) with single door band of cal window sashes with stone sills attention in 1901 for application integrity (due to removal of original calculus and the construction in the construction	1/1 window and hip and brick voissures.  ant, Sophie Dornhoffer.
43. HISTORY AND SIGNIFICANCE paired, inclosed porch attached to right probably along the entire front poof; second story contains typically building permit records indicates a moderate to high degree of	two bays in a later alteration (or and open) with single door band of cal window sashes with stone sills at the construction in 1901 for applicate	1/1 window and hip and brick voissures.  ant, Sophie Dornhoffer.
43. HISTORY AND SIGNIFICANCE paired, inclosed porch attached to right probably along the entire front coof; second story contains typically building permit records indicated as a moderate to high degree of difficant as a representation of	two bays in a later alteration (o and open) with single door band of cal window sashes with stone sills te construction in 1901 for applic integrity (due to removal of orig transitional Queen Anne/Classic Re	1/1 window and hip and brick voissures.  ant, Sophie Dornhoffer.
43. HISTORY AND SIGNIFICANCE paired, inclosed porch attached to right probably along the entire front coof; second story contains typic Building permit records indicates a moderate to high degree of inficant as a representation of ty type.	two bays in a later alteration (o and open) with single door band of cal window sashes with stone sills te construction in 1901 for applic integrity (due to removal of orig transitional Queen Anne/Classic Re	1/1 window and hip and brick voissures. Eant, Sophie Dornhoffer. Final porch) and is avival residential pro-
43. HISTORY AND SIGNIFICANCE paired, inclosed porch attached to right probably along the entire front proof; second story contains typically building permit records indicated as a moderate to high degree of inficant as a representation of ty type.  44. DESCRIPTION OF ENVIRONMENT AND OUT residential neighborhood primarity to south.	two bays in a later alteration (o and open) with single door band of cal window sashes with stone sills te construction in 1901 for application in the construction in	and brick voissures.  ant, Sophie Dornhoffer.  inal porch) and is  vival residential pro-  ial zone in close prox-
43. HISTORY AND SIGNIFICANCE paired, inclosed porch attached to right probably along the entire front coof; second story contains typic Building permit records indicates a moderate to high degree of inficant as a representation of ty type.  44. DESCRIPTION OF ENVIRONMENT AND OUT residential neighborhood primarity to south.	two bays in a later alteration (o and open) with single door band of cal window sashes with stone sills te construction in 1901 for application in the construction in	inal porch) and is vival residential pro-



1. NO. 202	4. PR	ESENT LOCAL NAME(S) OR DESIGNATION(S)	
		1202 - 04	,
2. COUNTY Buchanan	5 07		
3. LOCATION OF Dept. of P & Z NEGATIVES ROIL #9-1 & 2	7	HER NAME(S) 1206-08 120-12	
6. SPECIFIC LEGAL LOCATION		IG. THEMATIC CATEGORY	28. NO. OF STORIES 2
TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS	N	Architecture  17. DATE(S) OR PERIOD	29. BASEMENT? YES ( ) NO ( )
1202-1212 South 10th Street		1888	30. FOUNDATION MATERIAL
7. CITY OR TOWN IF RURAL, VICINITY St. Joseph		Neoclassical 52 53	31. WALL CONSTRUCTION
8. DESCRIPTION OF LOCATION		IS. ARCHITECT OR ENGINEER	Brick w/ Stucco
Legal: Lots 6 & 7, Bloc	ck 40,	20. CONTRACTOR OR BUILDER	32. ROOF TYPE AND MATERIAL Flat
Patee's Addition			33. NO. OF BAYS
		21. ORIGINAL USE, IF APPARENT 016 Multi Family Residences 77.5	FRONT 4 SIDE 34. WALL TREATMENT
		22. PRESENT USE	Stucco
		Same 23. OWNERSHIP PUBLIC( )	35. PLAN SHAPE Rectangula 36. CHANGES ADDITION()
		PRIVATE(X)	(EXPLAIN IN NO. 42) ALTERED ( )
		24. OWNER'S NAME AND ADDRESS IF KNOWN	MOVED ( )
9. COORDINATES UTM		1	INTERIOR
LAT Long		25. OPEN TO PUBLIC? YES( )	EXTERIOR
	UCTURE( )		UNDERWAY ? NO (XX)
II. ON NATIONAL YES ( ) 12, IS IT	YES(X)		38. PRESERVATION UNDERWAY? NO (XX)  39. ENDANGERED? YES (XX) BY WHAT? NO ()  Deteriorated Environme  40. VISIBLE FROM PUBLIC ROAD?
REGISTER ? NO ( X) ELIGIBLE	NO( )	27, OTHER SURVEYS IN WHICH INCLUDED	Deteriorated Environme
HIST. DISTRICT ? NO ( X)	YES(X)	<u>1</u>	PUBLIC ROAD ? NO ( )
15. NAME OF ESTABLISHED DISTRICT	,		41. DISTANCE FROM AND FRONTAGE ON ROAD
42, FURTHER DESCRIPTION OF IMPORTAL	NT FEATUR	DER	
		3 buildings - 2 story, 4 bay,	РНОТО
symmetrical multi-family dwe		with flat roofs. Two-story,	MUST
symmetrical multi-family dwe two-bay porches attached to	front e	3 buildings - 2 story, 4 bay,	MUST
symmetrical multi-family dwe two-bay porches attached to that extend to flat roof tha cailing is closed; second le	front e at has p evel has	with flat roofs. Two-story, a bay, elevation (east) have brick piers projecting cornice; lower level so open slat railing. End bays	MUST
symmetrical multi-family dwe two-bay porches attached to that extend to flat roof tha cailing is closed; second le	front e at has p evel has	with flat roofs. Two-story, elevation (east) have brick piers projecting cornice; lower level	MUST
symmetrical multi-family dwe two-bay porches attached to that extend to flat roof tha railing is closed; second le contain single door with div	front eat has pevel has	with flat roofs. Two-story, with flat roofs. Two-story, elevation (east) have brick piers projecting cornice; lower level so open slat railing. End bays idelights and transoms; second eains paired 1/1 windows. Center	BE PROVIDED bays contain single doc
symmetrical multi-family dwe two-bay porches attached to that extend to flat roof that railing is closed; second le contain single door with div  43. HISTORY AND SIGNIFICANCE storwith transoms both stories.	front eat has pevel has vided si	with flat roofs. Two-story, a bay, with flat roofs. Two-story, alevation (east) have brick piers projecting cornice; lower level so open slat railing. End bays idelights and transoms; second ains paired 1/1 windows. Center et wall ornamented with exagerate	BE PROVIDED bays contain single docted arched-top pediments
symmetrical multi-family dwe two-bay porches attached to that extend to flat roof that railing is closed; second le contain single door with div  43. HISTORY AND SIGNIFICANCE storwith transoms both stories.	front eat has pevel has vided si	with flat roofs. Two-story, with flat roofs. Two-story, elevation (east) have brick piers projecting cornice; lower level so open slat railing. End bays idelights and transoms; second eains paired 1/1 windows. Center	BE PROVIDED bays contain single docted arched-top pediments
symmetrical multi-family dwe two-bay porches attached to that extend to flat roof that railing is closed; second le contain single door with div  43. HISTORY AND SIGNIFICANCE storwith transoms both stories. With molded edge and geometrornament.  Building permit records in	front ent has pevel has vided single y contage and paraperate and icate	with flat roofs. Two-story, elevation (east) have brick piers projecting cornice; lower level sopen slat railing. End bays idelights and transoms; second ains paired 1/1 windows. Center et wall ornamented with exagerate ief pattern on end bays; center of construction of 3 residences in	bays contain single doced arched-top pediments of wall has large urn
symmetrical multi-family dwe two-bay porches attached to that extend to flat roof that railing is closed; second le contain single door with div  43. HISTORY AND SIGNIFICANCE storwith transoms both stories. With molded edge and geometrornament.  Building permit records in the storigan (\$10,500). The start contains the storigan (\$10,500).	front ent has proved has rided single paraperic relimentations.	with flat roofs. Two-story, elevation (east) have brick piers projecting cornice; lower level so open slat railing. End bays idelights and transoms; second eains paired 1/1 windows. Center et wall ornamented with exagerate ief pattern on end bays; center of construction of 3 residences in gs maintain a high degree of inter	bays contain single doced arched-top pediments of wall has large urn  1888 for applicant, excity and are signi-
symmetrical multi-family dwe two-bay porches attached to that extend to flat roof that railing is closed; second le contain single door with diversity of the standard standard significance story with transoms both stories. With molded edge and geometrornament.  Building permit records in the stories of the stories of the stories.	front ent has proved has rided single paraperic relimentations.	with flat roofs. Two-story, elevation (east) have brick piers projecting cornice; lower level sopen slat railing. End bays idelights and transoms; second ains paired 1/1 windows. Center et wall ornamented with exagerate ief pattern on end bays; center of construction of 3 residences in	bays contain single doced arched-top pediments of wall has large urn  1888 for applicant, excity and are signi-
symmetrical multi-family dwe two-bay porches attached to that extend to flat roof that railing is closed; second le contain single door with div  43. HISTORY AND SIGNIFICANCE storwith transoms both stories. With molded edge and geometrornament.  Building permit records in the storigan (\$10,500). The start contains the storigan (\$10,500).	front ent has pevel has vided si Paraperic relimentate coulding	with flat roofs. Two-story, elevation (east) have brick piers projecting cornice; lower level so open slat railing. End bays idelights and transoms; second ains paired 1/1 windows. Center et wall ornamented with exagerate ief pattern on end bays; center of construction of 3 residences in gs maintain a high degree of integral multi-family residential pro-	bays contain single doced arched-top pediments of wall has large urn  1888 for applicant, excity and are signi-
symmetrical multi-family dwe two-bay porches attached to that extend to flat roof that railing is closed; second le contain single door with div  43. HISTORY AND SIGNIFICANCE storwith transoms both stories. With molded edge and geometrornament.  Building permit records in the ses Horigan (\$10,500). The ses Horigan (\$10,500). The ses ant as representations of New Market Properties of New Market	front eat has pevel has vided single y contage and relievely and relieve	with flat roofs. Two-story, elevation (east) have brick piers projecting cornice; lower level so open slat railing. End bays idelights and transoms; second ains paired 1/1 windows. Center et wall ornamented with exagerate ief pattern on end bays; center of construction of 3 residences in gs maintain a high degree of integral multi-family residential pro-	bays contain single docted arched-top pediments of wall has large urn  1888 for applicant, egrity and are signioperty type.
symmetrical multi-family dwe two-bay porches attached to that extend to flat roof that railing is closed; second le contain single door with div  43. HISTORY AND SIGNIFICANCE storwith transoms both stories. With molded edge and geometrornament.  Building permit records in the ses Horigan (\$10,500). The ses Horigan (\$10,500). The ses ant as representations of New Market Properties of New Market	front eat has pevel has vided single y contage and relievely and relieve	with flat roofs. Two-story, elevation (east) have brick piers projecting cornice; lower level sopen slat railing. End bays idelights and transoms; second ains paired 1/1 windows. Center et wall ornamented with exagerate ief pattern on end bays; center of construction of 3 residences in gs maintain a high degree of interical multi-family residential pro	bays contain single docted arched-top pediments of wall has large urn  1888 for applicant, egrity and are signiperty type.  Zone on all boundaries.
symmetrical multi-family dwe two-bay porches attached to that extend to flat roof that railing is closed; second le contain single door with div  43. HISTORY AND SIGNIFICANCE storwith transoms both stories. With molded edge and geometrornament.  Building permit records in the ses Horigan (\$10,500). The kant as representations of New A4. DESCRIPTION OF ENVIRONMENT AND Edge of residential neighbore.	front eat has pevel has vided single y contage and relievely and relieve	with flat roofs. Two-story, elevation (east) have brick piers projecting cornice; lower level sopen slat railing. End bays idelights and transoms; second ains paired 1/1 windows. Center et wall ornamented with exagerate ief pattern on end bays; center of construction of 3 residences in gs maintain a high degree of interical multi-family residential pro	bays contain single docted arched-top pediments of wall has large urn  1888 for applicant, egrity and are signiperty type.  zone on all boundaries.





MISSOURI OFFICE OF HISTORIC **PRESERVATION** ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM BN-AS 004-009 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) 1. NO. 54 2. COUNTY Buchanan 5. OTHER NAME(S) 3. LOCATION OF Dept. of P & Z NEGATIVES ROll #6-11 16. THEMATIC CATEGORY 6. SPECIFIC LEGAL LOCATION 28. NO. OF STORIES YES (XX) Architecture SECTION TOWNSHIP \_ RANGE\_ 29. BASEMENT? IF CITY OR TOWN. STREET ADDRESS IT. DATE(S) OR PERIOD 30. FOUNDATION MATERIAL 802-804 South 11th Street Brick IF RURAL, VICINITY 7. CITY OR TOWN IS. STYLE OR DESIGN 50 51 31. WALL CONSTRUCTION St. Joseph Classic Revival Brick IS. ARCHITECT OR ENGINEER 8. DESCRIPTION OF LOCATION 32. ROOF TYPE AND MATERIAL Legal: Lot 9, Block 9, Flat 20. CONTRACTOR OR BUILDER 30 Patee's Addition 20 33. NO. OF BAYS ٨ FRONT 21. ORIGINAL USE, IF APPARENT Duplex 4 ms PRESENT LOCAL 34. WALL TREATMENT Stretcher Bond 22. PRESENT USE 35. PLAN SHAPE Rectangula Same 36. CHANGES (EXPLAIN IN 23. OWNERSHIP PUBLIC ( ADDITION ( PRIVATE(X) ALTERED ( NO, 42) MOVED ( 24. OWNER'S NAME AND ADDRESS NAME(S) IF KNOWN 37. CONDITION INTERIOR\_ 9. COORDINATES HTM Good EXTERIOR\_ LAT S LONG YES ( 25. OPEN TO PUBLIC? PRESERVATION UNDERWAY? YES ( DESIGNATION(S) NO(X) NO (XX) SITE ( ) STRUCTURE ( BUILDING ( X) DRJECT ( 26. LOCAL CONTACT PERSON OR ORGANIZATION ENDANGERED? YES (XX) BY WHAT ? ON NATIONAL REGISTER ? YES ( ) IS IT ELIGIBLE? YES (X) NO ( ) Poor Maintenance NO ( NO ( X) 27. OTHER SURVEYS IN WHICH INCLUDED DISTRICT YES (X)
POTENTIAL? NO( ) VISIBLE FROM YES (X ) 13. PART OF ESTAB. HIST, DISTRICT? YES ( ) PUBLIC ROAD ? NO ( NO ( 41. DISTANCE FROM AND FRONTAGE ON ROAD 15. NAME OF ESTABLISHED DISTRICT 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 2 story, 4 bay, symmetrical-**PHOTO** STHEK ly massed, brick duplex dwelling with flat roof and side, brick MUST chimneys. Two story, three bay porch attached to front elevation (east) has brick pedestals with square columns that support a wide BE entablature and upper porch which has smaller columns, open slat PROVIDED railing, entablature and front gable roof with boxed returns. Firs bay contains entry, second and fourth bays contain wide 1/1 double 43. HISTORY AND SIGNIFICANCE hung windows (with rails at upper 1/3 point) within openings with stone sills and arched, brick lintels, both stories; third bay contains single door, both stories. Parapet wall has ornamental, brick bracketing. 43. Building permit records indicate construction in 1912 for applicant, A. Hoppe. TOWNSHIP It has a high degree of architectural integrity and is significant as a representation of early 20th century Classic Revival duplex property type. 44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS In residential neighborhood; on corner lot; on block of closely spaced dwellings with shallow setbacks.

45. SOURCES OF INFORMATION BP #7279, 7/16/12; site

RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176 IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM PH. 314-751-4096

JEFFERSON CITY, MISSOURI 65102 46. PREPARED BY Mary Jo Winder 47. ORGANIZATION City of St. Joseph 48. DATE 49. REVISION DATE(S) 7/88



			,
. NO. 57	PRESENT LOCAL NAME(S) OR DESIGNATION(S)		
COUNTY	OTHER NAME(S)	600 B	
Buchanan 5.  S. LOCATION OF Dept. of P & Z  NEGATIVES Roll #6-13	OTHER NAME(S)		
B. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 2	ŗ
IF CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	29. BASEMENT? YES ( )	0
South 11th Street:	ca. 1880  IB. STYLE OR DESIGN	30. FOUNDATION MATERIAL Brick	=
St. Joseph  B. DESCRIPTION OF LOCATION	Oueen Anne/Eastlakes 90 5/	31. WALL CONSTRUCTION  Brick	
Legal: Lot 10, Block 9,	20. CONTRACTOR OR BUILDER	32. ROOF TYPE AND MATERIAL Trunc Hip/Comp. Shin	ile
Patee's Addition	20 30 40	33. NO. OF BAYS FRONT 4 SIDE	
	21. ORIGINAL USE, IF APPARENT Duplex	34. WALL TREATMENT	77
	22. PRESENT USE Vacant	Stretcher (primarily) 35. PLAN SHAPE Irregular	
	23. OWNERSHIP PUBLIC ( PRIVATE ( X	36. CHANGES ADDITION ( )	
	24. OWNER'S NAME AND ADDRESS IF KNOWN	MOVED ( )	
O, COORDINATES UTM	David Polsky	INTERIOR Fair-Good	֓֞֞֞֜֞֞֜֞֝֞֜֞֜֞֜֜֞֜֜֜֜֜֜֜֜֞֜֜֜֜֜֜֜֜֜֜֜֜
LAT Long	25. OPEN TO PUBLIC? YES(	38. PRESERVATION YES ( )	9
O. SITE() STRUCTURE BUILDING(X) OBJECT		1727	
I. ON NATIONAL YES ( ) 12, IS IT YES	(X)	BY WHAT? NO( )	
3. PART OF ESTAB. YES ( ) 14. DISTRICT YES	(X )	Neglect  40. VISIBLE FROM YES(X) PUBLIC ROAD?	
5. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND	
		FRONTAGE ON ROAD	
	ATURES 2 story, 4 bay, asymmetrical, hip roof with molded, boxed corni		
and dentiled string course of	brick. Left wo bays are part of	MUST	
	n two-story wing with octogonal, indow, both stories; second has	BE	
single door with transom on f	irst story, openings have stone	PROVIDED	
	rojecting third bay is front wing n slightly projecting unit that co	ntains paired 1/1 win	ĺ
	tion includes fluted engaged colum		
	n stories and arched opening with		
	or cast iron). Right bay is reces ory, 1/1 window on second; small p		
has Eastlake ornamentation.	Porch on left two bays has been de	molished.	
43. There are no building perm	nits of record for this dwelling an	d it does not appear	
tween 1883 and 1887. It has a	ore it can be established that con high degree of integrity and is si	Struction occurred be-	_
44. DESCRIPTION OF ENVIRONMENT AND OUT	BUILDINGS Sentation of Que	en Anne duplex property	
In residential neighborhood of	type. cal860-1900 dwellings.		
45. SOURCES OF INFORMATION		46. PREPARED BY	
No relevent building permit.		Mary Jo Winder 47. ORGANIZATION	
RETURN THIS FORM WHEN COMPLETED	TO: OFFICE OF HISTORIC PRESERVATION	City of St. Joseph	l
•	P.O. BOX 176 Jefferson City, Missouri 65102	48. DATE 49. REVISION DATE(S)	ı



I. NO. 82	PRESENT LOCAL NAME(S) OR DESIGNATION(S)		
2. COUNTY		· · · · · · · · · · · · · · · · · · ·	
	S, OTHER NAME(S)		
3. LOCATION OF Dept. of P & Z NEGATIVES Roll #10-21			
6. SPECIFIC LEGAL LOCATION TOWNSHIP SECTION	I6. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 2 29. BASEMENT? YES ( )	
IF CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	NO( )	
809-811 South 11th Street	ca. 1885	30. FOUNDATION MATERIAL  Brick	
7. CITY OR TOWN IF RURAL, VICINITY St. Joseph	18. STYLE OR DESIGN Oueen Anne 45 51	31. WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick	
Legal: Lot 6, Block 8,		32.ROOF TYPE AND MATERIAL Trunc Hip/Rolled Shir	∑K.
Patee's Addition	20. CONTRACTOR OR BUILDER	33. NO. OF BAYS	916
	21. ORIGINAL USE, IF APPARENT	FRONT 4 SIDE	
	Duplex 22. PRESENT USE	34. WALL TREATMENT Stretcher/Painted	İ
	Same	35. PLAN SHAPE Rectangula	r
	23. OWNERSHIP PUBLIC (	) 36. CHANGES ADDITION( )	
	PRIVATE(X	) NO. 42) ALTERED (XX) MOVED ( )	
	IF KNOWN	37. CONDITION	
9, COORDINATES UTM		INTERIORFair-Good	ĺ
LAT Long	25. OPEN TO PUBLIC? YES(	EXTERIOR	
IO, SITE ( ) STRUCTUR	E( ) NO(X	IIII DE DIWAY A	
BUILDING ( X) OBJECT		BY WHAT 2	
DECIOTED A FI ICIDIE A	B(X) D( ) 27, OTHER SURVEYS IN WHICH INCLUDED	Poor Maintenance	
COTEMPIALO	B(X)	40. VISIBLE FROM YES (X ) PUBLIC ROAD?	
HIST. DISTRICT? NO ( X) POTENTIAL? NO	<u> </u>	41. DISTANCE FROM AND	•
IS. NAME OF ESTABLISHED DISTRICT	•	FRONTAGE ON ROAD	
42 SUPTURE DESCRIPTION OF IMPORTANT E	EATURES 2 story, 4 bay, symmetrical,		_
brick duplex dwelling with tru	incated hip roof with front gables,	РНОТО	
	brick and stone water table. End	MUST	l
·	transoms; second story has 1/1 center bays contain paired 1/1		ł
	enestrations with tops with arched	PROVIDED	
	1 effect. Center bays terminate	THOUSES \	
43. HISTORY AND SIGNIFICANCE with er	framed gable with molded cornice,	dentils and small	ľ
	orch has been removed; replacement		
wood decks			
43. There are no building perm	its of record for this dwelling and	l it does not appear	
on the 1883 Sanborn map; theref	ore, it can be established that con	struction occurred	1
and alterations and is signific	a moderate to high degree of integr ant as a representation of Queen An	ity due to demolition	
·	and as a representation of guest Air	me duplex property type.	
44. DESCRIPTION OF ENVIRONMENT AND OU	TBUILDINGS		
	marily of cal860-1900 dwellings.		
in residential heighborhood pri	marily of caroou-1900 dwellings.		
45. SOURCES OF INFORMATION		46. PREPARED BY	_
No relevent building permit; s	ite	Mary Jo Winder	
		I AT ORGANIZATION	_
	TO: OFFICE OF HISTORIC PRESERVATION	47. ORGANIZATION City of St. Joseph	



# MISSOURI OFFICE OF HISTORIC PRESERVATION ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM BN. 45-004-012

. NO. 5\$	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
Buchanan  LOCATION OF Dept. of P & Z NEGATIVES Roll #6-14	5, OTHER NAME(S)	· · · · · · · · · · · · · · · · · · ·
SPECIFIC LEGAL LOCATION TOWNSHIPRANGESECTION IF CITY OR TOWN, STREET ADDRESS 810 South 11th Street CITY OR TOWN IF RURAL, VICINITY St. Joseph Description of Location Legal: Lot 11, Block 9, Patee's Addition	I6. THEMATIC CATEGORY Architecture  17. DATE(S) OR PERIOD ca. 1885/1921 <  18. STYLE OR DESIGN Oueen Anne/Vernacular 49  19. ARCHITECT OR ENGINEER  20. CONTRACTOR OR BUILDER	28. NO. OF STORIES 1 29. BASEMENT? YES() NO() 30. FOUNDATION MATERIAL  31. WALL CONSTRUCTION Brick 32. ROOF TYPE AND MATERIAL Hip/Comp. Shingle 33. NO. OF BAYS
	21. ORIGINAL USE, IF APPARENT Single Family Residence OFA  22. PRESENT USE Same 23. OWNERSHIP PUBLIC( PRIVATE(X)  24. OWNER'S NAME AND ADDRESS IF KNOWN	
BUILDING ( X) OF	27. OTHER SURVEYS IN WHICH INCLUDED	INTERIORFair-Good  Sa. PRESERVATION YES() UNDERWAY? NO (XX
B. PART OF ESTAB. YES ( ) 14. DISTRICT POTENTIAL POTENTIAL S. NAME OF ESTABLISHED DISTRICT	-? NO( )	PUBLIC ROAD ? NO()  41. DISTANCE FROM AND FRONTAGE ON ROAD
brick dwelling with hip side brick chimney. Rec 2/2 windows. 1921 porch rail and pedestals with ture and flat roof. Propolyzonal unit with poly	reatures 1 story, 5 bay, asymmetrical roof with molded cornice and internal cessed first and second bays contain hattached to these bays has open brick square columns that support entablatojecting front wing has three-bay yzonal hip roof; each bay has a 1/1 window. Aluminum siding (and awning)	PHOTO MUST  BE PROVIDED
Building permit records in for applicant A. J. Crando as cal885. It has a model	ndicate construction of a stable in 18 all; stylistic features indicate constrate degree of integrity due to incompepresentation of vernacular Queen Anne	ruction of the dwelling ratible applied siding
•	AUTAWA	
In residential neighborhoo	outbuildings  cd primarily of late 19th century dwel .	lings.
	#5-81, 9/14/21; site; 1888 Sanborn ma	p 46. PREPARED BY Mary Jo Winder 47. ORGANIZATION City of St. Joseph



25. OPEN TO PUBLIC?   SECUNDATES   SECUNDATE	T	NAS 004-013	SENT LOCAL NAME(S) OR DESIGNATION(S)	. NO. <b>59</b>
Security of Dept. of P & Z   Security   Se	Š			
SPECIFIC LEAR LOCATOM   SAMEE   SECTION   FOR COMMENS   SECTION   STORY   SECTION			1EH NAME(S)	s. Location of Dept. of P & Z
## CUTY OR TOWN, STREET ADDRESS 812 SOUTH 11th Street ca. 1860  812 SOUTH 11th Street ca. 1860  812 SOUTH 11th Street ca. 1860  80. FOUNDATION MATERIAL CORYTON OF LOCATION Legal: Lot 12, Block 9, Patee's Addition  19. ARCHITECT OR REMINER  20. CONTRACTOR OR BUILDER 21. OMIGINAL USE, IF APPARENT Single Pamily Residence 21. OMIGINAL USE, IF APPARENT Single Pamily Residence 22. OWNERSHIP PUBLIC   PRIVATE(X) 24. OWNERS'S NAME AND ADDRESS IF MON SATIONAL YES (3) IS ITS YES (3) IN OF BAYS FROM 73 SIDE 35. OWNERSHIP PUBLIC   PRIVATE(X) 25. OWNERSHIP PUBLIC   PRIVATE(X) 26. OWNERSHIP PUBLIC   PRIVATE(X) 26. OWNERSHIP PUBLIC   PRIVATE(X) 27. OWNERSHIP PUBLIC   PRIVATE(X) 28. OPEN TO PUBLIC   PRIVATE(X) 10. SUILDING (X) 29. OPEN TO PUBLIC   PRIVATE(X) 10. NATIONAL YES (3) IS ITS YES (X) REGISTER 7 NO (X) 10. SUILDING (X) 11. ON NATIONAL YES (3) IS ITS YES (X) REGISTER 7 NO (X) 12. IS ITS YES (X) POST OF SEASON YES (3) PRIVATE (3) PRIVATE (4) PRIVATE (4) PRIVATE (4) PRIVATE (4) PRIVATE (5) PRIVATE (5) PRIVATE (6) PRIVATE (7) PRIVATE				S SPECIFIC LEGAL LOCATION
St. Joseph  Greek Revival/Vernacular 49  Jegal: Lot 12, Block 9, Patee's Addition  Jegal: Lot 12, Block 9, Patee's	COUNTY	NO ( T)		IF CITY OR TOWN, STREET ADDRESS
S. ARCHITECT OR ENGINEER   S. ARCHITECT OR ENGINEER   S. ROOF TYPE AND MATERIAL Gable/Comp. Shingle   S. ROOF TAND AND MATERIAL Gable/Comp. Shingle   S. ROOF TAND AND TAND MATERIAL Gable/Comp. Shingle   S. ROOF TAND AND TAND AND TAND AND TAND AND TAND AND AND TAND AND AND TAND AND AND TAND AND				•
21. ORIGINAL USE, IF APPARENT Single Family Residence O/A 22. PRESENT USE Multi-family Residence? 33. NO. OF BAYS PRONT 3 SIDE 34. WALL TREATMENT Asbestos Shingle C/9 35. WALL TREATMENT Asbestos Shingle C/9 36. CHANGES Shingle C/9 37. CONDITION MOVED 40. PRESENTION MOVED 41. PRESENTION	- <sub>SO</sub>	32. ROOF TYPE AND MATERIAL		
Single Family Residence O/A  22. PRESENT USE Multi-family Residence?  23. OWNERSHIP PRIVATE(X)  24. OWNER'S NAME AND ADDRESS  PRIVATE(X)  25. OPEN TO PUBLIC? PRIVATE(X)  26. LOCAL CONTACT PERSON OR ORGANIZATION  27. ON NATIONAL YES(X)  28. DEFINITY YES(X)  29. ON NATIONAL YES(X)  20. ON NATIONAL YES(X)  20. ON NATIONAL YES(X)  21. IS IT YES(X)  22. OTHER SURVEYS IN WHICH INCLUDED  23. OTHER SURVEYS IN WHICH INCLUDED  24. OWNERSHIP PRIVATE(X)  25. OPEN TO PUBLIC? YES(X)  26. LOCAL CONTACT PERSON OR ORGANIZATION  27. OTHER SURVEYS IN WHICH INCLUDED  28. LOCAL CONTACT PERSON OR ORGANIZATION  29. PRESENTATION  20. NAME OF STABLISHED DISTRICT  20. OTHER SURVEYS IN WHICH INCLUDED  21. OTHER SURVEYS IN WHICH INCLUDED  22. OTHER SURVEYS IN WHICH INCLUDED  23. OTHER SURVEYS IN WHICH INCLUDED  24. PUBLIC PROVIDED  25. OTHER SURVEYS IN WHICH INCLUDED  26. LOCAL CONTACT PERSON OR ORGANIZATION  27. OTHER SURVEYS IN WHICH INCLUDED  28. PRESENTATION NO (X)  29. OTHER SURVEYS IN WHICH INCLUDED  29. OTHER SURVEYS IN WHICH INCLUDED  20. OTHER SURVEYS IN WHICH INCLUDED  21. OTHER SURVEYS IN WHICH INCLUDED  22. OTHER SURVEYS IN WHICH INCLUDED  23. OTHER SURVEYS IN WHICH INCLUDED  24. DISTRICE TROM AND FROM YES(X)  25. OTHER SURVEYS IN WHICH INCLUDED  26. LOCAL CONTACT PERSON OR ORGANIZATION  27. OTHER SURVEYS IN WHICH INCLUDED  28. EVANABLE PROVIDED  29. EVANABLE PROVIDED  29. EVANABLE PROVIDED  20. ON INTERIOR  20. ON INTERIOR  21. DISTRICE TROM AND FROM YES(X)  22. OTHER SURVEYS IN WHICH INCLUDED  24. DISTRICE TROM AND FROM YES(X)  25. EVANABLE PROVIDED  26. LOCAL CONTACT PERSON OR ORGANIZATION  26. LOCAL CONTACT PERSON OR ORGANIZATION  27. OTHER SURVEYS IN WHICH INCLUDED  28. EVANABLE PROVIDED  29. EVANABLE PROVIDED  29. CONTACT PERSON OR ORGANIZATION  29. EVANACE OF WHICH PROVIDED  20. ON NATIONAL YES(X)  20. OURCES OF INFORMATION  26. LOCAL CONTACT PERSON OR ORGANIZATION  27. OTHER SURVEYS IN WHICH INCLUDED  28. EVANACE OF PROVIDED  29. CONTACT PERSON OR ORGANIZATION  29. EVANACE OF PROVIDED  20. OURCES OF INFORMATION  20. OU	- <del>-</del>	33. NO. OF BAYS	22	Patee's Addition
Multi-family Residence?  22. OWNERSHIP PUBLIC() PRIVATE(X)  24. OWNER'S NAME AND ADDRESS IF KNOWN  1. OWNER'S NAME AND ADDRESS IF KNOWN  1. OWNER'S NAME AND ADDRESS IF KNOWN  25. OPEN TO PUBLIC?  26. LOCAL CONTACT PERSON OR ORGANIZATION  27. OTHER SURVEYS IN WHICH INCLUDED  28. PRESERVATION  29. PRESERVATION  29. OTHER SURVEYS IN WHICH INCLUDED  29. OTHER SURVEYS IN WHICH INCLUDED  20. PRIVATE(X)  20. OF STABLISHED DISTRICT  20. OF STABLISHED DISTRICT  21. PURTHER DESCRIPTION OF IMPORTANT FEATURES 1's story, 3 bay, asymmetrical, frame dwelling with side gable roof with gable roof dormer and centralized stucco covered brick chimmey; common wall with 814 South 11th Street. Left and center bays contain 1/1 double hung windows. Right bay has single door with divided transom; bracketed gable roof over entry. Dormer contains paired 1/1 windows; gable wall has fishscale pattern. Asbestos siding is  39. HISTORY AND SIGNIFICANCE a later alteration.  There are no building permits of record for this dwelling, however, stylistic features indicate a cal860 original construction date. The addition to the south elevation was constructed in 1889. This portion of the property has a moderate to high degree of integrity and is significant as a representation of Greek Revival residential property type. (On 1883 Sanborn without south elevation addition)  46. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  In residential neighborhood; vacant lot on north.	PRESENT	84. WALL TREATMENT	Single Family Residence O/A	
24. OWNER'S NAME AND ADDRESS  F KNOWN   10, 10, 10, 10, 10, 10, 10, 10, 10, 10,		35. PLAN SHAPE Rectangular	Multi-family Residence?	
J., CONDITION  STEE() STRUCTURE() BUILDING(X) OBJECT() 1. ON MATIONAL YES() IZ. IS IT YES(X) ELIGIBLE? NO(X) 27. OTHER SURVEYS IN WHICH INCLUDED  S. NAME OF ESTABLISHED DISTRICT Cal, frame dwelling with side gable roof with gable roof dormer and centralized stucco covered brick chimney; common wall with 814 South 11th Street. Left and center bays contain 1/1 double hung windows. Right bay has single door with divided transom; bracketed gable roof over entry. Dormer contains paired 1/1 windows; gable wall has fishscale pattern. Asbestos siding is  13. HISTORY AND SIGNIFICANCE a later alteration.  There are no building permits of record for this dwelling, however, stylistic features indicate a cal860 original construction date. The addition to the south elevation was constructed in 1889. This portion of the property has a moderate to high degree of integrity and is significant as a representation of Greek Revival residential property type. (On 1883 Sanborn without south elevation addition)  14. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  In residential neighborhood; vacant lot on north.	•	(EXPLAIN IN NO. 42) ALTERED (XX)	PRIVATE(X)	
LAT LONG  O. SITE ( ) STRUCTURE ( ) OBJECT ( ) SULLDING ( X) OBJECT ( ) SULLDING ( X) OBJECT ( ) OB	NAME(S)	37. CONDITION		
BUILDING(X)  OBJECT()  1. ON NATIONAL  PROPERTY  REGISTER?  NO(X)  1. ON NATIONAL  PROPERTY  NO(X)  POOR Maintenance  1. OTHER SURVEYS IN WHICH INCLUDED  1. OTHER SURVEYS		EXTERIOR Fair-Good	25 ODEN TO DUDING 2 VES/ \	LAT
A PART OF ESTABLISHED DISTRICT  2. FURTHER DESCRIPTION OF IMPORTANT FEATURES 1½ story, 3 bay, asymmetrical, frame dwelling with side gable roof with gable roof dormer and centralized stucco covered brick chimney; common wall with 814 South 11th Street. Left and center bays contain 1/1 double hung windows. Right bay has single door with divided transom; bracketed gable roof over entry. Dormer contains paired 1/1 windows; gable wall has fishscale pattern. Asbestos siding is  3. HISTORY AND SIGNIFICANCE a later alteration.  There are no building permits of record for this dwelling, however, stylistic features indicate a cal860 original construction date. The addition to the south elevation was constructed in 1889. This portion of the property has a moderate to high degree of integrity and is significant as a representation of Greek Revival residential property type. (On 1883 Sanborn without south elevation addition)  46. PREPARADE BY MACY Mary Jo Window.  46. PREPARADE BY Mary Jo Window.	X) DESI	NO (XX)		D. SITE() STRUCTURE()
A PART OF ESTAB. YES ( ) 14. DISTRICT YES(X) POTENTIAL? NO( )  5. NAME OF ESTABLISHED DISTRICT  40. VISIBLE FROM YOU NO( )  41. DISTRICT YES (X) NO( )  42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 1½ Story, 3 bay, asymmetrically resident income of the property of the property of the property of the property income of the property income of the property has a moderate to high degree of integrity and is significant as a representation of Greek Revival residential property type. (On 1883 Sanborn without south elevation addition)  45. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  In residential neighborhood; vacant lot on north.  46. PREPARED BY MARY TO Winder	· •	BY WHAT? NO ( )		I. ON NATIONAL YES ( ) 12. IS IT YES (X)
PHOTO  ALL FURTHER DESCRIPTION OF IMPORTANT FEATURES 1 story, 3 bay, asymmetrical, frame dwelling with side gable roof with gable roof dormer and centralized stucco covered brick chimney; common wall with 814 South 11th Street. Left and center bays contain 1/1 double hung windows. Right bay has single door with divided transom; bracketed gable roof over entry. Dormer contains paired 1/1 windows; gable wall has fishscale pattern. Asbestos siding is  13. HISTORY AND SIGNIFICANCE a later alteration.  There are no building permits of record for this dwelling, however, stylistic features indicate a cal860 original construction date. The addition to the south elevation was constructed in 1889. This portion of the property has a moderate to high degree of integrity and is significant as a representation of Greek Revival residential property type. (On 1883 Sanborn without south elevation addition)  14. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  In residential neighborhood; vacant lot on north.	) \ \( \text{\( \text{\) \}}}}}}\end{\( \text{\( \text{\( \text{\( \text{\( \text{\) \}}}}}}\end{\( \text{\( \text{\) \}}}}\end{\( \text{\( \text{\) \}}}}\end{\( \text{\( \text{\( \text{\( \text{\( \text{\( \text{\) \}}}}}}\end{\( \text{\( \text{\) \}}}}\end{\( \text{\( \text{\) \}}}}\end{\( \text{\( \text{\( \text{\) \}}}}}\end{\( \text{\( \text{\) \}}}}\end{\( \text{\( \text{\) \}}}}}\end{\( \text{\( \text{\) \} \}}}\end{\( \text{\( \text{\) \}}}}}\end{\( \text{\( \text{\) \}}}}}\end{\( \text{\( \text{\) \}}}}\end{\( \text{\( \text{\) \} \}}}\end{\( \text{\( \text{\( \text{\) \}}}}\end{\( \text{\( \text{\( \text{\) \}}}}\end{\( \text{\( \text{\) \}}}}\end{\( \text{\( \text{\) \} \}}}\end{\( \text{\( \text{\( \text{\) \} \}}}\end{\( \text{\( \text{\) \}}}\end{\( \text{\( \text{\( \text{\) \}}}\end{\( \text{\( \text{\) \}}\end{\( \text{\( \text{\) \}}\end{\( \text{\( \text{\) \}}\end{\( \text{\) \end{\( \text{\( \text{\) \}}\end{\( \text{\( \text{\) \}}	DUDI IC DOAD C		3. PART OF ESTAB. YES ( ) 14. DISTRICT YES (X ) HIST. DISTRICT? NO ( $_{\rm X}$ ) POTENTIAL? NO ( )
cal, frame dwelling with side gable roof with gable roof dormer and centralized stucco covered brick chimney; common wall with 814 South 11th Street. Left and center bays contain 1/1 double hung windows. Right bay has single door with divided transom; bracketed gable roof over entry. Dormer contains paired 1/1 windows; gable wall has fishscale pattern. Asbestos siding is  43. HISTORY AND SIGNIFICANCE a later alteration.  There are no building permits of record for this dwelling, however, stylistic features indicate a cal860 original construction date. The addition to the south elevation was constructed in 1889. This portion of the property has a moderate to high degree of integrity and is significant as a representation of Greek Revival residential property type. (On 1883 Sanborn without south elevation addition)  44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  In residential neighborhood; vacant lot on north.  46. PREPARED BY Mary To Winder				5. NAME OF ESTABLISHED DISTRICT
and centralized stucco covered brick chimney; common wall with 814 South 11th Street. Left and center bays contain 1/1 double hung windows. Right bay has single door with divided transom; bracketed gable roof over entry. Dormer contains paired 1/1 windows; gable wall has fishscale pattern. Asbestos siding is  33. HISTORY AND SIGNIFICANCE a later alteration.  There are no building permits of record for this dwelling, however, stylistic features indicate a cal860 original construction date. The addition to the south elevation was constructed in 1889. This portion of the property has a moderate to high degree of integrity and is significant as a representation of Greek Revival residential property type. (On 1883 Sanborn without south elevation addition)  44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  In residential neighborhood; vacant lot on north.  45. PREPARED BY Mary To Winder	9		Es $1\frac{1}{2}$ story, 3 bay, asymmetri-	2. FURTHER DESCRIPTION OF IMPORTANT FEATUR
814 South 11th Street. Left and center bays contain 1/1 double hung windows. Right bay has single door with divided transom; bracketed gable roof over entry. Dormer contains paired 1/1 windows; gable wall has fishscale pattern. Asbestos siding is  33. HISTORY AND SIGNIFICANCE a later alteration.  There are no building permits of record for this dwelling, however, stylistic features indicate a cal860 original construction date. The addition to the south elevation was constructed in 1889. This portion of the property has a moderate to high degree of integrity and is significant as a representation of Greek Revival residential property type. (On 1883 Sanborn without south elevation addition)  44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  In residential neighborhood; vacant lot on north.  45. SOURCES OF INFORMATION  46. PREPARED BY Mary To Winder	OTHE		_	•
bracketed gable roof over entry. Dormer contains paired 1/1 windows; gable wall has fishscale pattern. Asbestos siding is  3. HISTORY AND SIGNIFICANCE a later alteration.  There are no building permits of record for this dwelling, however, stylistic features indicate a cal860 original construction date. The addition to the south elevation was constructed in 1889. This portion of the property has a moderate to high degree of integrity and is significant as a representation of Greek Revival residential property type. (On 1883 Sanborn without south elevation addition)  4. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  In residential neighborhood; vacant lot on north.  46. PREPARED BY MARY JO Winder	ž		<u> </u>	
windows; gable wall has fishscale pattern. Asbestos siding is  3. HISTORY AND SIGNIFICANCE  a later alteration.  There are no building permits of record for this dwelling, however, stylistic features indicate a cal860 original construction date. The addition to the south elevation was constructed in 1889. This portion of the property has a moderate to high degree of integrity and is significant as a representation of Greek Revival residential property type. (On 1883 Sanborn without south elevation addition)  14. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  In residential neighborhood; vacant lot on north.  15. SOURCES OF INFORMATION  16. PREPARED BY Mary To Winder	NAME (S)		-	3
There are no building permits of record for this dwelling, however, stylistic features indicate a cal860 original construction date. The addition to the south elevation was constructed in 1889. This portion of the property has a moderate to high degree of integrity and is significant as a representation of Greek Revival residential property type. (On 1883 Sanborn without south elevation addition)  44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  In residential neighborhood; vacant lot on north.  46. PREPARED BY Mary To Winder	ءٌ ل		ale pattern. Asbestos siding is	windows; gable wall has fishsca
indicate a cal860 original construction date. The addition to the south elevation was constructed in 1889. This portion of the property has a moderate to high degree of integrity and is significant as a representation of Greek Revival residential property type. (On 1883 Sanborn without south elevation addition)  44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  In residential neighborhood; vacant lot on north.  45. SOURCES OF INFORMATION  46. PREPARED BY Mary To Winder				15, HISTORY AND STORIFTCANCE
constructed in 1889. This portion of the property has a moderate to high degree of integrity and is significant as a representation of Greek Revival residential property type. (On 1883 Sanborn without south elevation addition)  44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  In residential neighborhood; vacant lot on north.  45. SOURCES OF INFORMATION  46. PREPARED BY Mary To Winder		, stylistic features	record for this dwelling, however	indicate a cal860 original constr
integrity and is significant as a representation of Greek Revival residential property type. (On 1883 Sanborn without south elevation addition)  44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  In residential neighborhood; vacant lot on north.  46. PREPARED BY Mary To Winder	6. 1	to high degree of	n of the property has a moderate	constructed in 1889. This portion
44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  In residential neighborhood; vacant lot on north.  46. PREPARED BY Mary To Winder	6. TOWNSHIP	residential property	representation of Greek Revival	integrity and is significant as a
In residential neighborhood; vacant lot on north.  46. PREPARED BY Mary To Winder	Ĭ		buth elevation addition;	type. (On 1003 Samborn without S
In residential neighborhood; vacant lot on north.  46. PREPARED BY Mary To Winder				•
\$5. SOURCES OF INFORMATION  46. PREPARED BY  Mary To Winder	RANGE			
1 Mary Jo Winder	GE GE		nt lot on north.	In residential neighborhood; vaca
Cita · 1802 Canhara man	<b>_</b>	46. PREPARED BY Mary Jo Winder		
47. ORGANIZATION	SECTION			



i. no. 60	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	· .
2. COUNTY		
Buchanan  3. LOCATION OF Dept. Of P & Z  NEGATIVES ROll #6-16	5. OTHER NAME(S)	
8. SPECIFIC LEGAL LOCATION	IG. THEMATIC CATEGORY	28. NO. OF STORIES 2
TOWNSHIP RANGE SECTION _ IF CITY OR TOWN, STREET ADDRESS	Architecture  17. DATE(\$) OR PERIOD	29. BASEMENT? YES ( )
814 South 11th Street	1889	30. FOUNDATION MATERIAL
7. CITY OR TOWN IF RURAL, VICINITY St. Joseph	18. STYLE OR DESIGN Queen Anne 40 49	31. WALL CONSTRUCTION
B. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick/Stucco
Legal: Lot 12, Block 9, Patee's Addition	20. CONTRACTOR OR BUILDER	32.ROOF TYPE AND MATERIAL Hip/Comp. Shingle
	21. ORIGINAL USE, IF APPARENT	33. NO. OF BAYS FRONT 2 SIDE
	Single Family Residence	34. WALL TREATMENT Stucco
	22. PRESENT USE	35. PLAN SHAPE Irregular
•		36. CHANGES ADDITION ( )
	PRIVATE(X	) (EXPLAIN IN ALTERED (XX) MOVED ( )
	IF KNOWN	37. CONDITION
9. COORDINATES UTM	Anita J. Schuler	INTERIOR
LAT Long	25. OPEN TO PUBLIC? YES(	
· - ·	TURE( ) NO(X	UNDERWAY ? NO (XX)
<del></del>	$egin{array}{lll} egin{array}{lll} egin{arra$	BY WHAT?  NO()
	NO( ) 27, OTHER SURVEYS IN WHICH INCLUDED	Poor Maintenance
13. PART OF ESTAB. YES ( ) 14. DISTRICT HIST. DISTRICT? NO ( $_{ m Y}$ ) POTENTIAL?	YES(X) "NO()	40. VISIBLE FROM YES (X ) PUBLIC ROAD? NO ( )
5. NAME OF ESTABLISHED DISTRICT	,	41. DISTANCE FROM AND FRONTAGE ON ROAD
42. FURTHER DESCRIPTION OF IMPORTANT	2 Scory, 2 Day, asymmetri-	РНОТО
cal brick/stucco dwelling with hip roof with front gable pro- jection. Left bay contains single door (one-story, flat roof		MUST
entryway is probably an a	lteration). Projecting right bay has	
slightly projecting gable	roof projection with paired 1/1	BE
windows, both stories; up	per sash in semi-circular opening wit	PROVIDED
nottorned bradle mode amak	asizing arch. Gable cornice has	<u> </u>
patterned brick work emph.  3. HISTORY AND SIGNIFICANCE MC.		hrickwork hetwoon
43. HISTORY AND SIGNIFICANCE Mc.	lding and scalloped design; patterned nd. Stucco is probably a 1948 altera	brickwork between tion.
43. HISTORY AND SIGNIFICANCE Mowindows on first and second 43. Building permit records	lding and scalloped design; patterned nd. Stucco is probably a 1948 altera s indicate construction in 1889 for a	tion. oplicant, Caroline
43. HISTORY AND SIGNIFICANCE Mowindows on first and second 43. Building permit records Wiehl. It has a moderate to	lding and scalloped design; patterned nd. Stucco is probably a 1948 alteras indicate construction in 1889 for appoint to high degree of integrity and is sign	tion. oplicant, Caroline
43. HISTORY AND SIGNIFICANCE Mowindows on first and second 43. Building permit records	lding and scalloped design; patterned nd. Stucco is probably a 1948 alteras indicate construction in 1889 for appoint to high degree of integrity and is sign	tion. oplicant, Caroline
windows on first and seconds.  43. Building permit records.  Wiehl. It has a moderate to	lding and scalloped design; patterned nd. Stucco is probably a 1948 alteras indicate construction in 1889 for appoint to high degree of integrity and is sign	tion. oplicant, Caroline
windows on first and seconds.  43. Building permit records.  Wiehl. It has a moderate to	lding and scalloped design; patterned nd. Stucco is probably a 1948 alteras indicate construction in 1889 for appoint to high degree of integrity and is sign	tion. oplicant, Caroline
windows on first and second 43. Building permit records Wiehl. It has a moderate to sentation of Queen Anne resident.	lding and scalloped design; patterned nd. Stucco is probably a 1948 altera s indicate construction in 1889 for an o high degree of integrity and is signidential property type.	tion. oplicant, Caroline
windows on first and second 43. Building permit records Wiehl. It has a moderate to sentation of Queen Anne res	lding and scalloped design; patterned nd. Stucco is probably a 1948 altera s indicate construction in 1889 for an o high degree of integrity and is signidential property type.	tion. oplicant, Caroline
windows on first and second 43. Building permit records Wiehl. It has a moderate to sentation of Queen Anne residential neighborhood	lding and scalloped design; patterned nd. Stucco is probably a 1948 alteras indicate construction in 1889 for an o high degree of integrity and is signidential property type.	tion.  pplicant, Caroline  nificant as a repre-
windows on first and second 43. Building permit records Wiehl. It has a moderate to sentation of Queen Anne res	lding and scalloped design; patterned nd. Stucco is probably a 1948 alteras indicate construction in 1889 for an o high degree of integrity and is signidential property type.	tion. oplicant, Caroline nificant as a repre-



#### MISSOURI OFFICE OF HISTORIC **PRESERVATION** BN ASCO4-015 ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) I. NO. 81 중 2. COUNTY 5, OTHER NAME(S) Buchanan LOCATION OF Dept. of P & Z NEGATIVES ROll #10-22 6. SPECIFIC LEGAL LOCATION 16. THEMATIC CATEGORY 28. NO. OF STORIES Architecture RANGE SECTION TOWNSHIP 29. BASEMENT ? YFS ( COUNTY IF CITY OR TOWN. STREET ADDRESS NO ( IT. DATE(S) OR PERIOD 819-821 South 11th Street ca. 1870/1909 30. FOUNDATION MATERIAL 7, CITY OR TOWN IF RURAL, VICINITY IS. STYLE OR DESIGN 51 31. WALL CONSTRUCTION St. Joseph Italianate Brick/Stucco 19. ARCHITECT OR ENGINEER 8. DESCRIPTION OF LOCATION 32. ROOF TYPE AND MATERIAL Legal: Lot 4, Blk. 8, Patee's 20. CONTRACTOR OR BUILDER Hip & Gable/Comp Addition 33. NO. OF BAYS FRONT 6 SIDE 21. ORIGINAL USE, IF APPARENT Duplex PRESENT OF 34. WALL TREATMENT 22. PRESENT Stucco Vacant 35. PLAN SHAPE 11 (7) 11 LOCAL 36. CHANGES (EXPLAIN IN 23. OWNERSHIP PUBLIC ( ADDITION ( PRIVATE(X) ALTERED (XX) NO. 42) 24. OWNER'S NAME AND ADDRESS MOVED ( NAME(S) IF KNOWN 37. CONDITION INTERIOR 9, COORDINATES UTM Good LAT EXTERIOR\_ ဓ္ဓ LONG 36. PRESERVATION UNDERWAY ? 25. OPEN TO PUBLIC? YES ( YES ( DESIGNATION(S) NO(X) STRUCTURE ( NO (XX io. SITE ( BUILDING ( X) OBJECT ( 26. LOCAL CONTACT PERSON OR ORGANIZATION 39. ENDANGERED? YES (XX) BY WHAT ? ON NATIONAL YES ( ) IS IT ELIGIBLE? YES(X) H. NO ( REGISTER ? Neglect/Vacancy NO ( X) NO ( 27. OTHER SURVEYS IN WHICH INCLUDED POTENTIAL? NO( ) VISIBLE FROM PUBLIC ROAD 2 YES (X) PART OF ESTAB. YES ( HIST. DISTRICT? NO ( NO ( 15. NAME OF ESTABLISHED DISTRICT DISTANCE FROM AND FRONTAGE ON ROAD 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 1 story, 6 bay, symmetrical, **PHOTO** OTHER stucco/brick duplex dwelling with hip and front gable roof forms. MUST Recessed and bays contain single doors with transoms and are sheltered by small Italianate frame porches. Second/third and BE fourth/fifth bays are in enframed wall with shallow pitch qable PROVIDED roofs with molded cornices and plain friezes (this treatment is probably part of construction phase in 1909); each 43. HISTORY AND SIGNIFICANCE window. A building permit issued to Miss Leona F. Schall in 1909 indicates major alterations to this dwelling; however, stylistic features and the building's presence on the 1883 Sanborn map indicate a cal870 original construction. It has a moderate to high degree TOWNSHIP of integrity and is significant as a representation of vernacular Italianate duplex property type.

### 44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS

In residential neighborhood primarily of cal860-1900 dwellings; modern house on lot to the south.

45. SOURCES OF INFORMATION

BP #6029, 8/16/09; site

RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION
P.O. BOX 176
IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM

P.O. BOX 176
JEFFERSON CITY, MISSOURI 65102
PH. 314-751-4096

46. PREPARED BY MARY JO Winder

47. ORGANIZATION
City of St. Joseph
48. DATE 49. REVISION DATE(S)
7/88



MISSOURI OFFICE OF HISTORIC PRESERVATION BN-45004-016 ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) I. NO. 61 2. COUNTY 5. OTHER NAME(S) Buchanan 3. LOCATION OF Dept. of P & Z NEGATIVES ROll #6-17 16. THEMATIC CATEGORY Architecture 6. SPECIFIC LEGAL LOCATION 28. NO. OF STORIES TOWNSHIP\_ SECTION RANGE 29. BASEMENT? YES ( IF CITY OR TOWN, STREET ADDRESS NO ( IT. DATE(S) OR PERIOD 30. FOUNDATION MATERIAL 820-22 South 11th Street ca 1880 Brick IF RURAL, VICINITY 7. CITY OR TOWN IB. STYLE OR DESIGN 42 9/ 31. WALL CONSTRUCTION St. Joseph Italianate Brick 8. DESCRIPTION OF LOCATION 19. ARCHITECT OR ENGINEER 20 30 32. ROOF TYPE AND MATERIAL Legal: Lot 13, Block 9, Flat 20. CONTRACTOR OR BUILDER Patee's Addition OB 33. NO. OF BAYS ٠ FRONT SIDE 8 21. ORIGINAL USE, IF APPARENT PRESENT LOCAL Duplex 34. WALL TREATMENT Painted/Stretcher 22. PRESENT USE 35. PLAN SHAPE Irregular Same 23. OWNERSHIP PUBLIC ( CHANGES ADDITION ( (EXPLAIN IN PRIVATE(X) ALTERED (XX) NO. 42) 24. OWNER'S NAME AND ADDRESS MOVED ( NAME(S) IF KNOWN 37. CONDITION INTERIOR 9. COORDINATES UTM EXTERMOR Fair-Good David Polsky LAT င္က 38. PRESERVATION UNDERWAY ? LONG 25. OPEN TO PUBLIC? YES( ) YES ( DESIGNATION NO(X) SITE ( ) STRUCTURE ( NO (XX) BUILDING ( X) OBJECT ( YES (XX) 26. LOCAL CONTACT PERSON OR ORGANIZATION 39. ENDANGERED? BY WHAT ? ON NATIONAL YES ( ) YES (X) 12. IS IT Incompatible Alterat REGISTER ? ELIGIBLE ? 27. OTHER SURVEYS IN WHICH INCLUDED 14. DISTRICT YES (X) VISIBLE FROM PUBLIC ROAD 2 YES (X Û YES ( ) POTENTIAL ? NO ( HIST. DISTRICT? NO ( v) NO ( 15. NAME OF ESTABLISHED DISTRICT DISTANCE FROM AND FRONTAGE ON ROAD 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 2 story, 8 bay, symmetri-**PHOTO** O:HER cal, brick duplex dwelling with flat roof; molded boxed cornice MUST with ornamental brackets and "shadow" cornice of brick. Recessed end, entry bays; left end has enclosed first story entry area (recent addition); right end has small Italianate porch BE **PROVIDED** attached (brick rail (closed) is alteration). Center six bays form two, two-story polyzonal bay units, each bay containing 1/1 window within opening with stone sills, brick hoodmolds and 43, HISTORY AND SIGNIFICANCE encised panel in arches (both stories). There are no building permit records for construction of this dwelling; however, one was issued to F.W. Fawles in 1899 for a "buggy shed". Stylistic features indicate a pre1887 original construction. It has a high degree of integrity and is significant as a representation of Italianate duplex property type. (On 1883 Sanborn map) 44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS In residential neighborhood; vacant lot to south.

45. SOURCES OF INFORMATION

46. PREPARED BY Mary Jo Winder No relevent building permit; site; 1883 Sanborn map 47. ORGANIZATION City of St. Joseph RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176 48. DATE 49. REVISION DATE(S) IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM JEFFERSON CITY, MISSOURI 65102 7/88 PH. 314-751-4096



NO. 80	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		1
Buchanan  Location of Dept. of P & Z  NEGATIVES Roll #11-1	5. OTHER NAME(S)		
SPECIFIC LEGAL LOCATION	IS. THEMATIC CATEGORY	28. NO. OF STORIES 2-2	
TOWNSHIP RANGE SECTION	Architecture	29. BASEMENT? YES (XX)	1
IF CITY OR TOWN, STREET ADDRESS	17. DATE(S) OR PERIOD C.1870/1926af+	NO( )	
A31 South 11th Street CITY OR TOWN IF RURAL, VICINITY	18. STYLE OR DESIGN	30. FOUNDATION MATERIAL Stone	
St. Joseph	Italianate 72 19	31. WALL CONSTRUCTION & B	
. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick/Frame Add WW	
Legal: Lot 1, Block 8,	20. CONTRACTOR OR BUILDER	32. ROOF TYPE AND MATERIAL	
Patee's Addition	0B SI	33. NO. OF BAYS	
	21. ORIGINAL USE, IF APPARENT	FRONT 4 SIDE	
	Single Family Residence 22. PRESENT USE	Painted 30 99	
	Vacant	35. PLAN SHAPE Irregular	
	23. OWNERSHIP PUBLIC( ) PRIVATE(X)	(EXPLAIN IN NO. 42) ALTERED [XX]	
	24. OWNER'S NAME AND ADDRESS IF KNOWN	MOVED ( )	
. COORDINATES UTM	<del></del>	INTERIOR	
LAT		EXTERMORFair	
LONG	25. OPEN TO PUBLIC? YES( ) NO(X)	LINDERWAY 2	
). SITE() STRUCTL BUILDING( $\chi$ ) Obje	CT( ) 26. LOCAL CONTACT PERSON OR ORGANIZATION		İ
DECIDENCE OF THE PROPERTY OF T	(ES(X)	BY WHAT? NO()	
	NO( ) 27. OTHER SURVEYS IN WHICH INCLUDED (ES (X )	Poor Maintenance  40, VISIBLE FROM YES(X)	
B. PART OF ESTAB. YES ( ) 14. DISTRICT Y HIST. DISTRICT? NO ( X)	NO( )	PUBLIC ROAD? NO()	ĺ
S. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD	
42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 2 story, 4 bay, asymmetrical brick dwelling with entablature with lentils and flat roof with molded cornic supported by paired console brackets. Entry in left bay sheltered by small Italianate porch (has received some alterations); entry has been altered, but retains arched hoodmold. Windows in left three bays are 1/1 double hung units within		PHOTO MUST	
arched openings with stone si	lls and hoodmold. Recessed entry		
	small Italianate corner porch in foun second story has been enclosed (192		
constructed in 1926.	n second story has been encrosed (192	co, . Addition was	1
	to B. Eisberg in 1926 indicates a su	bstantial remodeling.	H
nowever, stylistic features and ca 1870 original construction activity). It has a moderate	nd the building's presence on the 188 on (frame, rear addition may be resul to high degree of integrity due to u representation of Italianate reside	3 Sanborn map indicate t of 1926 or later unsympathetic altera-	
•			
4. DESCRIPTION OF ENVIRONMENT AND (n residential neighborhood;	outbuildings on corner lot; surrounding buildings	ca1860-1900.	
5. SOURCES OF INFORMATION		46. PREPARED BY	<b> </b> _
	site; 1883 Sanborn map	Mary Jo Winder	
3P #31926; BP #4059, 1/5/26;	2+32: 1000 Sanoorn man	47. ORGANIZATION	

IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM

JEFFERSON CITY, MISSOURI 65102 7/88 PH. 314-751-4096



ARCHITECTURAL/HISTORIC INVENTORY BN-16 00 4/18 SURVEY FORM 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) 1. NO. 62 20 2. COUNTY Buchanan 5. OTHER NAME(S) LOCATION OF Dept. of P & Z NEGATIVES Roll #6-19 6. SPECIFIC LEGAL LOCATION 16. THEMATIC CATEGORY Ņ 28. NO. OF STORIES Architecture \_ RANGE TOWNSHIP\_ 29 BASEMENT 2 YFS ( IF CITY OR TOWN, STREET ADDRESS IT. DATE(S) OR PERIOD NO ( 30. FOUNDATION MATERIAL ca 1860/ca 1900 906 South 11th Street IF RURAL, VICINITY 7. CITY OR TOWN IB. STYLE OR DESIGN 18 Vernacular/Italianate 31. WALL CONSTRUCTION St. Joseph Brick 19. ARCHITECT OR ENGINEER 8. DESCRIPTION OF LOCATION 32. ROOF TYPE AND MATERIAL Gable/Comp. Shingle 20 Legal: Lot 8, Block 36, 20. CONTRACTOR OR BUILDER Patee's Addition FU 33. NO. OF BAYS 3 SIDE FRONT 21. ORIGINAL USE, IF APPARENT PRESENT LOCAL NAME(S) Single Family Residence 34. WALL TREATMENT 22. PRESENT USE Painted (Stretcher 35. PLAN SHAPE Rectangul Same 36. CHANGES 23. OWNERSHIP PUBLIC ( ADDITION ( PRIVATE(x) ALTERED (XX) NO. 42) 24. OWNER'S NAME AND ADDRESS MOVED ( IF KNOWN 37. CONDITION Ralph Nordstrom INTERIOR 9. COORDINATES UTM EXTERNOR\_ Fair-Good LAT S 38. PRESERVATION UNDERWAY ? LONG 25. OPEN TO PUBLIC? YES! YES ( DESIGNATION(S) SITE ( ) STRUCTURE ( NO(X) NO (XX) ı٥ BUILDING ( X) OBJECT ( YES (XX) 26. LOCAL CONTACT PERSON OR ORGANIZATION 39. ENDANGERED 2 BY WHAT ? II. ON NATIONAL REGISTER ? YES ( ) IS IT Eligible:? YES (X) NO ( Incompatible Alterat NO ( X) NO( ) 27. OTHER SURVEYS IN WHICH INCLUDED VISIBLE FROM PUBLIC ROAD? DISTRICT YES (X ) YES (X 13. PART OF ESTAB. YES ( ) HIST, DISTRICT ? NO ( v) NO ( DISTANCE FROM AND FRONTAGE ON ROAD 15. NAME OF ESTABLISHED DISTRICT 0 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES Two story, three bay. **РНОТО** OTHER asymmetrical, brick dwelling with front gable roof with console MUST brackets and molded cornice and internal, side, brick chimneys. Porch attached to front elevation (east) is ca 1900 or later with simple wood post supports and hip roof. Left bay contains entry RF with transom; center and right bay contain 4/4 double windows. PROVIDED ŝ Second story bays each contain 4/4 windows. All fenestration has stone sills and arched, brick lintels. Wrought iron 43. HISTORY AND SIGNIFICANCE crest on porch roof. Also, wrought iron railing added later includes porch railing and ornamental window grates. There are no building permits of record for this dwelling; however, stylistic TOWNSHIP features indicate original construction to be ca 1860 with a later porch alteration. It has a moderate to high degree of architectural integrity and is significant as a representation of mid 19th century vernacular residential property type. (On 1883 Sanbor map) 44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS In residential neighborhood; closely spaced dwellings with shallow setbacks. 46, PREPARED BY 45. SOURCES OF INFORMATION Mary Jo Winder No relevent building permit. 1883 Sanborn map 47. ORGANIZATION City of St. Joseph RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION 48. DATE 49. REVISION DATE(S) P.O. BOX 176 IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM JEFFERSON CITY, MISSOURI 65102 7/88 PH. 314-751-4096



# MISSOURI OFFICE OF HISTORIC PRESERVATION ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM RIVERSERVATION

. NO. <b>63</b>	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
Buchanan  S. LOCATION OF Dept. of P & Z  NEGATIVES Roll #6-20	5. OTHER NAME(S)	
SPECIFIC LEGAL LOCATION TOWNSHIP RANGESECTION	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES $1\frac{1}{2}$ 29. BASEMENT? YES ( )
IF CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	29. BASEMENT? YES() NO()
0 South 11th Street	ca. 1870/ca. 1900	30. FOUNDATION MATERIAL
CITY OR TOWN IF RURAL, VICINITY	18. STYLE OR DESIGN	
St. Joseph	Vernacular/Oueen Anne 19	31. WALL CONSTRUCTION Brick
LOCATION	19. ARCHITECT OR ENGINEER	32. ROOF TYPE AND MATERIAL
Legal: Lot 9, Block 36, tee's Addition	20. CONTRACTOR OR BUILDER 22 40	Hin & Gable/Comp Shin
	21. ORIGINAL USE, IF APPARENT Single Family Residence	FRONT 5 SIDE
	22. PRESENT USE	Stretcher bond/Painted
	Same	35. PLAN SHAPE Irregular
	23. OWNERSHIP PUBLIC (	) 36. CHANGES ADDITION ( )
	PRIVATE()	NO. 42) ALTERED (XX)
	IF KNOWN	37. CONDITION
COORDINATES UTM	Mrs. Thelma M. Jeffers	INTERIOR
LAT Long		EXTERIOR Good
D. SITE ( ) STRUCTUR		IMPERIMAN
	T( ). 26. LOCAL CONTACT PERSON OR ORGANIZATI	ON 39. ENDANGERED? YES( ) BY WHAT? NO (XX)
	27. OTHER SURVEYS IN WHICH INCLUDED	71/1
3. PART OF ESTAB. YES ( ) 14. DISTRICT YES HIST. DISTRICT? NO ( $_{ m X}$ ) POTENTIAL? N	S(X)	40. VISIBLE FROM YES (X ) PUBLIC ROAD ?
5. NAME OF ESTABLISHED DISTRICT	<u> </u>	41. DISTANCE FROM AND
		FRONTAGE ON ROAD
2. FURTHER DESCRIPTION OF IMPORTANT F	FATURES	
	13 Story, 3 day, asymmetri-	Photo /
cal, brick dwelling with hip	and front gable roof forms. Left ee-bay unit on south elevation, wi	I MUSI /
	ains a 2/2 double hung window with	· · · · · · · · · · · · · · · · · · ·
opening with stone sill and a	· · · · · · · · · · · · · · · · · · ·	BE
= -	d second bay contains 1/1 window;	PROVIDED
	red but retains some decorative	
	nate elements. Right three bays i	
	-light window and 2/2 double hung	
windows with plain frame with	ngle wall and plain frieze and con	realis paired 1/1
	mits of record for this dwelling;	horrore strilintin
features indicate original cor	struction of cal870 with later, ea	srly 20th contury alter
ations. It has a moderate to	high degree of architectural integ	rity and is significant
as a representation of vernacu	lar early Queen Anne residential p	property type. Altera-
sions also significant charact	eristics. (On 1883 Sanborn map).	
In residential neighborhood		
in residential heighborhood		
5. SOURCES OF INFORMATION		46. PREPARED BY
		Mary Jo Winder
No building permit. 1883 S	anborn map	47. ORGANIZATION



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM BN 45-004-D20 1. NO. 64 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) 2 COUNTY Buchanan 5. OTHER NAME(S) 3. LOCATION OF Dept. of P & Z NEGATIVES ROll #6-21 16. THEMATIC CATEGORY 6. SPECIFIC LEGAL LOCATION 28. NO. OF STORIES RANGE SECTION Architecture TOWNSHIP\_ 29. BASEMENT? YES ( COUNTY IF CITY OR TOWN, STREET ADDRESS IT. DATE(S) OR PERIOD NO ( 30. FOUNDATION MATERIAL 916 South 11th Street IF RURAL, VICINITY 7. CITY OR TOWN IB. STYLE OR DESIGN Vernacular 31. WALL CONSTRUCTION St. Joseph 19. ARCHITECT OR ENGINEER Frame 8. DESCRIPTION OF LOCATION 32. ROOF TYPE AND MATERIAL Legal: Lot 10, Block 36, Gable/Comp. Shingle 20. CONTRACTOR OR BUILDER Patee's Addition 33. NO. OF BAYS . FRONT 3 SIDE 21. ORIGINAL USE, IF APPARENT △₿ PRESENT LOCAL Single Family Residence 34. WALL TREATMENT Weatherboard 22. PRESENT USE 35. PLAN SHAPE Vacant 23. OWNERSHIP PUBLIC ( 36. CHANGES ADDITION ( (EXPLAIN IN PRIVATE ( X ALTERED (XX) NO. 42) MOVED ( 24, OWNER'S NAME AND ADDRESS NAME(S) IF KNOWN 37. CONDITION INTERIOR. 9, COORDINATES UTM Fair-Good EXTERIOR LAT င္က 36. PRESERVATION UNDERWAY ? LONG 25. OPEN TO PUBLIC? YES ( YES ( DESIGNATION NO(X) STRUCTURE ( 10. SITE ( ) NO (XX) BUILDING ( X) OBJECT ( 26. LOCAL CONTACT PERSON OR ORGANIZATION 39. ENDANGERED? YES (XX) BY WHAT ? ON NATIONAL REGISTER ? YES ( ) YES (X) NO ( ELIGIBLE? Poor Maintenance NO ( X) 27, OTHER SURVEYS IN WHICH INCLUDED 14. DISTRICT VISIBLE FROM PUBLIC ROAD ? YES (X) YES (X ) 8 13. PART OF ESTAB. HIST. DISTRICT? YES ( ) POTENTIAL ? NO ( NO ( NO ( 15, NAME OF ESTABLISHED DISTRICT 41. DISTANCE FROM AND FRONTAGE ON ROAD 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 2 story, 3 bay, asymmetrical, ø **PHOTO** OTHER frame dwelling with side gable roof and plain corner boards. MUST Left bay contains single door; sheltered by small porch with wood post supports, open slat railing and shed roof. Center BE and right bay have 1/1 windows. Three bays of upper facade PROVIDED each contain a 4/1 window (vertical mullions). 43. HISTORY AND SIGNIFICANCE A building permit was issued to G. Wiermann for a residence and wood house on this ' property in 1888. Since 918 S. 11th has the same legal description, it can be assumed that the permit was for both buildings. This building could have been moved to this site from another at the time; features of it indicate an earlier construction period than 1888 (ca1850). It has a moderate degree of integrity and is significant as a representation of mid-late 19th century vernacular residential property type. (Not on 1883 Sanborn map). 44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS In residential neighborhood; in block of closely spaced buildings with shallow setbacks. 46. PREPARED BY 45. SOURCES OF INFORMATION Mary Jo Winder BP #BB164, 3/31/88; site; 1888 Sanborn map

RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176 IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM

JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096

47. ORGANIZATION City of St. Joseph 48. DATE 49. REVISION DATE(S) 7/88



MISSOURI OFFICE OF HISTORIC PRESERVATION BN-15004-02 ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) I. NO. 65 ž 2 COUNTY Buchanan 5. OTHER NAME(S) 3. LOCATION OF Dept. of Po & Z 6. SPECIFIC LEGAL LOCATION THEMATIC CATEGORY 28. NO. OF STORIES SECTION Architecture TOWNSHIP\_ RANGE 29. BASEMENT? YES ( IF CITY OR TOWN. STREET ADDRESS IT. DATE(S) OR PERIOD NO ( 918 South 11th St. 30. FOUNDATION MATERIAL 1860/1888 7. CITY OR TOWN IF RURAL, VICINITY IB. STYLE OR DESIGN Italianate/Vernacular 42 19 31. WALL CONSTRUCTION St. Joseph 19. ARCHITECT OR ENGINEER 8. DESCRIPTION OF LOCATION 32. ROOF TYPE AND MATERIAL Legal: Lot 10, Block 36, Hip/Comp. Shingle # 20. CONTRACTOR OR BUILDER Patee's Addition 30 40 33. NO. OF BAYS FRONT 2 21. ORIGINAL USE, IF APPARENT PRESENT LOCAL NAME(S) FU 34. WALL TREATMENT Single Family Residence 22. PRESENT USE Stretcher 35. PLAN SHAPE vacant 36. CHANGES (EXPLAIN IN 23. OWNERSHIP PUBLIC ( ADDITION ( PRIVATE(X) ALTERED (XX) NO. 42) MOVED ( 24. OWNER'S NAME AND ADDRESS IF KNOWN 37. CONDITION INTERIOR 9 COORDINATES UTM Good EXTERIOR. LAT CR DESIGNATION(S) LONG 25. OPEN TO PUBLIC? YES ( PRESERVATION UNDERWAY ? YES ( NO(X) STRUCTURE ( SITE ( ) 10. NO (XX) BUILDING ( X) OBJECT ( YES (XX) 26. LOCAL CONTACT PERSON OR ORGANIZATION 39. ENDANGERED? BY WHAT ? ON NATIONAL REGISTER ? YES ( ) 12. IS IT ELIGIBLE? YES (X) NO ( Poor Maintenance NO ( X) NO ( 27. OTHER SURVEYS IN WHICH INCLUDED DISTRICT YES (X POTENTIAL? NO ( 40. VISIBLE FROM PUBLIC ROAD? YES (X YES (X ) 13. PART OF ESTAR. YES ( ) 14. HIST. DISTRICT ? NO ( DISTANCE FROM AND FRONTAGE ON ROAD 15. NAME OF ESTABLISHED DISTRICT 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES  $\hat{2}$  story,  $\hat{2}$  bay, asymmetrical, **PHOTO** OTHER brick dwelling with hip roof with molded, boxed cornice. MUST Porch attached to front elevation (east) has brick pedestals with square columns that support entablature and hip roof. Left bay contains paired \$\frac{4}{l}\$ windows; right bay has single RE door with transom. Symmetrical upper facade has 2/2 windows **PROVIDED** in each bay; stone sills; arched, brick lintels. Porch ca. 43, HISTORY AND SIGNIFICANCE A building permit was issued to G. Wiermann for a residence and wood house on this id 19th century vernacular Italianate residential property type. (On 1883 Sanborn map)

property in 1888. Since 916 S. 11th has the same legal description, it can be assumed that the permit was for both buildings. Stylistic features indicate that this dwelling was already in existence when the permit was issued; it is a cal860 Italianate building. It may have had a period porch added at the time; however, the present porch is a cal915 alteration as are the upper window sashs on the first story, which have vertical mullions The dwelling has a high degree of integrity and is significant as a representation of

In residential neighborhood; in block of closely spaced dwellings with shallow setbacks.

45. SOURCES OF INFORMATION	46. PREPARED BY Mary Jo Winder
BP. #BB164, 3/31/88; site; 1883 Sanborn map  RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION	47. ORGANIZATION  City of St. Joseph
P.O. BOX 176  IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM  P.O. BOX 176  P.O. BOX 176  JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	48. DATE 49. REVISION DATE(\$) 7/88



MISSOURI OFFICE OF HISTORIC PRESERVATION

ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM 60-10-22

. no. <b>66</b>	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		
Buchanan  Location of Dept. of P & Z	5. OTHER NAME(S)		
NEGATIVES RO11 #6-24  SPECIFIC LEGAL LOCATION TOWNSHIPRANGESECTION_	I6. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 1	
924 South 11th Street	c. 1850	NO( )	
St. Joseph  DESCRIPTION OF LOCATION	IB. STYLE OR DESIGN Greek Revival/Vernacular IB. ARCHITECT OR ENGINEER	31. WALL CONSTRUCTION Frame	
Legal: Lot 12, Block 36, Patee's Addition	20. CONTRACTOR OR BUILDER	32.ROOF TYPE AND MATERIAL Gable/Comp. Shingle 33.NO. OF BAYS	ļ
	21. ORIGINAL USE, IF APPARENT CB Single Family Residence 22. PRESENT USE	FRONT 5 SIDE  34. WALL TREATMENT  Asbestos Shingle	
	Same 23. OWNERSHIP PUBLIC( )	35. PLAN SHAPE Rectangula 36. CHANGES ADDITION()	
	PRIVATE(X)  24. OWNER'S NAME AND ADDRESS IF KNOWN	NO. 42)  ALTERED (XX  MOVED ( )  37. CONDITION	
COORDINATES UTM	Billy L. McPherson	INTERIOR	
	25. OPEN TO PUBLIC? YES( )  TURE( ) NO(X)  JECT( ) 26. LOCAL CONTACT PERSON OR ORGANIZATION	UNDERWAY ? NO (XX)	
REGISTER ? NO ( X) ELIGIBLE ?	YES(X) NO( ) 27, OTHER SURVEYS IN WHICH INCLUDED	BY WHAT? NO() Poor Maintenance	
PART OF ESTAB. YES ( ) 14. DISTRICT POTENTIAL?  NAME OF ESTABLISHED DISTRICT	PNO( )	40. VISIBLE FROM YES(X) PUBLIC ROAD? NO()  41. DISTANCE FROM AND FRONTAGE ON ROAD	
covered brick chimneys. with divided transom (side contain 4/4 windows; frame narrow cornices. Porch a is a later (ca. 1900) alto has brick pedestals with	FEATURES 1 story, 5 bay, symmetrical, gable roof and internal stucco Center bays contain single door delights have been covered). End bays mes have pedimented lintels with attached over second and entry bays teration (kitchen repair noted on wilding permit in 1896, so porch may be square tapered columns and shed roof.	PHOTO MUST  BE PROVIDED  De same date); it	
1896 for applicant S. W. Wo original construction date.	<pre>lf and Son; however, stylistic feature   It has a moderate degree of architec dition and is significant as a represe</pre>	es indicate a cal850 ctural integrity due	
4. DESCRIPTION OF ENVIRONMENT AND	OUTBUILDINGS		
In residential neighborhood	; shallow setback		
BP #4819, 11/24/96; site	; 1883 Sanborn map	46. PREPARED BY Mary Jo Winder  47. ORGANIZATION	
RETURN THIS FORM WHEN COMPLET F ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	TED TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102	City of St. Joseph 48. DATE 49. REVISION DATE(S) 7/88	



i. no. 67	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	15 N-45 004-023
2. COUNTY	-	
Buchanan	5. OTHER NAME(S)	
3. Location of Dept. of P & Z Roll #7-1		
B. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 21/2
IF CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	29. BASEMENT? YES() NO()
1006-08 South 11th St		30. FOUNDATION MATERIAL
city or town if rural, vicinity St. Joseph	18. STYLE OR DESIGN 45 5/ Vernacular/Queen Anne	Brick 31. WALL CONSTRUCTION
B. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Frame
Legal: Lot 8, Block 35, Patee's Addition	20. CONTRACTOR OR BUILDER	32.ROOF TYPE AND MATERIAL Hip&Gable/Comp. Shi
ratee's Addition	22	33. NO. OF BAYS FRONT A SIDE
	21. ORIGINAL USE, IF APPARENT  Duplex  OB  OB	34. WALL TREATMENT
	22. PRESENT USE	Clapboard
•	Same 23. OWNERSHIP PUBLIC (	35. PLAN SHAPE "T" ) 36. CHANGES ADDITION( )
	PRIVATE(X	) (EXPLAIN IN ALTERED ( )
	24. OWNER'S NAME AND ADDRESS IF KNOWN	MOVED ( )
9, COORDINATES UTM	M.R. Ritchie	INTERIORFair
LAT Long	25. OPEN TO PUBLIC? YES(	EXTERIOR
O. SITE() STRUCT		) UNDERWAY ? NO ( XX
BUILDING ( X) OB.  I. ON NATIONAL YES ( ) 12. IS IT REGISTER?	${\sf JECT(\ )}$ 26. Local contact person or organizatio ${\sf YES(X)}$	N 39. ENDANGERED? YES (XX BY WHAT? NO()
NO ( X)	27, OTHER SURVEYS IN WHICH INCLUDED	Poor Maintenance
I3. PART OF ESTAB. YES ( ) 14. DISTRICT POTENTIAL:	YES(X) ? NO( )	40. VISIBLE FROM YES (X ) PUBLIC ROAD? NO()
5. NAME OF ESTABLISHED DISTRICT	,	41. DISTANCE FROM AND FRONTAGE ON ROAD
		, nonvious on mond
	FEATURES 2½ story, 4 bay, symmetrical	
frame duplex dwelling	with hip and hipped gable roof forms sed end bays under small porches conta	ana (
doors with transoms;	shed roof porches have spindle frieze	es
and sunburst pattern	in half-gable (supports are altera-	BE
	third bays contain picture window with y, paired 1/1 windows on second;	PROVIDED
43. HISTORY AND SIGNIFICANCE	atterned wood shingle panel between v	vindows. Gable wall
has fishscale shingle	es; hipped gable has molded cornice ar	nd returns; small
	red in wall.	
paired windows center	•	
paired windows center 43. Building permit record	s indicate construction in 1898 for a	
paired windows center 43. Building permit record It has a moderate degree of	integrity and is significant as a re	
paired windows center 43. Building permit record It has a moderate degree of		
paired windows center 43. Building permit record It has a moderate degree of	integrity and is significant as a re	
paired windows center 43. Building permit record It has a moderate degree of	integrity and is significant as a regen Anne duplex property type.	
paired windows center 43. Building permit records It has a moderate degree of 19th century vernacular Ques . 44. DESCRIPTION OF ENVIRONMENT AND	integrity and is significant as a regen Anne duplex property type.	presentation of late
paired windows center 43. Building permit record It has a moderate degree of 19th century vernacular Que	integrity and is significant as a regen Anne duplex property type.	on north.
paired windows center 43. Building permit records It has a moderate degree of 19th century vernacular Ques . 44. DESCRIPTION OF ENVIRONMENT AND	integrity and is significant as a regen Anne duplex property type.  OUTBUILDINGS  of cal860-1900 dwellings; vacant lot	on north.



### OFFICE OF HISTORIC PRESERVATION MISSOURI BN-15004-024 ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM 1. NO. 78 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) 1007 1009 2. COUNTY Buchanan 5. OTHER NAME(S) 1011 LOCATION OF Dept. of P & Z NEGATIVES Roll #13-23 THEMATIC CATEGORY 6. SPECIFIC LEGAL LOCATION 28. NO. OF STORIES 'n SECTION Architecture \_\_ RANGE\_ TOWNSHIP\_ 29. BASEMENT? YES ( COUNTY IF CITY OR TOWN, STREET ADDRESS IT. DATE(S) OR PERIOD NO ( 1007, 1009 & 1011 S. 11th S .ca. 1880 30, FOUNDATION MATERIAL IF RURAL, VICINITY IB. STYLE OR DESIGN Brick 14 31. WALL CONSTRUCTION St. Joseph Vernacular/Shotqun 19. ARCHITECT OR ENGINEER 8. DESCRIPTION OF LOCATION 32, ROOF TYPE AND MATERIAL Legal: South half of Lot 5 20. CONTRACTOR OR BUILDER Gable/Comp. Shingle and Lot 4, Block 26, 33. NO. OF BAYS Patee Addition FRONT SIDE 21. ORIGINAL USE, IF APPARENT PRESENT LOCAL NAME(S) 34. WALL TREATMENT Single Family Residence Stretcher?/Painted 22. PRESENT USE Same 35. PLAN SHAPERectangula 23. OWNERSHIP PUBLIC ( 36. CHANGES ADDITION ( PRIVATE(X) (EXPLAIN IN ALTERED (XX) NO. 42) 24. OWNER'S NAME AND ADDRESS MOVED ( IF KNOWN 37. CONDITION Harlan H. Kinzie, INTERIOR COORDINATES UTM James W. Howard & Rose Lapell EXTERIOR LAT ဓ္က PRESERVATION UNDERWAY ? LONG 25. OPEN TO PUBLIC? YES( ) YES ( DESIGNATION(S) NO(X) SITE ( STRUCTURE ( NO & 10. BUILDING ( X) OBJECT ( 26. LOCAL CONTACT PERSON OR ORGANIZATION 39. ENDANGERED? YES ( BY WHAT ? ON NATIONAL REGISTER ? IS IT ELIGIBLE? YES ( ) YES(X) NO KX NO (X) NO ( 27, OTHER SURVEYS IN WHICH INCLUDED 14. DISTRICT YES(X) POTENTIAL? NO( ) 13. PART OF ESTAB. YES ( ) VISIBLE FROM PUBLIC ROAD ? YES (X ) HIST. DISTRICT ? NO ( NO ( 15. NAME OF ESTABLISHED DISTRICT DISTANCE FROM AND FRONTAGE ON ROAD 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES Three buildings - 1 story, **PHOTO** STHER two bays, asymmetrical dwellings with front gable roofs. MUST Hip roof porches attached to 1007 and 1011 are later alterations with brick pedestals, wrought iron rails and RF supports. All have single door with transom in left bay PROVIDED and window in right bay (all have been altered). Openings have lug sills and arched soldier course brick lintels 43. HISTORY AND SIGNIFICANCE There are no building permits of record for these dwellings; however, stylistic features indicate construction of ca1870. All three buildings appear on the 1883 Sanborn map. 6. TOWNSHIP They have a moderate degree of integrity due to alterations and are significant as representations of shotgun property type. 44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS

In residential neighborhood primarily of cal870-1910 dwellings.

45. SOURCES OF INFORMATION	Mary Jo Winder
No relevant B.P.; site; 1883 Sanborn map	47. ORGANIZATION
RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION	City of St. Joseph
P.O. BOX 176	48. DATE 49. REVISION DATE(S)
IF ADDITIONAL SPACE IS NEEDED, ATTACH JEFFERSON CITY, MISSOURI 65102	7/88
SEPARATE SHEET(S) TO THIS FORM PH. 314-751-4096	•

SECTION



ARCHITECTURAL/HISTORIC INVENTORY BN-ASCOY-023 SURVEY FORM 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) 48 I. NO. 2. COUNTY Buchanan 5. OTHER NAME(S) 3. LOCATION OF Dept. of P & Z NEGATIVES Roll #7-3 6. SPECIFIC LEGAL LOCATION 16. THEMATIC CATEGORY 28. NO. OF STORIES TOWNSHIP\_\_ Architecture \_\_ RANGE\_ SECTION 29. BASEMENT? YES ! COUNTY IF CITY OR TOWN, STREET ADDRESS 17. DATE(S) OR PERIOD NO ( 30. FOUNDATION MATERIAL ca. 1880 /1921 1012-14 South 11th Street IF RURAL, VICINITY 7. CITY OR TOWN IB. STYLE OR DESIGN Vernacular/Bungalow St. Joseph 31. WALL CONSTRUCTION 19. ARCHITECT OR ENGINEER Frame 8. DESCRIPTION OF LOCATION 32. ROOF TYPE AND MATERIAL Legal: Lot 10, Block 35, Gable/Comp. Shingle 20. CONTRACTOR OR BUILDER (אב Patee's Addition 33. NO. OF BAYS FRONT 4 SIDE 21. ORIGINAL USE, IF APPARENT PRESENT LOCAL 51 Single Family Residence 34. WALL TREATMENT 22. PRESENT USE Fu. 35. PLAN SHAPE Rectangula Duplex 23. OWNERSHIP PUBLIC ( 36. CHANGES ADDITION ( (EXPLAIN IN PRIVATE(Y) ALTERED (XX) NO. 42) 24. OWNER'S NAME AND ADDRESS MOVED ( ) NAME(S) IF KNOWN 37. CONDITION Anice Stagg Le Donavan 9. COORDINATES UTM INTERIOR Fair EXTERIOR. LAT S LONG 25. OPEN TO PUBLIC? YES ( 36. PRESERVATION UNDERWAY ? YES ( ) DESIGNATION NO(X) SITE ( ) STRUCTURE ( NO (XX) 10. BUILDING ( X) OBJECT ( 26. LOCAL CONTACT PERSON OR ORGANIZATION 39. ENDANGERED? YES( ) BY WHAT? ON NATIONAL YES ( ) 12, IS IT YES(X) NO (XX) REGISTER ? ELIGIBLE? NO (X) NO ( 27. OTHER SURVEYS IN WHICH INCLUDED 40. VISIBLE FROM PUBLIC ROAD ? 14. DISTRICT YES(X) YES (X ) 13. PART OF ESTAB. YES ( ) POTENTIAL? NO ( HIST. DISTRICT? NO ( NO ( 15, NAME OF ESTABLISHED DISTRICT 41. DISTANCE FROM AND FRONTAGE ON ROAD 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 2 Story, 4 Day, symmetrically 0 РНОТО massed, stucco/frame dwelling with front gable roof with OTHER "bungalow-type" wood braces. Porch attached to front eleva-MUST tion (east) is 1921 alteration with pedestals (brick/stucco) with wide square columns that support entablature and front gable roof. First and third bays contain picture windows; PROVIDED second and fourth bay have single doors. Two-bay second 43, HISTORY AND SIGNIFICANCE story has paired 1/1 windows in each; paired vented openings in gable wall. All fenestration has plain wood frames with narrow cornices. Building permits for a wash house in 1890 for applicant John Broder and a porch in 1921 indicate the original construction of this dwelling to be pre1887; however, TOWNSHIP features of such a not apparent. It is an obviously remodeled dwelling but any identifiable exterior features of the pre1921 construction phase are no longer evident. It has a moderate degree of integrity and is significant as a representation of early 20th century vernacular residential property type. (On 1883 Sanborn map.) 44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS In residential neighborhood of cal860-1900 dwellings. 46. PREPARED BY 45. SOURCES OF INFORMATION Mary Jo Winder BP #5-260, 11/9/21; BP #D1124, 7/1/90; site; 1883 Sanborn ma 7. ORGANIZATION City of St. RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION Joseph P.O. BOX 176 48. DATE 49. REVISION DATE(S) JEFFERSON CITY, MISSOURI IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM 65102 7/88

PH. 314-751-4096



I. NO. 77	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
Buchanan  3. Location of Dept. of P & Z NEGATIVES Roll #13-24	5. OTHER NAME(S)	
8. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS  1015-17 South 11th St. 7. CITY OR TOWN IF RURAL, VICINITY St. Joseph 8. DESCRIPTION OF LOCATION Legal: Lot 3, Block 26, Patee Addition	IT. DATE(S) OR PERIOD	28. NO. OF STORIES 2  29. BASEMENT? YES ( X) NO ( )  30. FOUNDATION MATERIAL Brick  31. WALL CONSTRUCTION Frame  32, ROOF TYPE AND MATERIAL Hip/Comp. Shingle  33. NO. OF BAYS
	21. ORIGINAL USE, IF APPARENT Duplex  22. PRESENT USE Same.  23. OWNERSHIP PUBLIC() PRIVATE(X)  24. OWNER'S NAME AND ADDRESS IF KNOWN	Ambient and the
	ECT ( ). 26. LOCAL CONTACT PERSON OR ORGANIZATION YES (X) NO( ) 27. OTHER SURVEYS IN WHICH INCLUDED YES (X)	EXTERIOR GOOD  38. PRESERVATION YES ( ) UNDERWAY ? NO (XX
cal frame duplex dwell molded frieze board and bays contain single do 2/2 window on second. windows; porches attachave simple post supports.  43. HISTORY AND SIGNIFICANCE slat bays have double hung	FEATURES Two-story, six-bay, symmetri- ling with hip roof with hip roof dorme and plain corner boards. Recessed end for with transom on first story, Second and fifth bays contain 1/1 when the them and recessed end bays forts (probably newer elements), open rails, molded entablatures and hip rowindows. Dormer contains small paires indicate construction in 1904 for ap	ofs. Third and fourth
Elsie Brock. It has a high of vernacular Classic Reviva:  44. DESCRIPTION OF ENVIRONMENT AND	degree of integrity and is significant	as a representation
45. SOURCES OF INFORMATION B.P. #2023, 8/3/04; si		46. PREPARED BY Mary Jo Winder

RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION
P.O. BOX 176
SEPARATE SHEET(S) TO THIS FORM

JEFFERSON CITY, MISSOURI 65102
PH. 314-751-4096 65102

47. ORGANIZATION City of St. Joseph
48. DATE 49. REVISION DATE(S)
7/88



### MISSOURI OFFICE OF HISTORIC **PRESERVATION** BA)-15004-02 ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) I. NO. 69 2. COUNTY 5. OTHER NAME(S) Buchanan LOCATION OF Dept. of P & Z NEGATIVES Roll #7-4 16. THEMATIC CATEGORY 6 SPECIFIC LEGAL LOCATION 28. NO. OF STORIES \_ RANGE Architecture TOWNSHIP SECTION 29. BASEMENT? YES ( IF CITY OR TOWN, STREET ADDRESS IT DATE(S) OR PERIOD NO ( 30. FOUNDATION MATERIAL 1018 South 11th Street 1880/1891 Brick 7. CITY OR TOWN IF RURAL, VICINITY 18. STYLE OR DESIGN Vernacular/Oueen Anne 07 St. Joseph 31. WALL CONSTRUCTION Frame 19. ARCHITECT OR ENGINEER 8. DESCRIPTION OF LOCATION 20 22 32. ROOF TYPE AND MATERIAL Legal: Lot 11, Block 35, Gable/Comp. Shingle 20. CONTRACTOR OR BUILDER Patee's Addition OH 33. NO. OF RAYS FRONT - 3 SIDE 21. ORIGINAL USE, IF APPARENT Single Family Residence 34. WALL TREATMENT Clapboard 22. PRESENT USE 35. PLAN SHAPEIrregular Same 23. OWNERSHIP PUBLIC ( 36. CHANGES ADDITION (XX) (EXPLAIN IN PRIVATE( X ALTERED ( NO. 42) 24. OWNER'S NAME AND ADDRESS MOVED ( NAME(S) IF KNOWN 37. CONDITION INTERIOR\_ 9. COORDINATES UTM EXTERIOR GOOD LAT င္က LONG 38. PRESERVATION UNDERWAY ? 25. OPEN TO PUBLIC? YES( YES ( DESIGNATION STRUCTURE ( NO(X) SITE ( NO XX BUILDING ( X) OBJECT ( 26. LOCAL CONTACT PERSON OR ORGANIZATION YES (XX) 39. ENDANGERED? BY WHAT? ON NATIONAL YES ( ) IS IT ELIGIBLE? YES(X) NO ( REGISTER ? NO ( X) NO ( 27. OTHER SURVEYS IN WHICH INCLUDED Poor Maintenance 14. DISTRICT YES (X ) POTENTIAL? NO( ) 40. VISIBLE FROM PUBLIC ROAD ? 13. PART OF ESTAB. HIST. DISTRICT? YES (X NO ( NO ( 15, NAME OF ESTABLISHED DISTRICT DISTANCE FROM AND FRONTAGE ON ROAD 2 story, 3 bay, asymmetrical, 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES РНОТО OTHER frame, "L" plan dwelling with gable roof, internal, side brick chimneys, plain frieze and corner boards. Queen Anne porch MUST attached to left and center bays of front elevation (east) has turned posts, spindled frieze, open slat railing and shed roof AF with gable over entry bay; left bay paired 1/1 windows; center has **PROVIDED** single door with transom. Right bay in projecting front gable 43. HISTORY AND SIGNIFICANCE wing (1891 addition?) with paired 1/1 windows, both stories; gable wall ornamented with patterned wood shingle siding, diamond shape window and molded returns. All fenestration has plain frames with narrow cornices. Chimney pot on right side has brick, banded pot. Building permit records indicate a construction phase in 1891 for applicant Joseph Donohue; however, original features remain that define the original dwelling to be that of an "L" plan "I" house. It has a high degree of architectural integrity and is most significant as a representation of late 19th century vernacular residential property type (On 1883 Sanborn map) 44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS

In residential neighborhood

45. SOURCES OF INFORMATION	46. PREPARED BY Mary Jo Winder
BP #D1728, 7/2/91; site; 1883 Sanborn map	47. ORGANIZATION
RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176	City of St. Joseph 48. DATE 49. REVISION DATE(S)
IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM  JEFFERSON CITY, MISSOURI 65102	7/88

PH. 314-751-4096



### MISSOURI OFFICE OF HISTORIC PRESERVATION ARCHITECTURAL/HISTORIC INVENTORY BN. AS - 004-028 SURVEY FORM I. NO. 76 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) 2 COUNTY Buchanan 5. OTHER NAME(S) LOCATION OF Dept. of P & Z NEGATIVES Roll #2-5 16. THEMATIC CATEGORY 6. SPECIFIC LEGAL LOCATION 28. NO. OF STORIES TOWNSHIP\_ \_ RANGE\_ Architecture SECTION 29. BASEMENT? YES ( IF CITY OR TOWN, STREET ADDRESS IT. DATE(S) OR PERIOD NO ( 30. FOUNDATION 1101 South 11th Street ca. 1850 7. CITY OR TOWN IF RURAL, VICINITY IS. STYLE OR DESIGN 31 02 31. WALL CONSTRUCTION St. Joseph Vernacular/Greek Revival Frame 19. ARCHITECT OR ENGINEER 8. DESCRIPTION OF LOCATION 32. ROOF TYPE AND MATERIAL Legal: Lot 6, Block 27, 20. CONTRACTOR OR BUILDER Gable/Comp. Shingle Patee's Addition 33. NO. OF BAYS FRONT SIDE 21. ORIGINAL USE, IF APPARENT Single Family Residence 34. WALL TREATMENT Clapboard 22. PRESENT USE

Same 23. OWNERSHIP PUBLIC ( 36. CHANGES PRIVATE(X) 24. OWNER'S NAME AND ADDRESS IF KNOWN 37. CONDITION COORDINATES UTM LAT LONG 25. OPEN TO PUBLIC? YES( NO(X) STRUCTURE ( SITE ( ) 10. BUILDING ( X) OBJECT ( 26. LOCAL CONTACT PERSON OR ORGANIZATION ON NATIONAL REGISTER ? YES ( ) IS IT ELIGIBLE? YES (X) 12. Poor Maintenance NO ( X) NO ( 27, OTHER SURVEYS IN WHICH INCLUDED 14. DISTRICT YES(X)
POTENTIAL? NO( ) 13. PART OF ESTAB. HIST. DISTRICT? VISIBLE FROM PUBLIC ROAD ? YES ( ) NO ( y)

PRESENT LOCAL 35. PLAN SHAPERectangular ADDITION ( (EXPLAIN IN ALTERED ( NO. 42) MOVED ( NAME(S) INTERIOR Good EXTERIOR. CR 38. PRESERVATION UNDERWAY ? YES ( DESIGNATION(S) NO (XX 39. ENDANGERED? YES ( X) BY WHAT ? NO (

YES (X )

SHLO

NAME (S)

COUNTY

NO ( DISTANCE FROM AND FRONTAGE ON ROAD

42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 1 story, 3 bay, symmetrical, frame dwelling with side gable roof and plain corner boards. Three-bay porch attached to front elevation (west) has brick foundation piers, narrow Tuscan columns, open slat railing and flat roof. Center bay contains single door with transom. End bays contain 2/2 windows. All openings have shaped surrounds with narrow molded cornice.

**PHOTO** MUST RE PROVIDED

## 43. HISTORY AND SIGNIFICANCE

15. NAME OF ESTABLISHED DISTRICT

There are no building permits of record for this dwelling; however, stylistic features indicate, original construction to be cal850. It has a high degree of architectural integrity and may be one of the best examples of mid 19th century architecture of its type (vernacular/Greek Revival residential property type) in existence in the city. (On 1883 Sanborn map)

## 44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS

In residential neighborhood; corner lot; vacant lot to south.

45. SOURCES OF INFORMATION	46. PREPARED BY Mary Jo Winder
No relevent building permit; site; 1883 Sanborn map  RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION	47. ORGANIZATION City of St. Joseph
P.O. BOX 176  IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM  PH. 314-751-4096	48. DATE 49. REVISION DATE(\$) 7/88



### MISSOURI OFFICE OF HISTORIC PRESERVATION ARCHITECTURAL/HISTORIC INVENTORY BN AS 004-029 SURVEY FORM I. NO. 70 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) 2. COUNTY Buchanan 5. OTHER NAME(S) LOCATION OF Dept. of P & Z NEGATIVES Roll #2-11 6. SPECIFIC LEGAL LOCATION 16. THEMATIC CATEGORY 28. NO. OF STORIES Architecture SECTION RANGE TOWNSHIP 29. BASEMENT? YES ! COUNTY IF CITY OR TOWN, STREET ADDRESS IT. DATE(S) OR PERIOD NO ( 1894 30. FOUNDATION MATERIAL 1108 South 11th Street 7. CITY OR TOWN IF RURAL, VICINITY IS. STYLE OR DESIGN 18 31. WALL CONSTRUCTION St. Joseph Classic Revival/Vernacular 19. ARCHITECT OR ENGINEER Frame 8. DESCRIPTION OF LOCATION 32. ROOF TYPE AND MATERIAL Legal: Lot 8, Block 34, Gable/Comp. Shingle 20. CONTRACTOR OR BUILDER Patee's Addition 33 NO OF BAYS A FRONT SIDE 21. ORIGINAL USE, IF APPARENT Fu PRESENT 34. WALL TREATMENT Single Family Residence Asbestos Shingle 22. PRESENT USE 35. PLAN SHAPE Irregular Same LOCAL 23. OWNERSHIP PUBLIC ( 36. CHANGES ADDITION ( PRIVATE(X) ALTERED ( NO. 42) 24. OWNER'S NAME AND ADDRESS MOVED ( NAME(S) IF KNOWN 37. CONDITION Franklin Emberry INTERIOR COORDINATES UTM Good LAT EXTERIOR S LONG 36. PRESERVATION UNDERWAY ? 25. OPEN TO PUBLIC 2 YES ( YES ( DESIGNATION(S) SITE ( ) NO(X) STRUCTURE ( NO (XX) 10. BUILDING ( X) OBJECT ( 26. LOCAL CONTACT PERSON OR ORGANIZATION 39. ENDANGERED? YES (XX) BY WHAT? ON NATIONAL REGISTER ? YES ( ) 12. IS IT ELIGIBLE? YES (X) NO ( Poor Maintenance NO ( X) NO ( 27. OTHER SURVEYS IN WHICH INCLUDED DISTRICT YES (X ) VISIBLE FROM PUBLIC ROAD ? 13. PART OF ESTAB. 14. YES (X) YES ( ) NO ( NO ( 41. DISTANCE FROM AND FRONTAGE ON ROAD 15, NAME OF ESTABLISHED DISTRICT 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 2 story, 3 bay, asymmetrical, Œ **PHOTO** OTHER frame dwelling with front gable roof, wide fascia and narrow MUST corner boards. Right bay is recessed one story addition that contains a 1/1 window within slightly projecting wide, frame with small shed roof. Left and center bays sheltered by one-BE story porch with brick pedestals and tapered square wood corner PROVIDED columns that support entablature and shed roof. Right bay contains door with transom; center bay has wide window with HISTORY AND SIGNIFICANCE Symmetrical two-bay upper facade has 1/1 window in each. 1/4 sash. 43. The only building permit of record for this dwelling is for repairs for applicant, 6. TOWNSHIP Jennie Anderson. Though most of its characteristics are turn of the century, original construction probably predates 1887. It has a moderate degree of architectural integrity and has moderate significance as a representation of late 19th century vernacular residential property type. (On 1883 Sanborn map)

44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS

In residential neighborhood; in close proximity to commercial zone to south and west.

45. SOURCES OF INFORMATION BP #3804, 11/2/94; site; 1883 Sanborn map	46. PREPARED BY Mary Jo Winder
RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION	47. ORGANIZATION  City of St. Joseph
IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM  P.O. BOX 176	48. DATE   49. REVISION DATE(S)   7/88



S. COUNTY Buchanan  S. COLTRE OF DEPT. OF P. 5. Z. REGARYSE ROll \$2-10  S. PERMENT LEAR LOCATION  S. PERMENT LEAR LOCATION  SECRET ADDRESS  1110 SOUTH 11th Street  C. CITY OR TOWN   F RURAL, VICHITY  S. DESCRIPTION OF LOCATION  Legal: N 1 of Lot 9, Block  34, Patee's Addition  Legal: N 1 of Lot 9, Block  34, Patee's Addition  Legal: N 2 of Lot 9, Block  36, CORDINAL USE, IF APPARENT FL  28, CORDINAL USE, IF APPARENT FL  28, CORDINAL USE, IF APPARENT FL  29, CORDINAL USE, IF APPARENT FL  20, CONTRACTOR OR BUILDER  20, CONTRACTOR OR BUILDER  21, ORIGINAL USE, IF APPARENT FL  22, OWNERSHIP MER  22, OWNERSHIP NAME AND ADDRESS  IF KNOWN  9, CORDINATES  UTH  LAT  LONG  9, CORDINATES  UTH  LAT  LONG  10. SITE() STRUCTURE()  SULDING*(2) STRUCTURE()  SULDING*(2) STRUCTURE()  10. SITE() STRUCTURE()  SULDING*(2) STRUCTURE()  10. NATIONAL VES() [2, 18 II VES(2)]  25, OPEN TO PUBLIC? VES()  NOT, DIRECTION OF SURFICE TYPES()	. NO. 71	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
Security of Dept. of P.6. Z No. 18 2-10  Security (F. CITY OR TOWN, STREET ADDRESS 1110 South 11th Street 12.0 ATE(5) OR PERIOD (C.G. 1885/1891 South 11th Street 12.0 ATE(5) OR PERIOD (C.G. 1885/189	2. COUNTY Buchanan		· .
Second   S	5. LOCATION OF Dept. of P & Z	5. OTHER NAME(S)	
STREET ADDRESS   IT, DATE(S) OR PENDO   Ca. 1885/1891   STRUCTURE   Ca. CONTRACTOR OR BUILDER   Ca. CA. CA. CA. CA. CA. CA. CA. CA. CA. CA		16. THEMATIC CATEGORY	
S. SYLE ON DESIGN   S. STALE ON DESIGN   S. SUBJECT   S. SECAMPTION OF LOCATION   Legal: N % of Lot 9, Block   S. Addition   S			
St. Joseph  St. Joseph  Dernamilar  St. Joseph  Dernamilar  St. Ackinited or Everation  Legal: N & of Lot 9, Block  A, Patee's Addition  St. Ongoinal Use, IF APPARENT FL  Single Family Residence?  22. OMERSHIP  PRIVATE(Y)  24. OWNER'S NAME AND ADDRESS  IF MONN  LAT  LON  SITE() STRUCTURE()  BUILDING(Y)  OBJECT() 25. LOCAL CONTACT PERSON OR ORGANIZATION  NOTATIONAL VES () 12. IS IT VES(X)  RESISTER NO (X)  SAMINOMERON PERSONATION  NOTATIONAL VES () 14. DISTRICT YES(X)  INST. OUBTRICT NO (X)  SAMINOMERON PERSONATION  NOTATIONAL VES () 14. DISTRICT YES(X)  NEX. DISTRICT NO (X)  SAMINOMERON PERSONATION  NOTATIONAL VES () 15. DISTRICT YES(X)  NEX. DISTRICT NO (X)  SAMINOMERON PERSONATION  NO ELIGIBLE FROM  STRUCTURE OR ORGANIZATION  NO ELIGIBLE FROM  NO ELIGIBLE			
SARCHITECT OR ENGINEER   SACOTOR Legal: N 1 of Lot 9, Block   Sacotor type AND MATERIAL   Plat   Factor   Sacotor	· · · · · · · · · · · · · · · · · · ·		
20. CONTRACTOR OR BUILDER  21. ORIGINAL USE, IF APPARENT FL  22. PRESENT USE Single Family Residence?  23. OWNERSHIP PUBLIC! PRIVATE(X)  24. OWNERSHIP PUBLIC! PRIVATE(X)  25. OPEN TO PUBLIC? PRIVATE(X)  26. OPEN TO PUBLIC? PRIVATE(X)  27. OND NATIONAL YES() IS IT VES(X) REGISTER Y NO(X)  28. OCAL CONTACT PERSON OR ORGANIZATION NO(X)  29. OTHER SURVEYS IN WHICH INCLUDED  20. ON HATOMAL YES() IS IT VES(X) REGISTER Y NO(X)  20. ONTRACTOR BUILDING  20. ORIGINAL USE, IF APPARENT FL  21. OWNERSHIP PUBLIC! PRIVATE  22. OWNERSHIP PUBLIC! PRIVATE(X)  25. OPEN TO PUBLIC? YES() NO(X)  26. OCAL CONTACT PERSON OR ORGANIZATION NO(X)  27. OTHER SURVEYS IN WHICH INCLUDED  28. ELOCAL CONTACT PERSON OR ORGANIZATION NO(X)  29. ENDANGEEED? YES(X) YES() NO(X)  20. ONTRACTOR BUILDING  ALTEROTY NO(X)  30. PLAN SHAPER RECTANGULA MOVEC!  31. AND SHAPER RECTANGULA MOVEC!  31. AND SHAPER RECTANGULA MOVEC!  31. CONDITION MOVEC!  32. OWNERSH PPUBLIC!  33. PLAN SHAPER RECTANGULA MOVEC!  34. PRESENTION MOVEC!  35. PLAN SHAPER RECTANGULA MOVEC!  36. PLAN SHAPER RECTANGULA MOVEC!  37. OWNERSH PPUBLIC!  37. OWNERSH MOVEC!  37. OWNERSH PROBLEM TO SHAPER RECTANGULA MOVEC!  37. OWNERSH PROBLEM TO SHAPER PROBLEM PROBLEM PROBLEM MOVEC!  37. OWNERSH PROBLEM TO SHAPER PROBLEM PROBLEM MOVEC!  37. OWNERSH PROBLEM TO SHAPER PROBLEM MOVEC!  38. PLAN SHAPER PROBLEM PROBLEM MOVEC!  39. PLAN SHAPER PROBLEM PROBLEM MOVEC!  30. PLAN SHAPER PROBLEM PROBLEM PROBLEM MOVEC!  30. P			Brick
21. ORIGINAL USE, IF APPARENT FUL TO STRUCTURE ()  22. ORIGINAL USE, IF APPARENT FUL TO STRUCTURE ()  23. OWNERSHIP PUBLIC ()  24. OWNER'S NAME AND ADDRESS IF KNOWN  25. OPEN TO PUBLIC ()  26. OWNER'S NAME AND ADDRESS IF KNOWN  27. OWNER'S NAME AND ADDRESS IF KNOWN  28. OPEN TO PUBLIC ()  29. OPEN TO PUBLIC ()  20. OWNER'S NAME AND ADDRESS IF KNOWN  20. OWNER'S NAME AND ADDRESS IF KNOWN  21. OWNER'S NAME AND ADDRESS IF KNOWN  22. OPEN TO PUBLIC ()  23. OWNER'S NAME AND ADDRESS IS PRESENTION ()  24. OWNER'S NAME AND ADDRESS IS PRESENTION ()  25. OPEN TO PUBLIC ()  26. OWNER'S NAME AND ADDRESS IS PRESENTION ()  27. OTHER SURVEYS IN WHICH INCLUDED  28. OPEN TO PUBLIC ()  29. OPEN TO PUBLIC ()  20. OWNEROW IS NOWNER ()  20. OWNEROW IS NOWNER ()  20. OWNEROW IS NOWNER ()  21. OWNEROW IS NOWNER ()  22. OPEN TO PUBLIC ()  23. OWNER'S NAME AND ADDRESS IS NOWNER ()  24. OWNER'S NAME AND ADDRESS IS NOWNER ()  25. OPEN TO PUBLIC ()  26. LOCAL CONTACT PERSON ON ORGANIZATION ()  27. OTHER SURVEYS IN WHICH INCLUDED  28. OPEN TO PUBLIC ()  29. OWNEROW IS NOWNER ()  29. OWNEROW IS NOWNER ()  20. OWNEROW IS NOWNER ()  20. OWNEROW IS NOWNER ()  20. OWNEROW IS NOWNER ()  21. OWNEROW IS NOWNER ()  22. OPEN TO PUBLIC ()  23. OWNER'S NAME AND ADDRESS ()  24. OWNER'S NAME AND ADDRESS ()  25. OPEN TO PUBLIC ()  26. LOCAL CONTACT PERSON ON ORGANIZATION ()  27. OTHER SURVEYS IN WHICH INCLUDED  28. OWNER'S IN WHICH INCLUDED  29. WHAT ()  20. OWNER'S NAME AND ADDRESS ()  29. OWNER'S NAME AND ADDRESS ()  29. WHAT ()  20. OWNER'S NAME AND ADDRESS ()  20. OWNER'S NAME AND ADDRESS ()  20. OWNER'S NAME AND ADDRESS ()  20. OWNER'S NAME AND ADDRESS ()  20. OWNER'S NAME AND ADDRESS ()  20. OWNER'S NAME AND ADDRESS ()  20. OWNER'S NAME AND ADDRESS ()  20. OWNER'S NAME AND ADDRESS ()  20. OWNER'S NAME AND ADDRESS ()  20. OWNER'S NAME AND ADDRESS ()  20. OWNER'S NAME AND ADDRESS ()  20. OWNER'S NAME AND ADDRESS ()  20. OWNER'S NAME AND ADDRESS ()  20. OWNER'S NAME AND ADDRESS ()  20. OWNER'S NAME AND ADDRESS ()  20. OWNER'S NAME AND ADDRESS ()  20.	Legal: N 2 of Lot 9, Bloc	CO CONTRACTOR OR SUIT OFF	<b>6</b>
22. OPEN TO PUBLIC?  23. OWNERSHIP PUBLIC () 23. OWNERSHIP PUBLIC () 24. OWNER'S NAME AND ADDRESS  35. PLAM SHAPE Rectangula 26. CHANGES ADDITION () 27. OWNER'S NAME AND ADDRESS  37. CONDITION 37. C	34, Patee's Addition	20. CONTRACTOR OR BUILDER	33. NO. OF BAYS
22. PRESENT USE Single Family Residence?  23. OWNERSHIP PUBLIC() PRIVATE(X)  35. PLAN SHAME RECTANGULA  36. CORDINATES LAT LONG  37. CONDITION INTERIOR GOOD EXTEROR GOOD EXTERNOR GOOD FOR MITTER GOOD FOR MITTER GOOD FOR MITTER		21. ORIGINAL USE, IF APPARENT Fu	
Single Family Residence ?  23. OWNERSHIP PUBLIC PRIVATE(X)  24. OWNER'S NAME AND ADDRESS  IF KNOWN  25. OPEN TO PUBLIC? YES()  10. SITE() STRUCTURE()  26. LOCAL CONTACT PERSON OR ORGANIZATION INTERIOR. WO(X)  11. ON ANTONAL YES() [12. IS IT YES(X) REGISTER? NO()  13. PART OF ESTABL YES() [14. DISTRICT YES(X) POST NO(X)  15. NAME OF ESTABLISHED DISTRICT  15. NAME OF ESTABLISHED DISTRICT  26. LOCAL CONTACT PERSON OR ORGANIZATION INTERIOR. YES(X) POST NO(X)  16. NAME OF ESTABLISHED DISTRICT  27. OTHER SURVEYS IN WHICH INCLUDED  28. FURTHER DESCRIPTION OF IMPORTANT FEATURES 2 Story, 2 bay, asymmetrical brick dwelling with flat roof and parapet with narrow, brick cornice. Two-bay porch attached to front elevation (east) has stone pedestals with square post supports, spindled frieze, wagos wheel corner brackets and hip roof. Left bay contains single door with arched two light transom. Right bay has wide 1/2 window. Three-bay second story has 1/1 window in each; stone sills and  37. CANDITION INTERIOR. YES(X) POST NO(X)  39. PRESENTATION YES(X) POST NO(X)  30. PRESENTATION YES(X) POST NO(X)  30. PRESENTATION YES(X) POST NO(X)  30. PRESENTATION YES(X) POST NO(X)  31. OTHER SURVEYS IN WHICH INCLUDED  32. ENDANGERED; YES(X) POST NO(X)  33. ENDANGERED; YES(X) POST NO(X)  34. DISTRICT NO(X)  35. FLANGERED; YES(X) NO(X)  37. CONDITION INTERIOR. YES(X) POST NO(X)  37. CONDITION INTERIOR. YES(X) POST NO(X)  37. CONDITION INTERIOR. NO(X)  37. CONDITION NO(X)  37. CONDITION NO(X)  37. CONDITION INTERIOR. NO(X)  38. PRESENTION OF ENVENTY NO(X)  39. PRESENTION OF ENVENTY NO(X)  30. PRESENTION OF ENVENTY. YES(X)  30. PRESENTION OF ENVENTY. YES(X)  30. PRESENTED WO(X)  31. ON THE SURVEYS IN WHICH INCLUDED  35. ENDANGERED; YES(X)  36. CANDITION  37. CONDITION  38. PRESENTED WES(X)  39. PRESENTED WO(X)  30. PRESENTED WO(X			
PRIVATE(X)  24. OWNER'S NAME AND ADDRESS    P KNOWN   22. ORDITION   NITERIOR   Good		Single Family Residence?	35. PLAN SHAPE Rectangula
24. OWNER'S NAME AND ADDRESS  15. CONDITION  17. CONDITION  17. CONDITION  18. STRUCTURE()  25. OPEN TO PUBLIC?  26. LOCAL CONTACT PERSON OR ORGANIZATION  18. ON MATIONAL VES ()   12. IS IT VES (X)   12. IS IT VES (X)   13. PRESENTATION VES ()   14. DISTRICT VES (X)   14. DISTRICT VES (X)   15. NO (X)   14. DISTRICT VES (X)   15. NO (X)   14. DISTRICT VES (X)   15. NO (X)   15. N			(EXPLAIN IN
9. COORDINATES LAT LONG  25. OPEN TO PUBLIC?  26. LOCAL CONTACT PERSON OR ORGANIZATION  39. PRESERVATION YES (1)  30. PRINCIPAL YES (1)  30. PRINCIPAL YES (1)  30. PRINCIPAL YES (1)  30. PRINCIPAL YES (1)  30. PRINCIPAL YES (1)  30. PRINCIPAL YES (1)  30. PRINCIPAL YES (1)  30. PRINCIPAL YES (1)  30. PR		24. OWNER'S NAME AND ADDRESS	110, 42)
LAT LONG  O. SITE() STRUCTURE() BUILDING(X)  OBJECT()  I. ON NATIONAL YES() IZ. IS IT PERSON OR ORGANIZATION SY WHAT?  NO (X)  S. PART OF ESTAB. YES() II. DISTRICT  S. NAME OF ESTABLISHED DISTRICT  AND AND SIGNIFICANCE arched to front elevation (east) has stone pedestals with square post supports, spindled frieze, wagon wheel corner brackets and hip roof. Left bay contains single down with arched two light transom. Right bay has wide 1/2 window. Three-bay second story has 1/1 window in each; stone sills and story person of a porch in 1895 indicate an original construction date of pre1887. It has a moderate degree of integrity and has moderate significance as a representation of mid to late 19th century vernacular commercial/residential(?) property type.  S. NAME OF ESTABLISHED DISTRICT  25. OPEN TO PUBLIC?  YES(X) NO(X)  26. LOCAL CONTACT PERSON OR ORGANIZATION NO(X)  29. ENDANGERED? YES(X) NO(X)  40. VISIBLE FROM YES(X) NO(Y)  41. DISTRICT  41. DISTRICT  40. VISIBLE FROM YES(X) NO(Y)  41. DISTRI		IF KNOWN	
O. BITE( ) STRUCTURE( ) OBJECT ( )  11. ON NATIONAL VES( ) RELIGIBLE? NO( ) POOR ORGANIZATION SPECIAL VES( ) REGISTER 7 NO( ) POOR MAINTENAL VES( ) RELIGIBLE? NO( ) POOR MAINTENAL VES( ) NO( ) POOR MAINTENAL VES( ) POOR			Good
I. NATIONAL PES(1)   12. IS IT PROOF MAINTENANCE   YES(X)   NO(X)   14. DISTRICT PESTAB. YES(X)   NO(X)   14. DISTRICT POOR MAINTENANCE   YES(X)   NO(X)   15. NAME OF ESTABLISHED DISTRICT   NO(X)   16. DISTRICT POOR MAINTENANCE   YES(X)   NO(X)   16. DISTRICT   NO(X)   17. DISTRICT   NO(X)   18.	· · · · · · · · · · · · · · · · · · ·		UNDERWAY 2
3. PART OF ESTAB. YES() HST. DISTRICT YES(X) HIST. DISTRICT? NO(y)  5. NAME OF ESTABLISHED DISTRICT  40. VISIBLE FROM PUBLIC ROAD?  41. DISTRICT PROY NO(y)  5. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 2 story, 2 bay, asymmetrical brick dwelling with flat roof and parapet with narrow, brick cornice. Two-bay porch attached to front elevation (east) has stone pedestals with square post supports, spindled frieze, wagon wheel corner brackets and hip roof. Left bay contains single door with arched two light transom. Right bay has wide 1/2 window. Three-bay second story has 1/1 window in each; stone sills and  43. HISTORY AND SIGNIFICANCE arched brick lintels.  Building permits issued to John M. Tetherow for an addition in 1891 and to E.L. Serven for construction of a porch in 1895 indicate an original construction date of pre1887. It has a moderate degree of integrity and has moderate significance as a representation of mid to late 19th century vernacular commercial/residential(?) property type.  44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  At edge of residential neighborhood; commercial zone and Patee House hotel (1858) located south of building.  45. SOURCES OF INFORMATION  46. PREPARED BY Mary Jo Winder	<del></del>		BY WHAT 2
##ST. DISTRICT? NO(x) POTENTIAL? NO(x)  5. NAME OF ESTABLISHED DISTRICT  41. DISTANCE FROM AND FRONTAGE ON ROAD  42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 2 story, 2 bay, asymmetrical brick dwelling with flat roof and parapet with narrow, brick cornice. Two-bay porch attached to front elevation (east) has stone pedestals with square post supports, spindled frieze, wagon wheel corner brackets and hip roof. Left bay contains single door with arched two light transom. Right bay has wide 1/2 window. Three-bay second story has 1/1 window in each; stone sills and  43. HISTORY AND SIGNIFICANCE arched brick lintels.  Building permits issued to John M. Tetherow for an addition in 1891 and to E.L. Serven for construction of a porch in 1895 indicate an original construction date of pre1887. It has a moderate degree of integrity and has moderate significance as a representation of mid to late 19th century vernacular commercial/residential(?) property type.  44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  At edge of residential neighborhood; commercial zone and Patee House hotel (1858) located south of building.  45. SOURCES OF INFORMATION  46. PREPARED BY Mary Jo Winder			. NO ( )
41. DISTANCE FROM AND FRONTAGE ON ROAD  42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 2 story, 2 bay, asymmetrical brick dwelling with flat rcof and parapet with narrow, brick cornice. Two-bay porch attached to front elevation (east) has stone pedestals with square post supports, spindled frieze, wagon wheel corner brackets and hip roof. Left bay contains single door with arched two light transom. Right bay has wide 1/2 window. Three-bay second story has 1/1 window in each; stone sills and  43. HISTORY AND SIGNIFICANCE arched brick lintels.  Building permits issued to John M. Tetherow for an addition in 1891 and to E.L. Serven for construction of a porch in 1895 indicate an original construction date of pre1887. It has a moderate degree of integrity and has moderate significance as a representation of mid to late 19th century vernacular commercial/residential(?) property type.  (On 1883 Sanborn map)  44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  At edge of residential neighborhood; commercial zone and Patee House hotel (1858) located south of building.  45. SOURCES OF INFORMATION  TO HASSEL 2 (20 (25) site 1000 G at 1000 G by Mary Jo Winder	3. PART OF ESTAB. YES ( ) 14. DISTRICT POTENTIAL?	ES(X)	DIDLIC BOAD 2
42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 2 story, 2 bay, asymmetrical brick dwelling with flat rcof and parapet with narrow, brick cornice. Two-bay porch attached to front elevation (east) has stone pedestals with square post supports, spindled frieze, wagon wheel corner brackets and hip roof. Left bay contains single door with arched two light transom. Right bay has wide 1/2 window. Three-bay second story has 1/1 window in each; stone sills and  43. HISTORY AND SIGNIFICANCE arched brick lintels.  Building permits issued to John M. Tetherow for an addition in 1891 and to E.L. Serven for construction of a porch in 1895 indicate an original construction date of pre1887. It has a moderate degree of integrity and has moderate significance as a representation of mid to late 19th century vernacular commercial/residential(?) property type.  44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  At edge of residential neighborhood; commercial zone and Patee House hotel (1858) located south of building.  45. SOURCES OF INFORMATION  46. PREPARED BY Mary Jo Winder		NO( )	· NO ( )
brick dwelling with flat rcof and parapet with narrow, brick cornice. Two-bay porch attached to front elevation (east) has stone pedestals with square post supports, spindled frieze, wagon wheel corner brackets and hip roof. Left bay contains single door with arched two light transom. Right bay has wide 1/2 window. Three-bay second story has 1/1 window in each; stone sills and  43. HISTORY AND SIGNIFICANCE arched brick lintels.  Building permits issued to John M. Tetherow for an addition in 1891 and to E.L. Serven for construction of a porch in 1895 indicate an original construction date of pre1887. It has a moderate degree of integrity and has moderate significance as a representation of mid to late 19th century vernacular commercial/residential(?) property type. (On 1883 Sanborn map)  44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  At edge of residential neighborhood; commercial zone and Patee House hotel (1858) located south of building.  45. SOURCES OF INFORMATION  ADDITIONAL OF THEORY OF THEORY AND THEORY AND THEORY OF THE THEORY OF THE		•	FRONTAGE ON ROAD
brick dwelling with flat rcof and parapet with narrow, brick cornice. Two-bay porch attached to front elevation (east) has stone pedestals with square post supports, spindled frieze, wagon wheel corner brackets and hip roof. Left bay contains single door with arched two light transom. Right bay has wide 1/2 window. Three-bay second story has 1/1 window in each; stone sills and  43. HISTORY AND SIGNIFICANCE arched brick lintels.  Building permits issued to John M. Tetherow for an addition in 1891 and to E.L. Serven for construction of a porch in 1895 indicate an original construction date of pre1887. It has a moderate degree of integrity and has moderate significance as a representation of mid to late 19th century vernacular commercial/residential(?) property type.  (On 1883 Sanborn map)  44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS At edge of residential neighborhood; commercial zone and Patee House hotel (1858) located south of building.  45. SOURCES OF INFORMATION  ADDITIONAL PROPERTY AND AND AND AND AND AND AND AND AND AND	42. FURTHER DESCRIPTION OF IMPORTANT	FEATURES 2 story, 2 bay, asymmetrical	
wheel corner brackets and hip roof. Left bay contains single door with arched two light transom. Right bay has wide 1/2 window. Three-bay second story has 1/1 window in each; stone sills and  43. HISTORY AND SIGNIFICANCE arched brick lintels.  Building permits issued to John M. Tetherow for an addition in 1891 and to E.L. Serven for construction of a porch in 1895 indicate an original construction date of pre1887. It has a moderate degree of integrity and has moderate significance as a representation of mid to late 19th century vernacular commercial/residential(?) property type.  (On 1883 Sanborn map)  44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  At edge of residential neighborhood; commercial zone and Patee House hotel (1858) located south of building.  45. SOURCES OF INFORMATION  Wary Jo Winder	brick dwelling with flat ro	of and parapet with narrow, brick	РНОТО
wheel corner brackets and hip roof. Left bay contains single door with arched two light transom. Right bay has wide 1/2 window. Three-bay second story has 1/1 window in each; stone sills and  43. HISTORY AND SIGNIFICANCE arched brick lintels.  Building permits issued to John M. Tetherow for an addition in 1891 and to E.L. Serven for construction of a porch in 1895 indicate an original construction date of pre1887. It has a moderate degree of integrity and has moderate significance as a representation of mid to late 19th century vernacular commercial/residential(?) property type. (On 1883 Sanborn map)  44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  At edge of residential neighborhood; commercial zone and Patee House hotel (1858) located south of building.  45. SOURCES OF INFORMATION  46. PREPARED BY Mary Jo Winder			
with arched two light transom. Right bay has wide 1/2 window. Three-bay second story has 1/1 window in each; stone sills and  43. HISTORY AND SIGNIFICANCE arched brick lintels.  Building permits issued to John M. Tetherow for an addition in 1891 and to E.L. Serven for construction of a porch in 1895 indicate an original construction date of pre1887.  It has a moderate degree of integrity and has moderate significance as a representation of mid to late 19th century vernacular commercial/residential(?) property type.  (On 1883 Sanborn map)  44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  At edge of residential neighborhood; commercial zone and Patee House hotel (1858) located south of building.  45. SOURCES OF INFORMATION  46. PREPARED BY Mary Jo Winder			ا ا
Three-bay second story has 1/1 window in each; stone sills and  43. HISTORY AND SIGNIFICANCE arched brick lintels.  Building permits issued to John M. Tetherow for an addition in 1891 and to E.L. Serven for construction of a porch in 1895 indicate an original construction date of pre1887.  It has a moderate degree of integrity and has moderate significance as a representation of mid to late 19th century vernacular commercial/residential(?) property type.  (On 1883 Sanborn map)  44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  At edge of residential neighborhood; commercial zone and Patee House hotel (1858) located south of building.  45. SOURCES OF INFORMATION  46. PREPARED BY Mary Jo Winder			
Building permits issued to John M. Tetherow for an addition in 1891 and to E.L. Serven for construction of a porch in 1895 indicate an original construction date of pre1887. It has a moderate degree of integrity and has moderate significance as a representation of mid to late 19th century vernacular commercial/residential(?) property type.  (On 1883 Sanborn map)  44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS At edge of residential neighborhood; commercial zone and Patee House hotel (1858) located south of building.  45. SOURCES OF INFORMATION  46. PREPARED BY Mary Jo Winder	Three-bay second story has	1/1 window in each; stone sills and	
for construction of a porch in 1895 indicate an original construction date of pre1887.  It has a moderate degree of integrity and has moderate significance as a representation of mid to late 19th century vernacular commercial/residential(?) property type.  (On 1883 Sanborn map)  44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  At edge of residential neighborhood; commercial zone and Patee House hotel (1858) located south of building.  45. SOURCES OF INFORMATION  46. PREPARED BY Mary Jo Winder	43. HISTORY AND SIGNIFICANCE ar	ched brick lintels.	
It has a moderate degree of integrity and has moderate significance as a representation of mid to late 19th century vernacular commercial/residential(?) property type.  (On 1883 Sanborn map)  44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  At edge of residential neighborhood; commercial zone and Patee House hotel (1858) located south of building.  45. SOURCES OF INFORMATION  46. PREPARED BY Mary Jo Winder			
of mid to late 19th century vernacular commercial/residential(?) property type.  (On 1883 Sanborn map)  44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  At edge of residential neighborhood; commercial zone and Patee House hotel (1858) located south of building.  45. SOURCES OF INFORMATION  46. PREPARED BY Mary Jo Winder			
(On 1883 Sanborn map)  44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS At edge of residential neighborhood; commercial zone and Patee House hotel (1858) located south of building.  45. SOURCES OF INFORMATION  46. PREPARED BY Mary Jo Winder			
44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  At edge of residential neighborhood; commercial zone and Patee House hotel (1858) located south of building.  45. SOURCES OF INFORMATION  AG. PREPARED BY Mary Jo Winder	_	ernacular commercial/residential(:) [	property type.
44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  At edge of residential neighborhood; commercial zone and Patee House hotel (1858) located south of building.  45. SOURCES OF INFORMATION  46. PREPARED BY Mary Jo Winder	(on rose samern map)		
At edge of residential neighborhood; commercial zone and Patee House hotel (1858) located south of building.  46. PREPARED BY Mary Jo Winder	•		•
At edge of residential neighborhood; commercial zone and Patee House hotel (1858) located south of building.  45. SOURCES OF INFORMATION  ACCORDED BY Mary Jo Winder		DUTBUILDINGS	
ted south of building.  45. SOURCES OF INFORMATION  46. PREPARED BY Mary Jo Winder	44 DESCRIPTION OF ENVIRONMENT AND		use hotel (1858) loca-
Mary Jo Winder	.,		(1900) 2000
Mary Jo Winder	At edge of residential neighb	•	!
Dr π1032, 3/20/31, Dr π3331, 3/20/33, STee; 1003 Saliborn Map 47. ORGANIZATION	At edge of residential neighbors ted south of building.	· · · · · · · · · · · · · · · · · · ·	46. PREPARED BY
RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION City of St. Joseph	At edge of residential neighbord south of building.  45. SOURCES OF INFORMATION	3/20/95. site - 1002 c	Mary Jo Winder



i. no. <i>75</i>		BN-15-004-031
• -	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
. county Buchanan	5. OTHER NAME(S)	
. LOCATION OF Dept. of P & Z NEGATIVES Roll #2-8		
. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION _	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 2 29. BASEMENT? YES ( )
IF CITY OR TOWN, STREET ADDRESS	i7. DATE(S) OR PERIOD ca. 1860	NO( )
1115 South 11th Street CITY OR TOWN   IF RURAL, VICINITY	IB. STYLE OR DESIGN	30. FOUNDATION MATERIAL Brick
St. Joseph	Italianate 19	31. WALL CONSTRUCTION  Brick
Legal: Lot 3, Block 27,		32. ROOF TYPE AND MATERIAL
Patee's Addition	20. CONTRACTOR OR BUILDER 30	33. NO. OF BAYS
	21. ORIGINAL USE, IF APPARENT Residence/Commercial Fu	FRONT 3 SIDE
	22. PRESENT USE	Stretcher/Painted
	Single Family Residence 23. OWNERSHIP PUBLIC	
	PRIVATE  24. OWNER'S NAME AND ADDRESS	
	IF KNOWN	37. CONDITION
O, COORDINATES UTM	Cruz Sylvester	INTERIORFair-Good
LONG	25. OPEN TO PUBLIC? YES	( ) 38. PRESERVATION YES ( )
O, SITE() STRUCT BUILDING( $\chi$ ) Obj	JECT ( ) 26. LOCAL CONTACT PERSON OR ORGANIZA	ATION 39. ENDANGERED? YES (XX)
I. ON NATIONAL YES ( ) 12. IS IT REGISTER? NO ( X) ELIGIBLE?	YES(X) NO( ) 27. OTHER SURVEYS IN WHICH INCLUDED	BY WHAT? NO() Poor Maintenance
3. PART OF ESTAB. YES ( ) 14. DISTRICT	VFS (X )	40. VISIBLE FROM YES (X )
HIST. DISTRICT? NO ( X) POTENTIAL'S	- NO( )	41. DISTANCE FROM AND
		FRONTAGE ON ROAD
	FEATURES 2 story, 3 bay, asymmetric	cal,
brick dwelling with flat ro	oof. Porch attached to front eleva-	cal,
<pre>brick dwelling with flat ro (west) is later alteration</pre>		cal, tion en Must
brick dwelling with flat ro (west) is later alteration slat railing and shed roof. with arched transom (covere	with simple wood post supports, open Right bay contains single door end of the contain single	cal, tion en htry /2  PHOTO MUST BE
brick dwelling with flat ro (west) is later alteration slat railing and shed roof. with arched transom (covere windows; all openings have	with simple wood post supports, open Right bay contains single door end; left and center bays contain 2, stone sills and simple brick hoodman.	photo must  mtry /2 plds. PROVIDED
brick dwelling with flat ro (west) is later alteration slat railing and shed roof. with arched transom (covere windows; all openings have Symmetrical three-bay secon	with simple wood post supports, open Right bay contains single door end of the contain single	photo must  mtry /2 plds. provided  Provided
brick dwelling with flat ro (west) is later alteration slat railing and shed roof. with arched transom (covere windows; all openings have Symmetrical three-bay seconds. HISTORY AND SIGNIFICANCE br	with simple wood post supports, open Right bay contains single door end; left and center bays contain 2, stone sills and simple brick hoodment of story has same window configurations panel above each window with brick panel ab	photo must  photo must  plotds  provided  prov
brick dwelling with flat ro (west) is later alteration slat railing and shed roof. with arched transom (covere windows; all openings have Symmetrical three-bay seconds. HISTORY AND SIGNIFICANCE br.  There are building permits of dicate a qal860 or earlier of	with simple wood post supports, open Right bay contains single door end; left and center bays contain 2, stone sills and simple brick hoodmend story has same window configurations panel above each window with book record for this building; however original construction. It has a model	photo must  provided  prov
brick dwelling with flat ro (west) is later alteration slat railing and shed roof. with arched transom (covere windows; all openings have Symmetrical three-bay seconds. HISTORY AND SIGNIFICANCE br.  There are building permits of dicate a cal860 or earlier of architectural integrity and	with simple wood post supports, open and; left and center bays contain 2, stone sills and simple brick hoodment and story has same window configurations panel above each window with both record for this building; however briginal construction. It has a mode is significant as a representation.	PHOTO MUST  PROVIDED  ion; rick ornament.  r, stylistic features in- erate to high degree of ion of mid 19th century
brick dwelling with flat ro (west) is later alteration slat railing and shed roof. with arched transom (covere windows; all openings have Symmetrical three-bay secon.  3. HISTORY AND SIGNIFICANCE br.  There are building permits of dicate a cal860 or earlier of architectural integrity and vernacular Italianate commens.	with simple wood post supports, open attached to front elevations with simple wood post supports, open and; left and center bays contain 2, stone sills and simple brick hoodmen and story has same window configurations and simple brick panel above each window with both record for this building; however briginal construction. It has a mode is significant as a representation construction of the significant as a representation.	PHOTO MUST  PROVIDED  ion; rick ornament.  r, stylistic features in- erate to high degree of ion of mid 19th century
brick dwelling with flat ro (west) is later alteration slat railing and shed roof. with arched transom (covere windows; all openings have Symmetrical three-bay secon.  3. HISTORY AND SIGNIFICANCE br.  There are building permits of dicate a cal860 or earlier of architectural integrity and vernacular Italianate commens.	with simple wood post supports, open attached to front elevations with simple wood post supports, open and; left and center bays contain 2, stone sills and simple brick hoodmen and story has same window configurations and simple brick panel above each window with both record for this building; however briginal construction. It has a mode is significant as a representation construction of the significant as a representation.	PHOTO MUST  PROVIDED  ion; rick ornament.  r, stylistic features in- erate to high degree of ion of mid 19th century
brick dwelling with flat ro (west) is later alteration slat railing and shed roof. with arched transom (covere windows; all openings have Symmetrical three-bay secon.  3. HISTORY AND SIGNIFICANCE br.  There are building permits of dicate a cal860 or earlier of architectural integrity and vernacular Italianate commens.	with simple wood post supports, open attached to front elevations with simple wood post supports, open and; left and center bays contain 2, stone sills and simple brick hoodmen and story has same window configurations and simple brick panel above each window with both record for this building; however briginal construction. It has a mode is significant as a representation construction of the significant as a representation.	PHOTO MUST  PROVIDED  ion; rick ornament.  r, stylistic features in- erate to high degree of ion of mid 19th century
brick dwelling with flat ro (west) is later alteration slat railing and shed roof. with arched transom (covere windows; all openings have Symmetrical three-bay secons. HISTORY AND SIGNIFICANCE br.  There are building permits of dicate a cal860 or earlier of architectural integrity and vernacular Italianate commencity). (On 1883 Sanborn map.	with simple wood post supports, open Right bay contains single door end; left and center bays contain 2, stone sills and simple brick hoodmend story has same window configurations processed by the story has same window with brong the story has same window with brong the story has same window with brong the story has same window with brong the story has same window with brong the story has same window with brong the story has same window with brong the story has same window with brong the story has same window with brong the story has same window with brong the story has a mode of the story has a same window with brong the story has a same window with brong the story has a same window configuration.	PHOTO MUST  PROVIDED  ion; rick ornament.  r, stylistic features in- erate to high degree of ion of mid 19th century one of few remaining in
brick dwelling with flat ro (west) is later alteration slat railing and shed roof. with arched transom (covere windows; all openings have Symmetrical three-bay seconds. HISTORY AND SIGNIFICANCE brace are building permits of dicate a cal860 or earlier of architectural integrity and vernacular Italianate commencity). (On 1883 Sanborn map	with simple wood post supports, open and; left and center bays contain 2, stone sills and simple brick hoodments to be proposed as the story has same window configurations and simple brick panel above each window with be proposed for this building; however the proposed is significant as a representation of the significant as a r	PHOTO MUST  PROVIDED  ion; rick ornament.  r, stylistic features in- erate to high degree of ion of mid 19th century one of few remaining in
brick dwelling with flat ro (west) is later alteration slat railing and shed roof. with arched transom (covere windows; all openings have Symmetrical three-bay seconds. HISTORY AND SIGNIFICANCE bracket a cal860 or earlier of architectural integrity and vernacular Italianate commencity). (On 1883 Sanborn maps of the discovered of the same of	with simple wood post supports, open and simple wood post supports, open and; left and center bays contain 2, stone sills and simple brick hoodmen and story has same window configuration in the property of the panel above each window with be presented in the significant as a representation of the significant as a representation	PHOTO MUST  PROVIDED  ion; rick ornament.  r, stylistic features in- erate to high degree of ion of mid 19th century one of few remaining in  also in close proximity
brick dwelling with flat ro (west) is later alteration slat railing and shed roof. with arched transom (covere windows; all openings have Symmetrical three-bay seconds. HISTORY AND SIGNIFICANCE bracket a cal860 or earlier of architectural integrity and vernacular Italianate commencity). (On 1883 Sanborn maps of the discount of the same of t	with simple wood post supports, open and simple wood post supports, open and; left and center bays contain 2, stone sills and simple brick hoodmen and story has same window configuration in the property of the panel above each window with be presented in the significant as a representation of the significant as a representation	PHOTO MUST  PROVIDED  prick ornament.  r, stylistic features in- erate to high degree of ion of mid 19th century one of few remaining in  also in close proximity
brick dwelling with flat ro (west) is later alteration slat railing and shed roof. with arched transom (covere windows; all openings have Symmetrical three-bay secon  43. HISTORY AND SIGNIFICANCE br There are building permits of dicate a cal860 or earlier of architectural integrity and vernacular Italianate comment city). (On 1883 Sanborn map  44. DESCRIPTION OF ENVIRONMENT AND At edge of residential neight to 1858 Pateee House hotel.  45. SOURCES OF INFORMATION No relevent building permit	with simple wood post supports, open and simple wood post supports, open and; left and center bays contain 2, stone sills and simple brick hoodmen and story has same window configuration in the property of the panel above each window with be presented in the significant as a representation of the significant as a representation	PHOTO MUST  The provided provi



3. SCENIOR OF DEPT. OF P 6 Z REMEMBERS (2) 2-9 2  8. SPECINE (REARLY SEE CALL DOCATON TOWNSHIP AND ESSENTIAL DOCATON TOWNSHI	· ·	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
STEEL   STRUCTURE   SUBSTITUTE   SUB	* <u>-</u>	-	
TOWNSHIP AND STREET ADDRESS  1116 SOUTH 11th Street  11399  115 SOUTH 11th Street  115 SOUTH 11th Street  116 SOUTH 11th Street  117 DATE(S) OF PERROD  118 STYLE OF DESIGN  VAPPHDENIAL VICINITY  St. Joseph  DESCRIPTION OF LOCATION  Legal: S \$ of Lot 10, Block 34  Patee's Addition  12. ORGANIAL USE; IF APPARENT Single Family Residence 12. Same  12. ORGANIAL USE; IF APPARENT Single Family Residence 12. Same  12. ORGANIAL USE; IF APPARENT Single Family Residence 12. Same  13. ORGANIAL USE; IF APPARENT Single Family Residence 12. Shingle Same  14. ORGANIAL USE; IF APPARENT Single Family Residence 12. Shingle Same  15. ORGANIAL USE; IF APPARENT Single Family Residence 12. Shingle Same  16. ON MARTONIAL USE; IF APPARENT Single Family Residence 12. Shingle Same  17. NOWN  18. STREET USE  28. ORGANIAL USE; IF APPARENT Single Family Residence 12. Shingle Same  29. ORGANIAL USE; IF APPARENT Single Family Residence 12. Shingle Same  20. ON MARTONIAL USE; IF APPARENT SAME AND ADDRESS IF ROWN 12. SHINGLE SAME SAME SAME SAME SAME SAME SAME SAM	LOCATION OF Dept. of P & Z	5. OTHER NAME(S)	
In components   In component			
STYLE OR DESIGN   FRURAL, VICINITY   St. JOSEPH   STYLE OR DESIGN   STYLE OR DESIGN   St. JOSEPH   St. JOSEPH   St. AUCHTEC OR ENGINEER   St. AUCH			•
DESCRIPTION OF LOCATION  Legal: S % of Lot 10, Block 34  Patee's Addition  Patee's Addition  ACCONTRACTOR OR BUILDER  20. CONTRACTOR OR BUILDER  21. ORIGINAL USE, IF APPARENT SINGLE Family Residence  22. PRESENT USE Same  23. OWNERSHIP PUBLIC() PROMON PUBLIC() PROMON PROMON (X)  24. OWNER'S NAME AND ADDRESS IF KNOWN  BUILDING(X)  STRUCTURE() BUILDING(X)  ON MATCHAL  LONG  STRUCTURE() BUILDING(X)  ON MATCHAL  LONG  STRUCTURE() BUILDING(X)  ON MATCHAL  TEACH CONTRACTOR OR BUILDER  23. OWNERSHIP PUBLIC() PROMON  Rev. Floyd D. Throckmarton  25. OPEN TO PUBLIC?  PUBLIC?  STRUCTURE() BUILDING(X)  ON MATCHAL  TEACH CONTROL PERSON OR ORGANIZATION  NO(X)  ON MATCHAL  TEACH CONTROL PERSON OR ORGANIZATION  NO(X)  PORTSTANCE, PERSON  TO THER SURVEYS IN WHICH INCLUDED  ON MATCHAL  TO THER SURVEYS IN WHICH INCLUDED  ACCORDING FROM AND PROMON PESSYAD.  TO THER SURVEYS IN WHICH INCLUDED  TO THER SURVEYS IN WHICH INCLUDED  ACCONTRACTOR OR BUILDER  TO THER SURVEYS IN WHICH INCLUDED  TO THER SURVEYS IN WHICH INCLUDED  ACCONTRACTOR OR BUILDER  TO PUBLIC?  TO THER SURVEYS IN WHICH INCLUDED  TO THE SURVEYS IN WHICH INCLUDED  TO THER SURVEYS IN WHICH INCLUDED  TO THER SURVEYS IN WHICH INCLUDED  TO THER SURVEYS IN WHICH INCLUDED  TO THER SURVEYS IN WHICH INCLUDED  TO THER SURVEYS IN WHICH INCLUDED  TO THER SURVEYS IN WHICH INCLUDED  TO THER SURVEYS IN WHICH INCLUDED  TO THER SURVEYS IN WHICH INCLUDED  TO THER SURVEYS IN WHICH INCLUDED  TO THER SURVEYS IN WHICH INCLUDED  TO THE SURVEYS IN WHICH INCLUDED  TO THE SURVEYS IN WHICH INCLUDED  TO THE SURVEYS IN WHICH INCLUDED  TO THE SURVEYS IN WHICH INCLUDED  TO THE SURVEYS IN WHICH INCLUDED  TO THE SURVEYS IN WHICH INCLUDED  TO THE SURVEYS IN WHICH INCLUDED  TO THE SURVEYS IN WHIC		1899	30. FOUNDATION MATERIAL
DESCRIPTION OF LOCATION Legal: S % of Lot 10, Block 34 Patee's Addition    S. ARCHITECT OR ENGINEER   S. ROOK TYPE AND MATERIAL Hip/Comp. Shingle   S. ROOK TYPE		77	TI WALL CONSTRUCTION
Patee's Addition   Patee's Add			Frame
Patee's Addition  21. ORIGINAL USE, IF APPARENT SINGLE Shingle Shingle Shingle Pamily Residence Community	Town 1-	ck 34	
Single Family Residence FAC   Single Family Residence FAC   Single Family Residence FAC   Single Family Residence FAC   Single Family Residence FAC   Single Family Residence FAC   Single   S	Patee's Addition	20. CONTRACTOR OR BUILDER	33. NO. OF BAYS
Same   Same		21. ORIGINAL USE, IF APPARENT Fu	
Same 23. OWNERSHIP PUBLIC   PRIVATE(X) 24. OWNERS NAME AND ADDRESS   SECTION OF LAT LONG 25. OWNERS NAME AND ADDRESS   VEX.   SECTION OF LAT LONG 26. OWNERS NAME AND ADDRESS   VEX.   SECTION OF LAT LONG 27. OWNERS NAME AND ADDRESS   VEX.   SECTION OF LAT LONG 28. OPEN TO PUBLIC? YES(X) SECTION OF LONG			
24. OWNER'S NAME AND ADDRESS IF MINOWN  Rev. Floyd D. Throckmarton  25. OPEN TO PUBLIC?  SULLDING( X)  SULLDING( X			35. PLAN SHAPE Rectangular
24. OWNER'S NAME AND ADDRESS IF KNOWN Rev. Floyd D. Throckmarton Rev. Floyd D. Denking D. Preserved D. Prest C. D. Preserved D. Proving D. Prest C. D. Preserved D. Proving D. Prov			(EXPLAIN IN
Rev. Floyd D. Throckmarton  Rev. Floyd D. Throckmarton  28. OPEN TO PUBLIC?  29. OPEN TO PUBLIC?  29. OPEN TO PUBLIC?  20. OPEN TO PUBLIC?  21. ON NATIONAL YES ()  22. LOCAL CONTACT PERSON OR ORGANIZATION  23. OPEN TO PUBLIC?  24. OPEN TO PUBLIC?  25. OPEN TO PUBLIC?  26. LOCAL CONTACT PERSON OR ORGANIZATION  27. OTHER SURVEYS IN WHICH INCLUDED  28. POSTRORY  29. POOR Maintenance  29. OTHER SURVEYS IN WHICH INCLUDED  29. OTHER SURVEYS IN WHICH INCLUDED  20. POOR Maintenance  20. OTHER SURVEYS IN WHICH INCLUDED  21. FURTHER DESCRIPTION OF IMPORTANT FEATURES  22. STORY, 2 bay, asymmetrical  23. FURTHER DESCRIPTION OF IMPORTANT FEATURES  23. STORY, 2 bay, asymmetrical  24. PUBLIC FROM AND  25. FURTHER DESCRIPTION OF IMPORTANT FEATURES  25. STORY, 2 bay, asymmetrical  26. LOCAL CONTACT PERSON OR ORGANIZATION  27. OTHER SURVEYS IN WHICH INCLUDED  28. PLOCAL CONTACT PERSON OR ORGANIZATION  39. PROMARGEOP YES (X)  40. VISIBLE FROM YES (X)  40. VISIBLE FROM YES (X)  40. VISIBLE FROM AND  40. VISIBLE FROM  40. VISIBLE FR		24. OWNER'S NAME AND ADDRESS	NO. 42) ALTERED (XX)
Rev. Floyd D. Throckmarton  25. OPEN TO PUBLIC?  25. OPEN TO PUBLIC?  26. LOCAL CONTACT PERSON OR ORGANIZATION  27. OTHER SURVEYS IN WHICH INCLUDED  27. OTHER SURVEYS IN WHICH INCLUDED  28. LOCAL CONTACT PERSON OR ORGANIZATION  29. LOCAL CONTACT PERSON OR ORGANIZATION  29. LOCAL CONTACT PERSON OR ORGANIZATION  20. PARTOF ESTABL YES ( ) 14. DISTRICT YES (X) HIST. DISTRICT, NO ( ) 2. NAME OF ESTABLISHED DISTRICT  29. OPEN TO PUBLIC?  20. OPEN TO PUBLIC?  20. OPEN TO PUBLIC?  20. OPEN TO PUBLIC?  20. ONTO PUBLIC?  20. LOCAL CONTACT PERSON OR ORGANIZATION  20. OTHER SURVEYS IN WHICH INCLUDED  21. FURTHER DESCRIPTION OF IMPORTANT FEATURES  22. FURTHER DESCRIPTION OF IMPORTANT FEATURES  23. STORY, 22 bay, asymmetrical frame dwelling with hip roof with centered hip roof dormer.  21. POTCH Attached to front elevation (east) has new support elements of wrought iron that support original shed roof with gable above entry bay. Left bay contains wide window with transom; second story has paired 1/1 windows; right bay has single door with transom; single 1/1 window on second story. Opening in dormer  3. HISTORY AND SIGNIFICANCE  And SIGNIFICANCE  AND SIGNIFICANCE  AND SIGNIFICANCE  AND SIGNIFICANCE  AND SIGNIFICANCE  AND SIGNIFICANCE  AND SIGNIFICANCE  AND SIGNIFICANCE  AND SIGNIFICANCE  AND SIGNIFICANCE  AND SIGNIFICANCE  AND SIGNIFICANCE  AND SIGNIFICANCE  AND SIGNIFICANCE  AND SIGNIFICANCE  AND SIGNIFICANCE  AND SIGNIFICANCE  AND SIGNIFICANCE  ANO SIGNIFICANCE  AND SIGNIFICANCE  AND SIGNIFICANCE  AND SIGNIFICA		IF KNOWN	
25. OPEN TO PUBLIC?  SITE() SI	• • • • • • • • • • • • • • • • • • • •	Rev. Floyd D. Throckmarton	T
BUILDING (x)  BUILDING (x)  OBJECT ()  OBJEC			) 36. PRESERVATION YES ( )
ON ARTIONAL PRO(X)  NO(X)  NO(			, NO (VV)
Apart of estab.   No( x)	ON NATIONAL YES ( ) 12, IS IT Y		BY WHAT? NO()
PUBLIC ROAD? NO()  Aname of Established District  2 story, 2 bay, asymmetrical frame dwelling with hip roof with centered hip roof dormer. Porch attached to front elevation (east) has new support elements of wrought iron that support original shed roof with gable above entry bay. Left bay contains wide window with transom; second story has paired 1/1 windows; right bay has single door with transom; single 1/1 window on second story. Opening in dormer  3. History AND Significance has been boarded up. Asbestos siding is a later alteration. Building permit records indicate construction in 1899 for applicant, John Schlecher. It has a moderate degree of architectural integrity due to excessive alterations and is moderately significant as a representation of turn of the century vernacular residential property type.  44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS At edge of residential neighborhood; commercial zone to south and west.  45. SOURCES OF INFORMATION  BP #7192, 9/26/99; site	NO ( X)	Zi, Offick Solvers in William Modes	<del></del>
PHOTO MUST  Prontage on Road  2. FURTHER DESCRIPTION OF IMPORTANT FEATURES 2 story, 2 bay, asymmetrical frame dwelling with hip roof with centered hip roof dormer.  Porch attached to front elevation (east) has new support elements of wrought iron that support original shed roof with gable above entry bay. Left bay contains wide window with transom; second story has paired 1/1 windows; right bay has single door with transom; single 1/1 window on second story. Opening in dormer  13. HISTORY AND SIGNIFICANCE has been boarded up. Asbestos siding is a later alteration. Building permit records indicate construction in 1899 for applicant, John Schlecher. It has a moderate degree of architectural integrity due to excessive alterations and is moderately significant as a representation of turn of the century vernacular residential property type.  14. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  At edge of residential neighborhood; commercial zone to south and west.  15. SOURCES OF INFORMATION  16. PREPARED BY Mary Jo Winder  17. ORGANIZATION	3. PART OF ESTAB. YES ( ) 14. DISTRICT Y HIST. DISTRICT? NO ( X) POTENTIAL?	YES(X) NO( )	DIDLIC BOAD 2
frame dwelling with hip roof with centered hip roof dormer.  Porch attached to front elevation (east) has new support elements of wrought iron that support original shed roof with gable above entry bay. Left bay contains wide window with transom; second story has paired 1/1 windows; right bay has single door with transom; single 1/1 window on second story. Opening in dormer  3. HISTORY AND SIGNIFICANCE has been boarded up. Asbestos siding is a later alteration. Building permit records indicate construction in 1899 for applicant, John Schlecher. It has a moderate degree of architectural integrity due to excessive alterations and is moderately significant as a representation of turn of the century vernacular residential property type.  14. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  At edge of residential neighborhood; commercial zone to south and west.  15. SOURCES OF INFORMATION  BP #7192, 9/26/99; site  16. PREPARED BY Mary Jo Winder  47. ORGANIZATION	. NAME OF ESTABLISHED DISTRICT		
frame dwelling with hip roof with centered hip roof dormer.  Porch attached to front elevation (east) has new support elements of wrought iron that support original shed roof with gable above entry bay. Left bay contains wide window with transom; second story has paired 1/1 windows; right bay has single door with transom; single 1/1 window on second story. Opening in dormer  3. HISTORY AND SIGNIFICANCE has been boarded up. Asbestos siding is a later alteration. Building permit records indicate construction in 1899 for applicant, John Schlecher. It has a moderate degree of architectural integrity due to excessive alterations and is moderately significant as a representation of turn of the century vernacular residential property type.  44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS At edge of residential neighborhood; commercial zone to south and west.  45. SOURCES OF INFORMATION  BP #7192, 9/26/99; site			
frame dwelling with hip roof with centered hip roof dormer.  Porch attached to front elevation (east) has new support elements of wrought iron that support original shed roof with gable above entry bay. Left bay contains wide window with transom; second story has paired 1/1 windows; right bay has single door with transom: single 1/1 window on second story. Opening in dormer  3. HISTORY AND SIGNIFICANCE has been boarded up. Asbestos siding is a later alteration. Building permit records indicate construction in 1899 for applicant, John Schlecher. It has a moderate degree of architectural integrity due to excessive alterations and is moderately significant as a representation of turn of the century vernacular residential property type.  34. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  At edge of residential neighborhood; commercial zone to south and west.  46. PREPARED BY Mary Jo Winder  47. ORGANIZATION  47. ORGANIZATION	2. FURTHER DESCRIPTION OF IMPORTANT	FEATURES 2 story, 2 bay, asymmetrical	BUOTO
of wrought iron that support original shed roof with gable above entry bay. Left bay contains wide window with transom; second story has paired 1/1 windows; right bay has single door with transom: single 1/1 window on second story. Opening in dormer  13. HISTORY AND SIGNIFICANCE has been boarded up. Asbestos siding is a later alteration. Building permit records indicate construction in 1899 for applicant, John Schlecher. It has a moderate degree of architectural integrity due to excessive alterations and is moderately significant as a representation of turn of the century vernacular residential property type.  14. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  At edge of residential neighborhood; commercial zone to south and west.  15. SOURCES OF INFORMATION  BP #7192, 9/26/99; site  16. PREPARED BY Mary Jo Winder  17. ORGANIZATION			MUST
entry bay. Left bay contains wide window with transom; second story has paired 1/1 windows; right bay has single door with transom: single 1/1 window on second story. Opening in dormer  3. HISTORY AND SIGNIFICANCE has been boarded up. Asbestos siding is a later alteration. Building permit records indicate construction in 1899 for applicant, John Schlecher. It has a moderate degree of architectural integrity due to excessive alterations and is moderately significant as a representation of turn of the century vernacular residential property type.  14. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS At edge of residential neighborhood; commercial zone to south and west.  15. SOURCES OF INFORMATION  BP #7192, 9/26/99; site  16. PREPARED BY Mary Jo Winder  17. ORGANIZATION			격 🔪
story has paired 1/1 windows; right bay has single door with transom; single 1/1 window on second story. Opening in dormer  3. HISTORY AND SIGNIFICANCE has been boarded up. Asbestos siding is a later alteration. Building permit records indicate construction in 1899 for applicant, John Schlecher. It has a moderate degree of architectural integrity due to excessive alterations and is moderately significant as a representation of turn of the century vernacular residential property type.  34. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS At edge of residential neighborhood; commercial zone to south and west.  45. SOURCES OF INFORMATION  BP #7192, 9/26/99; site			BE
transom; single 1/1 window on second story. Opening in dormer  3. HISTORY AND SIGNIFICANCE has been boarded up. Asbestos siding is a later alteration. Building permit records indicate construction in 1899 for applicant, John Schlecher. It has a moderate degree of architectural integrity due to excessive alterations and is moderately significant as a representation of turn of the century vernacular residential property type.  34. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS At edge of residential neighborhood; commercial zone to south and west.  46. PREPARED BY Mary Jo Winder  47. ORGANIZATION	eliciy bay. Here bay concari		PROVIDED
Building permit records indicate construction in 1899 for applicant, John Schlecher. It has a moderate degree of architectural integrity due to excessive alterations and is moderately significant as a representation of turn of the century vernacular residential property type.  14. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS 15. SOURCES OF INFORMATION 16. PREPARED BY Mary Jo Winder 17. ORGANIZATION 18. OF INFORMATION 19. Mary Jo Winder 19. ORGANIZATION			
It has a moderate degree of architectural integrity due to excessive alterations and is moderately significant as a representation of turn of the century vernacular residential property type.  14. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  At edge of residential neighborhood; commercial zone to south and west.  15. SOURCES OF INFORMATION  BP #7192, 9/26/99; site  46. PREPARED BY Mary Jo Winder  47. ORGANIZATION	story has paired 1/1 windows transom: single 1/1 window of		٠,
moderately significant as a representation of turn of the century vernacular residential property type.  14. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  At edge of residential neighborhood; commercial zone to south and west.  15. SOURCES OF INFORMATION  BP #7192, 9/26/99; site  16. PREPARED BY Mary Jo Winder  47. ORGANIZATION	story has paired 1/1 windows transom: single 1/1 window compared to the story and significance has	s been boarded up. Asbestos siding i	
44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS At edge of residential neighborhood; commercial zone to south and west.  45. SOURCES OF INFORMATION  BP #7192, 9/26/99; site  46. PREPARED BY Mary Jo Winder  47. ORGANIZATION	story has paired 1/1 windows transom: single 1/1 window of transom and significance has Building permit records indic	s been boarded up. Asbestos siding icate construction in 1899 for applica	nt, John Schlecher.
At edge of residential neighborhood; commercial zone to south and west.  15. SOURCES OF INFORMATION  BP #7192, 9/26/99; site  46. PREPARED BY Mary Jo Winder  47. ORGANIZATION	story has paired 1/1 windows transom: single 1/1 window of an arrange of a significance has Building permit records indicate has a moderate degree of a	s been boarded up. Asbestos siding icate construction in 1899 for applica architectural integrity due to excess	nt, John Schlecher. ive alterations and is
At edge of residential neighborhood; commercial zone to south and west.  15. SOURCES OF INFORMATION  BP #7192, 9/26/99; site  46. PREPARED BY Mary Jo Winder  47. ORGANIZATION	story has paired 1/1 windows transom: single 1/1 window of transom: single 1/1 window of transom: single 1/1 window of transom: significance has a moderate degree of a moderately significant as a result of the significant as a result of transom.	s been boarded up. Asbestos siding icate construction in 1899 for applica architectural integrity due to excess	nt, John Schlecher. ive alterations and is
At edge of residential neighborhood; commercial zone to south and west.  46. PREPARED BY Mary Jo Winder  BP #7192, 9/26/99; site  47. ORGANIZATION	story has paired 1/1 windows transom: single 1/1 window of transom: single 1/1 window of the second single second single second single second single second single second	s been boarded up. Asbestos siding icate construction in 1899 for applica architectural integrity due to excess	nt, John Schlecher. ive alterations and is
At edge of residential neighborhood; commercial zone to south and west.  46. PREPARED BY Mary Jo Winder  BP #7192, 9/26/99; site  47. ORGANIZATION	story has paired 1/1 windows transom: single 1/1 window of transom: single 1/1 window of the second single second single second single second single second single second	s been boarded up. Asbestos siding icate construction in 1899 for applica architectural integrity due to excess	nt, John Schlecher. ive alterations and is
BP #7192, 9/26/99; site  46. PREPARED BY Mary Jo Winder  47. ORGANIZATION	story has paired 1/1 windows transom: single 1/1 window of transom: single 1/1 window of transom: single 1/1 window of transom: significance has a moderate degree of a moderately significant as a result of the significant as a result of transom.	s been boarded up. Asbestos siding icate construction in 1899 for applica architectural integrity due to excess	nt, John Schlecher. ive alterations and is
Mary Jo Winder  BP #7192, 9/26/99; site  47. ORGANIZATION	story has paired 1/1 windows transom: single 1/1 window of transom: single 1/1 window of the second single 1/1 window of the second single 1/2 window of the second single 1/2 window of the second single 1/2 window of the second single 1/2 window of the second single 1/2 window of the second single 1/2 window of the second single 1/2 window of the second single 1/2 window of the second single 1/2 window of the second single 1/2 window of the second single 1/2 window of the second single 1/2 window of the second single 1/2 window of the second single 1/1 window of the second single 1/2 window of the s	s been boarded up. Asbestos siding is cate construction in 1899 for applica architectural integrity due to excess representation of turn of the century	nt, John Schlecher. ive alterations and is vernacular residential
Mary Jo Winder  BP #7192, 9/26/99; site  47. ORGANIZATION	story has paired 1/1 windows transom: single 1/1 window of transom: single 1/1 window of transom: single 1/1 window of the second of the second of the second of the second of the second of transom of the second o	s been boarded up. Asbestos siding is cate construction in 1899 for applica architectural integrity due to excess representation of turn of the century	nt, John Schlecher. ive alterations and is vernacular residential
BP #7192, 9/26/99; site 47. ORGANIZATION	story has paired 1/1 windows transom: single 1/1 window of transom: single 1/1 window of transom: single 1/1 window of transom: single 1/1 window of transom: single 1/1 window of transom: single 1/2 window of transom: single 1/2 window of transom: single 1/2 window of transom: single 1/2 window of transom: single 1/2 window of transom: single 1/2 window of transom: single 1/2 window of transom: single 1/2 window of transom: single 1/2 window of transom: single 1/2 window of transom: single 1/1 window of transom	s been boarded up. Asbestos siding is cate construction in 1899 for applica architectural integrity due to excess representation of turn of the century	nt, John Schlecher. ive alterations and is vernacular residential
	story has paired 1/1 windows transom: single 1/1 window of transom: single 1/1 window of the state of the significance of the significance of the significant as a reproperty type.  14. DESCRIPTION OF ENVIRONMENT AND OF THE SIGNIFICANCE OF THE SIG	s been boarded up. Asbestos siding is cate construction in 1899 for applica architectural integrity due to excess representation of turn of the century	nt, John Schlecher. ive alterations and is vernacular residential  West.
P.O. BOX 176	story has paired 1/1 windows transom: single 1/1 window of transom: single 1/1 window of the state of the second single of the second since of the second since of the second sin	s been boarded up. Asbestos siding is cate construction in 1899 for applica architectural integrity due to excess representation of turn of the century	nt, John Schlecher. ive alterations and is vernacular residential  west.  46. PREPARED BY Mary Jo Winder



# MISSOURI OFFICE OF HISTORIC PRESERVATION ARCHITECTURAL CHISTORIC INVENTORY SURVEY FORM 1 1/2 4/2 6/2

. NO. 75	. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
	Fire Saltin	
Buchanan	5. OTHER NAME(S)	
3. LOCATION OF Dept. of P & Z NEGATIVES RO11 #2-12		
B. SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY	28. NO. OF STORIES $1\frac{1}{2}$
TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS	Architecture	29. BASEMENT? YES ( )
1204 South 11th Street	17. DATE(\$) OR PERIOD 1939 (Sanborn Map 1939 correcti	NO( )
7. CITY OR TOWN IF RURAL, VICINITY	18. STYLE OR DESIGN	Brick
St. Joseph		31, WALL CONSTRUCTION
B. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick 32. ROOF TYPE AND MATERIAL
Legal: Lot 7, Block 33,	20. CONTRACTOR OR BUILDER	Hip & Gable/Slate
Patee's Addition	·	33. NO. OF BAYS
	21. ORIGINAL USE, IF APPARENT Fire Station	FRONT 5 SIDE
	22. PRESENT USE	Common Bond
	Vacant	35. PLAN SHAPE Irregular
	23. OWNERSHIP PUBLIC ( ) PRIVATE(X)	(EXPLAIN IN
	24. OWNER'S NAME AND ADDRESS	NO. 42) ALTERED ( ) MOVED ( )
	IF KNOWN	37. CONDITION
9, COORDINATES UTM		INTERIORExcellent
LAT Long	25. OPEN TO PUBLIC? YES( )	EXTENTON
O, SITE ( ) STRUCTURE	******	LINIOPSIWAY
BUILDING ( X) OBJECT	( ). 26. LOCAL CONTACT PERSON OR ORGANIZATION	
DECICTED O	B(X) D( ) 27 OTHER SURVEYS IN WHICH INCLUDED	Poor Maintenance No()
IZ DADT OF FETAR VEC ( ) IA DISTRICT YES	S(X)	40. VISIBLE FROM YES (X )
HIST. DISTRICT? NO ( X) POTENTIAL? NO	o( ).	PUBLIC ROAD ? NO ( )
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD
42. FURTHER DESCRIPTION OF IMPORTANT FE	12 Scory, 5 day, asymmetri	РНОТО
	ilding with hip and gable roof forms	NUSI /
	arapets; off-set left, brich chimney rear/south side wing; second and	γ°
	ion have 6/6 windows and single door	BE BE
- · · · · · · · · · · · · · · · · · · ·	g contains two garage door openings	/ 000\under \
	ier course and header brick work:	<u> </u>
43. HISTORY AND SIGNIFICANCE sign	panel above doors; small 6/6 window	7
43. HISTORY AND SIGNIFICANCE sign Building permit records indica	panel above doors; small 6/6 window ate construction of the fire station	in 1939 for \$27,102.
A3. HISTORY AND SIGNIFICANCE sign  Building permit records indicate  It has a high degree of archit	panel above doors; small 6/6 window ate construction of the fire station tectural integrity and is significan	in 1939 for \$27,102.
43. HISTORY AND SIGNIFICANCE sign Building permit records indica	panel above doors; small 6/6 window ate construction of the fire station tectural integrity and is significan	in 1939 for \$27,102.
43. HISTORY AND SIGNIFICANCE sign  Building permit records indicated in the second state of architecture.	panel above doors; small 6/6 window ate construction of the fire station tectural integrity and is significan	in 1939 for \$27,102.
43. HISTORY AND SIGNIFICANCE sign  Building permit records indicated in the second state of architecture.	panel above doors; small 6/6 window ate construction of the fire station tectural integrity and is significan	in 1939 for \$27,102.
A3. HISTORY AND SIGNIFICANCE sign  Building permit records indicate  It has a high degree of archit	panel above doors; small 6/6 window ate construction of the fire station tectural integrity and is significan	in 1939 for \$27,102.
A3. HISTORY AND SIGNIFICANCE sign Building permit records indicate It has a high degree of archit	panel above doors; small 6/6 windown ate construction of the fire station tectural integrity and is significant erty type.	in 1939 for \$27,102.
Building permit records indicate It has a high degree of archit of suburban fire station property.  44. DESCRIPTION OF ENVIRONMENT AND OU	panel above doors; small 6/6 windown ate construction of the fire station tectural integrity and is significant erty type.	in 1939 for \$27,102.
Building permit records indicate It has a high degree of archit of suburban fire station property.  44. DESCRIPTION OF ENVIRONMENT AND OUT At edge of residential neighbors.	panel above doors; small 6/6 windown the construction of the fire station tectural integrity and is significant erty type.	th and west.
Building permit records indicate It has a high degree of architt of suburban fire station property.  44. DESCRIPTION OF ENVIRONMENT AND OUT At edge of residential neighbors.  45. SOURCES OF INFORMATION	panel above doors; small 6/6 windown the construction of the fire station tectural integrity and is significant erty type.	in 1939 for \$27,102.
Building permit records indicate It has a high degree of archit of suburban fire station property.  44. DESCRIPTION OF ENVIRONMENT AND OU At edge of residential neighbours.  BP #9508, 5/22/39; site	panel above doors; small 6/6 windown the construction of the fire station tectural integrity and is significant erty type.	th and west.



ARCHITECTURAL/HISTORIC	INVENTORY SURVEY FORM	BN-45004-034
. NO. 74	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
. county Buchanan	5. OTHER NAME(S)	
s. Location of Dept. of P & Z NEGATIVES Roll #2-15	S. OTHER NAME(S)	
SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY	28. NO. OF STORIES 1
TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS	Architecture  17. DATE(S) OR PERIOD	29. BASEMENT? YES ( )
1220 South 11th Street	1924	30. FOUNDATION MATERIAL
CITY OR TOWN IF RURAL, VICINITY	IB. STYLE OR DESIGN	Brick
St. Joseph	CIASSIC NEVIVAL	31. WALL CONSTRUCTION Brick
B. DESCRIPTION OF LOCATION  Legal: Part Lot 12, Block	19. ARCHITECT OR ENGINEER	32. ROOF TYPE AND MATERIAL
Patee's Addition	20. CONTRACTOR OR BUILDER	Flat PR
race s mareron	S <del>t</del>	33. NO. OF BAYS FRONT SIDE
	Office	34. WALL TREATMENT
	22. PRESENT USE	Stretcher
	Same	35. PLAN SHAPERectangular
	23. OWNERSHIP PUBLIC ( PRIVATE (	(EXPLAIN IN
	24. OWNER'S NAME AND ADDRESS	NO. 42) ALTERED( ) MOVED( )
	IF KNOWN	37. CONDITION
9, COORDINATES UTM LAT		INTERIOR
LONG	25. OPEN TO PUBLIC? YES(	) 38. PRESERVATION YES ( )
O. SITE ( ) STRUCT		······································
	ECT( ) 26. LOCAL CONTACT PERSON OR ORGANIZATI Yes(X)	BY WHAT 2
II. ON NATIONAL YES ( ) 12. IS IT NO ( X) ELIGIBLE?	NO( ) 27, OTHER SURVEYS IN WHICH INCLUDED	Poor Maintenance
I3. PART OF ESTAB. YES ( ) I4. DISTRICT POTENTIAL?	YES (X )	40. VISIBLE FROM YES (X ) PUBLIC ROAD? NO( )
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD
42. FURTHER DESCRIPTION OF IMPORTANT	FEATURES 1 story, 2 bay, asymmetrica	1,1
brick office addition to com	mmercial building. Left bay contain	I PHOID /
	d is sheltered by a small gable door	
	red by a small gable roof with wood with shaped ends. Right bay contain	BE
	lows. Shed roof attached to facade	PROVIDED
	osed rafters with shaped ends. Para	pe
	ll gable-shaped and stepped at corne	
	cate construction in 1924 for applic	
	ctural integrity and is significant	as a representation of
classic Revival (Vernacular)	commercial/office property type.	
•		ŀ
44. DESCRIPTION OF ENVIRONMENT AND	OUTBUILDINGS	
In warehouse/commercial zone;	common walls w/other commercial b	uildings.
45. SOURCES OF INFORMATION		46. PREPARED BY Mary Jo Winder
BP #2757, 6/18/24; site		
PETURN THIS FORM WHEN COMPLET	FD TO: OFFICE OF HISTORIC PRESERVATION	
	TED TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102	47. ORGANIZATION  City of St. Joseph  48. DATE 49. REVISION DATE(S)  7/88



MISSOURI OFFICE OF HISTORIC PRESERVATION ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM BN 45004-035 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) 1. NO. 134 ž 2. COUNTY Buchanan 5. OTHER NAME(S) NEGATIVES ROLL #13-22 NEGATIVES 16. THEMATIC CATEGORY 6 SPECIFIC LEGAL LOCATION 28. NO. OF STORIES 'n \_ RANGE Architecture SECTION TOWNSHIP\_ 29. BASEMENT? YES ! COUNTY IF CITY OR TOWN, STREET ADDRESS IT. DATE(S) OR PERIOD NO ( 1005 South 12th Street 30. FOUNDATION MATERIAL <del>caxxxx933</del>0 1909 IF RURAL, VICINITY 7. CITY OR TOWN IS. STYLE OR DESIGN Brick 31. WALL CONSTRUCTION St. Joseph Neoclassical Brick IS. ARCHITECT OR ENGINEER 8. DESCRIPTION OF LOCATION 32. ROOF TYPE AND MATERIAL Legal: Lot 8, Block 25, Hip & Gable/Comp. Shi 20. CONTRACTOR OR BUILDER qle Patee Addition 33. NO. OF BAYS FRONT SIDE 21. ORIGINAL USE, IF APPARENT PRESENT 34. WALL TREATMENT Single Family Residenc Stretcher? 22. PRESENT USE 35. PLAN SHAPE Irregular Same LOCAL 23. OWNERSHIP PUBLIC ( 36. CHANGES (EXPLAIN IN ADDITION ( PRIVATE(X) ALTERED (XX) NO. 42) 24. OWNER'S NAME AND ADDRESS MOVED ( NAME(S) IF KNOWN 37. CONDITION INTERIOR\_ COORDINATES UTM Maryann Bennett Good LAT EXTERIOR ဓ္က LONG 38. PRESERVATION UNDERWAY ? 25. OPEN TO PUBLIC? YES( YES ( DESIGNATION NO(X) NO ( SITE ( ) STRUCTURE ( BUILDING ( X) OBJECT ( 26. LOCAL CONTACT PERSON OR ORGANIZATION 39. ENDANGERED? YES (xy) BY WHAT ? ON NATIONAL REGISTER ? 11. YES ( ) 12. IS IT ELIGIBLE? YES (X) NO ( Poor Maintenance NO ( X) NO ( 27, OTHER SURVEYS IN WHICH INCLUDED 14. DISTRICT YES (X )
POTENTIAL? NO( ) 40. VISIBLE FROM YES (X ) PART OF ESTAB. HIST. DISTRICT? YES ( ) PUBLIC ROAD ? NO ( NO ( 41. DISTANCE FROM AND FRONTAGE ON ROAD IS NAME OF ESTABLISHED DISTRICT 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 2½ story, 3 bay, asymmetrica **PHOTO** brick dwelling with front gable projecting from hip roof, MUST molded frieze with dentils and molded cornice. Screened in porch attahced to first story of front elevation (mostly BE newer elements). Second story contains paired 1/1 windows PROVIDED in first bay, single 1/1 window in second and oval fixed window in third. Gable has projecting section supported 43. HISTORY AND SIGNIFICANCE by scroll brackets; wall has wood shingle siding and contains paired openings; peak portion projects with rafter supports and has ornamented 6. TOWNSHIP 43. A building permit in 1909 issued to Bennie Yaahar indicates a construction phase: stylistic features indicate this period of construction; however, the 1888 Sanborn map indicates a building of similar configuration on the site. Since there are no apparent features of the original dwelling, the building is significant as a representation of Neoclassical residential property type.

44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS

In residential neighborhood primarily of cal870-1910; church on property to north.

45. SOURCES OF INFORMATION

B.P. #6055, 8/17/09; site; 1888 Sanborn map

RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096

Mary Jo Winder 47. ORGANIZATION City of St. 49. REVISION DATE(S) 48. DATE 7/88

46. PREPARED BY

IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM



ARCHITECTURAL/HISTORIC	INVENTORY SURVEY FORM	BN 45-004-6	36
I. NO. 133	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		- No
2. COUNTY Buchanan	5. OTHER NAME(S)	· · · · · · · · · · · · · · · · · · ·	b
3. LOCATION OF Dept. of P & Z NEGATIVES Roll #11-5			
8. SPECIFIC LEGAL LOCATION TOWNSHIP RANGESECTION_	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 1 29. BASEMENT? YES()	i,
1007 S. 12th Street	IT. DATE(S) OR PERIOD C.1870	NO( )	COUNTY
7. CITY OR TOWN IF RURAL , VICINITY	18. STYLE OR DESIGN Thalianate Wormagular 49	Brick	≺ં
St. Joseph  8. DESCRIPTION OF LOCATION	Italianate/Vernacular  19. ARCHITECT OR ENGINEER	31. WALL CONSTRUCTION  Brick	
Legal: Lot 9, Block 25, Patee's Addition	30	32.ROOF TYPE AND MATERIAL Hip/Comp/ Shingle	
Patee's Addition	4B	33. NO. OF BAYS FRONT 5 SIDE	۸.
	21. ORIGINAL USE, IF APPARENT OF A Single Family: Residence	84. WALL TREATMENT	PRESENT
	22. PRESENT USE .Same	Painted  35. PLAN SHAPE Irregular	
·		) 36. CHANGES ADDITION( )	LOCAL NAME(S)
	24. OWNER'S NAME AND ADDRESS	NO. 42) ALTERED (XX)	2
9. COORDINATES UTM	Mrs. Theresa R. Ross	37. CONDITION INTERIOR	ME (S
LAT		EXTERIOR Good	CR
LONG  10. SITE ( ) STRUCT	25. OPEN TO PUBLIC? YES(	IMPERMINA	
BUILDING ( X) OBJ	ECT ( ) 26. LOCAL CONTACT PERSON OR ORGANIZATION	N 39. ENDANGERED? YES (XX)	DESIGNATION (S)
II. ON NATIONAL YES ( ) 12. IS IT NO ( X)	YES(X) NO( ) 27. OTHER SURVEYS IN WHICH INCLUDED	BY WHAT ? NO() Poor Maintenance	ATIO
I3. PART OF ESTAB. YES ( ) I4. DISTRICT POTENTIAL?	YFS (X )	40. VISIBLE FROM YES (X ) PUBLIC ROAD ? NO ( )	(9)
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD	
42 FURTHER DESCRIPTION OF IMPORTANT	FEATURES 1 story, 5 bay, asymmetrical,		į,
brick dwelling with hip roof,	plain frieze and brick water table.	РНОТО	OTHER
	l bay unit in projecting front wing;	MUST	9
	ng window with arched lintel, brick n arch. Right two bays recessed unde	BE BE	NAME (S)
porch which is an alteration	containing a single door (opening has		E(S)
	and brick infill in transom area)	1, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2,	
43. HISTORY AND SIGNIFICANCE and a all new materials (except roo support.	<pre>1/1 window. Porch has same configura f) of concrete block foundation and w</pre>	vrought iron rails and	
1	mits of record for this dwelling, how	rorron abrildad i a	, ,
tures indicate a ca 1870 cons	truction date. It has a high degree	ever, stylistic fea- of architectural inte-	10
grity and is significant as a	representation of mid 19th century vrch is a non-contributing alteration.	rernacular Italianate	6. TOWNSHIP
•		,	
44. DESCRIPTION OF ENVIRONMENT AND	OUTBUILDINGS		RANGE
In residential neighborhood p	rimarily of cal860-1900 dwellings.		, der
45. SOURCES OF INFORMATION		46. PREPARED BY	
No relevant building permit.	1888 Sanborn map; site	Mary Jo Winder 47. ORGANIZATION	SECTION
RETURN THIS FORM WHEN COMPLET	ED TO: OFFICE OF HISTORIC PRESERVATION	City of St. Joseph	NOI
IF ADDITIONAL SPACE IS NEEDED, ATTACH	P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102	48, DATE 49, REVISION DATE(S)	



ARCHITECTURAL/HISTORIC INVENTORY BN-18-004-037 SURVEY FORM 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) 1. NO. 132 ž 2. COUNTY Buchanan 5. OTHER NAME(S) LOCATION OF Dept. of P & Z NEGATIVES Roll #11-4 6. SPECIFIC LEGAL LOCATION 16. THEMATIC CATEGORY 28. NO. OF STORIES 'n SECTION Architecture \_ RANGE\_ TOWNSHIP\_ 29. BASEMENT? YES (XX COUNTY IF CITY OR TOWN, STREET ADDRESS NO ( IT. DATE(S) OR PERIOD 30. FOUNDATION MATERIAL 1011 South 12th Street c.1880 Brick 7. CITY OR TOWN IF RURAL, VICINITY IB. STYLE OR DESIGN Oueen Anne 49 31. WALL CONSTRUCTION St. Joseph Brick 19. ARCHITECT OR ENGINEER 8. DESCRIPTION OF LOCATION 30 40 32. ROOF TYPE AND MATERIAL Legal: Lot 10, Block 25, Hip/Comp. 20. CONTRACTOR OR BUILDER Shingle #P Patee's Addition 33. NO. OF BAYS FRONT SIDE 21. ORIGINAL USE, IF APPARENT PRESENT Single Family Residence OB 34. WALL TREATMENT Stretcher 22. PRESENT USE 35. PLAN SHAPE Irregular Same LOCAL 23 OWNERSHIP PUBLIC ( 36. CHANGES (EXPLAIN IN ADDITION ( PRIVATE ( Y ALTERED (XX) NO. 42) 24. OWNER'S NAME AND ADDRESS MOVED ( NAME(S) IF KNOWN 37. CONDITION INTERIOR. COORDINATES UTM Good LAT EXTERIOR. S LONG YES ( 25. OPEN TO PUBLIC 2 38. PRESERVATION UNDERWAY ? YES ( DESIGNATION STRUCTURE ( NO(X) SITE ( ) NO (XX) BUILDING (X) OBJECT ( 26. LOCAL CONTACT PERSON OR ORGANIZATION YES (XX) 39. ENDANGERED? BY WHAT ? ON NATIONAL REGISTER ? YES ( ) IS IT ELIGIBLE? YES (X) 12. Poor Maintenance No ( NO (X) NO ( 27, OTHER SURVEYS IN WHICH INCLUDED DISTRICT YES (X )
POTENTIAL ? NO ( ) VISIBLE FROM YES (X 13. PART OF ESTAB. YES ( ) Û HIST. DISTRICT? PUBLIC ROAD ? NO ( NO ( 15. NAME OF ESTABLISHED DISTRICT 41. DISTANCE FROM AND FRONTAGE ON ROAD 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 2 story, 3 bay, asymmetrical, 0 brick dwelling with hip roof with molded frieze, molded boxed **PHOTO** ¥ MUST cornice, an internal side brick chimney, and brick water table. Ŕ Recessed left bay contains 1/1 double hung window; both stories with stone sill and arched molded brick lintel with ornamented BE stone cornerblocks. Center bay contains double door entry with PROVIDED transom; french doors; 1/1 window above small porch attached over 43. HISTORY AND SIGNIFICANCE entry is an alteration with brick pedestal, lattices in fill. wrought iron supports and rail, wide entablature and flat roof. Slightly projecting right bay with gable roof contains paired 1/1 double hung windows with brick voussiors on first and second stories; paired window is exposed sub-story. TOWNSHIP There are no building permits of record for this dwelling, however, stylistic features indicate original construction of cal880. It has a high degree of architectural integrity and is significant as a representation of transitional Italianate/Queen Anne residential property type. 44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS In residential neighborhood primarily of cal860-1900 dwellings. 46, PREPARED BY 45 SOURCES OF INFORMATION Mary Jo Winder No relevant building permit. 1888 Sanborn map; site 47. ORGANIZATION

RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176 IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096

City of St. Joseph 48. DATE 49. REVISION DATE(S) 7/88



i. NO. 121	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		
z. county Buchanan		· ·	NO.
3. LOCATION OF Dept. of P & Z	5. OTHER NAME(S)		
NEGATIVES RO11 #11-3			
6. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION _	<pre>16. THEMATIC CATEGORY     Architecture</pre>	28. NO. OF STORIES $1\frac{1}{2}$ 29. BASEMENT? YES (XX)	Ņ
IF CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	NO()	COUNTY
1018 South 12th Street	1909	30. FOUNDATION MATERIAL Brick	7
7. CITY OR TOWN IF RURAL, VICINITY St. Joseph	Vernacular/Bungalow	31. WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION	IS. ARCHITECT OR ENGINEER	Frame	
Legal: Lots 3 & 4, Block	■ 20 CONTRACTOR OR BUILDER	32.ROOF TYPE AND MATERIAL Gable/Comp. Shingle	DR
Patee's Addition	FU	33. NO. OF BAYS FRONT 3 SIDE	٠
	21. ORIGINAL USE, IF APPARENT Single Family Residence	34. WALL TREATMENT	PXC
	22. PRESENT USE	_Clapboard	PRESER
	Same 23. OWNERSHIP PUBLIC( )	35. PLAN SHAPERectangular	
	23. OWNERSHIP PUBLIC ( ) PRIVATE(X )	36. CHANGES ADDITION() (EXPLAIN IN NO. 42) ALTERED (XX)	LOCAL MAME(S)
	24. OWNER'S NAME AND ADDRESS IF KNOWN	MOVED ( )	3
9. COORDINATES UTM	Charles Ray Brown	37. CONDITION INTERIOR	5
LAT	enaries hay brown	EXTERIOR	ç
LONG	25. OPEN TO PUBLIC? YES( ) TURE( )	INIOPPINAVA	
· - •	JECT ( ) 26. LOCAL CONTACT PERSON OR ORGANIZATION	39. ENDANGERED? YES( )	9
II. ON NATIONAL YES ( ) 12. IS IT REGISTER?	YES (X)	BY WHAT? NO (XX	
TO A DISTRICT	VER (Y)	40. VISIBLE FROM YES (X )	DESIGNATION (3)
HIST. DISTRICT? NO ( X)	<sup>2</sup> NO( )	PUBLIC ROAD ? NO ( )	`
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD	
			<u> </u>
	FEATURES $1\frac{1}{2}$ story, 3 bay, asymmetrically below the side, gable roof dormers		
	ed to front elevation (east) has brick		
pedestals, square wood colum	nns and hip roof. Left bay contains	$\rightarrow$	
-	Right two bays contain single light	BE	
	red configuration). 1/1 double hung	PROVIDED	1
window in gable ½ story.			
	icate construction in 1909 for applica	nt Fred M Schnoll	
- bullaina permit records 10d'i	egree of architectural integrity and i		•
	n century vernacular residential prope	rty type.	
It has a moderate to high de	n century vernacular residential prope	rty type.	
It has a moderate to high de	n century vernacular residential prope.	rty type.	
It has a moderate to high de	n century vernacular residential prope.	rty type.	
It has a moderate to high de representation of early 20th		rty type.	<u> </u>
It has a moderate to high derepresentation of early 20th	OUTBUILDING <b>S</b>	rty type.	<u> </u>
It has a moderate to high derepresentation of early 20th  44. DESCRIPTION OF ENVIRONMENT AND		rty type.	
It has a moderate to high derepresentation of early 20th  44. DESCRIPTION OF ENVIRONMENT AND  In residential neighborhood	OUTBUILDING <b>S</b>		<u> </u>
It has a moderate to high derepresentation of early 20th  44. DESCRIPTION OF ENVIRONMENT AND In residential neighborhood  45. SOURCES OF INFORMATION	OUTBUILDING <b>S</b>	46. PREPARED BY Mary Jo Winder	
It has a moderate to high derepresentation of early 20th  44. DESCRIPTION OF ENVIRONMENT AND In residential neighborhood  45. SOURCES OF INFORMATION BP #5818, 5/24/09; site	OUTBUILDING <b>S</b>	46. PREPARED BY	<u> </u>



# MISSOURI OFFICE OF HISTORIC PRESERVATION ADCHITECTURAL CHISTORIC INVENTORY SURVEY FORM ADCHITECTURAL CHISTORIC INVENTORY SURVEY FORM

ARCHITECTURAL/HISTORIC	INVENTORY	SURVEY	FORM	

I. NO. 122	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		
Buchanan	5. OTHER NAME(S)	•	ć
3. LOCATION OF Dept. of P & Z NEGATIVES RO11 #11-2			
8. SPECIFIC LEGAL LOCATION TOWNSHIPRANGESECTION	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 1 - / 29. BASEMENT? YES ( )	;
IF CITY OR TOWN, STREET ADDRESS  1024 South 12th Street	17. DATE(S) OR PERIOD c.1860/1892/1942	NO( ) 30. FOUNDATION MATERIAL	0001
r. CITY OR TOWN IF RURAL, VICINITY St. Joseph	Vernacular/Greek Revival 47	Brick  31. WALL CONSTRUCTION	
B. DESCRIPTION OF LOCATION  Legal: Lot 1, Block 25,	19. ARCHITECT OR ENGINEER	Brick 32. ROOF TYPE AND MATERIAL	
Patee's Addition	20. CONTRACTOR OR BUILDER	/Gable/Comp. Shingle	20
	21. ORIGINAL USE, IF APPARENT Single Family Residence	FRONT 5 SIDE 84. WALL TREATMENT	
	22. PRESENT USE	Painted  35. PLAN SHAPE "T"	
	Vacant 23. OWNERSHIP PUBLIC( )	36. CHANGES ADDITION ( )	
	PRIVATE(X)	NO. 42) ALTERED ( XX) MOVED ( )	
9. COORDINATES UTM	William Glenn	37. CONDITION INTERIOR	
LAT		EXTERNOR_Fair	
O. SITE() STRUCTU	25. OPEN TO PUBLIC? YES( )  NO(X)	I I I I I I I I I I I I I I I I I I I	
I. ON NATIONAL YES ( ) 12, IS IT Y	CCT( ). 26. LOCAL CONTACT PERSON OR ORGANIZATION (ES(X)	39. ENDANGERED? YES(XX) BY WHAT? Poor Maintenance	
PART OF ESTAR VES ( ) 14 DISTRICT )	NO( ) 27, OTHER SURVEYS IN WHICH INCLUDED (ES(X)	40. VISIBLE FROM YES (X )	
HIST. DISTRICT? NO ( X) POTENTIAL?	NO( )	PUBLIC ROAD ? NO( ) 41. DISTANCE FROM AND	
		FRONTAGE ON ROAD	
	FEATURES 1 story, 5 bay, asymmetrical	РНОТО	
3 .,	f, plain frieze and centralized and y is shed-roof addition of 1942.	MUST	
	ecting front gable wing each contain	$\times$	•
. 3	n covered with temporary panels;	BE	
	ls are solder course brick. Fourth fth has a 1/1 double hung window.	PROVIDED	
43. HISTORY AND SIGNIFICANCE	ith has a 1/1 double hung window.		
Building permit records indic	ate remodeling of the dwelling in 189	2 for applicant,	
R. Christianson and construct	ion of an addition in 1942 for applic	ant, Oliver Hawks (the	
date however It has a moder	ylistic features indicate a ca 1860 o ate degree of architectural due to ex	riginal construction	
and is significant as a repre	sentation of mid 19th century vernacu	Cessive alterations	
residential property type.	vermen		
•			<b>}</b>
	DUTBUILDINGS		
In residential neighborhood p	rimarily of cal860-1900 dwellings; on	corner lot.	
45. SOURCES OF INFORMATION		46. PREPARED BY	<b> </b>
BP #2196, 6/14/92; BP #10278,	9/17/42; site; 1888 Sanborn map	Mary Jo Winder 47. ORGANIZATION	1
RETURN THIS FORM WHEN COMPLET	ED TO: OFFICE OF HISTORIC PRESERVATION	City of St. Joseph	
F ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	P.O. BOX 176 Jefferson City, Missouri 65102	48. DATE 49. REVISION DATE(S) 7/88	1



I. NO. 131	PRESENT LOCAL NAME(S) OR DESIGNATION(S)		- -
2. COUNTY Buchanan		· · · · · · · · · · · · · · · · · · ·	
3. LOCATION OF Dept. of P & Z NEGATIVES Roll #3-23	OTHER NAME(S)		
6. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 7 29. BASEMENT? YES ( )	į
IF CITY OR TOWN, STREET ADDRESS 1107 South 12th Street	17. DATE(S) OR PERIOD	NO( )	COON
7. CITY OR TOWN IF RURAL, VICINITY	c.1870/1903  18. STYLE OR DESIGN  Italianate	Brick	4
St. Joseph  8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	31. WALL CONSTRUCTION Brick	
Legal: Lot 8, Block 28, Patee's Addition	20. CONTRACTOR OR BUILDER	32. ROOF TYPE AND MATERIAL Hip/Comp. Shingle	
	21. ORIGINAL USE, IF APPARENT	33. NO. OF BAYS FRONT 5 SIDE	•
	Single Family Residence 22. PRESENT USE	34. WALL TREATMENT Stretcher/Painted	יאפטפא ו
	Same 23. OWNERSHIP PUBLIC (	35. PLAN SHAPE Irregular ) 36. CHANGES ADDITION( )	
	PRIVATE(X		COCAL MAME(S)
	Dee Bennett (March 1989)	37. CONDITION INTERIOR	(AME)
9, COORDINATES UTM	-Stephen Guthery	EXTERFOR Good	ç
IO. SITE() STRUCTURE(	25. OPEN TO PUBLIC? YES( NO(X	I I I I I I I I I I I I I I I I I I I	Ì
BUILDING ( X) OBJECT ( II. ON NATIONAL YES ( ) 12. IS IT YES ()	- and another contribution of the contribution	BY WHAT?	DESIGNATION (3)
REGISTER ? NO ( X) ELIGIBLE ? NO (	X )	Poor Maintenance  40. VISIBLE FROM YES (X )	1
HIST. DISTRICT? NO ( X) POTENTIAL? NO (	<u> </u>	PUBLIC ROAD ? NO() 41. DISTANCE FROM AND	
		FRONTAGE ON ROAD	
	TURES 1 story, 5 bay, symmetrical,	РНОТО	9.
massed, brick dwelling with hip wood brackets that support molder	_	MUST	2
table. Recessed first bay contastone sill, arched brick lentil.	<del>-</del>	BE	ş
vertical recessed strip painted	a contrasting color; same effect	PROVIDED	ZAMC (3)
on corners of slightly projecting 43. HISTORY AND SIGNIFICANCE 1/1 double	e hung windows. Recessed fifth ba	ay contains single	
door with arched transom (covered rail of wrought iron; hip roof has	<ul><li>d); small porch attached to bay has wood brackets.</li></ul>	as altered support and	
3. Building permit records indi	cate alterations to this dwelling	in 1903 for applicant,	
6. H. Weyler; original construction intact. It has a high degree of	on is cal870 with many of it Itali architectural integrity (excepting	ianate characteristics	
significant as a representation o	f Italianate residential property	type.	
•			
n residential neighborhood prima			
45. SOURCES OF INFORMATION  RD #11071 6/8/03. gito		46. PREPARED BY Mary Jo Winder	<u> </u>
BP #A1071, 6/8/03; site	TO: OFFICE OF HISTORIC PRESERVATION	47. ORGANIZATION City of St. Joseph	
DETIION THE FOOM WHITH SALIRI		I CITY OF ST INCOMP	



ARCHITECTURAL/HISTORIC	INVE	NTORY SURVEY FORM	BN:45 604.0
1. NO. 130	4. PRE	SENT LOCAL NAME(S) OR DESIGNATION(S)	
2. COUNTY Buchanan		HER NAME(S)	
3. LOCATION OF Dept. of P & Z NEGATIVES Roll #3-21	-	TER NAME(S)	
6. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION _		16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 2
IF CITY OR TOWN, STREET ADDRESS		17. DATE(S) OR PERIOD	29. BASEMENT? YES ( )
1109 South 12th Street		%x4878 ca1860	30. FOUNDATION MATERIAL Brick
7. CITY OR TOWN IF RURAL, VICINITY St. Joseph		IB. STYLE OR DESIGN Italianate 40 49	31. WALL CONSTRUCTION
8. DESCRIPTION OF LOCATION		19. ARCHITECT OR ENGINEER	Brick 32. ROOF TYPE AND MATERIAL
Legal: Lot 9, Block 28, Patee's Addition		20. CONTRACTOR OR BUILDER 30 90	Flat 33. No. OF BAYS
		21. ORIGINAL USE, IF APPARENT	FRONT 3 SIDE
		Single Family Residence	34. WALL TREATMENT Stretcher
		22. PRESENT USE Same	35. PLAN SHAPE Irregular
•		23. OWNERSHIP PUBLIC( )	36. CHANGES ADDITION ( )
		$\frac{PRIVATE(\chi)}{24. \ OWNER'S \ \ NAME \ \ AND \ \ \mathsf{ADDRESS}$	(EXPLAIN IN NO. 42) ALTERED ( ) MOVED ( )
		IF KNOWN Cecil Johnson	37. CONDITION
9. COORDINATES UTM			INTERIOR
LONG		25. OPEN TO PUBLIC? YES( )	38. PRESERVATION YES ( )
IO. SITE ( ) STRUCT		NO(X)	
II. ON NATIONAL YES ( ) 12. IS IT	YES(X)	. 26. LOCAL CONTACT PERSON OR ORGANIZATION	39. ENDANGERED? YES( ) BY WHAT? NOXX)
IT DART OF FETAR VES / ) IA DISTRICT	NO()	27. OTHER SURVEYS IN WHICH INCLUDED	40. VISIBLE FROM YES (X )
HIST. DISTRICT? NO ( X) POTENTIAL 2	NO()	•	PUBLIC ROAD ? NO ( ).  41. DISTANCE FROM AND
15. NAME OF ESTABLISHED DISTRICT	i		FRONTAGE ON ROAD
42. FURTHER DESCRIPTION OF IMPORTANT	EE ATUE	56 2 atoms 2 have a grown of wind	
brick dwelling with flat room			РНОТО
		door entry (paneled doors) with	MUST
transom; 1/1 double hung wind			
	_	red 1/1 double hung windows, bot	
		bays have stone sills and molded ones. Right bay is second story	
	onal	bay unit on south elevation; it	
		for this dwelling; however, sty	digtig fortuge ( )
cate a cal860 original constr	uction	d for this dwelling; however, sty n date. It has a high degree of	architectural integrity
and is significant as a repre	sentat	tion of early Itlianate residenti	al property type.
(On 1883 Sanborn map)			
44. DESCRIPTION OF ENVIRONMENT AND	OUTBUIL	DINGS	
		ly of cal860-1900 dwellings; wit	thin one block of 1950
Patee House hotel.	- 111141 1	-1 or carood-1900 awerrings; wit	WITH OHE DIOCK OI 1808
45. SOURCES OF INFORMATION		· · · · · · · · · · · · · · · · · · ·	46, PREPARED BY
No relevant building permit.	1883	Sanborn map; site	Mary Jo Winder  47. ORGANIZATION
RETURN THIS FORM WHEN COMPLET		OFFICE OF HISTORIC PRESERVATION	City of St. Joseph
•		P.O. BOX 176	48. DATE 49. REVISION DATE(S)
IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM		JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	7/88



OFFICE OF HISTORIC PRESERVATION MISSOURI BN. HS-004-042 ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM 1. NO. 123 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) 2. COUNTY Buchanan 5. OTHER NAME(S) LOCATION OF Dept. of P & Z NEGATIVES RO11 #3-24, #12 #12-3 IS. THEMATIC CATEGORY 6. SPECIFIC LEGAL LOCATION 28. NO. OF STORIES 'n \_ RANGE\_ SECTION Architecture TOWNSHIP\_\_ 29. BASEMENT? YES ( COUNTY IF CITY OR TOWN, STREET ADDRESS IT. DATE(S) OR PERIOD NO ( 1108-10 South 12th Street 1909 30. FOUNDATION MATERIAL Brick IF RURAL, VICINITY 7. CITY OR TOWN IS. STYLE OR DESIGN 31. WALL CONSTRUCTION St. Joseph <u>4-Soucke/</u>Classic Revival Frame 19. ARCHITECT OR ENGINEER 8. DESCRIPTION OF LOCATION 32. ROOF TYPE AND MATERIAL Legal: Lot 5, Block 28, Dr. Hip/Comp. Shingle 20. CONTRACTOR OR BUILDER Patee's Addition ms 33. NO. OF BAYS ٨ FRONT SIDE Duplex USE, IF APPARENT PRESENT LOCAL 34. WALL TREATMENT Asbestos Shingle 22. PRESENT USE 35. PLAN SHAPE Rectangula Same? PUBLIC ( 36. CHANGES (EXPLAIN IN 23. OWNERSHIP ADDITION ( PRIVATE(x) ALTEREDXX ) NO. 42) 24. OWNER'S NAME AND ADDRESS MOVED ( NAME(S) IF KNOWN 37. CONDITION INTERIOR\_ UTM COORDINATES Good EXTERIOR. LAT S LONG YES ( 38. PRESERVATION UNDERWAY ? 25. OPEN TO PUBLIC? YES ( DESIGNATION(S) NO(X) SITE ( ) STRUCTURE ( NO (XX) BUILDING ( X) OBJECT ( 26. LOCAL CONTACT PERSON OR ORGANIZATION ENDANGERED? YES (XX) BY WHAT ? IS IT Eligible? ON NATIONAL YES ( ) 12. YES (X) 11. NO ( ) REGISTER ? Poor Maintenance NO ( X) NO ( 27. OTHER SURVEYS IN WHICH INCLUDED DISTRICT YES (X POTENTIAL? NO ( VISIBLE FROM PUBLIC ROAD ? YES (X) PART OF ESTAB. YES ( ) 14. YES (X ) HIST. DISTRICT? NO ( v) NO ( DISTANCE FROM AND FRONTAGE ON ROAD 15. NAME OF ESTABLISHED DISTRICT O 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 2 story, 4 bay, symmetrical, **PHOTO** OTHER frame duplex dwelling with hip roof with hip roof dormes and boxed MUST cornice. Second story porch attached to front elevation (east) has stone foundation and pedestals with square columns supporting BE upper portion which has open slat railing and shed roof with PROVIDED shaped fascia; both levels have screened panels (an addition). Dormer contains paired 1/1 windows. First and fourth bay contain 43. HISTORY AND SIGNIFICANCE entries; second and third have windows. Building permit records indicate construction in 1909 for applicant, J. H. Patterson. It has a high degree of architectural integrity and is significant as a representation pf early 20th century Classic Revival duplex property type. TOWNSHIP 44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS In residential neighborhood primarily of cal860-1900 dwellings; vacant lot adjacent on north. 46. PREPARED BY

45. SOURCES OF INFORMATION Mary Jo Winder BP #6333, 11/26/09; site 47. ORGANIZATION City of St. RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION Joseph 48. DATE 49. REVISION DATE(S) P.O. BOX 176

IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM

JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096

7/88





1 NO 12 IL	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	BN-AS-004-043	
i. no. 124	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		l
2. COUNTY	S OTHER NAME (C)		
Buchanan 3. LOCATION OF Dept. of P & Z	5. OTHER NAME(S)		
NEGATIVES Roll #12-36			
6. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	I6. THEMATIC CATEGORY Architecture	28. NO. OF STORIES $\perp$ 29. BASEMENT? YES ( )	
IF CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	NO( )	
1112-14 South 12th Street	1897	30. FOUNDATION MATERIAL	
7. CITY OR TOWN IF RURAL, VICINITY St. Joseph	<pre>I8. STYLE OR DESIGN   Colonial Revival/Queen Anne</pre>	SI. WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Frame	ĺ
Legal: Lot 4, Block 28,		32. ROOF TYPE AND MATERIAL	
Patee's Addition	20. CONTRACTOR OR BUILDER	Hip/Comp. Shingle 33. NO. OF BAYS	Ø
	21. ORIGINAL USE, IF APPARENT	FRONT A SIDE	
	Duplex 51 WA	34. WALL TREATMENT	
	22. PRESENT USE	Clapboard	i
·		35. PLAN SHAPE	l
	23. OWNERSHIP PUBLIC ( PRIVATE(X	) 36. CHANGES ADDITION( ) (EXPLAIN IN ALTERED( )	
	24. OWNER'S NAME AND ADDRESS	NO. 42) ALTERED ( ) MOVED ( )	İ
	IF KNOWN	37. CONDITION	
9, COORDINATES UTM	Forrest Imlay	INTERIOR GOOD	
LAT Long	25. OPEN TO PUBLIC? YES(		
IO. SITE() STRUC	TURE( ) NO(X	LIAIS COMMAN C	
BUILDING ( X) OB	JECT ( ) . 26. LOCAL CONTACT PERSON OR ORGANIZATIO		
II. ON NATIONAL YES ( ) 12. IS IT REGISTER?	YES (X)	KX) ON ? TAHW YB	
IN PART OF FETAR VES ( ) 14 DISTRICT	YES (X)	40, VISIBLE FROM YES (X )	i
HIST. DISTRICT? NO ( X) POTENTIAL	? NO( ).	PUBLIC ROAD ? NO ( )	
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD	
·		TROMPAGE ON ROAD	
42. FURTHER DESCRIPTION OF IMPORTANT	FEATURES 1 story, 4 bay, asymmetrica	1	
frame duplex dwelling with h	rip roof with gable projections on	РНОТО	
front and south elevations;	plain frieze and corner boards;	MUST	
	Left bay is east wall of rear portion		
	second and fourth bays has brick	PROVIDED	
	s that support entablatures and hip		
	s recessed and contain single doors was soms. Third bay has picture window w		
	re porch roof, fishscale wood shingle		1
have been reduced and contai		. 1	
43. Building permit records	indicate construction in 1897 for ap	plicant, D. W. Peterman.	
It has a high degree of arch	itectural integrity and is significan	t as a representation	
transitional vernacular Quee	n Anne/Colonial Revival residential p	roperty type.	l
		-	1
•	<u> </u>		
44. DESCRIPTION OF ENVIRONMENT AND	OUTBUILDINGS		
In residential neighborhood	primarily of cal860-1920 dwellings.		
	<u> </u>		
45. SOURCES OF INFORMATION		46. PREPARED BY	<b> </b> -
		Mary Jo Winder	
BP #5284, 9/28/97; site			1
	TED TO: OFFICE OF HISTORIC PRESERVATION	47. ORGANIZATION City of St. Joseph	



NO. 129 4. PF	ESENT LOCAL NAME(S) OR DESIGNATION(S)	BN-145.004-644
	Bartist Church	
. COUNTY 5. O	THER NAME(S)	
LOCATION OF Dept. of P & Z NEGATIVES Roll A#1		
SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 12
IF CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	29. BASEMENT? YES ( ) NO ( )
1115-17 S. 12th Street	ca 1870 72	30. FOUNDATION MATERIAL
city or town if RURAL, VICINITY St. Joseph	18. STYLE OR DESIGN  Colonial Revival Church	31. WALL CONSTRUCTION
. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Frame
Legal: Lot 10, Block 28,	20. CONTRACTOR OR BUILDER	32.ROOF TYPE AND MATERIAL Gable/Comp. Shingle
Patee's Addition	20. CONTRACTOR OR BUILDER	33. NO. OF BAYS
	21. ORIGINAL USE, IF APPARENT Church	FRONT A SIDE
	22. PRESENT USE	Clapboard
	Museum	35. PLAN SHAPE Rectangular
	23. OWNERSHIP PUBLIC( ) PRIVATE(X)	(EXPLAIN IN
	24. OWNER'S NAME AND ADDRESS	MOVED()
. COORDINATES UTM	Society of Memories, Inc.	37. CONDITION INTERIOR
LAT		Fair-Good EXTERMOR
LONG	25. OPEN TO PUBLIC? YES( ) NO(X)	38. PRESERVATION YES ( )
D. SITE() STRUCTURE( BUILDING( $\chi$ ) Object(	,	HO ( AA
ON NATIONAL YES ( ) 12, IS IT YES (X REGISTER?		BY WHAT? NO() Poor Maintenance
PART OF FETAR VEC / \ \ IA DISTRICT YES!X	EN, OTHER SOUVERS III WINGH INCESSES	40. VISIBLE FROM YES (X )
HIST. DISTRICT? NO ( X) POTENTIAL? NO (	<u>i.</u> .	PUBLIC ROAD ? NO()
5. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD
2. FURTHER DESCRIPTION OF IMPORTANT FEATURE.	res 1½ story, 4 bay, symmetri- ront gable roof, molded frieze	РНОТО
	Ca 1900 porch attached to front	MUST
	n columns, molded entablature,	$\rightarrow$
hip roof and lattice found		BE
	ght half has openings boarded. Tith transom; second bay has	PROVIDED
opening.	windows. Gable wall has a large	circular vented
· ·		
	inally constructed to house a Bay	
	idence of tall windows that have	<u> </u>
	sed as a duplex dwelling. It has significant as a representation	
Century church property ty		or mid to take 19th
4. DESCRIPTION OF ENVIRONMENT AND OUTBU		
	d in block with ca 1870-1900 dwel	lling
in residencial neighborhoo		illino.
		46. PREPARED BY
S. SOURCES OF INFORMATION		
45. SOURCES OF INFORMATION  Sanborn maps of 1883, 1888	. 1911: site	Mary Jo Winder
Sanborn maps of 1883, 1888		



MISSOURI OFFICE OF HISTORIC PRESERVATION

ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

BD-45-604-645

	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
COUNTY	- Church	·
Buchanan	5. OTHER NAME(S)	
LOCATION OF Dept. of P & Z NEGATIVES Roll #3-12		
SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 1-/
TOWNSHIP RANGE SECTION _		29. BASEMENT? YESXX)
1124 South 12th Street	17. DATE(S) OR PERIOD ca. 1880 フタ	NO( ) 30. FOUNDATION MATERIAL
CITY OR TOWN IF RURAL, VICINITY	18. STYLE OR DESIGN	Brick
St. Joseph	Vernacular/Italianate	31. WALL CONSTRUCTION
DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick
Legal:Lot 1, Block 28, Patee's Addition	30 22	32. ROOF TYPE AND MATERIAL
Patee's Addition	20. CONTRACTOR OR BUILDER	Gable/Comp. Shingle
	21. ORIGINAL USE, IF APPARENT	FRONT 2 SIDE
	Church	34. WALL TREATMENT
	22. PRESENT USE	_Stretcher/Common Bond
	Same	35. PLAN SHAPE Irregular
	23. OWNERSHIP PUBLIC( ) PRIVATE(X)	(EXPLAIN IN
	24. OWNER'S NAME AND ADDRESS	NO. 42) ALTERED (XX) MOVED ( )
	IF KNOWN	37. CONDITION
COORDINATES UTM		INTERIORFair-Good
LAT Long		EXTERIOR
	25. OPEN TO PUBLIC? YES( )  FURE( )	
	JECT ( ) 28. LOCAL CONTACT PERSON OR ORGANIZATION	100 867
	YES(X)	BY WHAT? NO (XX)
REGISTER ? NO ( X) ELIGIBLE ?	NO( ) 27. OTHER SURVEYS IN WHICH INCLUDED	
PART OF ESTAB. YES ( ) 14. DISTRICT POTENTIAL?	YES (X )	40. VISIBLE FROM YES (X ) PUBLIC ROAD?
	NO( ).	
NAME OF ESTABLISHED DISTRICT	*	41. DISTANCE FROM AND FRONTAGE ON ROAD
S SUPPLIED DESCRIPTION OF IMPORTANT	FEATURES 1 story, 2 bay, asymmetrical	
	pable roof with molded, boxed cornice	РНОТО
brick church with front qu		Augr /
	ng courses and gable wall corbeling;	MUST
and roof peak; brick stri	ng courses and gable wall corbeling; wing is later addition, projecting	MUST
and roof peak; brick stri One-bay, front gable side center portion of primary	e wing is later addition, projecting building contains recessed double do	OF BE
and roof peak; brick strip One-bay, front gable side center portion of primary entry; upper portion cont	e wing is later addition, projecting building contains recessed double docains panel with circular opening (ven	OF BE
and roof peak; brick strig One-bay, front gable side center portion of primary entry; upper portion contant and enclosing of opening	e wing is later addition, projecting building contains recessed double docains panel with circular opening (ven are alterations); brick infill over	DE PROVIDED
and roof peak; brick strict one-bay, front gable side center portion of primary entry; upper portion contand enclosing of opening the HISTORY AND SIGNIFICANCE	e wing is later addition, projecting building contains recessed double do ains panel with circular opening (ven are alterations); brick infill over entry indicates an alteration; an o	or BE PROVIDED riginal semi-circular
and roof peak; brick strict one-bay, front gable side center portion of primary entry; upper portion contant and enclosing of opening the arch with keystone is into	e wing is later addition, projecting building contains recessed double do ains panel with circular opening (ven are alterations); brick infill over entry indicates an alteration; an offact. Other alterations on the facade	or BE PROVIDED riginal semi-circular are a window opening
and roof peak; brick strict one-bay, front gable side center portion of primary entry; upper portion contand enclosing of opening and enclosing of opening the arch with keystone is into that has been bricked in	e wing is later addition, projecting building contains recessed double do ains panel with circular opening (ven are alterations); brick infill over the entry indicates an alteration; an offact. Other alterations on the facade (right of entry) and on the southeast	riginal semi-circular are a window opening corner where a change
and roof peak; brick strict one-bay, front gable side center portion of primary entry; upper portion contand enclosing of opening the arch with keystone is into that has been bricked in in the wall indicates that	e wing is later addition, projecting building contains recessed double do ains panel with circular opening (ven are alterations); brick infill over the entry indicates an alteration; an offact. Other alterations on the facade (right of entry) and on the southeast at the church once had a square corner	riginal semi-circular are a window opening corner where a change tower. South side
and roof peak; brick strict One-bay, front gable side center portion of primary entry; upper portion contand enclosing of opening and enclosing of opening arch with keystone is into that has been bricked in in the wall indicates that elevation contains stained	e wing is later addition, projecting building contains recessed double do ains panel with circular opening (ven are alterations); brick infill over the entry indicates an alteration; an offact. Other alterations on the facade (right of entry) and on the southeast at the church once had a square corner ad glass windows with molded, arched,	riginal semi-circular are a window opening corner where a change tower. South side brick lintels with
and roof peak; brick strict One-bay, front gable side center portion of primary entry; upper portion contand enclosing of opening and enclosing of opening arch with keystone is into that has been bricked in in the wall indicates that elevation contains stained keystones; basement expose	e wing is later addition, projecting building contains recessed double do ains panel with circular opening (ven are alterations); brick infill over the entry indicates an alteration; an offact. Other alterations on the facade (right of entry) and on the southeast at the church once had a square corner	riginal semi-circular are a window opening corner where a change tower. South side brick lintels with ition projects beyond
and roof peak; brick strict One-bay, front gable side center portion of primary entry; upper portion contand enclosing of opening and enclosing of opening arch with keystone is into that has been bricked in in the wall indicates that elevation contains stained keystones; basement exposs front facade; it contains patterned wood shingle side	wing is later addition, projecting building contains recessed double do ains panel with circular opening (ven are alterations); brick infill over entry indicates an alteration; an of act. Other alterations on the facade (right of entry) and on the southeast at the church once had a square corner ad glass windows with molded, arched, sed on this elevation. Side/front add a wide window opening and has an enfading and a large opening that is now	riginal semi-circular are a window opening corner where a change tower. South side brick lintels with ition projects beyond ramed gable with boarded over.
and roof peak; brick strict One-bay, front gable side center portion of primary entry; upper portion contand enclosing of opening of opening and enclosing of opening that has been bricked in in the wall indicates that elevation contains stained keystones; basement exposs front facade; it contains patterned wood shingle side. Issuance of a permit in	e wing is later addition, projecting building contains recessed double do ains panel with circular opening (ven are alterations); brick infill over e entry indicates an alteration; an of act. Other alterations on the facade (right of entry) and on the southeast the church once had a square corner ad glass windows with molded, arched, and on this elevation. Side/front add a wide window opening and has an enf ding and a large opening that is now in 1894 for a wood shed indicates the	riginal semi-circular are a window opening corner where a change tower. South side brick lintels with ition projects beyond ramed gable with boarded over.
and roof peak; brick strict One-bay, front gable side center portion of primary entry; upper portion contand enclosing of opening.  HISTORY AND SIGNIFICANCE arch with keystone is into that has been bricked in in the wall indicates that elevation contains stained keystones; basement expose front facade; it contains patterned wood shingle sides. Issuance of a permit in	wing is later addition, projecting building contains recessed double do ains panel with circular opening (ven are alterations); brick infill over the entry indicates an alteration; an offact. Other alterations on the facade (right of entry) and on the southeast at the church once had a square corner and glass windows with molded, arched, and on this elevation. Side/front add a wide window opening and has an enfolding and a large opening that is now in 1894 for a wood shed indicates the coutebull building and a moderate.	riginal semi-circular are a window opening corner where a change tower. South side brick lintels with ition projects beyond ramed gable with boarded over.
and roof peak; brick strict One-bay, front gable side center portion of primary entry; upper portion contand enclosing of opening of opening and enclosing of opening arch with keystone is into that has been bricked in in the wall indicates that elevation contains stained keystones; basement expose front facade; it contains patterned wood shingle sides. Issuance of a permit in Description of Environment and	e wing is later addition, projecting building contains recessed double do ains panel with circular opening (ven are alterations); brick infill over the entry indicates an alteration; an offact. Other alterations on the facade (right of entry) and on the southeast at the church once had a square corner ad glass windows with molded, arched, and on this elevation. Side/front add a wide window opening and has an enfading and a large opening that is now in 1894 for a wood shed indicates the coutbullding of the significant integrity and is significant	riginal semi-circular are a window opening corner where a change tower. South side brick lintels with ition projects beyond ramed gable with boarded over. church to be in existence to high degree of as a representation
and roof peak; brick strict One-bay, front gable side center portion of primary entry; upper portion contand enclosing of opening and enclosing of opening arch with keystone is into that has been bricked in in the wall indicates that elevation contains stained keystones; basement expose front facade; it contains patterned wood shingle sides. Issuance of a permit in DESCRIPTION OF ENVIRONMENT AND of mid to late 19th century	wing is later addition, projecting building contains recessed double do ains panel with circular opening (ven are alterations); brick infill over the entry indicates an alteration; an offact. Other alterations on the facade (right of entry) and on the southeast of the church once had a square corner and glass windows with molded, arched, and on this elevation. Side/front add a wide window opening and has an enfolding and a large opening that is now in 1894 for a wood shed indicates the coutable of the cou	riginal semi-circular are a window opening corner where a change tower. South side brick lintels with ition projects beyond ramed gable with boarded over. Thurch to be in existence to high degree of as a representation 1883 Sanborn man
and roof peak; brick strict One-bay, front gable side center portion of primary entry; upper portion contand enclosing of opening and enclosing of opening arch with keystone is into that has been bricked in in the wall indicates that elevation contains stained keystones; basement expose front facade; it contains patterned wood shingle sides. Issuance of a permit in the permit in the contains patterned wood shingle sides. Issuance of a permit in the permit in the contains patterned wood shingle sides. Issuance of a permit in the	e wing is later addition, projecting building contains recessed double do ains panel with circular opening (ven are alterations); brick infill over the entry indicates an alteration; an offact. Other alterations on the facade (right of entry) and on the southeast at the church once had a square corner ad glass windows with molded, arched, and on this elevation. Side/front add a wide window opening and has an enfading and a large opening that is now in 1894 for a wood shed indicates the coutbullding of the significant integrity and is significant	riginal semi-circular are a window opening corner where a change tower. South side brick lintels with ition projects beyond ramed gable with boarded over. Thurch to be in existence to high degree of as a representation 1883 Sanborn map. in block to southeast.
and roof peak; brick strict One-bay, front gable side center portion of primary entry; upper portion contand enclosing of opening and enclosing of opening arch with keystone is into that has been bricked in in the wall indicates that elevation contains stained keystones; basement expose front facade; it contains patterned wood shingle side. Issuance of a permit in 4. DESCRIPTION OF ENVIRONMENT AND of mid to late 19th century	wing is later addition, projecting building contains recessed double do ains panel with circular opening (ven are alterations); brick infill over the entry indicates an alteration; an offact. Other alterations on the facade (right of entry) and on the southeast of the church once had a square corner and glass windows with molded, arched, and on this elevation. Side/front add a wide window opening and has an enfolding and a large opening that is now in 1894 for a wood shed indicates the coutable of the cou	riginal semi-circular are a window opening corner where a change tower. South side brick lintels with ition projects beyond ramed gable with boarded over. Thurch to be in existence to high degree of as a representation 1883 Sanborn map. in block to southeast.
and roof peak; brick strict One-bay, front gable side center portion of primary entry; upper portion contand enclosing of opening and enclosing of opening of the arch with keystone is into that has been bricked in in the wall indicates that elevation contains stained keystones; basement expose front facade; it contains patterned wood shingle sides. Issuance of a permit in the contains of mid to late 19th century 44. At edge of residential in the side of the	e wing is later addition, projecting building contains recessed double do ains panel with circular opening (ven are alterations); brick infill over the entry indicates an alteration; an offact. Other alterations on the facade (right of entry) and on the southeast at the church once had a square corner and glass windows with molded, arched, and this elevation. Side/front add a wide window opening and has an enfading and a large opening that is now in 1894 for a wood shed indicates the coutbull by the coutbull by the coutbull by the coutbull by the coutbull of the coutbull by the coutbull of the coutb	riginal semi-circular are a window opening corner where a change tower. South side brick lintels with ition projects beyond ramed gable with boarded over. Thurch to be in existence to high degree of as a representation 1883 Sanborn map. in block to southeast.



### MISSOURI OFFICE OF HISTORIC **PRESERVATION** ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM BN-45-004-046 1. NO. 147 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) ĕ 2. COUNTY Buchanan 5. OTHER NAME(S) LOCATION OF Dept. of P & Z NEGATIVES Roll #4-10 6. SPECIFIC LEGAL LOCATION 16. THEMATIC CATEGORY 28. NO. OF STORIES Ņ Architecture TOWNSHIP\_ RANGE SECTION 29. BASEMENT 2 COUNTY IF CITY OR TOWN, STREET ADDRESS IT DATE(S) OR PERIOD NO ( 1915 30. FOUNDATION MATERIAL 601 South 13th Street Brick IF RURAL, VICINITY IB. STYLE OR DESIGN 7. CITY OR TOWN 5 B St. Joseph Classic Revival 31. WALL CONSTRUCTION 19. ARCHITECT OR ENGINEER Brick 8. DESCRIPTION OF LOCATION 32. ROOF TYPE AND MATERIAL Legal: Lot 1, Block 7, 20. CONTRACTOR OR BUILDER DR Hip/Comp. Shingle Stewart's Addition 23 33. NO. OF BAYS FRONT SIDE FUNK 3 21. ORIGINAL USE, IF APPARENT PRESENT 34. WALL TREATMENT Single Family Residence 22. PRESENT USE Stretcher 35. PLAN SHAPE Rectangul 36. CHANGES 23. OWNERSHIP PUBLIC ( ADDITION ( PRIVATE(X) ALTERED ( NO. 42) 24. OWNER'S NAME AND ADDRESS MOVED ( NAME(S) IF KNOWN 37. CONDITION INTERIOR COORDINATES HTM Wm. D. Coffman EXTERNOR GOOd-Excelle LAT 36. PRESERVATION UNDERWAY ? LONG 25. OPEN TO PUBLIC? YES ( YES ( DESIGNATION NO(X) SITE ( ) STRUCTURE ( NO (XX) BUILDING ( X) OBJECT ( 26. LOCAL CONTACT PERSON OR ORGANIZATION 39. ENDANGERED 2 YES (XX) BY WHAT ? ON NATIONAL YES ( ) IS IT ELIGIBLE? YES (X) 12. REGISTER ? Poor Maintenance NO ( X) NO ( 27, OTHER SURVEYS IN WHICH INCLUDED DISTRICT YES (X) POTENTIAL? NO( ) VISIBLE FROM PUBLIC ROAD ? 13. PART OF ESTAB. HIST, DISTRICT? YES (X NO ( NO ( DISTANCE FROM AND FRONTAGE ON ROAD 15, NAME OF ESTABLISHED DISTRICT 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 2½ story, 3 bay, asymmetri-OTHER PHOTO cal, brick dwelling with hip roof with molded, boxed cornice, MUST side brick chimney and soldier course brick frieze. Two-bay porch attached to front elevation (west) has brick foundation, RF open railing and piers with recessed panels that support a **PROVIDED** molded entablature and flat roof with molded cornice; ballustrade atop porch has open slat railing and paneled posts. Left two 43. HISTORY AND SIGNIFICANCE bays each contain 10/1 windows, entry in right bay has single door with sidelights. Symmetrical upper facade has wide double hung windows in end bays and two narrow openings in center. Dormer contains a grouping of three 6/1 indows. 43. Building permit records indicate construction in 1915 for applicant, F. Staedler. O TOWNSHIP It has a high degree of integrity and is significant as a representation of Classic Revival residential property type. OUTBUILDINGS 44. DESCRIPTION OF ENVIRONMENT AND In residential neighborhood; immediate vicinity contains several dwellings of the same vintage and type; large lot.

46. PREPARED BY 45. SOURCES OF INFORMATION Mary Jo Winder BP #9714, 10/26/15; site 47. ORGANIZATION City of St. Joseph RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION 48, DATE 49, REVISION DATE(S) P.O. BOX 176

IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM

JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096

7/88



# MISSOURI OFFICE OF HISTORIC PRESERVATION BUNSAGE OF SURVEY FORM BUNSAGE OFFICE OF HISTORIC PRESERVATION

ARCHITECTURAL/HISTORIC	INVENTORY	SURVEY	FORM
------------------------	-----------	--------	------

. NO. 146	PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
Buchanan  5. LOCATION OF Dept. of P & Z NEGATIVES Roll #4-9	OTHER NAME(S)	
S. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	I6. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
02 South 13th Street	I7. DATE(S) OR PERIOD	NO( )
CITY OR TOWN IF RURAL, VICINITY	IB. STYLE OR DESIGN	Stone
St. Joseph . DESCRIPTION OF LOCATION	Colonial Revival 500	31. WALL CONSTRUCTION Stone/Frame UC
Legal: Part of Lot 3, Block		32. ROOF TYPE AND MATERIAL
, Patee's Addition	20. CONTRACTOR OR BUILDER	Hip/Comp. Shingle 33. No. OF BAYS
	21. ORIGINAL USE IF APPARENT Single Family Residence	FRONT 3 SIDE 34. WALL TREATMENT 4092
	22. PRESENT USE	Random Ashlar/Vinyl S
•	Same 23. OWNERSHIP PUBLIC( )	35. PLAN SHAPE Rectangula 36. CHANGES ADDITION()
	PRIVATE(X)	(EXPLAIN IN NO. 42) ALTERED (XX)
	24. OWNER'S NAME AND ADDRESS IF KNOWN	MOVED ( ) 37. CONDITION
, COORDINATES UTM	Lana Nilda Smith	INTERIOR
LAT Long	25. OPEN TO PUBLIC? YES( )	EXTERIOR
). SITE() STRUCTURE( BUILDING(X) OBJECT(		77.77
ON NATIONAL YES ( ) 12. IS IT YES (	X)	BY WHAT? NO ( )
NO ( X) NO (	X 1	Poor Maintenance  40, VISIBLE FROM YES(X)
HIST. DISTRICT? NO ( X) POTENTIAL? NO (	).	PUBLIC ROAD ? NO()
5. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND Frontage on Road
2. FURTHER DESCRIPTION OF IMPORTANT FEA	TURES 2½ story, 3 bay, asymmetrical	
rame/stone dwelling with hip ro	oof with flared eaves and boxed	РНОТО
<del>-</del>	roof dormers also with flared eaver attached to front elevation (east)	s,
as limestone closed railing and	d corner piers that support hip	BE
oof with exposed rafters. Left indow. Right bay projects unde	two bays each contain a wide 1/1	PROVIDED
	ry and small 1/1 window. Upper s	tory has 1/1 windows
n first two bays and a polyzona	al bay unit in the right bay with	
	contains paired 3/1 windows (vergodern siding is a later alteration	·
•		
has a high degree of architect	cate construction in 1905 for applural integrity and is significant a	icant, James Self. as a representation
early 20th century Colonial Rev	vival residential property type.	
4. DESCRIPTION OF ENVIRONMENT AND OUTE	BUILDINGS	
	ly cal900-10 dwellings in close pro	oximity. On corner lot
5. SOURCES OF INFORMATION		46. PREPARED BY
		Mary Jo Winder
P #2877, 9/13/05; site		47 ORGANIZATION
	TO: OFFICE OF HISTORIC PRESERVATION	47. ORGANIZATION City of St. Joseph 48. DATE 49. REVISION DATE(9)



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM BURROUS 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) 1. NO. 145 2. COUNTY Buchanan 5. OTHER NAME(S) LOCATION OF Dept. of P & Z NEGATIVES ROll #4-8 16. THEMATIC CATEGORY 6. SPECIFIC LEGAL LOCATION 28. NO. OF STORIES 'n Architecture TOWNSHIP\_ RANGE\_ SECTION 29. BASEMENT? YFS ( COUNTY IF CITY OR TOWN, STREET ADDRESS IT. DATE(S) OR PERIOD NO ( 1909 30, FOUNDATION 608 South 13th Street IF RURAL, VICINITY 7. CITY OR TOWN 18. STYLE OR DESIGN Arts & Crafts/4-Square 0/ 31. WALL CONSTRUCTION St. Joseph 19. ARCHITECT OR ENGINEER Brick/Frame 8. DESCRIPTION OF LOCATION 32. ROOF TYPE AND MATERIAL Legal: Part of Lot 3, Block 20. CONTRACTOR OR BUILDER Hip/Slate? 5, Patee's Addition 40 33. NO. OF BAYS FRONT 2 SIDE 21. ORIGINAL USE, IF APPARENT Fu PRESENT LOCAL 34. WALL TREATMENT Stretcher/Wood Shingl Single Family Residence 22. PRESENT USE 35. PLAN SHAPE Rectangul Same 23. OWNERSHIP PUBLIC ( 36. CHANGES (EXPLAIN IN ADDITION ( PRIVATE(X) ALTERED ( NO. 42) 24. OWNER'S NAME AND ADDRESS MOVED ( NAME(S) IF KNOWN 37. CONDITION INTERIOR UTM COORDINATES EXTERIOR Excellent Leroy S. Filley LAT ဓ္ဓ PRESERVATION UNDERWAY ? LONG 25. OPEN TO PUBLIC? YES ( YES ( DESIGNATION(S) NO(X) SITE ( ) STRUCTURE ( NO (XX) io. BUILDING ( X) OBJECT ( 26. LOCAL CONTACT PERSON OR ORGANIZATION YES (XX 39. ENDANGERED 2 BY WHAT ? ON NATIONAL YES ( YFS (X) 1 12. IT NO ( ELIGIBLE? REGISTER ? NO ( X) NO ( <u>oor Maintenance</u> 27, OTHER SURVEYS IN WHICH INCLUDED DISTRICT YES (X ) POTENTIAL ? NO ( ) 40. VISIBLE FROM PUBLIC ROAD ? PART OF ESTAB. YES (X) NO ( NO ( DISTANCE FROM AND FRONTAGE ON ROAD 15. NAME OF ESTABLISHED DISTRICT O 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES  $2\frac{1}{2}$  story, 2 bay, asymmetrical PHOTO SHEE brick/frame dwelling with hip roof with exposed rafters, MUST hip roof dormers, and offset left and side brick chimneys. Porch attached to front elevation (east) has open stone railing, stone foundation and stone piers that support hip BE **PROVIDED** roof with exposed rafters. Left bay contains single door in slightly projecting polyzonal unit with small sixlight casement windows in sides. Right bay has window grouping 43. HISTORY AND SIGNIFICANCE of 9/1 window with 6/1 sidelights. First story windows have stone sills. Symmetrical upper facade has boxed corner units that are supported by small brackets and contain wide 18/1 windows; unit terminates with hip roofs; small 6/1 windows in TOWNSHIP center. Dormer contains a grouping of three 9-light casement windows. 43. Building permit records indicate construction in 1909 for applicant, E.G. Meek. It has a high degree of integrity and is significant as a representation of Arts and Crafts residential property type. 44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS In residential neighborhood primarily of turn of the century dwellings. 46. PREPARED BY 45. SOURCES OF INFORMATION Mary Jo Winder B.P. #5950, 7/12/09; site 47. ORGANIZATION City of St. Joseph RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION 48. DATE 49. REVISION DATE(9) P.O. BOX 176

JEFFERSON CITY, MISSOURI

PH. 314-751-4096

65102

7/88

IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM



I. NO. 148	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	,	7
Buchanan  3. Location of Dept. of P & Z	5. OTHER NAME(S)		ē
NEGATIVES RO11 #4-13 & 14  6. SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY		
TOWNSHIP RANGE SECTION _		28. NO. OF STORIES $2\frac{1}{2}$ 29. BASEMENT? YES (XY)	9
IF CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	NO ( Î Î )	COUNTY
609 South 13th Street	<u>Ca 1910</u>	30. FOUNDATION MATERIAL  Brick	7
7. CITY OR TOWN IF RURAL, VICINITY St. Joseph	18. STYLE OR DESIGN  CONSTRUCTORY Neoclassical	31. WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick	i
Legal: Lot 3, Block 7,		32.ROOF TYPE AND MATERIAL Hip/Comp. Shingle	DR
Stewart's Addition	20. CONTRACTOR OR BUILDER 38 25	33. NO. OF BAYS	
	21, ORIGINAL USE, IF APPARENT	FRONT 3 SIDE	
	zingio i amili y Rebiachee	34. WALL TREATMENT Stretcher?	PRESENT
	22. PRESENT USE S;	35. PLAN SHAPE Rectangula	2
•	Same 23. OWNERSHIP PUBLIC( )	36. CHANGES ADDITION ( )	Ę
	PRIVATE(X)	III /#VELAIN IN	LOCAL
	24. OWNER'S NAME AND ADDRESS IF KNOWN	MOVED( )	Š
9. COORDINATES UTM	Walter D. Coffman	37. CONDITION INTERIOR	NAME (S)
LAT		EXTERMOR	Ş
LONG	25. OPEN TO PUBLIC? YES( )	LINDERWAY 2	
• •	TURE( ) NO(X)  DECT( ) 26 LOCAL CONTACT PERSON OR ORGANIZATION	NO ( XA	65
	$ECT(\ )$ 26. Local contact person or organization $YES(X)$	39. ENDANGERED? YES() BY WHAT? NO(XX	ORDIGINA I CIRCO
REGISTER ? NO ( X) ELIGIBLE ?	NO( ) 27, OTHER SURVEYS IN WHICH INCLUDED		3
13. PART OF ESTAB. YES ( ) 14. DISTRICT POTENTIAL 1	YES (X )	40. VISIBLE FROM YES (X ) PUBLIC ROAD?	وَ
HIST. DISTRICT? NO ( X) POTENTIAL TO	NO( )	41. DISTANCE FROM AND	1
IS. NAME OF ESTABLISHED DISTRICT	•	FRONTAGE ON ROAD	1
			<b></b>
42, FURTHER DESCRIPTION OF IMPORTANT	- 2 Colly, Synancell	РНОТО	9
	th hip roof with boxed cornice and ed frieze and contrasting brick	MUST	
quoining and water tab			
	rick foundatin pedestals, square colum		
	lded entablature and upper porch; both		3
	es with turned balusters; upper porch		ı
43. HISTORY AND SIGNIFICANCE With	paneled support posts. Center bay co	ontains single door	
with transom second s	d story with single door; end bays con	ntain wide window	
Dormer is flared at ba	tory with poly <b>g</b> onal bay unit with 1/1 se, has wood shingle siding and conta	window in each side.	
with prism upper sashe		of record for this	
dwelling; however, stylistic	features indicate construction of cal	910. The 1911 Sanborn	ŀ
map is the first record of it	s existence. It has a high degree of	integrity and is	
significant as a representati	on of Neoclassical residential propert	ty type.	
44. DESCRIPTION OF ENVIRONMENT AND	OUTBUILDINGS		1
44. DESCRIPTION OF ENVIRONMENT AND	001501251105		
In residential neighborhood;	low density area		•
		T	<b>L</b>
45. SOURCES OF INFORMATION	La more	Mary Jo Winder	
No B.P., site; 1911 5	map	47. ORGANIZATION	
	TED TO: OFFICE OF HISTORIC PRESERVATION	City of St. Joseph	•

IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM

P.O. BOX 176
JEFFERSON CITY, MISSOURI 65102 7/88
PH. 314-751-4096





ARCHITECTURAL/HISTORIC INVENTORY BN.15004050 SURVEY FORM 1. NO. 149 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) č 2. COUNTY Buchanan 5. OTHER NAME(S) LOCATION OF Dept. of P & Z NEGATIVES Roll #4-15 6. SPECIFIC LEGAL LOCATION 16. THEMATIC CATEGORY 28. NO. OF STORIES Ņ Architecture \_RANGE\_ SECTION TOWNSHIP 29. BASEMENT? YFS ( COUNTY IF CITY OR TOWN, STREET ADDRESS IT. DATE(S) OR PERIOD NO ( 30. FOUNDATION MATERIAL ca. 1870/**k909** ca1910 615 South 13th Street 7. CITY OR TOWN IF RURAL, VICINITY IS. STYLE OR DESIGN Frame CONSTRUCTION St. Joseph Vernacular 19. ARCHITECT OR ENGINEER 8. DESCRIPTION OF LOCATION 32. ROOF TYPE AND MATERIAL Lot 4, Block 7, Gable/Comp. Shingle 20. CONTRACTOR OR BUILDER Stewart's Addition WA 33. NO. OF BAYS FRONT 3 SIDE 21. ORIGINAL USE, IF APPARENT PRESENT LOCAL Single Family Residence 34, WALL TREATMENT 22. PRESENT USE Alum. or Vinvl 35. PLAN SHAPE Irregular Same 36. CHANGES (EXPLAIN IN 23. OWNERSHIP PUBLIC ( ADDITION ( PRIVATE(X ALTERED (XX NO. 42) 24. OWNER'S NAME AND ADDRESS MOVED ( NAME(S) IF KNOWN 37. CONDITION Ella D. Kendall INTERIOR COORDINATES UTM Good LAT EXTERIOR\_ S LONG 25. OPEN TO PUBLIC? YES ( 36. PRESERVATION UNDERWAY ? YES ( DESIGNATION(S) NO(X) NO (XX) SITE ( ) STRUCTURE ( BUILDING ( X) OBJECT ( 26. LOCAL CONTACT PERSON OR ORGANIZATION ENDANGERED? YES ( BY WHAT ? YES ( ) 12. ON NATIONAL REGISTER ? YES (X) IS IT ELIGIBLE? NO (XX) NO ( X) NO ( 27, OTHER SURVEYS IN WHICH INCLUDED 14. DISTRICT YES (X )
POTENTIAL? NO( ) VISIBLE FROM PUBLIC ROAD ? 13. PART OF ESTAB. YES ( ) YES (X ) HIST. DISTRICT? NO ( X) NO ( DISTANCE FROM AND FRONTAGE ON ROAD 15. NAME OF ESTABLISHED DISTRICT 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 1 story, 3 bay, asymmetrical **PHOTO** OTHER frame dwelling with side gable roof and centralized brick chimaey. MUST Porch attached to front (west) and south elevations has Tuscan columns, open slat railing, wood lattice foundation infill and flat roof. Left bay contains 1/1 double hung window; second BE bay has paired 1/1 windows; recessed right bay is enclosed PROVIDED porch with entry door with side light. Modern siding is a later alteration. 43. HISTORY AND SIGNIFICANCE The only building permit of record for the property is one for a barn in 1909 for applicant, N.S. Hillyard. It has characteristics that place original construction of pre1887; the porch was probably altered ca1910. It has a moderate degree of integrity and is significant as a representation of late 19th/early 20th century vernacular residential property type. 44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS In residential neighborhood; low density area 45. SOURCES OF INFORMATION 46. PREPARED BY Mary Jo Winder BP #5793, 5/18/09; site; 1897 Sanborn map 47. ORGANIZATION RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION City of St. Joseph 48. DATE 49. REVISION DATE(S) P.O. BOX 176 IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM JEFFERSON CITY, MISSOURI 65102 7/88

PH. 314-751-4096



### MISSOURI OFFICE OF HISTORIC **PRESERVATION** ARCHITECTURAL/HISTORIC INVENTORY BN-A5-004-051 SURVEY FORM 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) I. NO. 144 Š 2. COUNTY Buchanan 5, OTHER NAME(S) 3. LOCATION OF Dept. of P & Z NEGATIVES Roll #4-6 6. SPECIFIC LEGAL LOCATION 16. THEMATIC CATEGORY 28. NO. OF STORIES TOWNSHIP\_\_ Architecture RANGE SECTION 29. BASEMENT? YES ! IF CITY OR TOWN, STREET ADDRESS IT. DATE(S) OR PERIOD NO ( 30. FOUNDATION MATERIAL 618 South 13th Street Stone IF RURAL, VICINITY 7. CITY OR TOWN IB. STYLE OR DESIGN Colonial Revival (Dutch) 31. WALL CONSTRUCTION St. Joseph 19. ARCHITECT OR ENGINEER Frame/Stucco 8. DESCRIPTION OF LOCATION Legal: Part of Lot 4, Block 5, 32. ROOF TYPE AND MATERIAL DO Gambrel (variation) amo. Patee's Addition 20. CONTRACTOR OR BUILDER 33. NO. OF BAYS ٠ FRONT SIDE 3 21. ORIGINAL USE, IF APPARENT PRESENT LOCAL NAME(S) Single Family Residence 34. WALL TREATMENT 22. PRESENT USE Stucco 36. PLAN SHAPE Rectangula Same 23 OWNERSHIP PUBLIC ( 36. CHANGES (EXPLAIN IN 1 ADDITION ( PRIVATE(X) ALTERED ( NO. 42) MOVED ( 24. OWNER'S NAME AND ADDRESS IF KNOWN 37. CONDITION Jesse A. Barbosa INTERIOR Excellent 9. COORDINATES UTM EXTERIOR. LAT ႙ LONG YES ( 25. OPEN TO PUBLIC? 36. PRESERVATION UNDERWAY? YES ( DESIGNATION(S) NO(X) SITE ( ) STRUCTURE ( NO (XX) BUILDING ( X) OBJECT ( 26. LOCAL CONTACT PERSON OR ORGANIZATION YES( ) 39. ENDANGERED? BY WHAT ? ON NATIONAL REGISTER ? YES ( ) YES(X) IT 12. IS NO (XX) ELIGIBLE? NO (X) NO ( 27. OTHER SURVEYS IN WHICH INCLUDED 14. DISTRICT 13. PART OF ESTAB. HIST, DISTRICT? YES ( YES (X) VISIBLE FROM PUBLIC ROAD? YES (X) POTENTIAL ? NO( ) NO ( NO ( 15, NAME OF ESTABLISHED DISTRICT DISTANCE FROM AND FRONTAGE ON ROAD 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 2 story, 3 bay, symmetrical, **PHOTO** OTHER stucco/frame dwelling with side gambrel roof (variation of), MUST molded frieze and external brick chimney. Open verenda across front elevation (east) shelters single door with sidelights and NAME(S) BE 6/6 double hung windows in flanking side bays; supports are PROVIDED square columns. Continuous dorme projects from roof with 6/6 windows in end bays and smaller 2/2 window in center. End bay 43. HISTORY AND SIGNIFICANCE windows have shutters. Brick bands on chimney pot top. Building permit records indicate construction in 1904 for applicant, A. Thompson. has a high degree of architectural integrity and is significant as a representation of 6. TOWNSHIP Dutch Colonial Revival residential property type. 44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS

In residential neighborhood; dwellings on large lots; most cal900-10 dwellings.

43. SOURCES OF INFORMATION	46. PREPARED BY Mary Jo Winder
BP #2266, 12/21/04; site	47. ORGANIZATION
RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION	City of St. Joseph
P.O. BOX 176	48. DATE 49. REVISION DATE(S)
IF ADDITIONAL SPACE IS NEEDED, ATTACH JEFFERSON CITY, MISSOURI 65102 SEPARATE SHEET(S) TO THIS FORM  BL 714 781 4006	7/88

SECTION



ARCHITECTURAL/HISTORIC INVENTORY KN A-004-052 SURVEY FORM 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) I. NO. 143 2 COUNTY Buchanan 5. OTHER NAME(S) LOCATION OF Dept. of P & Z NEGATIVES Roll #4-5 6. SPECIFIC LEGAL LOCATION 16. THEMATIC CATEGORY 28. NO. OF STORIES Architecture \_ RANGE\_ SECTION TOWNSHIP 29. BASEMENT? YES (XX COUNTY IF CITY OR TOWN, STREET ADDRESS IT. DATE(S) OR PERIOD NO ( 622 South 13th Street 30. FOUNDATION MATERIAL IF RURAL, VICINITY 7. CITY OR TOWN Brick IS. STYLE OR DESIGN 50 DΙ 31. WALL CONSTRUCTION Frame St. Joseph Colonial Revival/Neo Classica 19. ARCHITECT OR ENGINEER 8. DESCRIPTION OF LOCATION 32. ROOF TYPE AND MATERIAL Legal: Part of Lot 4, Block 5  $\mathscr{L}$ Hip/Comp. Shingle 20. CONTRACTOR OR BUILDER Patee's Addition 20 25 33. NO. OF BAYS 4 4 SIDE 21. ORIGINAL USE, IF APPARENT Single Family Residence FRONT Fin PRESENT LOCAL 34. WALL TREATMENT 22. PRESENT USE Weatherboard Same 35. PLAN SHAPE Irregular 23. OWNERSHIP PUBLIC ( 36. CHANGES (EXPLAIN IN ADDITION ( PRIVATE(X) ALTERED ( NO. 42) 24. OWNER'S NAME AND ADDRESS MOVED ( NAME(S) IF KNOWN 37. CONDITION INTERIOR COORDINATES UTM Ronald W. Meng Good EXTERIOR. LAT S LONG YES ( 25. OPEN TO PUBLIC? 38. PRESERVATION UNDERWAY ? YES ( DESIGNATION(S) NO(X) 10. SITE ( ) STRUCTURE ( NO (XX) BUILDING ( X) OBJECT ( 26. LOCAL CONTACT PERSON OR ORGANIZATION 39. ENDANGERED? YES (XX) BY WHAT? ON NATIONAL YES ( ) YES (X) 12. NO ( REGISTER ? ELIGIBLE? 27, OTHER SURVEYS IN WHICH INCLUDED 14. DISTRICT YES (X) 40. VISIBLE FROM PUBLIC ROAD ? YES (X YES ( ) POTENTIAL ? NO ( HIST. DISTRICT? NO ( NO ( 15, NAME OF ESTABLISHED DISTRICT 41. DISTANCE FROM AND FRONTAGE ON ROAD 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 2½ story, 4 bay, symmetri-**PHOTO** OTHER cally massed, frame dwelling with hip roof with hip roof MUST dormers, molded frieze and engaged corner pilasters (plain) Porch attached to front elevation has Tuscan columns that support a hip roof with center bay gable; enframed pediment BE PROVIDED with dentils below and in gable. Left bay is part of slightly projecting side bay unit with 1/1 window, both 43. HISTORY AND SIGNIFICANCE stories. Second and fourth bays contain wide 1/1 windows (upper sash in 1/3), both stories. Center bay contains single door with left sidelight; oval window in second story. Dormer has wood shingle siding and a projecting polygonal bay unit with small 8/1 window with 4/1 side lights. 43. Building permit records indicate construction in 1904 for applicant, A. Thompson. It has a high degree of integrity and is significant as a representation of Colonial Revival residential property type. 44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS In residential neighborhood primarily of turn of the century dwellings. 46. PREPARED BY Mary Jo Winder 45. SOURCES OF INFORMATION B.P. #2266, 12/21/04; site 47. ORGANIZATION City of St. Joseph RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION 48. DATE 49. REVISION DATE(S) P.O. BOX 176 IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM JEFFERSON CITY, MISSOURI 65102 7/88 PH. 314-751-4096



i. NO. 142	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		:
2. COUNTY not			
3. LOCATION OF Dept. of P & Z NEGATIVES ROII #4-4	5. OTHER NAME(S) en lere.	d	
6. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	I6. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 29. BASEMENT? YES()	!
if city or town, street address 624 South 13th Street	17. DATE(S) OR PERIOD	NO( )	
r city or town if rural, vicinity St. Joseph	18. STYLE OR DESIGN	31. WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION Legal: Part of Lot 4, Blo		32. ROOF TYPE AND MATERIAL	
Patee's Addition	20. CONTRACTOR OR BUILDER 21. ORIGINAL USE, IF APPARENT	33. NO. OF BAYS FRONT SIDE	:
	22. PRESENT USE	34. WALL TREATMENT	
	23. OWNERSHIP PUBLIC (		
	PRIVATE(X	) (EXPLAIN IN NO. 42) ALTERED ( ) MOVED ( )	
9, COORDINATES UTM	Winston Arnold	37. CONDITION INTERIOR	
LAT LONG	25. OPEN TO PUBLIC? YES	LINDERWAY	!
• •	TURE( ) NO(X)  ECT( ) 26. LOCAL CONTACT PERSON OR ORGANIZATION  YES(X)	, NO ( )	
REGISTER ? NO ( X) ELIGIBLE ?	NO( ) 27, OTHER SURVEYS IN WHICH INCLUDED	40, VISIBLE FROM YES (X )	
HIST. DISTRICT? NO (X)  15. NAME OF ESTABLISHED DISTRICT	NO( )	PUBLIC ROAD ? NO() 41. DISTANCE FROM AND	
		FRONTAGE ON ROAD	
42. FURTHER DESCRIPTION OF IMPORTANT FEATURES		PHOTO MUST	
		PROVIDED	
43. HISTORY AND SIGNIFICANCE			
Noncontributing.			_
	·		
•		· · · · · · · · · · · · · · · · · · ·	L
44. DESCRIPTION OF ENVIRONMENT AND	OUTBUILDINGS		
45. SOURCES OF INFORMATION BP #3655, 7/20/25; site		46. PREPARED BY Mary Jo Winder  47. ORGANIZATION	
			_



MISSOURI OFFICE OF HISTORIC PRESERVATION BUR 004654 ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM I. NO. 140 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) 2 COUNTY Buchanan 5. OTHER NAME(S) LOCATION OF Dept. of P & Z NEGATIVES Roll #4-2 6. SPECIFIC LEGAL LOCATION THEMATIC CATEGORY 28. NO. OF STORIES Architecture \_RANGE\_ TOWNSHIP\_ 29. BASEMENT? IF CITY OR TOWN, STREET ADDRESS NO ( IT. DATE(S) OR PERIOD 30. FOUNDATION MATERIAL 628 South 13th Street ca 1865 Brick IF RURAL, VICINITY 7. CITY OR TOWN 18. STYLE OR DESIGN 42 Italianate 31. WALL CONSTRUCTION St. Joseph Brick IS. ARCHITECT OR ENGINEER 8. DESCRIPTION OF LOCATION 32. ROOF TYPE AND MATERIAL Legal: Part of Lot 10, Block Hip/Comp. Shingle 20. CONTRACTOR OR BUILDER 5, Patee's Addition 40 33. NO. OF BAYS FRONT 4 SIDE 21. ORIGINAL USE, IF APPARENT PRESENT LOCAL NAME(S) Single Family Residence 🖎 34. WALL TREATMENT Stretcher 22. PRESENT USE 35. PLAN SHAPE Irregular Same 23. OWNERSHIP PUBLIC ( 36. CHANGES ADDITION ( EXPLAIN IN PRIVATE( y ) ALTERED ( NO. 42) MOVED ( 24. OWNER'S NAME AND ADDRESS IF KNOWN 37. CONDITION INTERIOR 9. COORDINATES Excellent EXTERIOR. LAT ဝွ LONG 25. OPEN TO PUBLIC? YES! 38. PRESERVATION YES ( ) DESIGNATION(S) NO(X) STRUCTURE ( NO (XX) SITE ( ) 10. BUILDING ( X) OBJECT ( 26. LOCAL CONTACT PERSON OR ORGANIZATION 39. ENDANGERED? YES (XX) BY WHAT ? ON NATIONAL REGISTER ? YES ( ) I2. IS IT ELIGIBLE? NO ( Poor Maintenance NO ( X) NO ( 27. OTHER SURVEYS IN WHICH INCLUDED DISTRICT YES ()
POTENTIAL? NO ( 40. VISIBLE FROM PUBLIC ROAD? YES (X ) 13. PART OF ESTAB. YES ( ) HIST. DISTRICT ? NO ( v) NO ( 15. NAME OF ESTABLISHED DISTRICT 41. DISTANCE FROM AND FRONTAGE ON ROAD 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 2 story, 4 bay, asymmetrical O **PHOTO** brick dwelling with hip roof with molded boxed cornice, paneled MUST frieze with ornamental brackets, brick water table and off-set left brick shimney with shaped pot. Left bay is west wall of rear RE portion of building and it contains 1/1 window with stone sill and PROVIDED decorative hoodmold, both stories (typical window treatment). Second and third bays have slight projection: each bay contains 43. HISTORY AND SIGNIFICANCE typical window, both stories; brick panels on either side of projection and decorative brickwork between stories. Right bay contains entry with transom on first and typical window on second. Small flat roof porch attached over entry has heavy square corner columns and a profusion of Italianate ornamentation. There are no building permits of record for this dwelling; however, stylistic features indicate a cal865 original construction date. It has a high degree of integrity and is an outstanding representation of mid 19th century Italianate residential property type. 44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS In residential neighborhood; low density area with most dwellings being of upper income type. 46. PREPARED BY 45. SOURCES OF INFORMATION Mary Jo Winder 1897 Sanborn map No relevent building permit; site 47. ORGANIZATION City of St. Joseph RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION 48. DATE 49. REVISION DATE(S) P.O. BOX 176 IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM JEFFERSON CITY, MISSOURI 65102 7/88



MISSOURI OFFICE OF HISTORIC PRESERVATION BN-16-004-055 ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM 1. NO. 151 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) Š 2. COUNTY 5. OTHER NAME(S) Buchanan LOCATION OF Dept. of P & Z NEGATIVES Roll #12-4; #4-17 THEMATIC CATEGORY 6. SPECIFIC LEGAL LOCATION 28. NO. OF STORIES Architecture RANGE\_ SECTION TOWNSHIP YES (XX 29. BASEMENT? COUNTY IF CITY OR TOWN, STREET ADDRESS IT. DATE(S) OR PERIOD NO ( 701 South 13th Street 1889 30. FOUNDATION 7. CITY OR TOWN IF RURAL, VICINITY IB. STYLE OR DESIGN 90 4<u>9</u> 31. WALL CONSTRUCTION St. Joseph Oueen Anne 19. ARCHITECT OR ENGINEER Frame 8. DESCRIPTION OF LOCATION 20 \$2. ROOF TYPE AND MATERIAL Legal: Lot 5, Bella M. Hughes Gable/Comp. Shingle 20. CONTRACTOR OR BUILDER Addition 33. NO. OF BAYS ٨ FRONT SIDE 21. ORIGINAL USE, IF APPARENT Single Family Residence 4 34. WALL TREATMENT Vinyl or Allum. Sidi 22. PRESENT USE 35. PLAN SHAPE Irregular Same LOCAL 23. OWNERSHIP PUBLIC ( CHANGES (EXPLAIN IN ADDITION ( PRIVATE(X) ALTERED (XX) NO. 42) MOVED ( 24. OWNER'S NAME AND ADDRESS NAME(S) IF KNOWN 37 CONDITION INTERIOR\_ Karen J. McPherson 9. COORDINATES UTM Good LAT EXTERIOR\_ LONG 25. OPEN TO PUBLIC? YES( PRESERVATION UNDERWAY ? YES ( DESIGNATION NO(X) STRUCTURE ( 10. SITE ( ) NO (XX) BUILDING ( X) OBJECT ( 26. LOCAL CONTACT PERSON OR ORGANIZATION 39. ENDANGERED? YES (XX) BY WHAT ? ON NATIONAL REGISTER ? YES ( ) YES (X) IS IT ELIGIBLE? NO ( Alterati NO (X) NO ( Incompatable 27. OTHER SURVEYS IN WHICH INCLUDED DISTRICT YES () YES (X) YES (X ) YES ( VISIBLE FROM ê HIST DISTRICT ? PUBLIC ROAD 2 NO ( NO ( 15. NAME OF ESTABLISHED DISTRICT DISTANCE FROM AND FRONTAGE ON ROAD 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 2 story, 4 bay, asymmetrical **PHOTO** OTHER frame dwelling with steep pitched side gable roof (with front MUST gable projection in right half), plain corner boards and centralized, diagonally placed, brick chimney. Porch attached to front elevation (west) has simple square supports, molded BE entablature and hip roof with enframed gable over entry bay. PROVIDED Left bay contains entry with transom and narrow sidelights; second bay contains 1/1 window; third and fourth bays are part 43. HISTORY AND SIGNIFICANCE of diagonally placed, rectangular bay unit with 1/1 windows in sides, and picture window in center; engaged pilasters framing each. North elevation has rectangular bay unit projecting from second story; it has gable roof (an extension of the 6. TOWNSHIP primary roof) 1/1 window in center with narrow 1/1 units in side. Second story gable roof projection has two bays, each containing 1/1 windows. Horizontal vented opening in gable; ornamented bargeboard. Modern siding is an alteration. Building permit records indicate construction in 1889 for applicant, Newton Andrews. It has a moderate to high degree of integrity due to inappropriate siding and is signifi-44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS Cant as a representation of transitional Queen Anne/Colonial Revival residential property type. In residential neighborhood; low density area 46. PREPARED BY 45. SOURCES OF INFORMATION Mary Jo Winder

BP #A-63, 3/7/89; site

RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096

47. ORGANIZATION City of St Joseph 48. DATE 49. REVISION DATE(S) 7/88

IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM





MISSOURI OFFICE OF HISTORIC PRESERVATION ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM BN-15001056 1. NO. 152 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) 30 2 COUNTY Buchanan 5. OTHER NAME(S) LOCATION OF Dept. of P NEGATIVES Roll #4-18 16. THEMATIC CATEGORY 28. NO. OF STORIES 6. SPECIFIC LEGAL LOCATION 11 Architecture RANGE\_ SECTION TOWNSHIP 29. BASEMENT? YFS ( COUNTY IF CITY OR TOWN, STREET ADDRESS IT. DATE(S) OR PERIOD NO ( 703 South 13th Street ca. 1935 30. FOUNDATION MATERIAL IF RURAL, VICINITY 7. CITY OR TOWN IS. STYLE OR DESIGN 31. WALL CONSTRUCTION St. Joseph Vernacular/Colonial Revival 19. ARCHITECT OR ENGINEER Brick Veneer 8. DESCRIPTION OF LOCATION 32. ROOF TYPE AND MATERIAL (ර ingle Legal: Lot 4, Bella M. Hughes Hipped gable/Comp. 20. CONTRACTOR OR BUILDER Addition 33. NO. OF BAYS FRONT 3 SIDE 21. ORIGINAL USE, IF APPARENT Sigle Family Residence 34. WALL TREATMENT Stretcher 22. PRESENT USE Same 35. PLAN SHAPE Trregular LOCAL 23. OWNERSHIP PUBLIC ( 36. CHANGES ADDITION ( PRIVATE(X) ALTERED ( NO, 42) 24. OWNER'S NAME AND ADDRESS MOVED ( NAME(S) IF KNOWN 37. CONDITION Albert R. Klawuhn INTERIOR\_ 9. COORDINATES UTM EXTERMOR GOOD LAT OR LONG 25. OPEN TO PUBLIC? YES ( PRESERVATION UNDERWAY ? YES ( DESIGNATION(S) NO(X) SITE ( ) STRUCTURE! 10 NO (XXX) BUILDING ( X) OBJECT ( 26. LOCAL CONTACT PERSON OR ORGANIZATION 39. ENDANGERED? YES( ) BY WHAT ? ON NATIONAL REGISTER ? YES ( ) 12. IS IT ELIGIBLE? NO (XX) NO ( X) NO I 27. OTHER SURVEYS IN WHICH INCLUDED DISTRICT YES (X) VISIBLE FROM PUBLIC ROAD ? YES (X) 13. PART OF ESTABL YES ( ) NO ( 17) NO ( DISTANCE FROM AND FRONTAGE ON ROAD 15. NAME OF ESTABLISHED DISTRICT 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES  $1\frac{1}{2}$  story, 3 bay, symmetrical, **PHOTO** OTHER brick dwelling with side hipped gable roof with porch roof MUST projection (also hipped gable form) over center bay. End bays contain grouping of 4/1 windows with 2/1 sidelights (vertical mullions). Single door entry in center bay; porch RE roof supported by Tuscan corner columns. Open rafter and PROVIDED beams with notched edges attached over end bays with decorative wrought iron corner supports. 43, HISTORY AND SIGNIFICANCE Building permits of 1895 and 1908 apparently were for a dwelling that has been demolished. There is no building permit for this dwelling, however; it is on the 1911 Sanborn maps 1939 corrected version. TOWNSHIP 44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS In residential neighborhood primarily of turn of the century dwellings. 46. PREPARED BY

45. SOURCES OF INFORMATION

BP #3946, 3/19/95; BP #4840, 3/24/08; site

RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION
P,O. BOX 176
IF ADDITIONAL SPACE IS NEEDED, ATTACH
SEPARATE SHEET(9) TO THIS FORM

46. PREPARED BY
Mary Jo Winder

47. ORGANIZATION

City of St. Joseph
48. DATE 49. REVISION DATE(9)
7/88



BN-A-004-057 ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM I. NO. 153 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) 2. **county** Buchanan 5. OTHER NAME(S) LOCATION OF Dept. of P & Z NEGATIVES Roll #4-19 6. SPECIFIC LEGAL LOCATION 16. THEMATIC CATEGORY 28. NO. OF STORIES Ņ SECTION Architecture RANGE TOWNSHIP 29. BASEMENT? YES ( COUNTY IF CITY OR TOWN, STREET ADDRESS IT. DATE(S) OR PERIOD NO ( 705 South 13th Street 30. FOUNDATION MATERIAL cal910 IF RURAL, VICINITY 7. CITY OR TOWN IS. STYLE OR DESIGN 52 St. Joseph 31. WALL CONSTRUCTION Neoclassical 19. ARCHITECT OR ENGINEER Brick 8. DESCRIPTION OF LOCATION 30 20 32. ROOF TYPE AND MATERIAL Legal: Lot 3, Bella M. Hughes DR 20. CONTRACTOR OR BUILDER Hip/Comp. shingle Addition FU 33. NO. OF BAYS FRONT SIDE ORIGINAL USE, IF APPARENT Single family residence PRESENT LOCAL 34. WALL TREATMENT Stretcher? 22. PRESENT USE 35. PLAN SHAPE Rectangula Same 23 OWNERSHIP PUBLIC ( 36. CHANGES ADDITION ( PRIVATE(X) ALTERED ( NO. 42) 24. OWNER'S NAME AND ADDRESS MOVED ( NAME(S) IF KNOWN 37. CONDITION INTERIOR Daniel L. Radke 9, COORDINATES UTM EXTERIOR Good-Excel LAT LONG 25. OPEN TO PUBLIC? YES ( 36. PRESERVATION UNDERWAY ? YES ( DESIGNATION(S) STRUCTURE! NO(X) SITE ( ) 10 NO ( BUILDING ( X) OBJECT ( ) 26. LOCAL CONTACT PERSON OR ORGANIZATION 39. ENDANGERED? YES (X BY WHAT ? ON NATIONAL REGISTER ? YES ( ) 12. IS IT YES (X) NO I NO ( NO ( <u>oor maintenan</u>ce 27, OTHER SURVEYS IN WHICH INCLUDED YES ( ) DISTRICT 40. VISIBLE FROM 13. PART OF ESTAB. YES (X) POTENTIAL ? PUBLIC ROAD ? HIST. DISTRICT? NO( ) NO ( v) 41. DISTANCE FROM AND FRONTAGE ON ROAD 15. NAME OF ESTABLISHED DISTRICT 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 2½ story, 3 bay, asymmetrical ø brick dwelling w/bi **PHOTO** OTHER roof w/boxed cornice, gable roof projection and gable roof dormet; MUST wide molded frieze w/dentils. Two-bay porch attached to front elevation (west) has brick piers w/wood panels on upper portion, wide molded entablature w/dentils and flat roof; balustrade has BE turned balusters. Right bay contains a picture window w/transom PROVIDED center has single door; right bay is slightly projecting polygon 43. HISTORY AND SIGNIFICANCE bay unit (2 stories) w/wide window w/transom in center and 1/1 windows on sided (both stories). Right bay terminates w/enframed gable w/projecting verges and boxed peak and cornice and contains paired, casement windows. Ornamental window in second story left bay has arched frame within rectangular opening; sidelights TOWNSHIP and transom have stained glass; window is a 1/1 double hung unit. Dormer has boxed cornice that forms an arch; molded boxed returns, dentils, engaged corner columns and geometric patterned window. 43. There are no building permit records for this dwelling; however, stylistic features indicate original construction to be cal910. It is not on the 1897 Sanborn map; but is on the 1911 map. It has a high degree of integrity 44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS and is significant as a representation of Neoclassical residential property type. 44. In residential neighborhood; low density area; large lot. 45. SOURCES OF INFORMATION 46. PREPARED BY Mary Jo Winder 1911 Sanborn map; site 47. ORGANIZATION City of St. RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION Joseph P.O. BOX 176 48. DATE 49. REVISION DATE(S) IF ADDITIONAL SPACE IS NEEDED, AT SEPARATE SHEET(S) TO THIS FORM JEFFERSON CITY, MISSOURI 65102 ATTACH 7/88

PH. 314-751-4096

MISSOURI OFFICE OF HISTORIC PRESERVATION



MISSOURI OFFICE OF HISTORIC PRESERVATION BN-12-104-056 ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) I. NO. 139 2. COUNTY Buchanan 5. OTHER NAME(S) LOCATION OF Dept. of ROIl #4-1 6. SPECIFIC LEGAL LOCATION 16. THEMATIC CATEGORY 28. NO. OF STORIES Architecture \_RANGE\_ SECTION TOWNSHIP 29. BASEMENT? YES ( IF CITY OR TOWN, STREET ADDRESS NO ( IT. DATE(S) OR PERIOD 706 South 13th Street 1901 30. FOUNDATION MATERIAL 7. CITY OR TOWN IF RURAL, VICINITY IS. STYLE OR DESIGN Ga. 31. WALL CONSTRUCTION St. Joseph Neoclassical Brick 19. ARCHITECT OR ENGINEER 8. DESCRIPTION OF LOCATION 32. ROOF TYPE AND MATERIAL Legal: Part of Lot 10, Block 5 DR Hip/Comp. Shingle 20. CONTRACTOR OR BUILDER Patee's Addition 33. NO. OF BAYS FRONT 21. ORIGINAL USE, IF APPARENT Single Family Residence PRESENT LOCAL NAME(S) 34. WALL TREATMENT Stretcher 22. PRESENT USE 35. PLAN SHAPE Irregular Same 36. CHANGES (EXPLAIN IN 23. OWNERSHIP PUBLIC ( ADDITION ( PRIVATE(X) ALTERED (XX) NO. 42) 24. OWNER'S NAME AND ADDRESS MOVED ( IF KNOWN 37 CONDITION John E. Kirschner INTERIOR. 9. COORDINATES GOOD EXTERIOR LAT S LONG 25. OPEN TO PUBLIC? YES ( 38. PRESERVATION UNDERWAY ? YES ( DESIGNATION(S) NO(X) SITE ( ) STRUCTURE ( NO (XX) 10. BUILDING ( X) OBJECT ( 26. LOCAL CONTACT PERSON OR ORGANIZATION 39. ENDANGERED? YES (XX) BY WHAT?
Poor Maintenance NO ( ON NATIONAL REGISTER ? YES ( ) 12. IS IT ELIGIBLE? YES (X) NO ( X) NO ( 27. OTHER SURVEYS IN WHICH INCLUDED DISTRICT YES (X) 40. VISIBLE FROM PUBLIC ROAD? YES (X ) 13. PART OF ESTAB. HIST, DISTRICT? POTENTIAL? NO ( NO ( NO ( 15. NAME OF ESTABLISHED DISTRICT 41. DISTANCE FROM AND FRONTAGE ON ROAD 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES  $2\frac{1}{2}$  story, 3 bay, asymmetri-**PHOTO** cal brick dwelling with hip roof with boxed cornice and hip roof MUST dormers. Porch attached to front elevation (east) has ornamental wrought iron supports (an alteration) entablature and flat roof. BE Left bay contains single door, 4/1 window (vertical mullions) on PROVIDED second story. Polyzonal "lantern" window unit in second bay: oval window on second story. Wide double hung window in right 43. HISTORY AND SIGNIFICANCE bay with two 4/1 windows in second story. Dormers have recessed walls that contain paired 1/1 windows and have wood shingle siding. Building permit records indicate construction in 1901 for applicant. T.E. Rawlings. It has a moderate to high degree of integrity due to porch alterations and is significant 6. TOWNSHIP as a representation of Neoclassical residential property type. 44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS In residential neighborhood; low density area w/dwellings of upper income property type. 46. PREPARED BY 45. SOURCES OF INFORMATION Mary Jo Winder BP #5546, 6/14/01; site

IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM

RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176 65102 JEFFERSON CITY, MISSOURI PH. 314-751-4096

47. ORGANIZATION City of St Joseph 48. DATE 49. REVISION DATE(S) 7/88



MISSOURI OFFICE OF HISTORIC PRESERVATION BN-AS-004-659 ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM 1. NO. 154 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) Š 2. COUNTY 5. OTHER NAME(S) Buchanan LOCATION OF Dept. of P & Z NEGATIVES Roll #4-20 IS. THEMATIC CATEGORY 6. SPECIFIC LEGAL LOCATION 28. NO. OF STORIES Architecture TOWNSHIP\_ SECTION \_\_ RANGE\_ 29. BASEMENT? YES ( IF CITY OR TOWN, STREET ADDRESS IT. DATE(S) OR PERIOD NO ( 1902 30. FOUNDATION MATERIAL 709 South 13th Street IF RURAL, VICINITY 7. CITY OR TOWN IS. STYLE OR DESIGN 5<u>0</u> 31. WALL CONSTRUCTION St. Joseph Neoclassical 19. ARCHITECT OR ENGINEER Frame 8. DESCRIPTION OF LOCATION 32. ROOF TYPE AND MATERIAL Legal: Lot 2, Bella M. Hughes DR 20. CONTRACTOR OR BUILDER Hip/Comp. Shingle Addition 33. NO. OF BAYS FRONT SIDE 21. ORIGINAL USE, IF APPARENT Single Family Residence Fu PRESERT 34. WALL TREATMENT Asbestos Shingle 22. PRESENT USE 35. PLAN SHAPE Rectangula Same 23. OWNERSHIP PUBLIC ( 36. CHANGES ADDITION ( PRIVATE(X) (EXPLAIN IN ALTERED (XX) NO. 421 24, OWNER'S NAME AND ADDRESS MOVED ( NAME(S) IF KNOWN 37. CONDITION INTERIOR\_ 9, COORDINATES UTM Daniel J. Meyer LAT EXTERIOR Good S PRESERVATION UNDERWAY ? LONG 25. OPEN TO PUBLIC? YES ( YES ( ) DESIGNATION NO(X) 10. SITE ( ) STRUCTURE ( NO (XX) BUILDING ( X) OBJECT ( 26. LOCAL CONTACT PERSON OR ORGANIZATION 39. ENDANGERED 2 YES (XX) BY WHAT ? ON NATIONAL YES ( ) IS IT ELIGIBLE? YES (X) NO ( REGISTER ? Poor Maintenance NO (X) NO ( 27. OTHER SURVEYS IN WHICH INCLUDED DISTRICT YES (X)
POTENTIAL? NO( ) VISIBLE FROM PUBLIC ROAD 2 13. PART OF ESTAB. HIST, DISTRICT? YES ( YES (X ) 9 NO ( v) NO ( 15. NAME OF ESTABLISHED DISTRICT DISTANCE FROM AND FRONTAGE ON ROAD a 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES  $2\frac{1}{2}$  story, 3 bay, asymmetrical **PHOTO** OTHER frame dwelling with hip roof with molded boxed cornices (may MUST have been altered), hip roof dormers and continuous sills on NAME(S) second story. Three bay porch attached to front elevation BE has Tuscan columns that support molded entablature and flat PROVIDED roof with molded cornice. Left bay contains wide window with pivoted bottom unit- center contains a single door and right 43. HISTORY AND SIGNIFICANCE bav has paired windows with pivoted unit. Second story has paired 1/1 windows and a wide 1/1 window in end bays and ornamented oval window in center. Dormers have "shingle style" influence with organic walls and contain 6. TOWNSHIP paired windows with 8/1 sash; mullioned sash in upper 1/3. 43. Building permit records indicate construction in 1902 for applicant, R.W. Douglas. It has a high degree of integrity and is significant as a representation of Neoclassical residential property type. 44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS

In residential neighborhood primarily of turn of the century dwellings; low density area.

46. PREPARED BY Mary Jo Winder 45. SOURCES OF INFORMATION B.P. #A-564, 9/29/02; site 47. ORGANIZATION City of St. Joseph RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176 48. DATE 49. REVISION DATE(S) IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM JEFFERSON CITY, MISSOURI 65102 7/88 PH. 314-751-4096



MISSOURI OFFICE OF HISTORIC **PRESERVATION** BN-AS-004-060 ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) I. NO. 138 8 2. COUNTY 5, OTHER NAME(S) Buchanan 3. LOCATION OF Dept. of P & Z NEGATIVES Roll #12-6 16. THEMATIC CATEGORY 6. SPECIFIC LEGAL LOCATION 28. NO. OF STORIES Architecture TOWNSHIP\_ \_ RANGE SECTION 29. BASEMENT ? YES ( COUNTY IF CITY OR TOWN, STREET ADDRESS IT. DATE(S) OR PERIOD NO ( 1902 30. FOUNDATION 802 South 13th Street MATERIAL 7. CITY OR TOWN IF RURAL, VICINITY IS. STYLE OR DESIGN 49 St. Joseph 31. WALL CONSTRUCTION Vernacular/Oueene Anne 19. ARCHITECT OR ENGINEER Frame 8. DESCRIPTION OF LOCATION 32. ROOF TYPE AND MATERIAL Legal: Part of Lot 9, Block 8, DR Hip/Comp. Shingle 20. CONTRACTOR OR BUILDER Patee's Addition 25 33. NO. OF BAYS FRONT SIDE 21. ORIGINAL USE, IF APPARENT Single Family Residence R 34. WALL TREATMENT Clapboard/Board & Ba 22. PRESENT USE 35. PLAN SHAPE Irregular Same 23. OWNERSHIP PUBLIC ( CHANGES (EXPLAIN IN ADDITION (XX) PRIVATE(X) ALTERED ( NO. 42) 24. OWNER'S NAME AND ADDRESS MOVED ( NAME(S) IF KNOWN 37. CONDITION INTERIOR 9. COORDINATES UTM Lawrence Schildknecht Fair-Good LAT EXTERIOR LONG 38. PRESERVATION UNDERWAY ? 25. OPEN TO PUBLIC? YES ( YES ( DESIGNATION NO(X) SITE ( ) STRUCTURE ( NO (XX) BUILDING ( X) OBJECT ( 26. LOCAL CONTACT PERSON OR ORGANIZATION 39. ENDANGERED? YES (XX) BY WHAT ? ON NATIONAL REGISTER ? YES ( ) YES (X) Н. 12. NO ( ELIGIBLE? Poor Maintenance NO ( NO ( 27. OTHER SURVEYS IN WHICH INCLUDED 14. DISTRICT YES (X )
POTENTIAL? NO( ) VISIBLE FROM PUBLIC ROAD 2 13. PART OF ESTAB. HIST. DISTRICT? YES ( YES (X ) NO ( NO ( 15, NAME OF ESTABLISHED DISTRICT 41. DISTANCE FROM AND FRONTAGE ON ROAD 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES  $1\frac{1}{2}$  story, 3 bay, asymmetrical **PHOTO** frame dwelling with hip roof with polyzonal hip roof side dormers MUST 9 and front gabled-hip roof dormer. Left bay is part of two story polyzonal bay unit that contains 1/1 window, both stories. Second bay has wide 1/1 window. Third bay has recessed open entry vestibule enframed with engaged Tuscan columns and entablature with PROVIDED shingled cornice; single door with transom in opening. Dormer wall has wood shingle siding with ripple pattern, frieze and corner 43. HISTORY AND SIGNIFICANCE boards and paired 1/1 windows. Ornamented gables above hip roof has shaped opening with vent panel. 43. Building permit records indicate original construction in 1902 for applicant, Albert TOWNSHIP J. Albrecht; however, the dwelling has since been altered. It has a moderate degree of architectural integrity and is significant as a representation of vernacular Queen Anne residential property type (transitional). 44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS

In residential neighborhood primarily of same vintage buildings; large public facilities to east of property.

45. SOURCES OF INFORMATION BP #A186, 4/29/02; site	Mary Jo Winder
	47. ORGANIZATION
RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176	City of St. Joseph 48. DATE 49. REVISION DATE(S)
IF ADDITIONAL SPACE IS NEEDED, ATTACH JEFFERSON CITY, MISSOURI 65102 SEPARATE SHEET(S) TO THIS FORM PH. 314-751-4096	7/88



. NO. 137	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
Buchanan  Buchan	5. OTHER NAME(S)	
SPECIFIC LEGAL LOCATION TOWNSHIPRANGESECTION IF CITY OR TOWN, STREET ADDRESS  10 South 13th Street CITY OR TOWN IF RURAL, VICINITY St. Joseph  3. DESCRIPTION OF LOCATION Legal: Lot 10 (part), Blo Patee's Addition  4. COORDINATES UTM LAT LONG  6. SITE() STRUCTU BUILDING(X) OBJE	20. CONTRACTOR OR BUILDER  21. ORIGINAL USE, IF APPARENT Single Family Residence 22. PRESENT USE Same  23. OWNERSHIP PUBLIC() PRIVATE(X)  24. OWNER'S NAME AND ADDRESS IF KNOWN  Rodger Way  25. OPEN TO PUBLIC? YES()  CET() 26. LOCAL CONTACT PERSON OR ORGANIZATION (ES(X)) NO() 27. OTHER SURVEYS IN WHICH INCLUDED	(EXPLAIN IN NO. 42)  ALTERED()  MOVED()  37. CONDITION  INTERIOR  EXTERIOR  FAIT-Good  38. PRESERVATION UNDERWAY?  NO (XX)
ick chimney. Porch attached destals with tapered square re and front gable roof. En llioned windows; center bay llioned light. Both porch a 3. HISTORY AND SIGNIFICANCE siding ere are no building peric features indicate a care	reatures 1½ story, 3 bay, asymmetrical nt gable roof and internal side to front elevation (east) has brick corner columns that support entabladed bays contain paired 3/1 vertically has single door with vertically nd primary gable have wood shingle; primary gable contains small paired nits of record for this dwelling al925 construction date. It has a and is significant as a representation of the significant as a representation of the significant as a representation.	MUST BE PROVIDED  windows. g; however, stylis- s a high degree
4. DESCRIPTION OF ENVIRONMENT AND	outbuildings ood; vacant land to south; faces	s 2 public facili-
		46. PREPARED BY



MISSOURI OFFICE OF HISTORIC PRESERVATION ARCHITECTURAL/HISTORIC INVENTORY SURVEY **FORM** 13N-AS-004-062 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) I. NO. 155 2. COUNTY Buchanan 5. OTHER NAME(S) LOCATION OF Dept. of P & Z NEGATIVES Roll #11-13 16. THEMATIC CATEGORY 6. SPECIFIC LEGAL LOCATION 'n 28. NO. OF STORIES Architecture \_RANGE\_ SECTION TOWNSHIP\_ 29. BASEMENT? YFS ( COUNTY IF CITY OR TOWN, STREET ADDRESS IT. DATE(S) OR PERIOD NO ( 921 South 13th Street 1895 30, FOUNDATION MATERIAL 7. CITY OR TOWN IF RURAL, VICINITY IB. STYLE OR DESIGN 31. WALL CONSTRUCTION St. Joseph Classic Revival/Vernacular Frame 19. ARCHITECT OR ENGINEER 8. DESCRIPTION OF LOCATION 32. ROOF TYPE AND MATERIAL Legal: Part Lot 3, Block 24, Hip & Gable/Comp. Shingle 20. CONTRACTOR OR BUILDER Patee's Addition 33. NO. OF BAYS 4 FRONT 21. ORIGINAL USE, IF APPARENT Single Family Residence PRESENT 34. WALL TREATMENT Vinyl Siding 22. PRESENT USE L" Same 35. PLAN SHAPE **LOCAL** 23. OWNERSHIP PUBLIC ( 36. CHANGES ADDITION ( (EXPLAIN IN PRIVATE(X) ALTERED KX) NO. 42) 24. OWNER'S NAME AND ADDRESS MOVED ( NAME(S) IF KNOWN 37. CONDITION INTERIOR. UTM COORDINATES Elmer J. Sparkman Good EXTERIOR LAT S LONG YES ( 25, OPEN TO PUBLIC? 38. PRESERVATION UNDERWAY ? YES ( DESIGNATION(S) NO(X) KX) ON SITE ( ) STRUCTURE ( BUILDING ( X) OBJECT ( 26. LOCAL CONTACT PERSON OR ORGANIZATION ENDANGERED? YES ( BY WHAT ? IS IT ELIGIBLE? ON NATIONAL YES ( ) 12. YES (X) NO (XX REGISTER ? NO (X) NO ( 27, OTHER SURVEYS IN WHICH INCLUDED DISTRICT YES (X)
POTENTIAL ? NO( ) VISIBLE FROM PUBLIC ROAD ? YFS (X PART OF ESTAB. HIST. DISTRICT? YES ( ) NO ( NO ( DISTANCE FROM AND FRONTAGE ON ROAD 15. NAME OF ESTABLISHED DISTRICT 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 1 story, 3 bay, asymmetrical **PHOTO** THER frame dwelling with hip and front gable roof forms. Porch attach-MUST ed to center and right bays in projecting front gable wing of fron NAME elevation (west) has stone pedestals with square tapered columns RF that support wide entablature and hip roof. Center bay cotains PROVIDED wide window with transom; right has single door. Vented opening centered in gable wall above porch. Left bay contains 1/1 43. HISTORY AND SIGNIFICANCE window (typical). Modern siding has been applied to exterior. Building permit records indicate construction in 1895 for applicant, G. L. Cummings. It has a high degree of architectural integrity and is significant as a representation of vernacular Classic Revival residential property type. TOWNSHIP 44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS

In residential neighborhood of same vintage buildings; on large lot.

45. SOURCES OF INFORMATION

BP #4107, 5/9/\$5; site

RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION
P.O. BOX 176
JEFFERSON CITY, MISSOURI 65102
SEPARATE SHEET(S) TO THIS FORM

46. PREPARED BY MARY JO WINDER

47. ORGANIZATION
City of St. Joseph
48. DATE 49. REVISION DATE(S)
7/88



## MISSOURI OFFICE OF HISTORIC PRESERVATION ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM ALL A-

. NO. 162 4. PR	ESENT LOCAL NAME(S) OR DESIGNATION(S)	
2. COUNTY		· · · · · · · · · · · · · · · · · · ·
Buchanan 5. 07 3. LOCATION OF Dept. of P & Z	HER NAME(S)	
NEGATIVES ROLL #8-7		
B. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 1
IF CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	29. BASEMENT? YES ( ) NO ( )
610 South 14th Street	c.1880/1912	30. FOUNDATION MATERIAL
7. CITY OR TOWN IF RURAL, VICINITY St. Joseph	IB. STYLE OR DESIGN Classic Revival/Vernacular	31. WALL CONSTRUCTION
B. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Frame
Legal: Lot 12, Block 7,		32. ROOF TYPE AND MATERIAL Trunc Hip/Comp. Shir
Stewart's Addition	20. CONTRACTOR OR BUILDER	33. NO. OF BAYS
	21. ORIGINAL USE, IF APPARENT	FRONT 3 SIDE
		34. WALL TREATMENT Clapboard
	22. PRESENT USE Same	35. PLAN SHAPERectangular
·	23. OWNERSHIP PUBLIC ( )	(FXPLAIN IN
	PRIVATE(X)	NO. 42)  ALTERED (XX)  MOVED ( )
	IF KNOWN	37. CONDITION
9, COORDINATES UTM	Jack Taylor	INTERIOR
LAT Long	25. OPEN TO PUBLIC? YES( )	EXTERIOR Good  38. PRESERVATION YES ( )
O. SITE ( ) STRUCTURE ( )		
BUILDING ( X) OBJECT ( )		OV WILLY O
II. ON NATIONAL YES( )   12, IS   T YES(X)   REGISTER ? NO( X)   ELIGIBLE ? NO( )		NO XXX)
3. PART OF ESTAB. YES ( ) 14. DISTRICT YES (X)		40. VISIBLE FROM YES (X )
	4	PUBLIC ROAD ? NO()
IS. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD
42. FURTHER DESCRIPTION OF IMPORTANT FEATU	nee 1 story 3 hay symmetrical	
frame dwelling with truncated hip		РНОТО
chimney. Open verenda on front e	· · · · · · · · · · · · · · · · · · ·	
with paneled wood columns that su		
cornice's lattice foundation infi windows with leaded transoms; deco	* ±	PROVIDED
entry in center bay with transom;	• • • • • • • • • • • • • • • • • • • •	PROVIDED
43. HISTORY AND SIGNIFICANCE Building's	original construction before 189	87. some Creek Povival
characteristics that would place		or, some order hevroal
Building permit records indicate	an alteration to an existing in 1	
struction could predate 1887; how	ever, there are no apparent featu	ures of an earlier
period. It has a moderate degree of vernacular Classic Revival res	of integrity and is significant	as a representation
or vernacular classic kevival les	idential property type.	
		•
44. DESCRIPTION OF ENVIRONMENT AND OUTBUI	LDINGS	
In residential neighborhood; low		
in residential heighborhood, low	density area	
45. SOURCES OF INFORMATION		46. PREPARED BY
4	horn man	Mary Jo Winder
BP #6943. 4//II/I/• 61#6• IRU/ Can		
BP #6943, 4/20/12; site; 1897 San RETURN THIS FORM WHEN COMPLETED TO		City of St. Joseph



MISSOURI OFFICE OF HISTORIC PRESERVATION ARCHITECTURAL/HISTORIC INVENTORY BN. AS 604-664 SURVEY **FORM** 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) 1. NO. 163 8 2. COUNTY Buchanan 5. OTHER NAME(S) LOCATION OF Dept. of P NEGATIVES Roll #8-9 NEGATIVES 16. THEMATIC CATEGORY 6 SPECIFIC LEGAL LOCATION 28. NO. OF STORIES Ņ Architecture TOWNSHIP\_ RANGE SECTION 29. BASEMENT? YES ( COUNTY IF CITY OR TOWN, STREET ADDRESS IT. DATE(S) OR PERIOD NO ( 1895 30. FOUNDATION MATERIAL 626 South 14th Street IF RURAL, VICINITY 7 CITY OR TOWN IB. STYLE OR DESIGN 18 31. WALL CONSTRUCTION St. Joseph <u>Vernacular</u> Frame 19. ARCHITECT OR ENGINEER 8. DESCRIPTION OF LOCATION 32, ROOF TYPE AND MATERIAL Legal: Lot 9, Block 7, 20. CONTRACTOR OR BUILDER Gable/Comp. Shingle Stewart's Addition 33. NO. OF BAYS FRONT 2 SIDE 21. ORIGINAL USE, IF APPARENT Single Family Residence Fu PRESENT LOCAL NAME(S) 34. WALL TREATMENT Asbestos Shingle 22. PRESENT USE 35. PLAN SHAPE Rectangul Same 23. OWNERSHIP PUBLIC ( 36. CHANGES ADDITION ( (EXPLAIN IN PRIVATE(X) ALTERED (XX) NO. 42) 24. OWNER'S NAME AND ADDRESS MOVED ( IF KNOWN 37. CONDITION INTERIOR. COORDINATES UTM Fair Jim A. Hutchison LAT EXTERIOR S LONG 25. OPEN TO PUBLIC? PRESERVATION UNDERWAY ? YES( YES ( DESIGNATION(S) STRUCTURE ( NO(X) SITE ( ) NO ( 10. BUILDING (X) OBJECT ( 26. LOCAL CONTACT PERSON OR ORGANIZATION ENDANGERED? YES! BY WHAT? YES ( ) 12. ON NATIONAL REGISTER ? IS IT Eligible? YES (X) NO ( NO ( X) NO ( 27. OTHER SURVEYS IN WHICH INCLUDED <u>Poor Maintenance</u> 14. DISTRICT YES(X)
POTENTIAL? NO( ) YES (X) 13. PART OF ESTAB. YES ( ) VISIBLE FROM PUBLIC ROAD ? HIST. DISTRICT? NO ( X) 15. NAME OF ESTABLISHED DISTRICT DISTANCE FROM AND FRONTAGE ON ROAD 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 2 story, 2 bay, asymmetrical **PHOTO** OTHER frame dwelling with front gable roof. Porch attached to front MUST elevation (east) has stone pedestals with tapered, square columns, entablature and shed roof. Left bay contains single door with transom; right bay has picture window with transom. BE Three-bay, upper facade has three 1/1 double hung windows. PROVIDED Vented opening in gable. Asbestos siding is a later alteration 43. HISTORY AND SIGNIFICANCE Building permit records indicate a construction phase in 1895 for applicant, Therisa Howe; however original construction possibly predates 1887. It has a moderate degree of integrity and is significant as a representation of late 19th century vernacular TOWNSHIP residential property type. 44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS In residential neighborhood; on block of closely spaced dwellings w/shallow setbacks 46, PREPARED BY 45. SOURCES OF INFORMATION Mary Jo Winder

47. ORGANIZATION
City of St.

7/88

48. DATE 49. REVISION DATE(S)

Joseph

BP #4221, 7/9/95; site; 1897 Sanborn map

IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM

RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION

P.O. BOX 176

JEFFERSON CITY, MISSOURI



MISSOURI OFFICE OF HISTORIC PRESERVATION ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM BN N. 004-065 1. NO. 164 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) 2. COUNTY Buchanan 5. OTHER NAME(S) LOCATION OF Dept. of P & Z NEGATIVES Roll #8-10 NEGATIVES 16. THEMATIC CATEGORY Architecture 6. SPECIFIC LEGAL LOCATION 28. NO. OF STORIES N SECTION TOWNSHIP\_ RANGE 29. BASEMENT? YES ( COUNTY IF CITY OR TOWN, STREET ADDRESS NO ( IT. DATE(S) OR PERIOD 30. FOUNDATION MATERIAL 628 South 14th Street ca. 1860/1890 IF RURAL, VICINITY 7. CITY OR TOWN IB. STYLE OR DESIGN 49 31, WALL CONSTRUCTION St. Joseph Italianate/Vernacular Frame 19. ARCHITECT OR ENGINEER 8. DESCRIPTION OF LOCATION 32, ROOF TYPE AND MATERIAL Legal: Lot 8, Block 7, Trunc. Hip/Comp. Shir gle 20. CONTRACTOR OR BUILDER Stewart's Addition 33. NO. OF BAYS FRONT 2 21. ORIGINAL USE, IF APPARENT Single Family Residence SIDE PRESENT 34. WALL TREATMENT 22. PRESENT USE Clapboard Vacant 35. PLAN SHAPE Rectangul LOCAL ADDITION (XX) 23. OWNERSHIP PUBLIC ( CHANGES (EXPLAIN IN PRIVATE(X) ALTERED (XX) NO. 42) MOVED ( 24, OWNER'S NAME(S) NAME AND ADDRESS IF KNOWN 37 CONDITION INTERIOR. Phillip Wayne Reynolds 9, COORDINATES EXTERMOR Poor-Fair LAT CR LONG 25. OPEN TO PUBLIC? YES ( PRESERVATION UNDERWAY ? YES ( DESIGNAT NO(X) NO (X) 10. SITE ( ) STRUCTURE! BUILDING ( X) DBJECT ( 26. LOCAL CONTACT PERSON OR ORGANIZATION YES ( X) 39. ENDANGERED? IS IT ELIGIBLE? BY WHAT ? ON NATIONAL YES ( ) YES (X) 12. IS NO ( REGISTER ? NO ( X) NO ( 27, OTHER SURVEYS IN WHICH INCLUDED Neglect/Incompatible dd**⊈**tion 14. DISTRICT YES (X)
POTENTIAL? NO( ) VISIBLE FROM PUBLIC ROAD? YES (X ) 13. PART OF ESTAB. HIST. DISTRICT? YES ( ) ũ NO ( NO ( 15. NAME OF ESTABLISHED DISTRICT DISTANCE FROM AND FRONTAGE ON ROAD Ģ 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 2 Story, 2 bay, asymmetri-**РНОТО** OTHER cal, frame dwelling with truncated hip roof with molded boxed MUST cornice and offset, right gable projection; plain frieze and corner boards. Left bay contains a single door with transom; second story has a 1/1 window. Shed roof porch attached to BE front elevation is enclosed to right of entry contains door PROVIDED opening on extreme right (incompatible and extremely deteriorated alteration). Upper right bay contains paired 1/1 43 HISTORY AND SIGNIFICANCE windows in slightly projecting frame. All fenestration (original) has plain wood frames with narrow cornices: 43. Building permit records indicate a construction phase in 1890 for applicant, Mrs. TOWNSHIP Honora Conner, however, stylistic features indicate a cal860 original construction date. It has a moderate degree of integrity due to the incompatible front addition and is significant as a representation of vernacular Italianate residential property type. 44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS In residential neighborhood; closely space buildings w/shallow setbacks. PREPARED BY 45. SOURCES OF INFORMATION

BP #D892, 4/26/90; site; 1897 Sanborn map

RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION

IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM

OFFICE OF HISTORIC PRESERVATION P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096 Mary Jo Winder

47. ORGANIZATION
City of St. Joseph
48. DATE | 49. REVISION DATE(\$)
7/88



MISSOURI OFFICE OF HISTORIC PRESERVATION ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM BN-16004066 I. NO. 165 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) 2 COUNTY Buchanan 5. OTHER NAME(S) LOCATION OF Dept. of P & Z NEGATIVES Roll #8-11 6. SPECIFIC LEGAL LOCATION 16. THEMATIC CATEGORY 28. NO. OF STORIES Architecture RANGE SECTION TOWNSHIP 29. BASEMENT ? YES ( IF CITY OR TOWN, STREET ADDRESS IT. DATE(S) OR PERIOD NO ( 630 South 14th Street ca, 1860/1890 30. FOUNDATION IF RURAL, VICINITY 7. CITY OR TOWN IS. STYLE OR DESIGN 31. WALL CONSTRUCTION St. Joseph Italianate/Vernacular Frame 19. ARCHITECT OR ENGINEER 8. DESCRIPTION OF LOCATION 32. ROOF TYPE AND MATERIAL Legal: Lot 8, Block 7, 20. CONTRACTOR OR BUILDER Trunc. Hip/Comp. ale Stewart's Addition. 33. NO. OF BAYS 4 FRONT 2 SIDE 21. ORIGINAL USE, IF APPARENT Single Family Residence PRESENT LOCAL 34, WALL TREATMENT 22. PRESENT USE <u>Clapboard</u> Same 35. PLAN SHAPE "T." 23. OWNERSHIP PUBLIC ( 36. CHANGES (EXPLAIN IN ADDITION ( PRIVATE(X) ALTERED (XX) NO. 42) 24. OWNER'S NAME AND ADDRESS MOVED ( NAME(S) IF KNOWN 37. CONDITION Sandra Bruce INTERIOR 9. COORDINATES UTM Good EXTERIOR LAT S 36. PRESERVATION UNDERWAY ? LONG 25. OPEN TO PUBLIC? YES ( YES ( DESIGNATION(S) NO(X) NO (XX) SITE ( ) STRUCTURE ( 10. BUILDING ( X) OBJECT ( 26. LOCAL CONTACT PERSON OR ORGANIZATION YES (XX) 39. ENDANGERED 2 BY WHAT ? ON NATIONAL REGISTER ? YES ( ) 12. IS IT ELIGIBLE? YES (X) NO ( NO (X) NO ( 27. OTHER SURVEYS IN WHICH INCLUDED <u>Poor Maintenance</u> DISTRICT YES (X POTENTIAL? NO ( YES (X) VISIBLE FROM PUBLIC ROAD 2 13. PART OF ESTAB. YES ( ) 14. YES (X ) NO ( NO ( 15. NAME OF ESTABLISHED DISTRICT DISTANCE FROM AND FRONTAGE ON ROAD 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 2 story, 2 bay, asymmetrical OTHER **PHOTO** frame dwelling with truncated hip roof with molded, boxed MUST cornice. Recessed left bay contains single door with transom (covered); 1/1 window on second story. Right bay contains paired 1/1 windows (both stories). Porch attached to front BE PROVIDED elevation is 1890 alteration with Colonial Revival features of Tuscan columns and molded entablature. Fenestration is within plain frames wiht narrow cornices. 43. HISTORY AND SIGNIFICANCE A building permit issued to Mrs. Honora Connor for this property in 1890 may have been for alterations to this and the dwelling to the north (same legal description). Both 6. TOWNSHIP buildings have characteristics that indicate a cal860-70 original construction. dwelling has a moderate to high degree of integrity and is significant as a representation of vernacular Italianate residential property type. The porch alteration also has some historic significance. 44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS In residential neighborhood; closely spaced buildings w/shallow setbacks. 46 PREPARED BY 45. SOURCES OF INFORMATION

BP #D892, 4/26/90; site; 1897 Sanborn map

OFFICE OF HISTORIC PRESERVATION P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096

Mary Jo Winder

47. ORGANIZATION

City of St. Joseph 48. DATE 49. REVISION DATE(S) 7/88

IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM

RETURN THIS FORM WHEN COMPLETED TO:



MISSOURI OFFICE OF HISTORIC PRESERVATION BN-45004-067 ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) I. NO. 166 중 2. COUNTY Buchanan 5. OTHER NAME(S) LOCATION OF Dept. of P & Z NEGATIVES Roll #8-12 6. SPECIFIC LEGAL LOCATION 16. THEMATIC CATEGORY 13 28. NO. OF STORIES Architecture RANGE SECTION TOWNSHIP\_ YES (XX 29. BASEMENT ? COUNTY IF CITY OR TOWN, STREET ADDRESS NO ( ) IT. DATE(S) OR PERIOD 30. FOUNDATION MATERIAL <u>702 South 14th Street</u> IF RURAL, VICINITY 18 7. CITY OR TOWN IB. STYLE OR DESIGN 31. WALL CONSTRUCTION St. Joseph Vernacular/Colonial Revival Frame 19. ARCHITECT OR ENGINEER B. DESCRIPTION OF LOCATION 32. ROOF TYPE AND MATERIAL Legal: Lot 7, Block 7, 20. CONTRACTOR OR BUILDER able/Comp. Shinale Stewart's Addition (part of) 33. NO. OF BAYS FRONT 3 SIDE 21. ORIGINAL USE, IF APPARENT PRESENT LOCAL 34, WALL TREATMENT Single Family Residence 22. PRESENT USE <u>Clapboard</u> 35. PLAN SHAPE Rectangula 36. CHANGES (EXPLAIN IN 23. OWNERSHIP PUBLIC ( ADDITION ( PRIVATE(X) ALTERED (XX) NO. 42) 24. OWNER'S NAME AND ADDRESS MOVED ( NAME(S) IF KNOWN 37. CONDITION INTERIOR UTM 9. COORDINATES Good EXTERIOR LAT ဒ္ဓ 38. PRESERVATION UNDERWAY ? LONG YES 25. OPEN TO PUBLIC? YES ( DESIGNATION(S) NO(X) SITE ( ) STRUCTURE ( NO (XX) 10. BUILDING ( X) OBJECT ( 26. LOCAL CONTACT PERSON OR ORGANIZATION 39. ENDANGERED? YES (XX) BY WHAT ? ON NATIONAL REGISTER ? YES ( ) 12. YES (X) NO ( ELIGIBLE? Poor Maintenance NO (X) NO ( 27, OTHER SURVEYS IN WHICH INCLUDED DISTRICT YES (X ) POTENTIAL ? NO( ) VISIBLE FROM PUBLIC ROAD 2 YES (X) YES ( ) 13. PART OF ESTAB. HIST. DISTRICT ? NO ( X) NO ( DISTANCE FROM AND FRONTAGE ON ROAD 15. NAME OF ESTABLISHED DISTRICT 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES  $1^{1}\!_{2}$  story, 3 bay, symmetrical-**PHOTO** ly massed, frame dwelling with front gable roof, molded cornice OTHER plain frieze and corner boards. One-bay porch attached to MUST front elevation (east) has masonry pedestals with tapered, square columns that support entablature and front gable roof. BF Left bay contains 1/1 window, center bay has single door; PROVIDED right bay has single light picture window (glazing is an alteration). Paired 1/1 double hung windows in center of gable HISTORY AND SIGNIFICANCE half story. Building permit records indicate construction in 1888 for applicant, Honora Conners, 6. TOWNSHIP who also applied for a permit in 1890 for two dwellings sited north of this property. It has a moderate degree of integrity and is significant as a representation of late 19th century vernacular residential property type. 44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS In residential neighborhood; closely spaced dwellings w/shallow setbacks.

46. PREPARED BY 45. SOURCES OF INFORMATION Mary Jo Winder BP #C279, 10/2/88; site 47. ORGANIZATION City of St. Joseph OFFICE OF HISTORIC PRESERVATION RETURN THIS FORM WHEN COMPLETED TO: 48. DATE 49. REVISION DATE(S) P.O. BOX 176 IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM JEFFERSON CITY, MISSOURI 65102 7/88



MISSOURI OFFICE OF HISTORIC PRESERVATION BN-AS-004-068 ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) I. NO. 167 2. COUNTY Buchanan 5. OTHER NAME(S) LOCATION OF Dept. of P & Z NEGATIVES Roll #8-13 6. SPECIFIC LEGAL LOCATION 16. THEMATIC CATEGORY 17 28. NO. OF STORIES TOWNSHIP\_ \_ RANGE\_ Architecture SECTION 29. BASEMENT ? YES ! IF CITY OR TOWN, STREET ADDRESS IT. DATE(S) OR PERIOD NO ( 1903 704 South 14th Street 30. FOUNDATION MATERIAL 7. CITY OR TOWN IF RURAL, VICINITY IS, STYLE OR DESIGN Vernacular/Colonial Revival 31. WALL CONSTRUCTION St. Joseph 19. ARCHITECT OR ENGINEER 8. DESCRIPTION OF LOCATION Frame 32. ROOF TYPE AND MATERIAL Legal: Part of Lot 6, Bella M. 20. CONTRACTOR OR BUILDER Gable/Comp. Shingle Hughes Addition 20 33. NO. OF BAYS 4 FRONT 21. ORIGINAL USE, IF APPARENT Single Family Residence Fu PRESENT LOCAL 34. WALL TREATMENT Asbestos Shingle 22. PRESENT USE Same 35. PLAN SHAPE Rectangula 23. OWNERSHIP PUBLIC ( 36. CHANGES (EXPLAIN IN ADDITION ( PRIVATE(X) ALTERED (XX NO. 42) 24. OWNER'S NAME AND ADDRESS MOVED ( NAME(S) IF KNOWN 37. CONDITION Steve and Patti Craft INTERIOR UTM 9. COORDINATES Good EXTERIOR LAT S 38. PRESERVATION UNDERWAY ? LONG 25. OPEN TO PUBLIC? YES ( YES ( ) DESIGNATION(S) NO(X) SITE ( ) STRUCTURE ( NO (X BUILDING ( X) OBJECT ( 26. LOCAL CONTACT PERSON OR ORGANIZATION 39. ENDANGERED? YES (XX BY WHAT ? ON NATIONAL YES ( ) YES (X) 12. NO ( ELIGIBLE? REGISTER ? Poor Maintenance NO ( X) NO ( 27. OTHER SURVEYS IN WHICH INCLUDED 14. DISTRICT 13. PART OF ESTAB. HIST, DISTRICT? YES(X) VISIBLE FROM PUBLIC ROAD 2 YES ( ) YES (X ) POTENTIAL ? NO ( NO ( NO ( DISTANCE FROM AND FRONTAGE ON ROAD 15. NAME OF ESTABLISHED DISTRICT 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES  $1\frac{1}{2}$  story, 3 bay, asymmetri-**PHOTO** OTHER cal, fram dwelling with front gable roof with molded cornice. MUST Two-bay porch attached to front elevation has Tuscan columns that support a hip roof, open slat railing and wood lattice foundation infill. End bays contain 1/1 windows; center bay contains RE offset right single door entry. Smaller 1/1 window centered in PROVIDED gable half story. Asbestos siding is later alteration. 43. HISTORY AND SIGNIFICANCE Building permit records indicate construction in 1903 for applicant, M. McBeth. has a high degree of integrity and is significant as a representation of early 20th century vernacular Colonial Revival residential property type. TOWNSHIP 44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS In residential neighborhood; closely spaced dwellings w/shallow setbacks. 46. PREPARED BY 45. SOURCES OF INFORMATION Mary Jo Winder BP #1323, 9/23/03; site 47. ORGANIZATION City of St. RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION Joseph 48. DATE 49. REVISION DATE(S) P.O. BOX 176

JEFFERSON CITY, MISSOURI

PH. 314-751-4096

65102

7/88

IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM



MISSOURI OFFICE OF HISTORIC PRESERVATION ARCHITECTURAL/HISTORIC INVENTORY BN-A5004069 SURVEY **FORM** I. NO. 168 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) Z 2. COUNTY 5. OTHER NAME(S) Buchanan LOCATION OF Dept. of P & Z NEGATIVES Roll #8-14 6. SPECIFIC LEGAL LOCATION 16. THEMATIC CATEGORY  $I_{2}^{2}$ 28. NO. OF STORIES Ņ Architecture RANGE SECTION TOWNSHIP 29. BASEMENT? YFS ( IF CITY OR TOWN, STREET ADDRESS IT. DATE(S) OR PERIOD NO ( 30. FOUNDATION MATERIAL 905 708 South 14th Street IF RURAL, VICINITY IB. STYLE OR DESIGN 7. CITY OR TOWN 18 Vernacular St. Joseph 31. WALL CONSTRUCTION 19. ARCHITECT OR ENGINEER Frame 8. DESCRIPTION OF LOCATION 32. ROOF TYPE AND MATERIAL Legal: Part of Lot 7, Bella M. Gable/Comp. Shingle 20 Hughes Addition 20. CONTRACTOR OR BUILDER 33. NO. OF BAYS FRONT SIDE 21. ORIGINAL USE, IF APPARENT FU DK 6 PRESENT LOCAL NAME(S) 34. WALL TREATMENT Single Family Residence Modern Siding 22. PRESENT USE 35. PLAN SHAPE Rectangula 23. OWNERSHIP PUBLIC ( 36. CHANGES (EXPLAIN IN NO. 42) ADDITION ( PRIVATE(X ALTERED (XX 24. OWNER'S NAME AND ADDRESS MOVED ( IF KNOWN 37. CONDITION INTERIOR. 9. COORDINATES UTM EXTERNOR Fair-Good LAT SR LONG PRESERVATION UNDERWAY ? 25. OPEN TO PUBLIC? YES ( 38. YES ! DESIGNATION(S) NO(X) NO (XX) STRUCTURE ( SITE ( ) 10. BUILDING ( X) OBJECT ( 26. LOCAL CONTACT PERSON OR ORGANIZATION 39. ENDANGERED ? YES (XX) BY WHAT ? II. ON NATIONAL REGISTER ? IS IT Eligible? YES (X) YES ( ) NO ( NO ( X) NO( ) 27. OTHER SURVEYS IN WHICH INCLUDED <u>Poor Maintenance</u> 14. DISTRICT YES (X ) POTENTIAL? NO( ) 40. VISIBLE FROM PUBLIC ROAD? 13. PART OF ESTAB. HIST. DISTRICT? YES (X) YES ( ) NO ( y) NO ( 15. NAME OF ESTABLISHED DISTRICT DISTANCE FROM AND FRONTAGE ON ROAD 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES  $1\frac{1}{2}$  story, 6 bay, asymmetrical **PHOTO** OTHER frame dwelling with front gable roof with hip roof side dormer. MUST One-story, six-bay, enclosed porch attached to front elevation (east) has brick closed railing; four light storm windows in all but second bay, which contains entry; flat roof with balustrade with open slat railing. Gable wall contains single **PROVIDED** door with vented opening above. Modern siding and porch enclosure are later alterations. 43. HISTORY AND SIGNIFICANCE Building permit records indicate original construction date to be 1905 for applicant, N.J. Nesser. It has a moderate degree of integrity due to alterations and is significant as a representation of early 20th century vernacular residential property type. TOWNSHIP 44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS In residential neighborhood; closely space buildings w/shallow setbacks. 46. PREPARED BY Mary Jo Winder 45. SOURCES OF INFORMATION BP #2451, 4/10/05; site 47. ORGANIZATION City of St. Joseph RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION 48. DATE 49. REVISION DATE(S) P.O. BOX 176 JEFFERSON CITY, MISSOURI IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM 7/88



MISSOURI OFFICE OF HISTORIC PRESERVATION BN-45-009-070 ARCHITÉCTURAL/HISTORIC INVENTORY SURVEY FORM 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) 1. NO. 169 2. COUNTY 5. OTHER NAME(S) 3. LOCATION OF Dept. of P & Z Roll #8-15 6. SPECIFIC LEGAL LOCATION 16. THEMATIC CATEGORY 28. NO. OF STORIES SECTION Architecture TOWNSHIP\_\_\_ \_\_ RANGE\_ 29. BASEMENT? YES ( COUNTY IF CITY OR TOWN, STREET ADDRESS IT. DATE(S) OR PERIOD NO ( 710-12 South 14th Street 30. FOUNDATION MATERIAL 01 7. CITY OR TOWN IF RURAL, VICINITY IS. STYLE OR DESIGN 31. WALL CONSTRUCTION St. Joseph WU 19. ARCHITECT OR ENGINEER DK 8. DESCRIPTION OF LOCATION 32. ROOF TYPE AND MATERIAL Legal: Part of Lot 8, Bella HP 63 20. CONTRACTOR OR BUILDER M. Hughes Addition 33. NO. OF BAYS ٠ FRONT SIDE 21. ORIGINAL USE, IF APPARENT 34. WALL TREATMENT 40 22. PRESENT USE 35. PLAN SHAPE Irrequla: 23. OWNERSHIP PUBLIC( ) 36. CHANGES (EXPLAIN IN ADDITION ( PRIVATE(X) ALTERED ( NO, 42) 24. OWNER'S NAME AND ADDRESS MOVED ( NAME(S) IF KNOWN 37. CONDITION INTERIOR. UTM 9. COORDINATES Steve Gard EXTERIOR LAT င္က 36. PRESERVATION UNDERWAY ? LONG YES ( 25. OPEN TO PUBLIC? YES ( DESIGNATION(S) NO(X) 10, SITE ( ) STRUCTURE ( NO ( OBJECT ( BUILDING ( X) 26. LOCAL CONTACT PERSON OR ORGANIZATION 39. ENDANGERED 2 YES! BY WHAT ? ON NATIONAL REGISTER ? YES ( ) 12, IS IT YES (X) NO ( ELIGIBLE? NO (X) NO( ) 27. OTHER SURVEYS IN WHICH INCLUDED YES ( ) 14. DISTRICT DISTRICT YES (X ) POTENTIAL ? NO( ) 13. PART OF ESTAB. HIST. DISTRICT? 40. VISIBLE FROM PUBLIC ROAD ? YES (X ) NO ( X) NO ( DISTANCE FROM AND FRONTAGE ON ROAD 15. NAME OF ESTABLISHED DISTRICT 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES РНОТО OTHER MUST BE **PROVIDED** 43. HISTORY AND SIGNIFICANCE Noncontributing. TOWNSHIP OUTBUILDINGS 44. DESCRIPTION OF ENVIRONMENT AND 46, PREPARED BY 45. SOURCES OF INFORMATION Mary Jo Winder BP #D-287, 9/17/89; site

RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM

P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096

47. ORGANIZATION

<u>City of St.</u> Joseph 48. DATE 49. REVISION DATE(S)



MISSOURI OFFICE OF HISTORIC PRESERVATION ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM BN-1/3004071 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) I. NO. 170 Š 2. COUNTY Buchanan 5. OTHER NAME(S) LOCATION OF Dept. of P & Z NEGATIVES Roll #8-16 6. SPECIFIC LEGAL LOCATION 16. THEMATIC CATEGORY 28. NO. OF STORIES \_\_ RANGE\_ SECTION Architecture TOWNSHIP\_ 29. BASEMENT? YES ( COUNTY IF CITY OR TOWN, STREET ADDRESS IT. DATE(S) OR PERIOD NO ( 714 South 14th Street 1903 30. FOUNDATION MATERIAL 18. STYLE OR DESIGN
Vernacular/Colonial Revival 18 7. CITY OR TOWN IF RURAL, VICINITY St. Joseph 31. WALL CONSTRUCTION Frame 19. ARCHITECT OR ENGINEER 8. DESCRIPTION OF LOCATION Legal: Part of Lot 8, Bella M 32. ROOF TYPE AND MATERIAL Gable/Comp. Shingle N 20. CONTRACTOR OR BUILDER Hughes Addition File 33. NO. OF BAYS FRONT SIDE 21. ORIGINAL USE, IF APPARENT 4 Single Family Residence 34. WALL TREATMENT 21 Weatherboard/Wood Sh 22. PRESENT USE 35. PLAN SHAPE Rectangula Same LOCAL 23. OWNERSHIP PUBLIC ( CHANGES ADDITION ( (EXPLAIN IN NO. 42) PRIVATE(X) ALTERED (XX 24. OWNER'S NAME AND ADDRESS MOVED ( NAME(S) IF KNOWN 37. CONDITION INTERIOR 9, COORDINATES UTM Robert McKinnis Good LAT **EXTERIOR** S LONG 36. PRESERVATION UNDERWAY ? 25. OPEN TO PUBLIC? YES ( YES ( DESIGNATION(S) NO(X) 10. SITE ( ) STRUCTURE ( NO (XX) BUILDING ( X) OBJECT ( 26. LOCAL CONTACT PERSON OR ORGANIZATION 39. ENDANGERED? YES (XX) BY WHAT ? ON NATIONAL YES ( ) YES (X) NO ( REGISTER ? ELIGIBLE? NO ( X) Poor Maintenance NO ( 27, OTHER SURVEYS IN WHICH INCLUDED 40. VISIBLE FROM PUBLIC ROAD? DISTRICT YES ( ) YES (X) YES (X ) POTENTIAL ? NO ( HIST DISTRICT ? NO ( v) NO ( 15. NAME OF ESTABLISHED DISTRICT 41. DISTANCE FROM AND FRONTAGE ON ROAD 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES  $1^{1}$  story, 4 bay, asymmetri-**PHOTO** OTHER cal, frame dwelling with front gable roof, hip roof side dormer and centralized brick chimney; plain frieze and MUST corner boards. Two-bay porch attached to front elevation NAME (east) has Tuscan columns that support entablature and hip BE roof. Wrought iron railing is a later alteration. First PROVIDED story with weatherboard siding with single door with transom in left end bay; right three bays form slightly projecting 43, HISTORY AND SIGNIFICANCE polyzonal bay unit with wide 1/1 window in center, more narrow units in sides. Gable half story has wood shingle siding and contain a slightly projecting polyzonal bay unit with hip roof; each bay has 1/1 window. Boxed gable peak above roof contains small circular opening with vent. TOWNSHIP 43. Building permit records indicate construction in 1903 for applicant, Miss Hauber. It has a high degree of integrity and is significant as a representation of early 20th century vernacular Colonial Revival residential property type. 44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS In residential neighborhood; closely spaced buildings w/shallow setbacks 46, PREPARED BY 45. SOURCES OF INFORMATION Mary Jo Winder BP #A1100, 6/18/03; site 47. ORGANIZATION City of St. Joseph RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION

P.O. BOX 176

PH. 314-751-4096

JEFFERSON CITY. MISSOURI

IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM

48, DATE

7/88

65102

49. REVISION DATE(S)



#### MISSOURI OFFICE OF HISTORIC PRESERVATION BN-45004-072 ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) I. NO. 171 2. COUNTY Buchanan 5. OTHER NAME(S) LOCATION OF Dept. of P & Z NEGATIVES Roll #8-17 6. SPECIFIC LEGAL LOCATION 16. THEMATIC CATEGORY 28. NO. OF STORIES Architecture RANGE SECTION TOWNSHIP\_ 29. BASEMENT? YES (XX) IF CITY OR TOWN, STREET ADDRESS IT. DATE(S) OR PERIOD NO ( ) 1902 716 South 14th Street 30. FOUNDATION MATERIAL Brick 7. CITY OR TOWN IF RURAL, VICINITY IB, STYLE OR DESIGN

49 31. WALL CONSTRUCTION Vernacular St. Joseph Frame IS. ARCHITECT OR ENGINEER 8. DESCRIPTION OF LOCATION 32. ROOF TYPE AND MATERIAL Legal: Part of Lot 9, Bella Hip/Comp. Shingle CR 20. CONTRACTOR OR BUILDER M. Hughes Addition 33. NO. OF BAYS FRONT SIDE 21. ORIGINAL USE, IF APPARENT Single Family Residence Fu 84. WALL TREATMENT Asbestos Shingle 22. PRESENT USE Same 35. PLAN SHAPE Irregular 23. OWNERSHIP PUBLIC ( 36. CHANGES ADDITION ( PRIVATE(X) ALTERED (XX) NO. 42) 24, OWNER'S NAME AND ADDRESS MOVED ( IF KNOWN 37. CONDITION Frank Smith INTERIOR COORDINATES UTM EXTERMOR Fair-Good LAT LONG 25. OPEN TO PUBLIC? YES( 38. PRESERVATION UNDERWAY ? YES ( ) NO(X) SITE ( STRUCTURE ( NO (XX) 10. BUILDING ( X) OBJECT ( ) 26. LOCAL CONTACT PERSON OR ORGANIZATION 39. ENDANGERED 2 YES (XX) BY WHAT ? ON NATIONAL REGISTER ? YES ( ) IS IT ELIGIBLE? YES (X) 12. NO ( ) Poor Maintenance NO ( X) NO ( 27. OTHER SURVEYS IN WHICH INCLUDED DISTRICT YES (X ) POTENTIAL? NO( ) VISIBLE FROM PUBLIC ROAD 2 PART OF ESTAB. YES (X) NO ( NO ( 15, NAME OF ESTABLISHED DISTRICT DISTANCE FROM AND

42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 2 story, 2 bay, asymmetrical, frame dwelling with hip roof with front gable projection. Porch attached to front elevation (east) has square columns that support a plain entablature and hip roof. Left bay contains single door (originally was recessed). Right bay has picture window with transom on first story, 1/1 window in second. Fenestration has plain frames with narrow cornices.

PHOTO MUST BE PROVIDED

FRONTAGE ON ROAD

PRESENT LOCAL NAME(S)

S

DESIGNATION(S)

OTHER

TOWNSHIP

43, HISTORY AND SIGNIFICANCE

Building permit records indicate construction in 1903 for applicant, E.V. Veath. It has a moderate degree of integrity and has moderate significance as a representation of early 20th century vernacular residential property type.

44 DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS

In residential neighborhood; closely spaced dwellings w/narrow setbacks.

46, PREPARED BY 45. SOURCES OF INFORMATION Mary Jo Winder BP #A112-, 6/27/03; site 47. ORGANIZATION City of St. RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION Joseph 48. DATE 49. REVISION DATE(S) P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 IF ADDITIONAL SPACE IS NEEDED, AT SEPARATE SHEET(S) TO THIS FORM ATTACH 7/88 PH. 314-751-4096



MISSOURI OFFICE OF HISTORIC PRESERVATION ARCHITECTURAL/HISTORIC INVENTORY BN-AS-004-073 SURVEY FORM 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) 1. NO. 172 중 2. COUNTY Buchanan 5. OTHER NAME(S) 3. LOCATION OF Dept. of P & Z NEGATIVES Roll #8-18 6. SPECIFIC LEGAL LOCATION 16. THEMATIC CATEGORY 28. NO. OF STORIES \_ RANGE\_ SECTION Architecture TOWNSHIP\_ 29. BASEMENT? YES ( IF CITY OR TOWN, STREET ADDRESS NO ( IT. DATE(S) OR PERIOD 1898/1902 30. FOUNDATION MATERIAL 718-20 South 14th Street 7, CITY OR TOWN IF RURAL, VICINITY IS. STYLE OR DESIGN 31. WALL CONSTRUCTION St. Joseph Classic Revival Frame 19. ARCHITECT OR ENGINEER 8. DESCRIPTION OF LOCATION 22 32. ROOF TYPE AND MATERIAL Legal: Lot 10, Bella M. Hip/Comp. Shingles 20 CONTRACTOR OR BUILDER Hughes Addition FN 33. NO. OF BAYS . FRONT SIDE 4 21. ORIGINAL USE, IF APPARENT PRESENT LOCAL NAME(S) 34, WALL TREATMENT Duplex Clapboard 22. PRESENT USE 35. PLAN SHAPE Irregular Vacant PUBLIC ( 36. CHANGES (EXPLAIN IN 23. OWNERSHIP ADDITION ( PRIVATE(X) ALTERED (XX) NO. 42) 24. OWNER'S NAME AND ADDRESS MOVED ( IF KNOWN 37 CONDITION INTERIOR\_ Steve Viestenz UTM 9. COORDINATES Fair EXTERIOR. LAT ဓ္က LONG YES! PRESERVATION UNDERWAY ? 25. OPEN TO PUBLIC? YES ( ) DESIGNATION(S) NO(X) STRUCTURE ( 10. SITE ( ) NO (XX) BUILDING ( X) OBJECT ( ) 26. LOCAL CONTACT PERSON OR ORGANIZATION 39. ENDANGERED? YES (XX) BY WHAT? ON NATIONAL REGISTER ? YES ( ) I2. IS IT ELIGIBLE? YES (X NO ( Neglect/Poor Maintena NO (X) NO( ) 27. OTHER SURVEYS IN WHICH INCLUDED 14. DISTRICT YES (X)
POTENTIAL? NO( ) VISIBLE FROM YES (X) 13. PART OF ESTAB. HIST, DISTRICT? YES ( ) PUBLIC ROAD ? NO ( NO ( 41. DISTANCE FROM AND FRONTAGE ON ROAD 15. NAME OF ESTABLISHED DISTRICT 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 2 story, 4 bay, symmetrical, **PHOTO** frame duplex dwelling with hip roof with front gable MUST projection, plain frieze and corner boards. Porch attached to front elevation (east) has original elements of entablature with dentils and hip roof; wrought iron supports, found-RF ation and floor are replacements. End bays contain wide windows PROVIDED (1/1 on left, picture on right) with transoms; second story 43, HISTORY AND SIGNIFICANCE contains paired 1/1 windows. Center bays contain single doors with transoms; second story has slightly projecting polyzonal bay unit with 1/1 windows in side walls; dentiled cornice separates gable which has fishscale 6. TOWNSHIP shingle wall and contains a small 1/1 window with divided upper sash. Fenestration has plain frames with narrow cornices. Building permit records indicate original construction in two phases; in 1898 for applicant Sarah Hickey, and in 1902 for applicant W.L. Eshelman. It has a moderate to high degree of integrity due to deterioration and is significant as a representation of turn the century vernacular Classic Revival duplex property type.

44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS In residential neighborhood; closely spaced dwellings w/shallow setbacks.

45. SOURCES OF INFORMATION BP #441, 8/4/02; BP #6408, 9/22/98; site

RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176 IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM JEFFERSON CITY. MISSOURI 65102 PH. 314-751-4096

46. PREPARED BY Mary Jo Winder 47. ORGANIZATION City of St. Joseph 48. DATE 49. REVISION DATE(S) 7/88



MISSOURI OFFICE OF HISTORIC PRESERVATION BN- AS 004-674 ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM 1. NO. 174 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) ŏ 2. COUNTY Buchanan 5. OTHER NAME(S) LOCATION OF Dept. of P & Z NEGATIVES Roll #8-20 THEMATIC CATEGORY Architecture 6. SPECIFIC LEGAL LOCATION 28. NO. OF STORIES 'n TOWNSHIP \_\_ RANGE\_ SECTION 29. BASEMENT? YES ( COUNTY IF CITY OR TOWN, STREET ADDRESS NO ( IT. DATE(S) OR PERIOD 726-28 South 14th Street 1902 30. FOUNDATION MATERIAL IF RURAL, VICINITY 7. CITY OR TOWN IS. STYLE OR DESIGN Classic Revival 31. WALL CONSTRUCTION St. Joseph Fr<u>ame</u> 19. ARCHITECT OR ENGINEER 8. DESCRIPTION OF LOCATION 32. ROOF TYPE AND MATERIAL Hip/Comp. Shingle Legal: Lot 12, Bella M. Hughes DR 20. CONTRACTOR OR BUILDER Addition FIL 33. NO. OF BAYS 4 FRONT 4 SIDE 21. ORIGINAL USE, IF APPARENT PRESENT LOCAL 34. WALL TREATMENT Duplex 22. PRESENT USE Vinvl Siding 35. PLAN SHAPE Irregular ame 23. OWNERSHIP 36. CHANGES (EXPLAIN IN PUBLIC ( ADDITION ( PRIVATE(X) ALTERED (XX NO. 42) 24, OWNER'S NAME AND ADDRESS MOVED ( NAME(S) IF KNOWN 37. CONDITION Bertha L. Lawhon, 726 S. 14th INTERIOR UTM COORDINATES Fair Henry C. Higgins, 728 S. 14th LAT EXTERIOR. S 36. PRESERVATION UNDERWAY ? LONG 25. OPEN TO PUBLIC? YES( ) YES ( DESIGNATI NO(X) STRUCTURE ( NO (XX) 10. SITE ( ) BUILDING ( X) OBJECT ( 26. LOCAL CONTACT PERSON OR ORGANIZATION 39. ENDANGERED? YES (XX) BY WHAT ? ON NATIONAL REGISTER ? YES ( ) 12. IS IT ELIGIBLE? YES (X) NO ( ) NO (X) NO ( on**s** 27, OTHER SURVEYS IN WHICH INCLUDED Incompatible tera 40. VISIBLE FROM PUBLIC ROAD ? 14. DISTRICT YES (X ) Ē PART OF ESTAB. YES ( ) POTENTIAL ? NO ( HIST. DISTRICT ? NO ( v) DISTANCE FROM AND FRONTAGE ON ROAD 15, NAME OF ESTABLISHED DISTRICT O 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 2 story, 4 bay, symmetrical, **PHOTO** OTHER frame, duplex dwelling with hip roof with projecting front MUST gable roofs and centered gable roof dormer; centralized brick chimneys. Porch attached to front elevation (east) has been altered; original elements are an entablature with dentils and BE PROVIDED hip roof. End bays contain wide 1/1 windows with transoms; second story contains paired 1/1 windows; gabled hip roof Center bays contain single doors; bays are recessed 43. HISTORY AND SIGNIFICANCE above. on second story; each has a small 1/1 window. Dormer has a small 1/1 window and gabled hip roof. Building permit records indicate original construction in 1902 for applicant, TOWNSHIP A.B. Demuth. It has a moderate to high degree of integrity due to alterations and is significant as a representation of early 20th century vernacular Classic Revival duplex property type. 44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS In residential neighborhood

46. PREPARED BY 45. SOURCES OF INFORMATION Mary Jo Winder BP #A411, 6/24/02; site 47. ORGANIZATION City of St. Joseph RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION 48. DATE 49. REVISION DATE(S) P.O. BOX 176 JEFFERSON CITY, MISSOURI IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM 65102 7/88

PH. 314-751-4096



MISSOURI OFFICE OF HISTORIC PRESERVATION ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM BU-AS-004-675 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) I. NO. 175 ž 2. COUNTY 5. OTHER NAME(S) 3. LOCATION OF Dept. of P & Z NEGATIVES Roll #8-21 & 6. SPECIFIC LEGAL LOCATION 16. THEMATIC CATEGORY 2-5 Ņ 28. NO. OF STORIES Architecture SECTION TOWNSHIP\_ \_ RANGE\_ 29. BASEMENT 2 YES ( IF CITY OR TOWN, STREET ADDRESS IT. DATE(S) OR PERIOD NO ( 30. FOUNDATION MATERIAL 18**8**0 730 South 14th Street Brick 7. CITY OR TOWN IF RURAL, VICINITY IS. STYLE OR DESIGN Italianate/Queen Anne 40 49 31. WALL CONSTRUCTION St. Joseph 19. ARCHITECT OR ENGINEER Brick 8. DESCRIPTION OF LOCATION DIZ 32. ROOF TYPE AND MATERIAL Legal: Part of Lot 7, Block 6, Trunc. Hip/Comp. Shir 20. CONTRACTOR OR BUILDER ale 30 27 Patee's Addition 33. NO. OF BAYS 4 FRONT 5 SIDE 21. ORIGINAL USE, IF APPARENT Single Family Residence PRESERT BO 34. WALL TREATMENT Stretcher 22. PRESENT USE 35. PLAN SHAPEIrregular Multi-Family Residence LOCAL PUBLIC ( 23 OWNERSHIP CHANGES ADDITION ( PRIVATE(X) ALTERED (XX) NO. 42) 24. OWNER'S NAME AND ADDRESS MOVED ( NAME(S) IF KNOWN 37. CONDITION Marilyn Jean Frisbie INTERIOR\_ 9. COORDINATES UTM Good EXTERNOR\_ LAT CR LONG 25. OPEN TO PUBLIC? YES( PRESERVATION UNDERWAY ? YES ( DESIGNATION(S) NO(X) STRUCTURE ( NO (XX) SITE ( ) 10. BUILDING ( X) OBJECT ( YES (XX) 26. LOCAL CONTACT PERSON OR ORGANIZATION 39. ENDANGERED? BY WHAT ? ON NATIONAL REGISTER ? YES ( ) 12. IS IT ELIGIBLE? NO ( ) NO (X) NO / 27, OTHER SURVEYS IN WHICH INCLUDED Poor Maintenance 14. DISTRICT YES (X )
POTENTIAL? NO ( VISIBLE FROM PUBLIC ROAD? YES (X ) 13. PART OF ESTAB. YFS ( ) HIST. DISTRICT? NO ( v) 41. DISTANCE FROM AND FRONTAGE ON ROAD 15. NAME OF ESTABLISHED DISTRICT 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 21/2 story, 5 bay, asymmetri-Ø **PHOTO** cal brick dwelling with truncated hip roof with molded, box-MUST 9 ed cornice, projecting front gable and gable roof side dormer; and molded frieze. Recessed first bay has single door with BE transom, both stories. Second and third bays have been PROVIDED altered on first story with single door with transom and 3/3 window and narrow 1/1 window where openings originally had 43. HISTORY AND SIGNIFICANCE same configuration as second story, which contain two 1/1windows. Projecting fourth bay wing has slightly projecting center portion that contains a grouping of a 1/1 window with narrow 1/1 sidelights within a semielliptical arched opening with brick lintel; transom area filled in (may have con-TOWNSHIP tained stained glass); second story has paired 1/1 windows within slightly arched opening; dentiled cornice with ornamented corner brackets separates second story from gable half story which has fishscale shingle wall and contain semi-circular arched opening with 1/1 window. Recessed fifth bay contains single door with All second story fenestration has arched lintels of brick transom, both stories. 44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS with carved keystones and cornerstones. Porches with second story wrought iron railings attached to first through third bays and fifth bay have been altered with brick piers as supporting elements. 46. PREPARED BY 45. SOURCES OF INFORMATION

RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM

BP #3899, 10/31/25; site; 1897 Sanborn map

P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096

Mary Jo Winder 47. ORGANIZATION City of St. Joseph 48. DATE 49. REVISION DATE(S) 7/88

Page 2 730 South 14th Street

- 43. The only building permit for the dwelling is one issued to E.L. Spratt in 1925 when major alterations were performed on the existing cal880 original structure. The existing porch may be an original configuration but elements are more recent. It has a high degree of integrity (excepting porch alteration) and is significant as a representation of transition Italianate/Queen Anne residential property type.
- 44. In residential neighborhood; public school adjacent on south.





MISSOURI OFFICE OF HISTORIC PRESERVATION ARCHITECTURAL/HISTORIC INVENTORY BN-A-104-676 SURVEY FORM 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) I. NO. 177 ž 2. COUNTY Buchanan 5, OTHER NAME(S) 3. LOCATION OF Dept #7-13 P 6. SPECIFIC LEGAL LOCATION 16. THEMATIC CATEGORY 28. NO. OF STORIES SECTION Architecture TOWNSHIP RANGE 29. BASEMENT? YES ( IF CITY OR TOWN, STREET ADDRESS NO ( IT. DATE(S) OR PERIOD 912 South 14th Street 30. FOUNDATION MATERIAL 7. CITY OR TOWN IF RURAL, VICINITY IS. STYLE OR DESIGN 31. WALL CONSTRUCTION St. Joseph Queen Anne/Eastlake Frame 19. ARCHITECT OR ENGINEER 8. DESCRIPTION OF LOCATION 32. ROOF TYPE AND MATERIAL Legal: Lot 2, Block 24, Patee's hqle Hip & Gable/Comp. Shi 20. CONTRACTOR OR BUILDER 20 33. NO. OF BAYS 4 FRONT SIDE 3 21. ORIGINAL USE, IF APPARENT PRESENT LOCAL FU 34. WALL TREATMENT <u>Single Family REsiden</u> Clapboard 22. PRESENT USE 35. PLAN SHAPEIrregular Duplex 23. OWNERSHIP PUBLIC ( 36. CHANGES ADDITION ( (EXPLAIN IN PRIVATE(X) ALTERED ( NO. 42) MOVED ( 24. OWNER'S NAME AND ADDRESS NAME(S) IF KNOWN 37. CONDITION Emma M. Castor INTERIOR 9, COORDINATES UTM Good EXTERIOR LAT CR LONG 25. OPEN TO PUBLIC? YES( ) 38. PRESERVATION UNDERWAY ? YES ( DESIGNATION(S) NO(X) 10. SITE ( ) STRUCTURE ( NOXX) BUILDING ( X) OBJECT ( 26. LOCAL CONTACT PERSON OR ORGANIZATION 39. ENDANGERED? YES ( ) BY WHAT ? ON NATIONAL YES ( ) IS IT YES (X) 12. NOXX 1 ELIGIBLE ? REGISTER ? NO (X) NO ( 27, OTHER SURVEYS IN WHICH INCLUDED 14. DISTRICT YES (X ) YES (X) VISIBLE FROM PUBLIC ROAD ? 13, PART OF ESTAB. YES ( ) POTENTIAL ? NO ( HIST. DISTRICT? NO ( v) NO ( 15, NAME OF ESTABLISHED DISTRICT 41. DISTANCE FROM AND FRONTAGE ON ROAD 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 2 story, 3 bay, asymmetrical, 0 frame dwelling with hip roof with front gable projection, molded PHOTO MUST frieze and plain corner boards. Porch attached to projecting front gable wing and right bay has turned baluster railing, turned posts with ornamental corner brackets, spindled frieze BE and mansard roof; it shelters a window grouping of single light **PROVIDED** sindow flanked by 1/1 sidelights and semi-elliptical arched tran-43. HISTORY AND SIGNIFICANCE som that has stained glass; wood hoodmold over grouping. bay has a single door with transom. Recessed left bay has single door with transom sheltered by small shed roof with 1/1 window on second. Second story of front wing contains paired 1/1 windows; gable is enframed, has patterned wood shingle walls and contains a square opening. Typical fenestration is within plain frame with narrow cornices. 43. Building permit records indicate construction in 1892 for applicant, Matilda L. Farrar. It has a high degree of architectural integrity and is significant as a representation of Queen Anne/Eastlake residential property type. 44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS In residential neighborhood primarily of cal880-1900 dwellings. 46. PREPARED BY

45. SOURCES OF INFORMATION Mary Jo Winder BP #2393, 9/17/92; site 47. ORGANIZATION City of St. Joseph RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION 48. DATE 49. REVISION DATE(S) P.O. BOX 176 IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM JEFFERSON CITY, MISSOURI 65102 7/88 PH. 314-751-4096



MISSOURI OFFICE OF HISTORIC PRESERVATION BN. AS-C04-077 ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) 1. NO. 178 2. COUNTY Buchanan 5. OTHER NAME(S) LOCATION OF Dept. of P & Z NEGATIVES Roll #7-12 16. THEMATIC CATEGORY Architecture 6. SPECIFIC LEGAL LOCATION 28. NO. OF STORIES Ņ TOWNSHIP \_\_ RANGE\_ 29. BASEMENT? YES ( IF CITY OR TOWN, STREET ADDRESS 17. DATE(S) OR PERIOD NO ( 30. FOUNDATION MATERIAL 1896 916 South 14th Street IF RURAL, VICINITY 7. CITY OR TOWN IB. STYLE OR DESIGN 19 31. WALL CONSTRUCTION St. Joseph <u>Vernacular</u> 19. ARCHITECT OR ENGINEER 8. DESCRIPTION OF LOCATION Frame 32. ROOF TYPE AND MATERIAL Legal: Part of Lots 2 & 3, Hip & Gable/Comp. Shi ngle 20. CONTRACTOR OR BUILDER Block 24, Patee's Addition 33. NO. OF BAYS FRONT SIDE 21. ORIGINAL USE, IF APPARENT PRESENT LOCAL 34. WALL TREATMENT Single Family Residence Aluminum Siding 22. PRESENT USE Same 35. PLAN SHAPE Irregular 23. OWNERSHIP PUBLIC ( 36. CHANGES ADDITION ( (EXPLAIN IN PRIVATE(X) ALTERED (XX) NO. 42) 24. OWNER'S NAME AND ADDRESS MOVED ( NAME(S) 37. CONDITION INTERIOR. UTM 9. COORDINATES John & Sharon Baynham EXTERMOR Fair LAT CR LONG PRESERVATION UNDERWAY ? 25. OPEN TO PUBLIC? YES ( YES ( DESIGNATION(S) NO (XX) NO(X) SITE ( ) STRUCTURE ( BUILDING ( X) OBJECT ( 26. LOCAL CONTACT PERSON OR ORGANIZATION 39. ENDANGERED? YES (XX) BY WHAT ? ON NATIONAL REGISTER ? YES ( ) IS IT Eligible? YES (X) NO ( NO ( X) NO ( 27. OTHER SURVEYS IN WHICH INCLUDED <u>Poor Maintenance</u> 14. DISTRICT YES(X)
POTENTIAL? NO( ) 13. PART OF ESTAB. HIST. DISTRICT? YES ( VISIBLE FROM PUBLIC ROAD 2 YES (X ) NO ( NO ( 15. NAME OF ESTABLISHED DISTRICT DISTANCE FROM AND FRONTAGE ON ROAD 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 2 story, 3 bay, asymmetri-**PHOTO** OTHER cal, frame dwelling with hip roof with front gable roof pro-MUST jection; molded cornice. Left bay is east wall of rear portion and contains a single door with transom sheltered by small shed NAME(S) roof with 1/1 window on second story. Center bay is projecting BE front gable wing contains a grouping of a window with transom PROVIDED with narrow 1/1 side lights, second story has paired 1/1 windows enframed gable contains diamond shape vented opening. 43. HISTORY AND SIGNIFICANCE Slightly recessed right bay contains single door with transom and 1/1 window on All fenestration has plain frames with narrow cornices. Porch attached to second and third bays has newer wrought iron supports; original elements include stone pedestals, molded entablature and flat roof. 43. Building permit records indicate construction in 1896 for applicant, James T. Jackson. It has a moderate to high degree of architectural integrity due to alterations and is significant as a representation of late 19th century vernacular residential property type (probably originally exhibited 'Colonial Revival characteristics.) 44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS In residential neighborhood primarily of cal880-1900 dwellings. 46. PREPARED BY 45. SOURCES OF INFORMATION Mary Jo Winder BP #4551, 5/9/96; site 47. ORGANIZATION City of St. Joseph RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION 48. DATE 49. REVISION DATE(S) P.O. BOX 176 IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM JEFFERSON CITY, MISSOURI 65102 7/88

PH. 314-751-4096



MISSOURI OFFICE OF HISTORIC PRESERVATION ARCHITECTURAL/HISTORIC INVENTORY BN-AS-004-078 SURVEY FORM 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) I. NO. 179 중 2. COUNTY Buchanan 5. OTHER NAME(S) 3. LOCATION OF Dept. of P & Z NEGATIVES Roll #7-11 16. THEMATIC CATEGORY
Architecture 6. SPECIFIC LEGAL LOCATION 28. NO. OF STORIES 2 Ņ \_\_ RANGE\_ TOWNSHIP SECTION 29. BASEMENT? COUNTY IF CITY OR TOWN, STREET ADDRESS IT. DATE(S) OR PERIOD NO ( 920-922 South 14th St. 1892 30. FOUNDATION MATERIAL 7. CITY OR TOWN IF RURAL, VICINITY IS. STYLE OR DESIGN St. Joseph Oueen Anne 31. WALL CONSTRUCTION Frame 19. ARCHITECT OR ENGINEER 8. DESCRIPTION OF LOCATION 32, ROOF TYPE AND MATERIAL Legal: Lot 3, Block 24, DR 20. CONTRACTOR OR BUILDER Trunc. Hip/Comp. Shin ıle Patee's Addition 33. NO. OF BAYS FRONT 4SIDE 21. ORIGINAL USE, IF APPARENT 0 B 0 B 34. WALL TREATMENT 51 Duplex Clapboard 22. PRESENT USE 35. PLAN SHAPEIrregular Vacant 23. OWNERSHIP PUBLIC ( 36. CHANGES (EXPLAIN IN ADDITION ( PRIVATE( y ) ALTERED ( NO. 42) 24. OWNER'S NAME AND ADDRESS MOVED ( NAME(S) IF KNOWN 37. CONDITION Charmayne Conard INTERIOR COORDINATES UTM LAT EXTERIOR\_ Good S 36. PRESERVATION UNDERWAY ? LONG 25. OPEN TO PUBLIC? YES ( YES ( DESIGNATION NO(X) NO (xx) 10. SITE ( ) STRUCTURE ( BUILDING ( X) OBJECT ( 26, LOCAL CONTACT PERSON OR ORGANIZATION 39. ENDANGERED? YES (XX BY WHAT? Vacancy/ Poor ON NATIONAL YES ( ) 12. IS IT ELIGIBLE? YES (X) NO ( REGISTER ? NO ( X) NO ( 27. OTHER SURVEYS IN WHICH INCLUDED Maintenance 14. DISTRICT 40. VISIBLE FROM PUBLIC ROAD? YES (X) YES (X ) 3. PART OF ESTAB. YES ( ) POTENTIAL ? NO ( HIST. DISTRICT ? NO ( v) 41. DISTANCE FROM AND FRONTAGE ON ROAD 15. NAME OF ESTABLISHED DISTRICT Œ 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES Two story, 4-bay, symmetrical **PHOTO** OTHER frame, duplex dwelling with truncated hip roof with molded MUST cornice, plain frieze and corner boards. Recessed end bays contain single doors with transoms; small porch attached has simple wood post supports (not original elements). Center bays have slightly projecting units that contain PROVIDED paired 1/1 windows on both stories; cornice over first story 43. HISTORY AND SIGNIFICANCE Windows and enframed cable avove second story cornice. Building permit records indicate construction in 1892 for applicant, Harry G. Holley. It has a high degree of integrity and is significant as a representation of Queen Anne duplex property type. TOWNSHIP 44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS In residential neighborhood of cal870-1900 dwellings; corner lot **46. PREPARED BY**Mary Jo Winder 45. SOURCES OF INFORMATION B.P. #1942, 1/21/92; site 47. ORGANIZATION City of St. OFFICE OF HISTORIC PRESERVATION RETURN THIS FORM WHEN COMPLETED TO: Joseph 48. DATE 49. REVISION DATE(S) P.O. BOX 176 IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM JEFFERSON CITY, MISSOURI 65102 7/88

PH. 314-751-4096



MISSOURI OFFICE OF HISTORIC PRESERVATION BN-AS-004-079 ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM 4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) 1. NO. 179 A 2. COUNTY Buchanan 5. OTHER NAME(S) 3. LOCATION OF Dept. of P & Z ROll #7-21 6. SPECIFIC LEGAL LOCATION 16. THEMATIC CATEGORY 28. NO. OF STORIES Architecture \_ RANGE SECTION TOWNSHIP\_ 29. BASEMENT? YES ( XY IF CITY OR TOWN, STREET ADDRESS IT. DATE(S) OR PERIOD NO( ) 30. FOUNDATION MATERIAL 1002 South 14th Street ca. 1880/1890/1922 Brick IF RURAL, VICINITY 7 CITY OR TOWN IS. STYLE OR DESIGN 22 31. WALL CONSTRUCTION St. Joseph Rungalow/Vernacular 19. ARCHITECT OR ENGINEER Frame 8. DESCRIPTION OF LOCATION 32. ROOF TYPE AND MATERIAL Legal: E. 50' of Lot 4. 20. CONTRACTOR OR BUILDER Hip/Comp. Shingle Block 24, Patee's Addition 20 30 33. NO. OF BAYS FRONT 3 SIDE 21. ORIGINAL USE, IF APPARENT Single Family Residence PRESENT LOCAL 34. WALL TREATMENT Clapboard 22. PRESENT USE 35. PLAN SHAPE Irregular Same (Vacant?) 36. CHANGES 23. OWNERSHIP PUBLIC ( ADDITION ( PRIVATE(X) ALTERED (XX) NO. 42) 24. OWNER'S NAME AND ADDRESS MOVED ( NAME(S) IF KNOWN 37. CONDITION INTERIOR HTM Bete 0. Reiplinger 9. COORDINATES EXTERIOR Fair-Good LAT S LONG 25. OPEN TO PUBLIC? YES( 36. PRESERVATION UNDERWAY ? DESIGNATION ( NO(X) SITE ( ) STRUCTURE ( NO (XX) OBJECT ( BUILDING ( X) 26. LOCAL CONTACT PERSON OR ORGANIZATION 39. ENDANGERED? YES (XX) BY WHAT ? ON NATIONAL REGISTER ? IS IT YES ( ) YES (X) 12. NO ( Neglect/Poor Maintena NO (X) NO ( 27. OTHER SURVEYS IN WHICH INCLUDED DISTRICT YES ()
POTENTIAL ? NO ( 40. VISIBLE FROM PUBLIC ROAD? YES (X YES (X ) ē 13. PART OF ESTAR. YES ( ) HIST. DISTRICT ? NO ( NO ( 15. NAME OF ESTABLISHED DISTRICT 41. DISTANCE FROM AND FRONTAGE ON ROAD 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 1 story, 3 bay, asymmetrical, **PHOTO** OTHER frame dwelling with hip roof, front gable projection, plain MUST frieze and corner boards. Porch attached to front elevation (east) has open brick foundation infill, brick piers with RF tapered, square columns, molded entablature and flat roof. PROVIDED End bays contain picture windows; center bay has single door with transom. Gable wall has wood shingle siding and a small opening with vent insert. All fenestration has plain wood 43. HISTORY AND SIGNIFICANCE frames with narrow cornices. Building permits issued in 1890 to Thomas N. Turner for an addition and in 1922 for remodeling by N.M. Logaburn indicate a pre1887 original construction date; however, the later construction phase is most apparent. It has a moderate degree of integrity and is significant as a representation of vernacular bungalow property type. 44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS In residential neighborhood; on corner lot; faces church on opposite side of street. 46. PREPARED BY 45. SOURCES OF INFORMATION Mary Jo Winder

BP #D705, 3/13/90; BP #5-972, 8/11/22; site; 1897 Sanborn map

47. ORGANIZATION

City of St. Joseph 48. DATE 49. REVISION DATE(S) 7/88

RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM

P.O. BOX 176 JEFFERSON CITY. MISSOURI 65102 PH. 314-751-4096



46. PREPARED BY Mary Jo Winder 45. SOURCES OF INFORMATION BP #D1201, 7/31/90; BP #D723, 3/19/90; site; 1897 Sanborn map 47. ORGANIZATION City of St. Joseph RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION 48. DATE 49. REVISION DATE(S) P.O. BOX 176 IF ADDITIONAL SPACE IS NEEDED, AT SEPARATE SHEET(S) TO THIS FORM ATTACH JEFFERSON CITY, MISSOURI 65102 7/88 PH. 314-751-4096



1. NO. 79	PRESENT LOCAL NAME(S) OR DESIGNATION(S)	<i>'</i>	
2. COUNTY			?
Buchanan 5.	OTHER NAME(S)		
3. LOCATION OF Dept. of P & Z NEGATIVES Roll #7-24			
6. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES /	!
IF CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	29. BASEMENT? YES ( ) NO ( )	
1015 Lafayette		30. FOUNDATION MATERIAL	
7. CITY OR TOWN IF RURAL, VICINITY St. Joseph	18. STYLE OR DESIGN	31. WALL, CONSTRUCTION	
8. DESCRIPTION OF LOCATION Legal: Part Lot 12, Block 36	19. ARCHITECT OR ENGINEER	31. WALL, CONSTRUCTION 32. ROOF TYPE AND MATERIAL	
Patee's Addition	20. CONTRACTOR OR BUILDER	33, NO. OF BAYS	_
	21. ORIGINAL USE, IF APPARENT	FRONT SIDE	
	22. PRESENT USE	34. WALL TREATMENT 64	TACOCK
	EE. FRESENT OSE	35. PLAN SHAPE RC	
	23. OWNERSHIP PUBLIC( ) PRIVATE(X)	(EXPLAIN IN	
	24. OWNER'S NAME AND ADDRESS	NO. 42) ALTERED ( ) MOVED ( )	
9. COORDINATES UTM	IF KNOWN	37. CONDITION INTERIOR	Ī
9. COORDINATES UTM LAT		EXTERIOR	Š
LONG 10, SITE ( ) STRUCTURE (		This could be a second of the	•
BUILDING ( X) OBJECT ( II. ON NATIONAL YES ( ) 12. IS IT YES () REGISTER ? NO ( X) ELIGIBLE ? NO (	X)	39. ENDANGERED? YES( ) BY WHAT? NO( )	
13. PART OF ESTAB. YES ( ) 14. DISTRICT YES ( ) NO ( Y)	X 1	40. VISIBLE FROM YES (X ) PUBLIC ROAD ? NO ( )	1
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD	
44 EUDTUER DESCRIPTION OF IMPORTANT SEA	FILIDES		
42. FURTHER DESCRIPTION OF IMPORTANT FEAT	IORES	РНОТО	
	•	MUST	
		PROVIDED	
			•
43, HISTORY AND SIGNIFICANCE			
Noncontributing.			ı
1			
•			
,			
,			<u> </u>
44. DESCRIPTION OF ENVIRONMENT AND OUTS	UILDINGS		
BP #4819, 11/24/96; site			
-		AC DECEMBED DY	L
45. SOURCES OF INFORMATION		46. PREPARED BY Mary Jo Winder	
		47. ORGANIZATION	
RETURN THIS FORM WHEN COMPLETED		City of St. Joseph	



. NO. 117	PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
Buchanan 5.	OTHER NAME(S)	
NEGATIVES RO11 #13-21		
S. SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY Architecture	26. NO. OF STORIES
TOWNSHIP RANGESECTION IF CITY OR TOWN, STREET ADDRESS	17. DATE(S) OR PERIOD	29. BASEMENT? YES (XX NO( )
lll6 Lafayette	ca. 1880	30. FOUNDATION MATERIAL
CITY OR TOWN IF RURAL, VICINITY	IS STYLE OR DESIGN	Brick
St. Joseph	Queen Anne 90 49	31. WALL CONSTRUCTION
DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER  90 30	Brick 32.ROOF TYPE AND MATERIAL
Legal: Part Lots 5 & 6,	20. CONTRACTOR OR BUILDER	Hip & Gable/Comp. Shirg
Block 25, Patee Addition		33. NO. OF BAYS FRONT // SIDE
	21. ORIGINAL USE, IF APPARENT Single Family Residence OB	FRONT 4 SIDE
	22. PRESENT USE	_Stretcher
	Vacant	35. PLAN SHAPE Irregular
	23. OWNERSHIP PUBLIC ( )	36. CHANGES ADDITION ( )
	PRIVATE( $\chi$ ) 24. OWNER'S NAME AND ADDRESS	NO. 42) ALTERED (XX) MOVED ( )
	IF KNOWN	37. CONDITION
COORDINATES UTM	Ecunenical Corp.	INTERIOR
LAT Long	OF OPEN TO PURILED	EXTERIOR GOOD
O. SITE() STRUCTURE(	25. OPEN TO PUBLIC? YES( ) NO(X)	38. PRESERVATION YES ( ) UNDERWAY ? NO (XX)
BUILDING ( X) OBJECT (		
I. ON NATIONAL YES ( ) 12, IS IT YES ( REGISTER ? NO ( V ) ELIGIBLE ? NO (		BY WHAT? Vacancy/Neglect NO()
NO ( X)	27. OTHER SURVEYS IN WHICH INCLUDED	
3. PART OF ESTAB. YES ( ) 14. DISTRICT YES ( ) HIST. DISTRICT? NO ( $_{ m X}$ ) POTENTIAL.? NO (	1.	40. VISIBLE FROM YES (X ) PUBLIC ROAD? NO ( )
5, NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND
	·	FRONTAGE ON ROAD
2. FURTHER DESCRIPTION OF IMPORTANT FEA	TURES 1 story, 4 bay, asymmetrical	
	nd gable roof forms, molded frieze	РНОТО
	wo-bay front gable portion on left	MUST
	each; lug sills and pedimented	
	ornamentation. Gable ornamented	BE
	molded returns. Recessed third boarded transom; small porch	PROVIDED
	is of new elements. Fourth bay is	s further recessed and
has a window as in first		
here are no building permits of	record for this dwelling; however,	Sanborn maps indicate
construction between 1883 and 18	88 (it does not appear on the map o	of 83). It was construc-
ed at the same time as three si	milar dwellings on the block. It h	as a high degree of
ntegrity and is significant as a roperty type.	a representation of vernacular Quee	n Anne residential
toper of office.		
•		
44. DESCRIPTION OF ENVIRONMENT AND OUT		
n residential neighborhood prim	arily of ca1870-1890 dwellings.	i
ii residentitar nerginorilood prink		
r restactivial neighborhood prim	•	
Barrer 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		46, PREPARED BY
45. SOURCES OF INFORMATION	rn man	Mary Jo Winder
45. SOURCES OF INFORMATION  No B.P.; site; 1888 Sanbo	rn map To: OFFICE OF HISTORIC PRESERVATION	46. PREPARED BY Mary Jo Winder  47. ORGANIZATION City of St. Joseph



I. NO. 118	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		- - 2
Buchanan  3. Location of Dept. of P & Z	5. OTHER NAME(S)		
NEGATIVES RO11 #11-24  6. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES ]	io
IF CITY OR TOWN, STREET ADDRESS  1118 Lafayette	17. DATE(S) OR PERIOD  Ca1880	29. BASEMENT ? YES (X ) NO () 30. FOUNDATION MATERIAL	COUNTY
7. CITY OR TOWN IF RURAL, VICINITY St. Joseph	18. STYLE OR DESIGN Queen Anne 45 49	Brick 31. WALL CONSTRUCTION	<b>-</b> ⊀ 
8. DESCRIPTION OF LOCATION Legal: Lots 5 & 6, Blk 25,	19. ARCHITECT OR ENGINEER	Brick 32. ROOF TYPE AND MATERIAL	ſ
Patee's Addition	20. CONTRACTOR OR BUILDER 30 40	Hip/Comp. shingle	٠,
	21. ORIGINAL USE, IF APPARENT Single family residence	FRONT 5 SIDE  34. WALL TREATMENT	PRESENT
	22. Present use Same	Stretcher 35. PLAN SHAPE Irreqular	
	23. OWNERSHIP PUBLIC( ) PRIVATE(X)  24. OWNER'S NAME AND ADDRESS	36. CHANGES ADDITION() (EXPLAIN IN NO. 42) ALTERED(\(\sum_{\infty}\))  MOVED()	LOCAL NAME(S)
9. COORDINATES UTM	IF KNOWN	37. CONDITION	WAME (S
LAT LONG	Ecumenical Corp.  25. OPEN TO PUBLIC? YES()	EXTERIOR GOOD  38. PRESERVATION YES (X.)	Ç
IO. SITE ( ) STRUCTE		UNDERWAY? NO ( )  39. ENDANGERED? YES ( )	DC 316
II. ON NATIONAL YES ( ) 12, IS IT Y	YES (X ) NO( ) 27, OTHER SURVEYS IN WHICH INCLUDED	BY WHAT? NO (X)	Designation (s)
13. PART OF ESTAB. YES ( ) 14. DISTRICT YES ( ) POTENTIAL?	(F9/X)	40. VISIBLE FROM YES (X ) PUBLIC ROAD ? NO ( )	(2)
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD	
Left 3 bays form polygonal unstone lug sills and pediment a Recessed 4th bay contains sing porch attached to bay has mode contains 2/2 window w/same wind A3. HISTORY AND SIGNIFICANCE There are no building permits	lded frieze and brick water table. it w/hip roof; 1/1 windows in each; shape lintels w/scalloped lower edge. gle door w/transom; small flat roof ern wrought iron elements. 5th bay adow treatment as others  of record for this dwelling; however	MUST BE PROVIDED  Sanborn maps indicate	C. CORR.
structed at the same time as t	1888 (it does not appear on the map of three similar dwellings on the block. Int as a representation of vernacular (	It has a high degree	
44. DESCRIPTION OF ENVIRONMENT AND	OUTBUILDINGS		
,	cimarily of cal870-1890 dwellings.		
45. SOURCES OF INFORMATION	······································	46. PREPARED BY Mary Jo Winder	
Site; 1888 Sanborn map	ED TO: OFFICE OF HISTORIC PRESERVATION	47. ORGANIZATION City of St. Joseph	
IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	P.O. BOX 176 JEFFERSON CITY, MISSOUR! 65102 PH. 314-751-4096	48. DATE 49. REVISION DATE(S)	



### MISSOURI OFFICE OF HISTORIC PRESERVATION

	ESENT LOCAL NAME(S) OR DESIGNATION(S)	
2. COUNTY		
Buchanan 5. 01  3. LOCATION OF Dept. of P & Z NEGATIVES Roll #7-7	THER NAME(S)	
6. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES $1\frac{1}{2}$ 29. BASEMENT? YES ( )
IF CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	NO( )
1119-21 Lafayette 7. CITY OR TOWN IF RURAL, VICINITY	1903	30. FOUNDATION MATERIAL Brick
St. Joseph	Vernacular/Colonial Revival	31. WALL CONSTRUCTION
8. DESCRIPTION OF LOCATION  Legal: Part of Lots 1 & 2,	19. ARCHITECT OR ENGINEER	Frame 32. ROOF TYPE AND MATERIAL
Block 23, Patee's Addition	20. CONTRACTOR OR BUILDER	Hip/Comp. Shingle
	21. ORIGINAL USE, IF APPARENT	FRONT 4 SIDE
	Duplex 5/	34. WALL TREATMENT Clapboard
	22. PRESENT USE Same	35. PLAN SHAPE "T"
	23. OWNERSHIP PUBLIC( ) PRIVATE(X)	(EXPLAIN IN
	24. OWNER'S NAME AND ADDRESS	NO. 42) ALTERED ( ) MOVED ( )
9. COORDINATES UTM	IF KNOWN	37. CONDITION
LAT		EXTERIOR Good
LONG  10. SITE() STRUCTURE(	25. OPEN TO PUBLIC? YES( )	LINE CONTACT OF
BUILDING ( X) OBJECT ( )		39. ENDANGERED? YES (XX)
II. ON NATIONAL YES ( ) 12, IS IT YES (X ) REGISTER? NO ( X) ELIGIBLE? NO (		BY WHAT? NO() Poor Maintenance
13. PART OF ESTAB. YES ( ) 14. DISTRICT YES (X)	7	40. VISIBLE FROM YES (X )
HIST. DISTRICT? NO ( X) POTENTIAL? NO ( )	<u>) .</u>	41. DISTANCE FROM AND
		FRONTAGE ON ROAD
42. FURTHER DESCRIPTION OF IMPORTANT FEATU	<b>RES</b> $1\frac{1}{2}$ story, 4 bay, symmetrical	
frame duplex dwelling with hip roof w	vith hip roof dormer, plain friez	
and corner boards. Recessed end bays transoms; small corner porch attached		MOST
entablatures and flat roofs. Center		BE
CITCALIACTED AND LIAC LOCAD. CCHECK		PROVIDED
window, plain framer with narrow corr	nices. Dormer contains paired	PHOVIDED
window, plain framer with narrow corr 6/6 windows.		
window, plain framer with narrow corr 6/6 windows.  43. HISTORY AND SIGNIFICANCE Building per	ermit records indicate construction	on in 1903 for appli-
window, plain framer with narrow corr 6/6 windows.	ermit records indicate construction erate degree of architectural into	on in 1903 for appli- egrity and is moder-
window, plain framer with narrow corr 6/6 windows.  43. HISTORY AND SIGNIFICANCE Building per cant, Emil Wildberger. It has a mode	ermit records indicate construction erate degree of architectural into	on in 1903 for appli- egrity and is moder-
window, plain framer with narrow corr 6/6 windows.  43. HISTORY AND SIGNIFICANCE Building per cant, Emil Wildberger. It has a mode	ermit records indicate construction erate degree of architectural into	on in 1903 for appli- egrity and is moder-
window, plain framer with narrow corr 6/6 windows.  43. HISTORY AND SIGNIFICANCE Building per cant, Emil Wildberger. It has a mode	ermit records indicate construction erate degree of architectural into	on in 1903 for appli- egrity and is moder-
window, plain framer with narrow corr 6/6 windows.  43. HISTORY AND SIGNIFICANCE Building per cant, Emil Wildberger. It has a mode	ermit records indicate construction erate degree of architectural into	on in 1903 for appli- egrity and is moder-
window, plain framer with narrow corr 6/6 windows.  43. HISTORY AND SIGNIFICANCE Building per cant, Emil Wildberger. It has a mode	ermit records indicate construction of vernacular, Colonial Revival	on in 1903 for appli- egrity and is moder- duplex property type.
window, plain framer with narrow corresponding personal forms.  43. HISTORY AND SIGNIFICANCE Building personal forms and significance at the significant as a representation of the significance at the significant as a representation of the significance and significant as a representation of the significance and significance at the significance and significance are significant as a representation of the significance and significance are significant as a representation of the significance and significance are significance as a significance and significance are significance as a significance and significance are significance as a significance are significance as a significance are significance as a significance are significance as a significance are significance as a significance are significance as a significance are significance as a significance are significance as a significance are significance as a significance are significance as a significance are significance.	ermit records indicate construction are degree of architectural interpretation of vernacular, Colonial Revival	on in 1903 for appli- egrity and is moder- duplex property type.
window, plain framer with narrow correspondence of windows.  43. HISTORY AND SIGNIFICANCE Building percant, Emil Wildberger. It has a mode ately significant as a representation of the building is situated on a small of the building is situated on a small of the windows.	ermit records indicate construction are degree of architectural interpretation of vernacular, Colonial Revival	on in 1903 for appli- egrity and is moder- duplex property type.  rnacular, single family
window, plain framer with narrow corr 6/6 windows.  43. HISTORY AND SIGNIFICANCE Building per cant, Emil Wildberger. It has a mode ately significant as a representation of the building is situated on a small light dwellings of pre 1890 construction date.	ermit records indicate construction are degree of architectural interpretation of vernacular, Colonial Revival	on in 1903 for appli- egrity and is moder- duplex property type.  rnacular, single family  46. PREPARED BY Mary Jo Winder
window, plain framer with narrow corr 6/6 windows.  43. HISTORY AND SIGNIFICANCE Building per cant, Emil Wildberger. It has a mode ately significant as a representation of the building is situated on a small light dwellings of pre 1890 construction date.	ermit records indicate construction are degree of architectural interpretation of vernacular, Colonial Revival	on in 1903 for appli- egrity and is moder- duplex property type.  rnacular, single family



3. LOCATION OF Dept. of P & Z  NEGATIVES ROll #13-20  6. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS 1120 Lafayette 7. CITY OR TOWN IF RURAL, VICINITY St. Joseph 6. DESCRIPTION OF LOCATION Legal: Part Lots 5 & 6, Block 25, Patee Addition  9. COORDINATES LAT LONG  10. SITE() STRUCTURE() BUILDING(X) OBJECT() 11. DATE(S) OR PERIOD Ca. 1880 19. ARCHITECT OR ENGINEER 21. ORIGINAL USE, IF APPARENT Single Family Residen 22. PRESENT USE Vacant 23. OWNERSHIP 24. OWNER'S NAME AND ADDRESS IF KNOWN  Ecumenical Corp. 25. OPEN TO PUBLIC? 10. SITE() STRUCTURE() REGISTER? NO(X) 11. ON NATIONAL YES() RELIGIBLE? NO() HIST. DISTRICT YES(X) HIST. DISTRICT, NO(X) 15. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 1 story, 5 bay, asy brick dwelling with hip roof, molded frieze and br table. Left three bays form polygonal unit with he each contains an opening (now boarded), center is sides. Fourth bay and fifth bays are recessed; for door with transom and fifth has 1/1 window. Fenes has lug wills and stone lintels with scalloped orn	Brick  32.ROOF TYPE AND MATERIAL Hip/Comp. Shingle  33. NO. OF BAYS FRONT 5 SIDE  34. WALL TREATMENT Stretcher  Stretcher  PUBLIC() 35. PLAN SHAPE Irregular  PUBLIC() TEXT OF THE STREET STREE
8. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS  1120 Lafayette 7. CITY OR TOWN IF RURAL, VICINITY St. Joseph 8. DESCRIPTION OF LOCATION Legal: Part Lots 5 & 6, Block 25, Patee Addition  19. ARCHITECT OR ENGINEER 20. CONTRACTOR OR BUILDER 21. ORIGINAL USE, IF APPARENT Single Family Residen 22. PRESENT USE Vacant 23. OWNER'SHIP 24. OWNER'S NAME AND ADDRES IF KNOWN  10. SITE() STRUCTURE() BUILDING(X) OBJECT() 11. ON NATIONAL YES() 12. IS IT YES(X) REGISTER? NO(X) POTENTIAL? NO() 13. PART OF ESTABLISHED DISTRICT 15. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 1 story, 5 bay, asy brick dwelling with hip roof, molded frieze and br table. Left three bays form polymonal unit with him each contains an opening (now boarded), center is sides. Fourth bay and fifth bays are recessed; fo door with transom and fifth bays are recessed; fo	29. BASEMENT?  YES (XX) NO ( )  30. FOUNDATION MATERIAL  Brick  31. WALL CONSTRUCTION Brick  32. ROOF TYPE AND MATERIAL  Hip/Comp. Shingle  33. NO. OF BAYS
TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS  1120 Lafayette 7. CITY OR TOWN IF RURAL, VICINITY St. Joseph 8. DESCRIPTION OF LOCATION Legal: Part Lots 5 & 6, Block 25, Patee Addition  19. ARCHITECT OR ENGINEER 20. CONTRACTOR OR BUILDER  21. ORIGINAL USE, IF APPARENT Single Family Residen 22. PRESENT USE Vacant 23. OWNER'S NAME AND ADDRES IF KNOWN  9. COORDINATES LAT LONG  10. SITE() STRUCTURE() BUILDING(X) OBJECT() 11. ON NATIONAL YES() REGISTER? NO(X) 13. PART OF ESTABL YES() I4. DISTRICT YES(X) HIST. DISTRICT; NO(X) 15. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 1 story, 5 bay, asy brick dwelling with hip roof, molded frieze and br table. Left three bays form polygonal unit withh each contains an opening (now boarded), center is sides. Fourth bay and fifth bays are recessed; fo door with transom and fifth bays are recessed; fo	29. BASEMENT?  YES (XX)  NO ( )  30. FOUNDATION MATERIAL  Brick  31. WALL CONSTRUCTION  Brick  32. ROOF TYPE AND MATERIAL  Hip/Comp. Shingle  33. NO. OF BAYS  FOONT
17. DATE(S) OR PERIOD   18. STYLE OR DESIGN   20. CONTRACTOR OR BUILDER   21. ORIGINAL USE, IF APPARENT   22. ORNERSHIP   24. OWNER'S NAME AND ADDRESS   17. OTHER SURVEYS IN WHICH   25. OPEN TO PUBLIC?   26. LOCAL CONTACT PERSON OR   27. OTHER SURVEYS IN WHICH   27. OTHER SU	Brick  31. WALL CONSTRUCTION Brick  32. ROOF TYPE AND MATERIAL Hip/Comp. Shingle  33. NO. OF BAYS
1120 Lafayette 7. CITY OR TOWN St. Joseph 8. DESCRIPTION OF LOCATION Legal: Part Lots 5 & 6, Block 25, Patee Addition  9. COORDINATES LAT LONG  10. SITE() STRUCTURE() BUILDING(X) OBJECT()  11. ON NATIONAL YES() LISIT YES(X) HIST. DISTRICT? NO(X)  13. PART OF ESTAB. YES() H-DISTRICT YES(X) HIST. DISTRICT? NO(X)  15. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 1 story, 5 bay, asy brick dwelling with hip roof, molded frieze and br table. Left three bays form polymonal unit with he each contains an opening (now boarded), center is sides. Fourth bay and fifth bays are recessed; fo door with transom and fifth bays are recessed; fo	Brick  31. WALL CONSTRUCTION Brick  32. ROOF TYPE AND MATERIAL Hip/Comp. Shingle  33. NO. OF BAYS
7. CITY OR TOWN St. Joseph  8. DESCRIPTION OF LOCATION Legal: Part Lots 5 & 6, Block 25, Patee Addition  9. COORDINATES LAT LONG  10. SITE() STRUCTURE() BUILDING(X) OBJECT()  11. ON NATIONAL YES() ELIGIBLE? NO() HIST. DISTRICT? NO(X)  13. PART OF ESTAB. YES() HADDENTIAL? NO() HIST. DISTRICT? NO(X)  15. NAME OF ESTABLISHED DISTRICT  16. Left three bays form polymonal unit with heach contains an opening (now boarded), center is sides. Fourth bay and fifth bays are recessed; fo door with transom and fifth bays are recessed; fo door with transom and fifth bays are recessed; fo door with transom and fifth bays are recessed; fo door with transom and fifth bays are recessed; fo	Brick  31. WALL CONSTRUCTION Brick  32. ROOF TYPE AND MATERIAL Hip/Comp. Shingle  33. NO. OF BAYS
8. DESCRIPTION OF LOCATION Legal: Part Lots 5 & 6, Block 25, Patee Addition  20. CONTRACTOR OR BUILDER  21. ORIGINAL USE, IF APPARENT Single Family Residen 22. PRESENT USE Vacant 23. OWNER'S NAME AND ADDRES IF KNOWN  24. OWNER'S NAME AND ADDRES IF KNOWN  25. OPEN TO PUBLIC?  26. LOCAL CONTACT PERSON OR  27. OTHER SURVEYS IN WHICH  27. OTHER SURVEYS IN WHICH  28. ARCHITECT OR ENGINEER 36.  20. CONTRACTOR OR BUILDER 21. ORIGINAL USE, IF APPARENT Single Family Residen 22. PRESENT USE Vacant 23. OWNER'S NAME AND ADDRES IF KNOWN  25. OPEN TO PUBLIC?  26. LOCAL CONTACT PERSON OR  27. OTHER SURVEYS IN WHICH  27. OTHER SURVEYS IN WHICH  28. FURTHER DESCRIPTION OF IMPORTANT FEATURES 1 story, 5 bay, asy brick dwelling with hip roof, molded frieze and br table. Left three bays form polymonal unit with h each contains an opening (now boarded), center is sides. Fourth bay and fifth bays are recessed; fo door with transom and fifth has 1/1 window. Fenes	Brick  32. ROOF TYPE AND MATERIAL Hip/Comp. Shingle  33. NO. OF BAYS
Legal:  Part Lots 5 & 6, Block  25, Patee Addition  21. ORIGINAL USE, IF APPARENT Single Family Residen  22. PRESENT USE Vacant  23. OWNER'S NAME AND ADDRES IF KNOWN  9. COORDINATES LAT LONG  10. SITE() STRUCTURE() BUILDING(X) OBJECT() 11. ON NATIONAL YES() I2. IS IT YES(X) REGISTER? NO(X) 13. PART OF ESTAB. YES() I4. DISTRICT YES(X) HIST. DISTRICT? NO(X) 15. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 1 story, 5 bay, asy brick dwelling with hip roof, molded frieze and br table. Left three bays form polymonal unit with heach contains an opening (now boarded), center is sides. Fourth bay and fifth bays are recessed; fo door with transom and fifth has 1/1 window. Fenes	32. ROOF TYPE AND MATERIAL Hip/Comp. Shingle 33. NO. OF BAYS
Part Lots 5 & 6, Block 25, Patee Addition  21. ORIGINAL USE, IF APPARENT Single Family Residen 22. PRESENT USE Vacant 23. OWNER'S NAME AND ADDRES IF KNOWN  9. COORDINATES LAT LONG  10. SITE() STRUCTURE() BUILDING(X) OBJECT() 11. ON NATIONAL YES() ELIGIBLE? NO() REGISTER? NO(X) HIST. DISTRICT? NO(X)  13. PART OF ESTAB. YES() H4. DISTRICT YES(X) HIST. DISTRICT? NO(X)  15. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 1 story, 5 bay, asy brick dwelling with hip roof, molded frieze and br table. Left three bays form polygonal unit with h each contains an opening (now boarded), center is sides. Fourth bay and fifth bays are recessed; fo door with transom and fifth has 1/1 window. Fenes	Hip/Comp. Shingle
25, Patee Addition  21. ORIGINAL USE, IF APPARENT Single Family Resident Vacant  22. PRESENT USE Vacant  23. OWNER'S NAME AND ADDREST IF KNOWN  24. OWNER'S NAME AND ADDREST IF KNOWN  Ecumenical Corp.  25. OPEN TO PUBLIC?  26. LOCAL CONTACT PERSON OR II. ON NATIONAL YES() ELIGIBLE? NO()  13. PART OF ESTAB. YES() I4. DISTRICT YES(X) POTENTIAL? NO()  15. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 1 Story, 5 bay, asy brick dwelling with hip roof, molded frieze and br table. Left three bays form polygonal unit with he each contains an opening (now boarded), center is sides. Fourth bay and fifth bays are recessed; fo door with transom and fifth has 1/1 window. Fenes	EBONT CIDE
Single Family Resident 22. PRESENT USE Vacant 23. OWNERSHIP  24. OWNER'S NAME AND ADDREST IF KNOWN  Ecumenical Corp.  25. OPEN TO PUBLIC?  26. LOCAL CONTACT PERSON OR DISTRICT YES(X) NO( )  10. NATIONAL YES( ) NO( X)  11. ON NATIONAL YES( ) NO( X)  13. PART OF ESTAB. YES( ) NO( X)  14. DISTRICT YES(X) POTENTIAL? NO( )  15. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 1 story, 5 bay, asy brick dwelling with hip roof, molded frieze and br table. Left three bays form polygonal unit with he each contains an opening (now boarded), center is sides. Fourth bay and fifth bays are recessed; fo door with transom and fifth has 1/1 window. Fenes	Stretcher  35. PLAN SHAPE Irregular  PUBLIC() PRIVATE(X)  Stretcher  36. CHANGES ADDITION() (EXPLAIN IN NO. 42)  ALTERED (XX)
22. PRESENT USE Vacant  23. OWNERSHIP  24. OWNER'S NAME AND ADDRES IF KNOWN  Ecumenical Corp.  25. OPEN TO PUBLIC?  26. LOCAL CONTACT PERSON OR  10. SITE() OBJECT()  BUILDING(X) OBJECT()  11. ON NATIONAL YES() I2. IS IT YES(X) REGISTER? NO(X)  REGISTER? NO(X)  12. IS IT YES(X) NO()  POTENTIAL? NO()  13. PART OF ESTAB. YES() I4. DISTRICT YES(X) POTENTIAL? NO()  15. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT FEATURES  1 story, 5 bay, asy brick dwelling with hip roof, molded frieze and br table. Left three bays form polymonal unit with h each contains an opening (now boarded), center is sides. Fourth bay and fifth bays are recessed; fo door with transom and fifth has 1/1 window. Fenes	Stretcher  35. PLAN SHAPE Irregular  PUBLIC() PRIVATE(X)  Second Stretcher  ADDITION() ALTERED (XX)
Vacant  23. OWNERSHIP  24. OWNER'S NAME AND ADDRES IF KNOWN  Ecumenical Corp.  25. OPEN TO PUBLIC?  26. LOCAL CONTACT PERSON OR  10. SITE() OBJECT()  11. ON NATIONAL YES() I2. IS IT YES(X) REGISTER? NO(X)  13. PART OF ESTAB. YES() H4. DISTRICT YES(X) HIST. DISTRICT? NO(X)  15. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT FEATURES  1 story, 5 bay, asy brick dwelling with hip roof, molded frieze and br table. Left three bays form polygonal unit with h each contains an opening (now boarded), center is sides. Fourth bay and fifth bays are recessed; fo door with transom and fifth has 1/1 window. Fenes	PUBLIC( ) 36. CHANGES ADDITION( ) (EXPLAIN IN NO. 42) ALTERED (XX)
24. OWNER'S NAME AND ADDRES  9. COORDINATES LAT LONG  10. SITE() STRUCTURE() BUILDING(X) OBJECT() 11. ON NATIONAL YES() 12. IS IT YES(X) REGISTER? NO(X) 13. PART OF ESTAB. YES() 14. DISTRICT YES(X) HIST. DISTRICT? NO(X)  15. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 1 story, 5 bay, asy brick dwelling with hip roof, molded frieze and br table. Left three bays form polymonal unit with h each contains an opening (now boarded), center is sides. Fourth bay and fifth bays are recessed; fo door with transom and fifth has 1/1 window. Fenes	PUBLIC() 36. CHANGES ADDITION() PRIVATE(X) (EXPLAIN IN NO. 42) ALTERED (XX)
9. COORDINATES LAT LONG  10. SITE() BUILDING(X)  11. ON NATIONAL REGISTER? NO(X)  12. IS IT REGISTER? NO(X)  13. PART OF ESTAB. YES() HIST. DISTRICT? NO(X)  14. DISTRICT POTENTIAL? NO()  15. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT FEATURES brick dwelling with hip roof, molded frieze and br table. Left three bays form polymonal unit with he each contains an opening (now boarded), center is sides. Fourth bay and fifth bays are recessed; fo door with transom and fifth has 1/1 window. Fenes	PRIVATE(X)  (EXPLAIN IN ALTERED (XX)
9. COORDINATES LAT LONG  10. SITE() BUILDING(X)  11. ON NATIONAL REGISTER? NO(X)  12. IS IT REGISTER? NO(X)  13. PART OF ESTAB. YES() HIST. DISTRICT? NO(X)  14. DISTRICT POTENTIAL? NO()  15. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT FEATURES brick dwelling with hip roof, molded frieze and br table. Left three bays form polymonal unit with he each contains an opening (now boarded), center is sides. Fourth bay and fifth bays are recessed; fo door with transom and fifth has 1/1 window. Fenes	MOVED!
9. COORDINATES LAT LONG  10. SITE() BUILDING(X) OBJECT()  11. ON NATIONAL PEGISTER? NO(X)  13. PART OF ESTAB. YES() HIST. DISTRICT? NO(X)  15. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT FEATURES brick dwelling with hip roof, molded frieze and br table. Left three bays form polymonal unit with h each contains an opening (now boarded), center is sides. Fourth bay and fifth bays are recessed; fo door with transom and fifth has 1/1 window. Fenes	MOACD ( )
LAT LONG  10. SITE() STRUCTURE() BUILDING(X) OBJECT()  11. ON NATIONAL YES() NO(X) REGISTER? NO(X)  13. PART OF ESTAB. YES() HIST. DISTRICT? NO(X)  15. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 1 story, 5 bay, asy brick dwelling with hip roof, molded frieze and br table. Left three bays form polygonal unit with he each contains an opening (now boarded), center is sides. Fourth bay and fifth bays are recessed; fo door with transom and fifth has 1/1 window. Fenes	37. CONDITION INTERIOR
LONG  10. SITE() STRUCTURE() BUILDING(X) OBJECT()  11. ON NATIONAL YES() NO(X)  12. IS IT YES(X) REGISTER? NO(X)  13. PART OF ESTAB. YES() NO(X)  15. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 1 story, 5 bay, asy brick dwelling with hip roof, molded frieze and br table. Left three bays form polygonal unit with heach contains an opening (now boarded), center is sides. Fourth bay and fifth bays are recessed; fo door with transom and fifth has 1/1 window. Fenes	EXTERIOR Fair-Good
BUILDING ( X)  OBJECT ( )  11. ON NATIONAL YES ( ) REGISTER? NO ( X)  13. PART OF ESTAB. YES ( ) HIST. DISTRICT? NO ( X)  15. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 1 story, 5 bay, asy brick dwelling with hip roof, molded frieze and br table. Left three bays form polygonal unit with h each contains an opening (now boarded), center is sides. Fourth bay and fifth bays are recessed; fo door with transom and fifth has 1/1 window. Fenes	YES( ) 38. PRESERVATION YES( ) NO(X) UNDERWAY? NO(X)
REGISTER? NO(X)  13. PART OF ESTAB. YES() HAD DISTRICT YES(X) POTENTIAL? NO()  15. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 1 story, 5 bay, asy brick dwelling with hip roof, molded frieze and br table. Left three bays form polymonal unit with h each contains an opening (now boarded), center is sides. Fourth bay and fifth bays are recessed; fo door with transom and fifth has 1/1 window. Fenes	ORGANIZATION 39. ENDANGERED? YES ( XX
13. PART OF ESTAB. YES() HIST. DISTRICT? NO(X)  15. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 1 story, 5 bay, asy brick dwelling with hip roof, molded frieze and br table. Left three bays form polymonal unit with h each contains an opening (now boarded), center is sides. Fourth bay and fifth bays are recessed; fo door with transom and fifth has 1/1 window. Fenes	BY WHAT? NO()
42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 1 story, 5 bay, asy brick dwelling with hip roof, molded frieze and br table. Left three bays form polymonal unit with h each contains an opening (now boarded), center is sides. Fourth bay and fifth bays are recessed; fo door with transom and fifth has 1/1 window. Fenes	NCLUDED Vacancy/Neglect
42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 1 story, 5 bay, asy brick dwelling with hip roof, molded frieze and br table. Left three bays form polygonal unit with h each contains an opening (now boarded), center is sides. Fourth bay and fifth bays are recessed; fo door with transom and fifth has 1/1 window. Fenes	40. VISIBLE FROM YES (X ) PUBLIC ROAD? NO ( )
42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 1 story, 5 bay, asy brick dwelling with hip roof, molded frieze and br table. Left three bays form polygonal unit with h each contains an opening (now boarded), center is sides. Fourth bay and fifth bays are recessed; fo door with transom and fifth has 1/1 window. Fenes	41. DISTANCE FROM AND
brick dwelling with hip roof, molded frieze and br table. Left three bays form polygonal unit with h each contains an opening (now boarded), center is sides. Fourth bay and fifth bays are recessed; fo door with transom and fifth has 1/1 window. Fenes	FRONTAGE ON ROAD
brick dwelling with hip roof, molded frieze and br table. Left three bays form polygonal unit with h each contains an opening (now boarded), center is sides. Fourth bay and fifth bays are recessed; fo door with transom and fifth has 1/1 window. Fenes	
table. Left three bays form polymonal unit with heach contains an opening (now boarded), center is sides. Fourth bay and fifth bays are recessed; fo door with transom and fifth has 1/1 window. Fenes	I S PROTO Z
each contains an opening (now boarded), center is sides. Fourth bay and fifth bays are recessed; fo door with transom and fifth has 1/1 window. Fenes	
sides. Fourth bay and fifth bays are recessed; fo door with transom and fifth has 1/1 window. Fenes	
door with transom and fifth has 1/1 window. Fenes	
	ar cir flas
	clucion
43. HISTORY AND SIGNIFICANCE Small porch attached to fourth ba elements.	
	dro 11 dmm. No
There are no building permits of record for this maps indicate construction between 1883 and 1888	dwelling; however, Sanborn
the map of '83). It was constructed at the same	time as three similar
dwellings on the block. It has a high degree of	integrity and is signi
ficant as a representation of vernacular Queen A	nne residential property
cype.	TO TO THE TOTAL PRODUCT OF
44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS	¥ = - F = 1
In residential neighborhood primarily of cal870-1890 dwel:	
45. SOURCES OF INFORMATION	
No B.P.; site; 1888 Sanborn map	ings.
RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRES	ings.





# MISSOURI OFFICE OF HISTORIC PRESERVATION ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

I. NO. 120	PRESENT LOCAL NAME(S) OR DESIGNATION(S)		-
2. COUNTY  Buchanan  5. 3. LOCATION OF Dept. of P & Z	OTHER NAME(S)		
NEGATIVES Roll #13-19			
6. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	I6. THEMATIC CATEGORY Architecture	28. NO. OF STORIES $\frac{1}{29}$ . BASEMENT? YES (XX)	<u>:</u>
IF CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	NO( )	000
1122 Lafavette	_ca. 1880	30. FOUNDATION MATERIAL	
7. CITY OR TOWN IF RURAL, VICINITY	18. STYLE OR DESIGN Oueen Anne 40 49	Brick	
St. Joseph	19. ARCHITECT OR ENGINEER	31. WALL CONSTRUCTION  Brick	
8. DESCRIPTION OF LOCATION  Legal: Dark Lots 5 c 6	- ARONITECT ON ENGINEER	32. ROOF TYPE AND MATERIAL	
Part Lots 3 & 0,	20. CONTRACTOR OR BUILDER	Hip/Comp. Shingle	
Block 25, Patee Addition	30 10 20	33. NO. OF BAYS FRONT 3 SIDE	
	21. ORIGINAL USE, IF APPARENT Single Family Residence	34. WALL TREATMENT	
	22. PRESENT USE	_Stretcher	
	Vacant	35. PLAN SHAPE Irregular	
	23. OWNERSHIP PUBLIC (	36. CHANGES ADDITION ( )	
	PRIVATE(X)	NO. 42) ALTERED (XX) MOVED ( )	1 :
	IF KNOWN	37. CONDITION	
9, COORDINATES UTM	D. mari al G	INTERIOR	
LAT	Ecumenical Corp.	EXTERNOR Fair-Good	
LONG  O. SITE ( ) STRUCTURE	25. OPEN TO PUBLIC? YES(	I INCEDIMAN A	
BUILDING ( X) OBJECT		BY WHAT 2	
II. ON NATIONAL YES ( ) 12, IS IT YES REGISTER ? NO ( X) ELIGIBLE ? NO	(X) 27. OTHER SURVEYS IN WHICH INCLUDED	Vacancy/Neglect	
13. PART OF ESTAB. YES ( ) 14. DISTRICT YES POTENTIAL? NO		40, VISIBLE FROM YES (X )	
HIST. DISTRICT? NO ( X) POTENTIAL? NO	( )	PUBLIC ROAD ? NO ( )	
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD	
	2.1		_
	ATURES 1 story, 3 bay, asymmetrical coof, molded frieze and brick	РНОТО	•
	is slight projection that contains	MUST	
	boarded); enframed gable above		
	ertical patterned panel. Recessed	BE	
center bay contains door with transom and has small porch		PROVIDED	
	ted or newer elements). Right		l
43. HISTORY AND SIGNIFICANCE bay co	ontains window (also boarded). All cone lintels.	openings have lug	
There are no building permits of	record for this dwelling; however	Sanborn mana indi	<u> </u>
cate construction between 1883 a	and 1888 (it does not appear on the	man of '83) T+	
was constructed at the same time	e as three similar dwellings on the	block. It has a	1
high degree of integrity and is	significant as a representation of	vernacular Queen	
Anne residential property type.	_		
•			<b> </b>
44. DESCRIPTION OF ENVIRONMENT AND OUT	BUILDINGS		1
In residential neighborhood prim	marily of cal870-1890 dwellings.		
45. SOURCES OF INFORMATION		46. PREPARED BY	<u> </u>
	urn man	Mary Jo Winder	
	•	47. ORGANIZATION	
RETURN THIS FORM WHEN COMPLETED	TO: OFFICE OF HISTORIC PRESERVATION		4
No B.P.; site; 1888 Sanbo	TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096		



i. No. 116	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		-
2. COUNTY Buchanan	S OTHER NAME (O)		
3. LOCATION OF Dept. of P & Z NEGATIVES Roll #7-9	5. OTHER NAME(S)		
8. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 1 3/4   29. BASEMENT? YES()	
IF CITY OR TOWN, STREET ADDRESS  1123 Lafayette	17. DATE(S) OR PERIOD  ca. 1860	NO XX)	
r. CITY OR TOWN IF RURAL, VICINITY St. Joseph	18. STYLE OR DESIGN Vernacular 49	31. WALL CONSTRUCTION	
B. DESCRIPTION OF LOCATION  Legal: Part of Lot 1 & 2,	19. ARCHITECT OR ENGINEER	Frame 32.ROOF TYPE AND MATERIAL	
Block 23, Patee's Addn.		Gable/Comp. Shingle	
	21. ORIGINAL USE, IF APPARENT Duplex or Single Family Residence	FRONT 3 SIDE 34. WALL TREATMENT	
	22. PRESENT USE	Asbestos Shingle 35. PLAN SHAPE "T"	
	23. OWNERSHIP PUBLIC( ) PRIVATE(X)	(EXPLAIN IN NO. 42) ALTERED (XX	
	24. OWNER'S NAME AND ADDRESS  IF KNOWN	MOVED ( )  37. CONDITION INTERIOR	
9. COORDINATES UTM Lat Long	Willie Bunton	EXTERNOR_ Fair	
O. SITE ( ) STRUCTU		UNDERWAY ? NO (XX)	
PECIETED 9 ELICIPLE 9	ES (X )	39. ENDANGERED? YES(XX) BY WHAT? NO() Neglect NO()	
	F9/X)	40. VISIBLE FROM YES(X) PUBLIC ROAD? NO()	
15, NAME OF ESTABLISHED DISTRICT	,	41. DISTANCE FROM AND FRONTAGE ON ROAD	
42. FURTHER DESCRIPTION OF IMPORTANT	FEATURES 1 3/4 story, 3 bay, symmetri-		
•	ing with side gable roof. Porch on (south) is later (ca. 1900)	PHOTO MUST	
alteration; it has three	bays and square wood columns, open d lattice foundation infill. End	BE	
bays contain 2/1 windows;	off-set right single door entry was	PROVIDED	
43. HISTORY AND SIGNIFICANCE Lef	ther that has been closed over on the to the term of t	ouilding as a duplex).	
	ermit of record for this dwelling is		
in 1894 for applicant, J.F. I construction date. It has a	Lehey; however characteristics indica moderate degree of integrity and is entury vernacular residential propert	ate an original ca1860 significant as a	
		<u>,                                     </u>	L
44. DESCRIPTION OF ENVIRONMENT AND C	DUTBUILDINGS		
In residential neighborhood	of primarily cal860-1900 dwellings; c	on corner lot.	
45. SOURCES OF INFORMATION		46. PREPARED BY Mary Jo Winder	1
BP #3670, 8/7/94; site; 1	<u> </u>	47. ORGANIZATION	
RETURN THIS FORM WHEN COMPLETE  IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	ED TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	City of St. Joseph 48. DATE 49. REVISION DATE(\$) 7/88	



t. No. 136	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		
2. COUNTY			
Buchanan  3. LOCATION OF Dept. of P & Z	5. OTHER NAME(S)		
NEGATIVES ROLL #11-8			
6. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 2 29. BASEMENT? YES ( )	
IF CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	29. BASEMENT? YES ( ) NO( )	
NE Cor. 12th & Lafayette	c.1860	30. FOUNDATION MATERIAL	
7. CITY OR TOWN IF RURAL, VICINITY St. Joseph	18. STYLE OR DESIGN Thalianato 42 19	31. WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION	Italianate 7 //	Brick?	
Legal: Lot 10-12, Block 23	, CONTRACTOR OR PHILADER	32.ROOF TYPE AND MATERIAL Trunc. Hip/Comp. Shin	1.0
Patee's Addition	20. CONTRACTOR OR BUILDER	33. NO. OF BAYS	те
	21. ORIGINAL USE, IF APPARENT	FRONT 4 SIDE	
	Single Family Residence 22. PRESENT USE	34. WALL TREATMENT Alum. or Vinyl Siding	
	Same	35. PLAN SHAPE Irregular	
	23. OWNERSHIP PUBLIC ( )	FYDI AIN IN	
	PRIVATE(X)	NO. 42)  ALTEREDXX )  MOVED ( )	
	IF KNOWN Wm. R. Bunton	37. CONDITION	
9. COORDINATES UTM	Will IX. Builcon	INTERIORPoor	
LAT Long	25. OPEN TO PUBLIC? YES( )	EXTERIOR	
IO. SITE ( ) STRUCTUR	E( ) NO(X )		
BUILDING ( X) OBJEC		39. ENDANGERED? YES(XX)	
DECISTED A FIGURES	S(X) O( ) 27. OTHER SURVEYS IN WHICH INCLUDED	Neglect/Poor Maintena	ce
COTTAIN	9 (X )	40. VISIBLE FROM YES (X )	
	0( )	· NO ( )	
15. NAME OF ESTABLISHED DISTRICT	,	41. DISTANCE FROM AND FRONTAGE ON ROAD	
	EATURES 2 story, 4 bay, asymmetrical ng and truncated hip roof; molded	/ РНОТО	ļ
	brackets supporting molded boxed	MUST	
coof cornice single door entry	recessed - left bay has original,		
	essed under modern corner porch.	BE	
	bays have been reduced, but hood- right bay has original 2/2 window	PROVIDED	
	guration.		
			ĺ
mere are no puriding permit re	ecords for this dwelling until one i	n 1958. Stylistic	1
features indicate original con-	to excessive alterations and in the	s a moderate degree	
features indicate original cons	to excessive afterations and is sig		_
features indicate original cons of architectural integrity due	ntial property type.	irricant as a repre-	
features indicate original cons of architectural integrity due	ntial property type.	illicant as a repre-	
features indicate original cons of architectural integrity due	ntial property type.	irricant as a repre-	
reatures indicate original consoft architectural integrity due sentation of Italianate residen	ntial property type.	irricant as a repre-	
features indicate original consof architectural integrity due sentation of Italianate resider  44. DESCRIPTION OF ENVIRONMENT AND OR	UTBUILDINGS	·	
features indicate original consof architectural integrity due sentation of Italianate resider  44. DESCRIPTION OF ENVIRONMENT AND OR	ntial property type.	·	
of architectural integrity due sentation of Italianate resident sentation of Italianate resident sentation of Environment and of Italianate resident sentation of Environment and of Italianate resident sentation of Environment and of Italianate resident sentation of Environment and of Italianate resident sentation of Environment and of Italianate resident sentation of Environment and of Italianate resident sentation of Environment and of Italianate resident sentation of Italianate resident sentation of Italianate resident sentation of Italianate resident sentation of Italianate resident sentation of Italianate resident sentation of Italianate resident sentation of Italianate resident sentation of Italianate resident sentation of Italianate resident sentation of Italianate resident sentation of Italianate resident sentation se	UTBUILDINGS	property.	
of architectural integrity due sentation of Italianate resident sentation of Italianate resident sentation of Environment and of Italianate resident sentation of Environment and of Italianate resident sentation of Environment and of Italianate resident sentation sen	UTBUILDINGS  a corner lot; vacant lot to north of	·	
of architectural integrity due sentation of Italianate resident sentation of Italianate resident sentation of Environment and of In residential neighborhood; or sentation of Information sp #19303, 6/5/58; site; 1888 S	UTBUILDINGS  a corner lot; vacant lot to north of	property.	





. NO. 135	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		
2. COUNTY	Solom Church		Š
Buchanan  3. Location of Dept. of P & Z  NEGATIVES Roll #11-9	5. OTHER NAME (S) CORE IN THE		
8. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION _ IF CITY OR TOWN, STREET ADDRESS	16. THEMATIC CATEGORY Architecture 133	28. NO. OF STORIES 15 29. BASEMENT? YES (XX	
SE Corner 12th & Lafayette	i7. DATE(S) OR PERIOD  c.1870  i8. STYLE OR DESIGN	NO( )	
St. Joseph	Church /Vernacular Gothic 10	31. WALL CONSTRUCTION ?/Stucco	
B. DESCRIPTION OF LOCATION Legal: Lot 7, Block 25,		32. ROOF TYPE AND MATERIAL Gable/Comp. Shingle	SH
tee's Addition	21. ORIGINAL USE, IF APPARENT	33. NO. OF BAYS FRONT 3 SIDE	
	Church 22. PRESENT USE	34. WALL TREATMENT Stucco	
	Church 23. OWNERSHIP PUBLIC( ) PRIVATE( X )	/EVDI AIN IN	
	24. OWNER'S NAME AND ADDRESS IF KNOWN	NO. 42)  ALTERED (XX)  MOVED ( )  37. CONDITION	
9, COORDINATES UTM		INTERIOR_GOOD	•
LONG O. SITE() STRUCT	25. OPEN TO PUBLIC? YES( )  TURE( )		
I. ON NATIONAL YES ( ) 12, IS IT	ECT( ) 26. LOCAL CONTACT PERSON OR ORGANIZATION YES(X)	39. ENDANGERED? YES( ) BY WHAT? NO (XX)	
REGISTER ? NO ( X) ELIGIBLE ?  3. PART OF ESTAB. YES ( ) 14. DISTRICT POTENTIAL 1 POTENTIAL 1	NO( ) 27. OTHER SURVEYS IN WHICH INCLUDED YES (X )	40. VISIBLE FROM YES(X) PUBLIC ROAD?	
HIST. DISTRICT? NO ( X) POTENTIAL?  5. NAME OF ESTABLISHED DISTRICT	· NO( )	41. DISTANCE FROM AND FRONTAGE ON ROAD	
42 FURTHER DESCRIPTION OF IMPORTANT	FEATURES $1\frac{1}{2}$ story, 3 bay, symmetrical		
tucco church with front gabl	e roof with 1½ story rear addition	PHOTO MUST	į
ung windows in openings with	elevation has stained glass double triangular lintels. Center bay has	$\rightarrow$	
ne story projection with hip indows on front elevation.	roof with side entry and two square Belfry projects above - openings of i	PROVIDED	
ave been covered. Small dou	ble hung windows at two levels on		
	er side of entry bay. cate construction of an entrance in 18	387 for the "Salom	
Church" and an addition in 1	927 for applicant, Latter Day Saints;	however, original	
construction may have been 1 integrity due to excessive a	870 or earlier. It has a moderate dec lterations and is significant as a rep	gree of architectural	
19th century ecclesiastical	vernacular property type.	rescheacton of mid-race	1
In 1888, it was known as the	German Salem Church.		L
44. DESCRIPTION OF ENVIRONMENT AND	OUTBUILDINGS		
In residential neighborhood	primarily of cal860-1900 dwellings.		
in restrictur nergineerneed			
45. SOURCES OF INFORMATION	/1/87; site; 1888 Sanborn map	46. PREPARED BY Mary Jo Winder	┢



NO. <b>86</b>	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
Buchanan Location of Dept. of P & Z	5. OTHER NAME(S)	· ·
NEGATIVES RO11 #5-13		
SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY	28. NO. OF STORIES 15
TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS		29. BASEMENT? YES ( )
•	17. DATE(S) OR PERIOD	NO( )
Corner of 11th & Locust St	S. 1912  18. STYLE OR DESIGN	Brick
St. Joseph	Vernacular 49	31. WALL CONSTRUCTION
DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	 Frame
Legal: Part of Lot 1, Blo	ck 5,	32. ROOF TYPE AND MATERIAL
Patee's A	■	Gable/Comp, shingle
		FRONT A SIDE
	21. ORIGINAL USE, IF APPARENT Single family residence SI	34. WALL TREATMENT
	22. PRESENT USE	Stucco
	Same	35. PLAN SHAPE Irregular
	23. OWNERSHIP PUBLIC (	) 36. CHANGES ADDITION ( )
	PRIVATE()	MO' 45\
	24. OWNER'S NAME AND ADDRESS IF KNOWN	MOVED ( A)
AAADAMATTA IITM		37. CONDITION INTERIOR
COORDINATES UTM	1	exteriorFair
LONG	25. OPEN TO PUBLIC? YES( TURE( )	) 36. PRESERVATION YES ( )
BUILDING ( X)	JECT ( ) 26. LOCAL CONTACT PERSON OR ORGANIZATION	ON 39. ENDANGERED? YES( )
. ON NATIONAL YES ( ) 12. IS IT REGISTER ? NO ( X) ELIGIBLE.	YES(X) NO( ) 27 OTHER SURVEYS IN WHICH INCLUDED	NO (X )
DIST OF FORM - WEST 3 14 DISTRICT	and the second s	Poor maintenance  40. VISIBLE FROM YES (X )
	" NO( )	PUBLIC ROAD ? NO()
NAME OF ESTABLISHED DISTRICT	,	41. DISTANCE FROM AND FRONTAGE ON ROAD
2. FURTHER DESCRIPTION OF IMPORTAN	r FEATURES	
	4 buildings - 1½ story, 4	РНОТО
	/stucco dwellings w/front gable roof	and Must
centralized, brick chimney	5. Left bay is projecting small en-	$\perp$
2nd hav contains 1/1 windo	of (front) that contains a 1/1 window w and 3rd has paired 1/1 windows;	BE
	w and 31d has paired 1/1 windows; ring and contains a 6/6 window; fasci;	PROVIDED
	ry way gable. 4th bay is small side	
	pof; it has wood post supports and wro	
	in First Support of did with	
Building permit records in	dicate construction in 1912 for applic	cant, Mrs. John
Wildberger. All 4 dwellin	gs have a moderate degree of integrity	y and are significant
as representation of early	20th century vernacular residential	property type.
·		
		<i>.</i>
•	<u></u>	
4. DESCRIPTION OF ENVIRONMENT AND	OUTBUILDINGS	
	d primarily of cal870-1900 dwellings.	
In residential neighborhoo		
		46 PREPAREN RY
In residential neighborhoo	•	46. PREPARED BY Mary Jo Winder
	·	46. PREPARED BY Mary Jo Winder  47. ORGANIZATION



2. COUNTY BUCHANAN  3. LOCATION OF Dept. Of P & Z NEGATIVES ROll #8-5  6. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION_ IF CITY OR TOWN, STREET ADDRESS 1324 Messanie  7. CITY OR TOWN IF RURAL, VICINITY	5. OTHER NAME(S)  16. THEMATIC CATEGORY	
S. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION_ IF CITY OR TOWN, STREET ADDRESS 1324 Messanie		_
IF CITY OR TOWN, STREET ADDRESS 1324 Messanie	Architecture	28. NO. OF STORIES 11/2 29. BASEMENT? YES (XX)
CITY OF TOWN IE PURAL VICINITY	17. DATE(S) OR PERIOD ca. 1870/1897	30. FOUNDATION MATERIAL
St. Joseph	18. STYLE OR DESIGN Vernacular	Brick? 31. WALL CONSTRUCTION
. DESCRIPTION OF LOCATION Legal: Part of Lot 14, Bloom	is. Architect or engineer	Frame 32. ROOF TYPE AND MATERIAL
Stewart's Addition	20. CONTRACTOR OR BUILDER	Various forms/Comp. Sh 33. NO. OF BAYS
	21. ORIGINAL USE, IF APPARENT Single Family Residence 22. PRESENT USE	FRONT 4 SIDE  34. WALL TREATMENT  Vinyl Siding
·	Same  23. OWNERSHIP PUBLIC ( PRIVATE(X	(EXPLAIN IN ALTERED ( X)
COORDINATES UTM	24. OWNER'S NAME AND ADDRESS IF KNOWN  Kenneth D. Coffman	MOVED( )  37. CONDITION  INTERIOR
LAT LONG	25. OPEN TO PUBLIC? YES(	UNDERWAY
<del></del>	CT( ) 26. LOCAL CONTACT PERSON OR ORGANIZATION	NO ( XP
3. PART OF ESTAB. YES ( ) 14. DISTRICT YES, NO ( Y)	reg (Y)	40. VISIBLE FROM YES (X ) PUBLIC ROAD ? NO ( )
5. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD
frame dwelling with varying forms. Left bay is a first that contains 1/1 windows transom; two 1/1 double he half story. Third bay is	FEATURES 1½ story, 4 bay, asymmetric ag hip, hipped gable and gable roof at story hip roof projecting wing Second bay has a wide window with ang windows in upper cropped-gable recessed and contains a 1/1 window; window offset to the right. Fourt	PHOTO MUST BE PROVIDED
building to include the the	r is the side verenda, which wraps a wird bay and all of east side elevat First story windows have pedimente	ion; supports are turned
E.G. Bjurstrom; however, the moderate degree of integrity	indicate a construction phase in 18 original construction probably is particle due to excessive alterations and half the century vernacular residential	ore1887. It has a as moderate significance
4. DESCRIPTION OF ENVIRONMENT AND	DUTBUILDINGS	
In residential neighborhood;	faces block of modern low income mu	altifamily housing units.
5. SOURCES OF INFORMATION		46. PREPARED BY Mary Jo Winder
BP #5065, 5/20/97; site;	1897 Sanborn map  ED TO: OFFICE OF HISTORIC PRESERVATION	47. ORGANIZATION City of St. Joseph



B.V. AS-COG-092
PRESERVATION

#### MISSOURI OFFICE OF HISTORIC

i. no. 199 4.	PRESENT LOCAL NAME(S) OR DESIGNATION(S)		
2. COUNTY Buchanan		·	
3. LOCATION OF Dept. of P & Z NEGATIVES Roll #12-6	OTHER NAME(S)		
6. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 2½ 29. BASEMENT? YES (XX)	
IF CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	NO ( )	3
9 <u>03-05 Mitchell</u> 7. CITY OR TOWN IF RURAL, VICINITY	1907 IB. STYLE OR DESIGN	30. FOUNDATION MATERIAL	
St. Joseph	Colonial Revival/Vernacular	31 WALL CONSTRUCTION Frame	
8. DESCRIPTION OF LOCATION Legal: Lot 13, Block 40,	19. ARCHITECT OR ENGINEER	32. ROOF TYPE AND MATERIAL	\ \
Patee's Addition	20. CONTRACTOR OR BUILDER	Gable/Comp. Shingle	-CR
	21. ORIGINAL USE, IF APPARENT	FRONT 4 SIDE	
	Duplex 5	34. WALL TREATMENT Clapboard	
	22. PRESENT USEMulti-family_Residence	35. PLAN SHAPE Rectangular	
	23. OWNERSHIP PUBLIC(	36. CHANGES ADDITION( )	
	PRIVATE(X)	NO. 42) ALTERED ( ) MOVED ( )	
	IF KNOWN Pearl H. Harnois	37. CONDITION	
9, COORDINATES UTM LAT	reall n. marmors	INTERIOR	
LONG  10. SITE ( ) STRUCTURE(	25. OPEN TO PUBLIC? YES(	36. PRESERVATION YES ( )	
BUILDING ( X) OBJECT (	26. LOCAL CONTACT PERSON OR ORGANIZATION	39. ENDANGERED? YES (XX)	1
II. ON NATIONAL YES ( ) 12, IS IT YES ( NO ( X)		Poor Maintenance	
I3. PART OF ESTAB. YES ( ) I4. DISTRICT YES ( POTENTIAL? NO ( Y)	X)	40. VISIBLE FROM YES (X ) PUBLIC ROAD?	
HIST. DISTRICT? NO ( X) POTENTIAL? NO (		41. DISTANCE FROM AND	1
	•	FRONTAGE ON ROAD	
42. FURTHER DESCRIPTION OF IMPORTANT FEA	TURES 2½ story, 4 bay, symmetrical		╂
	gable roof with hip roof side dorm	РНОТО	
ers, plain frieze and corner boar	ds. Porch attached to front ele-	MUST	
vation (south) has Tuscan columns		BE	ŀ
-	ded transom.Center bays have singl y has 1/1 double hung windows.	PROVIDED	
Enframed gable has wood shingle w	all and contains smaller paired		
	ows. All fenestration has plain f		ces
Building permit records indicate	e construction in 1907 for applicar	nt, John O'Dowd. It	
has a moderate degree of archit	tectural integrity and is significate to the control of the contro	ant as a represen-	<b> </b>
with the 1891-1915 period of his	storical development in the city.	construction coincides	
•			厂
44. DESCRIPTION OF ENVIRONMENT AND OUTS			
Wrought iron fence in front of s and two other dwellings on the h	same period; commercial/industrial	zone surrounds this	
45. SOURCES OF INFORMATION		46. PREPARED BY Mary Jo Winder	1
BP #4166, 4/26/07; site		47. ORGANIZATION	-1
			1
RETURN THIS FORM WHEN COMPLETED	TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176	City of St. Joseph 48. DATE 49. REVISION DATE(\$)	1



1. NO. 200	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
2. COUNTY  Buchanan  3. LOCATION OF P. & Z NEGATIVES ROII #12-10	5. OTHER NAME(S)	
6. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 2
IF CITY OR TOWN, STREET ADDRESS 907 Mitchell	17. DATE(S) OR PERIOD ca. 1860/1901	29. BASEMENT ? YES ( ) NO ( ) 30. FOUNDATION MATERIAL
7. CITY OR TOWN IF RURAL, VICINITY St. Joseph	Vernacular/"I" House 07	31. WALL CONSTRUCTION
B. DESCRIPTION OF LOCATION Legal: Lot 12, Block 40,	19. ARCHITECT OR ENGINEER	Frame 32.ROOF TYPE AND MATERIAL Gable/Comp. Shingle
Patee's Addition	20. CONTRACTOR OR BUILDER  21. ORIGINAL USE, IF APPARENT	33. NO. OF BAYS FRONT 3 SIDE
	Single Family Residence OB  22. PRESENT USE	34. WALL TREATMENT Ashestos Shingle
	Same 23. OWNERSHIP PUBLIC( )	35. PLAN SHAPE Trregular 36. CHANGES ADDITION( )
	PRIVATE(X)  24. OWNER'S NAME AND ADDRESS  IF KNOWN	NO. 42)  ALTERED (XX  MOVED ( )
9, COORDINATES UTM	Joann Miller	INTERIOR
LONG  10. SITE ( ) STRUCTUR	25. OPEN TO PUBLIC? YES( ) NO(X)	36. PRESERVATION YES ( )
DECIOTED A	:s(X)	39. ENDANGERED? YES(XX BY WHAT? NO() Poor Maintenance
NO (X)	10() 27. OTHER SURVEYS IN WHICH INCLUDED ES(X) NO()	40. VISIBLE FROM YES (X ) PUBLIC ROAD ? NO ( )
15. NAME OF ESTABLISHED DISTRICT	· ·	41. DISTANCE FROM AND FRONTAGE ON ROAD
chimney. Recessed left projecting front gable both stories; recessed transom on first story attached to right bay a 43. HISTORY AND SIGNIFICANCE Building permit records indica	ess gable roof and centralized brick bay contains 1/1 window, both stori wing has picture window with transom right bay has picture window with and 1/1 window on second. Porch and hip roof. Asbestos siding is a later alteration.	BE PROVIDED applicant, Mrs. N.F.
Murray; however, stylistic fea record of its existence is on	tures indicate a cal860 original con the 1883 Sanborn map. It has a mode entation of vernacular "I" house pro-	struction. The first rate degree of integrity
44. DESCRIPTION OF ENVIRONMENT AND O	UTBUILDINGS	
•	rhood; commercial property surrounds	this and two other
45. SOURCES OF INFORMATION		46. PREPARED BY Mary Jo Winder
B.P. #8099, 1/26/01; si	te; 1883 Sanborn map  D To: OFFICE OF HISTORIC PRESERVATION	47. ORGANIZATION City of St. Joseph
IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 PH 314-751-4096	49. REVISION DATE(\$) 7/88



#### Bu A. 604-094 MISSOURI OFFICE OF HISTORIC PRESERVATION

i. No. 20j	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
2. COUNTY		
Buchanan 3. LOCATION OF Dept. of P & Z	5. OTHER NAME(S)	
NEGATION OF DEPC. OF P & Z		
6. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 21/2
IF CITY OR TOWN, STREET ADDRESS	17. DATE(S) OR PERIOD	29. BASEMENT? YES ( ) NO ( )
913-15 Mitchell	1910	30. FOUNDATION MATERIAL Brick
7. CITY OR TOWN IF RURAL, VICINITY St. Joseph	18. STYLE OR DESIGN 50 54  Classic Revival/Vernacular	31. WALL CONSTRUCTION
8. DESCRIPTION OF LOCATION	IP. ARCHITECT OR ENGINEER	Brick
Legal: Lot 11, Block 40,	20. CONTRACTOR OR BUILDER	32. ROOF TYPE AND MATERIAL Hip/Comp Shingle
Patee's Addition	30 40	33. NO. OF BAYS
	21. ORIGINAL USE, IF APPARENT FL	FRONT 4 SIDE
	22. PRESENT USE	Stretcher
	Same 23. OWNERSHIP PUBLIC( )	35. PLAN SHAPE Rectangular
	23. OWNERSHIP PUBLIC ( ) PRIVATE(X)	36. CHANGES ADDITION() (EXPLAIN IN NO, 42) ALTERED()
	24. OWNER'S NAME AND ADDRESS IF KNOWN	MOVED ( )
9. COORDINATES UTM	TI KNOWN	37. CONDITION INTERIOR
LAT		EXTERIOR_GOOD
IO, SITE() STRUCTU	25. OPEN TO PUBLIC? YES( ) NO(X )	I INDEMNAY A
BUILDING ( X) OBJEC		39. ENDANGERED? YES (XX)
DECISTED 2	S(X)	BY WHAT? NO()
IN CART OF FOTAR VEG ( ) IA DISTRICT V	re/Y)	Poor Maintenance  40, VISIBLE FROM YES(X)
HIST. DISTRICT? NO ( X) POTENTIAL?	NO( )	PUBLIC ROAD ? NO()
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND Frontage on Road
	21	
	FEATURES $2^{\frac{1}{2}}$ story, 4 bay, symmetrical roof with hip roof dormer and	РНОТО
internal, side brick chimneys.	Porch attached to front elevation	MUST
	d columns that support entablature	
	wide windows with transom and stone gle door entries. 1/1 double hung	PROVIDED
"	one sills and arched soldier course	
45. HISTORY AND STORM TOARTOL	lintels. Dormer has wood shingle wa	lls and paired 8/1
double hung windows.		
Building permit records indica	ate construction in 1910 for applicar	nt, Miss Mamie Mohn.
It has a moderate degree of a	rchitectural integrity and is signifi	icant as a represen-
with the 1891-1915 period in	Revival duplex property type. Its co the city's historical development.	onstruction coincides
with the rest 1315 period in	one city a miscorrear development.	
44. DESCRIPTION OF ENVIRONMENT AND	UTBUILDINGS	
Commercial/industrial zone sur	crounds this and two other dwellings	on the block.
45. SOURCES OF INFORMATION		46. PREPARED BY Mary Jo Winder
3P #6465, 3/8/10; site		47. ORGANIZATION
RETURN THIS FORM WHEN COMPLETE	D TO: OFFICE OF HISTORIC PRESERVATION	City of St. Joseph 48. DATE 49. REVISION DATE(S)
IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	P.O. BOX 176 Jefferson City, Missouri 65102 Ph. 314-751-4096	6/88



NO. 198	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
. county Buchanan		·
LOCATION OF Dept. of P & Z NEGATIVES Roll #2-20	5. OTHER NAME(S)	·
. SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 22
TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	29. BASEMENT? YES ( ) NO ( )
1301-03 Mitchell CITY OR TOWN IF RURAL, VICINITY	1903	30. FOUNDATION MATERIAL
St. Joseph	Classic Revival 50 51	31. WALL CONSTRUCTION
DESCRIPTION OF LOCATION Legal: 14 Dis 20 Delea	19. ARCHITECT OR ENGINEER	Frame 32. ROOF TYPE AND MATERIAL
Legal: Lot 14, Blk 29, Pates Addition	20. CONTRACTOR OR BUILDER	<u>Hip/Comp. Shingle</u> 33.NO. OF BAYS
	21. ORIGINAL USE, IF APPARENT	FRONT 2 SIDE
	Duplex 22. PRESENT USE	34. WALL TREATMENT Asbestos Shingle
	Same	35. PLAN SHAPE Rectangula
	23. OWNERSHIP PUBLIC ( ) PRIVATE(X	
	24. OWNER'S NAME AND ADDRESS IF KNOWN	MOVED ( )
COORDINATES UTM	Joseph Bunten	
LAT Long	25. OPEN TO PUBLIC? YES(	EXTERIOR  EXTERIOR  Fair-Good  36. PRESERVATION YES()
o. SITE ( ) STRUCTU	RE( ) NO(X)	UNDERWAY ? NO (XX)
ON NATIONAL YES ( ) 12, IS IT Y	CT( ) 26. LOCAL CONTACT PERSON OR ORGANIZATION ES(X)	39. ENDANGERED? YES ( ) BY WHAT? NO (XX)
REGISTER ? NO ( X) ELIGIBLE ?	NO( ) 27, OTHER SURVEYS IN WHICH INCLUDED	40. VISIBLE FROM YES (X )
B. PART OF ESTAB. YES ( ) 14. DISTRICT Y HIST. DISTRICT? NO ( X) POTENTIAL?	ES(X) NO()	PUBLIC ROAD ? NO ( )
S. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD
2. FURTHER DESCRIPTION OF IMPORTANT	FEATURES 2½ story, 2 bay, symmetrical	
frame duplex dwelling with h	nip roof with boxed cornice, plain	PHOTO MUST
	Porch has been enclosed, otherwise Mitchell. Wood panel separates unit	
doors and bands of windows of	on either side. Two-bay second	BE
story has paired 1/1 windows 1/1 windows.	Dormer contains smaller paired	PROVIDED
3. HISTORY AND SIGNIFICANCE		<u> </u>
	icate construction in 1903 for applic	ant, N.B. Taynor, who
is listed as applicant on si	imilar building on adjoining lot to $\epsilon$	ast. It has a moder-
	to alterations and is significant as Revival duplex property type.	a representation of
carry zoon century crassic i	evival aupter property type.	
•		
4. DESCRIPTION OF ENVIRONMENT AND		muchanga besi 1 3 '
	npornood; taces block of industrial/w	arenouse buildings.
At edge of residential neigh		
At edge of residential neigh		46. PREPARED BY
		46. PREPARED BY Mary Jo Winder  47. ORGANIZATION



	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
Buchanan  Buchanan	5. OTHER NAME(S)	·
B. SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY	28. NO. OF STORIES $2\frac{1}{5}$
TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS		29. BASEMENT? YES ( )
	17. DATE(S) OR PERIOD	NO( )
1305-07 Mitchell Avenue	IS. STYLE OR DESIGN	SO. POUNDATION WATERIAL
St. Joseph	Classic Revival 50 5/	31. WALL CONSTRUCTION
. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Frame
Legal: Lot 13, Blk. 29	3-1	32. ROOF TYPE AND MATERIAL
Patee's Addit		Hip/Comp. Shingle 33. No. OF BAYS
	21. ORIGINAL USE, IF APPARENT	FRONT 4 SIDE
	Duplex	34. WALL TREATMENT
	22. PRESENT USE	Asbestos Shingle
	Same	35. PLAN SHAPE Rectangular
	23. OWNERSHIP PUBLIC ( PRIVATE:	(EXPLAIN IN
	24. OWNER'S NAME AND ADDRESS	X) NO. 42) ALTERED (XX) MOVED ( )
	IF KNOWN	37. CONDITION
, COORDINATES UTM		INTERIOR GOOD
LAT Long		
	25. OPEN TO PUBLIC? YES(	1 this contract of
• •	JECT ( ) 26. LOCAL CONTACT PERSON OR ORGANIZAT	,,,, MV,
I. ON NATIONAL YES ( ) 12, IS IT	YES(X)	Poor Maintenance ()
REGISTER ? NO ( X) ELIGIBLE ?	NOT 1 27, OTHER SURVEYS IN WHICH INCLUDED	Tool harmenanee
3. PART OF ESTAB. YES ( ) 14. DISTRICT HIST, DISTRICT? NO ( $_{ m X}$ )	YES (X )	40. VISIBLE FROM YES (X ) PUBLIC ROAD?
		41. DISTANCE FROM AND
		FRONTAGE ON ROAD
S. NAME OF ESTABLISHED DISTRICT	*	
5. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT	FEATURES	
42. FURTHER DESCRIPTION OF IMPORTANT	22 Story, 4 Day, Symmetrica	
frame duplex dwelling with	hip roof with boxed cornice, hip	
frame duplex dwelling with roof dormer and internal,	hip roof with boxed cornice, hip side brick chimneys. Two-bay porch	1, PHOTO MUST
frame duplex dwelling with roof dormer and internal, attached to front elevation	hip roof with boxed cornice, hip side brick chimneys. Two-bay porch (south) has brick foundation, squa	PHOTO MUST
frame duplex dwelling with roof dormer and internal, attached to front elevation brick columns with brick be	hip roof with boxed cornice, hip side brick chimneys. Two-bay porch a (south) has brick foundation, squa anding at top and hip roof. Center	PHOTO MUST
frame duplex dwelling with roof dormer and internal, attached to front elevation brick columns with brick beays contain single doors	hip roof with boxed cornice, hip side brick chimneys. Two-bay porch (south) has brick foundation, squa anding at top and hip roof. Center with transoms; end bays have wide	PHOTO MUST
frame duplex dwelling with roof dormer and internal, attached to front elevation brick columns with brick be bays contain single doors winds.	hip roof with boxed cornice, hip side brick chimneys. Two-bay porch (south) has brick foundation, squa anding at top and hip roof. Center with transoms; end bays have wide	PHOTO MUST  THE PROVIDED  ade has paired 1/1
frame duplex dwelling with roof dormer and internal, attached to front elevation brick columns with brick be bays contain single doors windows. Dormer contains	hip roof with boxed cornice, hip side brick chimneys. Two-bay porch (south) has brick foundation, squa anding at top and hip roof. Center with transoms; end bays have wide	PHOTO MUST  THE PROVIDED  ade has paired 1/1
frame duplex dwelling with roof dormer and internal, attached to front elevation brick columns with brick be bays contain single doors with the state of the stat	hip roof with boxed cornice, hip side brick chimneys. Two-bay porch (south) has brick foundation, squa anding at top and hip roof. Center with transoms; end bays have wide	PHOTO MUST  THE PROVIDED  ade has paired 1/1
frame duplex dwelling with roof dormer and internal, attached to front elevation brick columns with brick be bays contain single doors windows. Dormer contains alteration.	hip roof with boxed cornice, hip side brick chimneys. Two-bay porch (south) has brick foundation, squa anding at top and hip roof. Center with transoms; end bays have wide	PHOTO MUST  THE PROVIDED  ade has paired 1/1 siding is a later
frame duplex dwelling with roof dormer and internal, attached to front elevation brick columns with brick be bays contain single doors windows. Dormer contains alteration.  Building permit records also the applicant for a single contains of the applicant of the single doors windows.	hip roof with boxed cornice, hip side brick chimneys. Two-bay porch (south) has brick foundation, squa anding at top and hip roof. Center with transoms; end bays have wide with transom. Two-bay, upper fac small paired 1/1 windows. Asbestos indicate construction in 1903 for a milar building on adjacent 10t to wes	PHOTO MUST  THE PROVIDED  ade has paired 1/1 siding is a later  pplicant, N.B. Taynor st). It has a moderate
frame duplex dwelling with roof dormer and internal, attached to front elevation brick columns with brick be bays contain single doors windows. Dormer contains alteration.  3. Building permit records also the applicant for a single contains of the supplicant of the supplicant for a single contains also the applicant for a single contains and contains also the applicant for a single contains and contains also the applicant for a single contains and	hip roof with boxed cornice, hip side brick chimneys. Two-bay porch (south) has brick foundation, squa anding at top and hip roof. Center with transoms; end bays have wide with transom. Two-bay, upper fac small paired 1/1 windows. Asbestos indicate construction in 1903 for appearance of the proof of the	PHOTO MUST  THE PROVIDED  ade has paired 1/1 siding is a later  pplicant, N.B. Taynor st). It has a moderate
frame duplex dwelling with roof dormer and internal, attached to front elevation brick columns with brick be bays contain single doors windows. Dormer contains alteration.  3. Building permit records also the applicant for a sino high degree of integrity.	hip roof with boxed cornice, hip side brick chimneys. Two-bay porch (south) has brick foundation, squa anding at top and hip roof. Center with transoms; end bays have wide with transom. Two-bay, upper fac small paired 1/1 windows. Asbestos indicate construction in 1903 for a milar building on adjacent 10t to wes	PHOTO MUST  THE PROVIDED  ade has paired 1/1 siding is a later  pplicant, N.B. Taynor st). It has a moderate
frame duplex dwelling with roof dormer and internal, attached to front elevation brick columns with brick be bays contain single doors windows. Dormer contains alteration.  Building permit records also the applicant for a since high degree of integrity applies to the property type.	hip roof with boxed cornice, hip side brick chimneys. Two-bay porch (south) has brick foundation, squa anding at top and hip roof. Center with transoms; end bays have wide with transom. Two-bay, upper fac small paired 1/1 windows. Asbestos indicate construction in 1903 for a milar building on adjacent 10t to wes	PHOTO MUST  THE PROVIDED  ade has paired 1/1 siding is a later  pplicant, N.B. Taynor st). It has a moderate
frame duplex dwelling with roof dormer and internal, attached to front elevation brick columns with brick be bays contain single doors windows. Dormer contains alteration.  3. Building permit records also the applicant for a single degree of integrity applicant property type.	hip roof with boxed cornice, hip side brick chimneys. Two-bay porch (south) has brick foundation, squa anding at top and hip roof. Center with transoms; end bays have wide ow with transom. Two-bay, upper factsmall paired 1/1 windows. Asbestos indicate construction in 1903 for appendix building on adjacent lot to we and is significant as a representation of the significant as a representation.	photo MUST  ade has paired 1/1 siding is a later  pplicant, N.B. Taynor st). It has a moderate on of Classic Revival
frame duplex dwelling with roof dormer and internal, attached to front elevation brick columns with brick be bays contain single doors windows. Dormer contains alteration.  3. Building permit records also the applicant for a single degree of integrity suplex property type.	hip roof with boxed cornice, hip side brick chimneys. Two-bay porch (south) has brick foundation, squa anding at top and hip roof. Center with transoms; end bays have wide ow with transom. Two-bay, upper fact small paired 1/1 windows. Asbestos indicate construction in 1903 for apmilar building on adjacent lot to west and is significant as a representation.	photo MUST  ade has paired 1/1 siding is a later  pplicant, N.B. Taynor st). It has a moderate on of Classic Revival
frame duplex dwelling with roof dormer and internal, attached to front elevation brick columns with brick be bays contain single doors windows. Dormer contains alteration.  Building permit records also the applicant for a single degree of integrity suplex property type.  A. DESCRIPTION OF ENVIRONMENT AND in residential neighborhood;	hip roof with boxed cornice, hip side brick chimneys. Two-bay porch (south) has brick foundation, squa anding at top and hip roof. Center with transoms; end bays have wide ow with transom. Two-bay, upper factsmall paired 1/1 windows. Asbestos indicate construction in 1903 for appendix building on adjacent lot to we and is significant as a representation of the significant as a representation.	PHOTO MUST  THE PROVIDED  ade has paired 1/1 siding is a later  Explicant, N.B. Taynor st). It has a moderate on of Classic Revival  Explicant to the state of th
frame duplex dwelling with roof dormer and internal, attached to front elevation brick columns with brick be bays contain single doors windows. Dormer contains alteration.  Building permit records also the applicant for a single high degree of integrity in the property type.  B. DESCRIPTION OF ENVIRONMENT AND IN TESTIGENTIAL TO THE PROPERTY OF THE	hip roof with boxed cornice, hip side brick chimneys. Two-bay porch (south) has brick foundation, squa anding at top and hip roof. Center with transoms; end bays have wide ow with transom. Two-bay, upper factsmall paired 1/1 windows. Asbestos indicate construction in 1903 for appendix building on adjacent lot to we and is significant as a representation of the significant as a representation.	photo MUST  The BE PROVIDED  adde has paired 1/1 siding is a later  poplicant, N.B. Taynor st). It has a moderate on of Classic Revival  be buildings.
frame duplex dwelling with roof dormer and internal, attached to front elevation brick columns with brick be bays contain single doors windows. Dormer contains alteration.  3. HISTORY AND SIGNIFICANCE window windows. Dormer contains alteration.  3. Building permit records also the applicant for a single doors with the property type.  44. DESCRIPTION OF ENVIRONMENT AND in residential neighborhood;  45. SOURCES OF INFORMATION  3P#11259, 8/28/03; site	hip roof with boxed cornice, hip side brick chimneys. Two-bay porch (south) has brick foundation, squa anding at top and hip roof. Center with transoms; end bays have wide ow with transom. Two-bay, upper factsmall paired 1/1 windows. Asbestos indicate construction in 1903 for appendix building on adjacent lot to we and is significant as a representation of the significant as a representation.	PHOTO MUST  THE PROVIDED  ade has paired 1/1 siding is a later  Explicant, N.B. Taynor st). It has a moderate on of Classic Revival  Explicant to the state of th



. NO. 195	PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
2. COUNTY		
Buchanan 5.  3. LOCATION OF Dept. of P & Z	OTHER NAME(S)	,
NEGATIVES ROLL #2-22		
B. SPECIFIC LEGAL LOCATION TOWNSHIPRANGESECTION	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES
IF CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	29. BASEMENT? YES ( ) NO ( )
1311 Mitchell Avenue	1910	30. FOUNDATION MATERIAL
city or town if RURAL, VICINITY St. Joseph	18. STYLE OR DESIGN Colonial Revival 5/ 49	31. WALL CONSTRUCTION
B. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Frame
Legal: Lot 12, Blk. 29,	20. CONTRACTOR OR BUILDER	32.ROOF TYPE AND MATERIAL Gable/Comp. Shingle
Patee's Addition	0 H	33. NO. OF BAYS
	21. ORIGINAL USE, IF APPARENT Single Family Residence	FRONT 4 SIDE
	22. PRESENT USE	Asbestos Shingle
•	Same 23. OWNERSHIP PUBLIC( )	35. PLAN SHAPE Rectangular 36. CHANGES ADDITION()
	PRIVATE(X)	
	24. OWNER'S NAME AND ADDRESS IF KNOWN	MOVED ( )
9. COORDINATES UTM	Richard Stevens	37. CONDITION INTERIOR
LAT		EXTERMOR Fair
LONG O. SITE() STRUCTURE(	25. OPEN TO PUBLIC? YES( )	I IAID COMMAND
BUILDING ( X) OBJECT (		39. ENDANGERED? YES (XX)
I. ON NATIONAL YES ( ) 12, IS IT YES ( REGISTER ? NO ( X) ELIGIBLE ? NO (		BY WHAT? NO() Poor Maintenance
3. PART OF ESTAB. YES ( ) 14. DISTRICT YES ( POTENTIAL? NO ( X)	X1	40. VISIBLE FROM YES (X ) PUBLIC ROAD ? NO ( )
5. NAME OF ESTABLISHED DISTRICT	7	41. DISTANCE FROM AND
	, , , , , , , , , , , , , , , , , , ,	FRONTAGE ON ROAD
42. FURTHER DESCRIPTION OF IMPORTANT FEA	TURES $1^{1}_{2}$ story, 4 bay, asymmetri-	
	gable roof with front cross gable.	PHOTO MUST
	e bays of front elevation (south)	MO31
has stucco covered pedestals w	hip roof, and open slat railing;	BE
entry in center flanked by dia	gonally, mullioned 12/1 double	PROVIDED
hung windows; same window in 4	th bay. Paired 1/1 windows center ove porch in gable wall with diago	mally mullianed amall
	ove porch in gable wall with diagon, shaped fascia, bracketed at base	
is a later alteration.	,	-
3. Building permit records ind	icate construction in 1910 for appl	licant, Morey Piro.
It has a moderate degree of integ	grity due to alterations and is sig	gnificant as a
epresentation of vernacular Colo	onial Revival residential property	type.
		·
	BUILDINGS	
44. DESCRIPTION OF ENVIRONMENT AND OUT		
	es block of industrial/warehouse bu	uildings.
n residential neighborhood; face	es block of industrial/warehouse bu	46. PREPARED BY
n residential neighborhood; face sources of information Site; BP# A 6050, 10/13/10	es block of industrial/warehouse bu	<del></del>



i. NO. 196	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		
2. COUNTY		· · · · · · · · · · · · · · · · · · ·	
Buchanan  3. LOCATION OF Dept. of P & Z	5. OTHER NAME(S)		
NEGATIVES Roll #2-23			
6. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORYArchitecture	28. NO. OF STORIES $2\frac{1}{2}$ 29. BASEMENT? YES ( )	
IF CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	NO()	
1317 Mitchell Avenue	1909	30. FOUNDATION MATERIAL	
COTY OR TOWN IF RURAL, VICINITY	Neoclassical	Brick	
St. Joseph	Neoclassical 0/	31. WALL CONSTRUCTION Frame	
Legal: Lot 11, Blk 29,	19. ARCHITECT OR ENGINEER	32. ROOF TYPE AND MATERIAL	٠.
Patee's Addition	20. CONTRACTOR OR BUILDER	Hip/Comp. Shingle	H
racec 5 Addreson		33. NO. OF BAYS FRONT 2 SIDE	
	21. ORIGINAL USE, IF APPARENT Single Family Residence	FRONT 2 SIDE	
	22. PRESENT USE	Clapboard	
	Same	35. PLAN SHAPE Rectangula	r
	23. OWNERSHIP PUBLIC( )	36. CHANGES ADDITION ( )	-
	PRIVATE(X)	NO. 42) ALTERED ( )	ĺ
	24. OWNER'S NAME AND ADDRESS IF KNOWN	MOVED ( )	ł
3. COORDINATES UTM		INTERIOR	1
LAT	Harold E. Moser	EXTERMOR Excellent	
LONG D. SITE() STRUCT	25. OPEN TO PUBLIC? YES( ) URE( )	LINESPONIAN	
- · · · · · · · · · · · · · · · · · · ·	ECT ( ) 26. LOCAL CONTACT PERSON OR ORGANIZATION		
DECIOTED A ELICIDIEA	YES (X)	BY WHAT? NO (XX)	
мо ( Д/	27. OTHER SURVEYS IN WHICH INCLUDED	an walk a speak was VV	
3. PART OF ESTAB. YES ( ) 14. DISTRICT POTENTIAL.?	NO( )	40. VISIBLE FROM YES (X ) PUBLIC ROAD ? NO ( )	
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND	l
	•	FRONTAGE ON ROAD	l
42 FURTHER RESCRIPTION OF IMPORTANT	FEATURES 2½ story, 2 bay, asymmetri-		_
	roof with boxed cornice and hip	РНОТО	
· -	d to front elevation (south) has	MUST	
	re columns with geometric capitals,	$\rightarrow$	
	Left bay contains wide window with	BE	ı
· · · · · · · · · · · · · · · · · · ·	s single door with narrow transom and	PROVIDED	
small square window. Symmet	rical upper facade has wide 12/1		
	dows. Dormer contains small paired 8		İ
uilding permit records indica	te construction in 1909 for applicant	, Miss H.E. Mecum.	1
t has a high degree of integr	rity and is significant as a represent	ation of vernacular	<del> </del>
eoclassical residential prope	erty type.		i
		•	1
•			
	OUTBUILDINGS		
	aces industrial/warehouse zone.		
n residential neighborhood; f		46. PREPARED BY	
45. SOURCES OF INFORMATION		46. PREPARED BY Mary Jo Winder	
n residential neighborhood; f		46. PREPARED BY Mary Jo Winder  47. ORGANIZATION City of St. Joseph	



I I	PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
3. LOCATION OF Dept. of P & Z	OTHER NAME(S)	
NEGATIVES Roll #2-24		
B. SPECIFIC LEGAL LOCATION TOWNSHIPRANGESECTION	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 2 29. BASEMENT? YES()
IF CITY OR TOWN, STREET ADDRESS 1319 Mitchell Avenue	17. DATE(S) OR PERIOD 1903	NO( )
CITY OR TOWN IF RURAL, VICINITY	IB. STYLE OR DESIGN 49	SO. POSIDATION WATERIAL
St. Joseph	Vernacular  IS. ARCHITECT OR ENGINEER	31. WALL CONSTRUCTION Frame
Legal: Lot 10, Blk. 29,		32. ROOF TYPE AND MATERIAL
Patee's Addition	20. CONTRACTOR OR BUILDED 2	Hip & Gable/Comp. Shing 33. NO. OF BAYS
	21. ORIGINAL USE, IF APPARENT	FRONT 2 SIDE
	Single Family Residence WA  22. PRESENT USE	34. WALL TREATMENT Alum. or Vinyl Siding
	Same	35. PLAN SHAPE " $_{ m L}$ "
	23. OWNERSHIP PUBLIC ( ) PRIVATE $(X)$	36. CHANGES ADDITION() (EXPLAIN IN NO, 42) ALTERED (XX)
	24. OWNER'S NAME AND ADDRESS IF KNOWN	MOVED( )
9. COORDINATES UTM	Irene Bennett	INTERIOR
LAT Long	25. OPEN TO PUBLIC? YES( )	EXTERMORFair
O. SITE ( ) STRUCTURE	NO(X)	UNDERWAY ? NO XX )
BUILDING ( X) OBJECT  I. ON NATIONAL YES ( ) 12, IS IT YES	(X) 26. LOCAL CONTACT PERSON OR ORGANIZATION	39. ENDANGERED? YES $\pm X$ ) BY WHAT? NO( )
REGISTER ? NO ( X) ELIGIBLE ? NO	27. OTHER SURVEYS IN WHICH INCLUDED	Poor Maintenance
I3. PART OF ESTAB. YES ( ) 14. DISTRICT YES HIST. DISTRICT? NO ( X)	B(X)	40. VISIBLE FROM YES (X ) PUBLIC ROAD ? NO ( )
5. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD
42. FURTHER DESCRIPTION OF IMPORTANT FE	2 story, 2 bay, asymmetri-	РНОТО
	nd front gable roof forms, narrow stucco covered chimney. Porch	MUST
attached to angle of "L" has s	stone pedestals with Tuscan columns,	
	cessed left bay contains small, hor-	PROVIDED
	low and single door; paired 1/1  are altered openings Projecting	
43. HISTORY AND SIGNIFICANCE $front$	gable right bay contains wide wind	
	on second. Gable wall has fishscale	shingle siding
and molded cornice and returns		· • • • • • • • • • • • • • • • • • • •
and molded cornice and returns 3. Building permit records inc	dicate construction in 1908 for appl	icant,Carrie Highbezes.
and molded cornice and returns  3. Building permit records inc t has a moderate degree of inte	dicate construction in 1908 for applegrity and is significant as a repre	icant,Carrie Highbezes. sentation of vernacular
and molded cornice and returns  3. Building permit records ind t has a moderate degree of inte	dicate construction in 1908 for applegrity and is significant as a repre	icant,Carrie Highbezes. sentation of vernacular
and molded cornice and returns  3. Building permit records inc t has a moderate degree of inte esidential property type (early	dicate construction in 1908 for applegrity and is significant as a repre 20th century).	icant,Carrie Highbezes. sentation of vernacular
and molded cornice and returns  3. Building permit records ind t has a moderate degree of inte	dicate construction in 1908 for applegrity and is significant as a repre 20th century).	icant,Carrie Highbezes. sentation of vernacular
and molded cornice and returns  3. Building permit records inc t has a moderate degree of inte esidential property type (early  44. DESCRIPTION OF ENVIRONMENT AND OUT	dicate construction in 1908 for applegrity and is significant as a reprevalent 20th century).	icant,Carrie Highbezes. sentation of vernacular
and molded cornice and returns  3. Building permit records inc  t has a moderate degree of inte  esidential property type (early	dicate construction in 1908 for applegrity and is significant as a reprevalent 20th century).	sentation of vernacular
and molded cornice and returns  3. Building permit records indicate has a moderate degree of interesidential property type (early  44. DESCRIPTION OF ENVIRONMENT AND OUT  n residential neighborhood; face	dicate construction in 1908 for applegrity and is significant as a reprevalent 20th century).	sentation of vernacular



I	PRESENT LOCAL NAME(S) OR DESIGNATION(S)	<i>'</i>
Ruchanan  Buchanan  Location of Dept. of P & Z  NEGATIVES Roll #3-1	. OTHER NAME(S)	
S. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 1
IF CITY OR TOWN, STREET ADDRESS	17. DATE(S) OR PERIOD	29. BASEMENT? YES() No()
1323 Mitchell	1903	30. FOUNDATION MATERIAL
CITY OR TOWN IF RURAL, VICINITY	IB. STYLE OR DESIGN	Brick
St. Joseph	Oueen Anne 40 49	31. WALL CONSTRUCTION
a. description of Location  Legal: Lot 9, Block 29,	19. ARCHITECT OR ENGINEER	Frame 32. ROOF TYPE AND MATERIAL
Patee's Addition	20. CONTRACTOR OR BUILDER	Gable/Comp. Shingle
racec 5 matrion		33. NO. OF BAYS FRONT 3 SIDE
	21. ORIGINAL USE, IF APPARENT Single Family Residence with	34. WALL TREATMENT
	22. PRESENT USE	Clapboard
	Same	35. PLAN SHAPE Irregular
	23. OWNERSHIP PUBLIC( ) PRIVATE(X)	(EXPLAIN IN
	24. OWNER'S NAME AND ADDRESS	NO. 42) ALTERED (XX MOVED ( )
	IF KNOWN	37. CONDITION
9, COORDINATES UTM		INTERIOR
LAT Long	25. OPEN TO PUBLIC? YES( )	38. PRESERVATION YES ( )
O. SITE ( ) STRUCTURE	•	
BUILDING ( X) OBJECT		
II. ON NATIONAL YES ( ) 12, IS IT YES REGISTER ? NO ( X) ELIGIBLE? NO	(X)	KX) ON STAHW A
T DADY OF FETAR VEC / ) IA DISTRICT VES	(X)	40. VISIBLE FROM YES (X )
HIST. DISTRICT? NO ( X) POTENTIAL? NO	<u>)( )</u> .	PUBLIC ROAD ? NO ( )
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD
<u> </u>		<u> </u>
	ATURES 1 story, 3 bay, asymmetrical,	
frame dwelling with cross g	able roof, plain frieze and corner	РНОТО
frame dwelling with cross g boards. Recessed left bay	able roof, plain frieze and corner contains a 1/1 window. Projecting	
frame dwelling with cross g boards. Recessed left bay front gable wing contains w	able roof, plain frieze and corner contains a 1/1 window. Projecting ide 1/1 window (upper sash in top	PHOTO MUST
frame dwelling with cross g boards. Recessed left bay front gable wing contains w 1/3); gable wall has patter	able roof, plain frieze and corner contains a 1/1 window. Projecting ride 1/1 window (upper sash in top med wood shingles and oval opening	PHOTO MUST BE
frame dwelling with cross g boards. Recessed left bay front gable wing contains w 1/3); gable wall has patter (now closed). Recessed rig transom. Wrap-around perch	able roof, plain frieze and corner contains a 1/1 window. Projecting ride 1/1 window (upper sash in top ned wood shingles and oval opening that bay contains a single door with attached to center and right bay	PHOTO MUST BE PROVIDED
frame dwelling with cross g boards. Recessed left bay front gable wing contains w 1/3); gable wall has patter (now closed). Recessed rig transom. Wrap-around pcrch	able roof, plain frieze and corner contains a 1/1 window. Projecting ride 1/1 window (upper sash in top ned wood shingles and oval opening that bay contains a single door with	PHOTO MUST BE PROVIDED
frame dwelling with cross g boards. Recessed left bay front gable wing contains w 1/3); gable wall has patter (now closed). Recessed rig transom. Wrap-around pcrch  43. HISTORY AND SIGNIFICANCE has Roof is original.	able roof, plain frieze and corner contains a 1/1 window. Projecting ride 1/1 window (upper sash in top med wood shingles and oval opening that bay contains a single door with attached to center and right bay been altered with wrought iron supp	PHOTO MUST  BE PROVIDED  Orts and railing:
frame dwelling with cross g boards. Recessed left bay front gable wing contains w 1/3); gable wall has patter (now closed). Recessed rig transom. Wrap-around pcrch  43. HISTORY AND SIGNIFICANCE Roof is original.  Building permit records indicat	able roof, plain frieze and corner contains a 1/1 window. Projecting ride 1/1 window (upper sash in top med wood shingles and oval opening that bay contains a single door with attached to center and right bay been altered with wrought iron suppose construction in 1903 for applicant	PHOTO MUST  BE PROVIDED  Orts and railing.
frame dwelling with cross g boards. Recessed left bay front gable wing contains w 1/3); gable wall has patter (now closed). Recessed rig transom. Wrap-around pcrch  43. HISTORY AND SIGNIFICANCE Roof is original.  Building permit records indicat It has a moderate to high degree	able roof, plain frieze and corner contains a 1/1 window. Projecting ride 1/1 window (upper sash in top med wood shingles and oval opening that bay contains a single door with attached to center and right bay been altered with wrought iron suppose construction in 1903 for applicant e of integrity and is significant a	PHOTO MUST  BE PROVIDED  Orts and railing.  t Charles E. Herycele. s a representation
frame dwelling with cross g boards. Recessed left bay front gable wing contains w 1/3); gable wall has patter (now closed). Recessed rig transom. Wrap-around pcrch  43. HISTORY AND SIGNIFICANCE Roof is original.  Building permit records indicat It has a moderate to high degree	able roof, plain frieze and corner contains a 1/1 window. Projecting ride 1/1 window (upper sash in top med wood shingles and oval opening that bay contains a single door with attached to center and right bay been altered with wrought iron suppose construction in 1903 for applicant	PHOTO MUST  BE PROVIDED  Orts and railing.  t Charles E. Herycele. s a representation
frame dwelling with cross g boards. Recessed left bay front gable wing contains w 1/3); gable wall has patter (now closed). Recessed rig transom. Wrap-around pcrch  43. HISTORY AND SIGNIFICANCE Roof is original.  Building permit records indicat It has a moderate to high degree	able roof, plain frieze and corner contains a 1/1 window. Projecting ride 1/1 window (upper sash in top med wood shingles and oval opening that bay contains a single door with attached to center and right bay been altered with wrought iron suppose construction in 1903 for applicant e of integrity and is significant a	PHOTO MUST  BE PROVIDED  Orts and railing.  t Charles E. Herycele. s a representation
frame dwelling with cross g boards. Recessed left bay front gable wing contains w 1/3); gable wall has patter (now closed). Recessed rig transom. Wrap-around pcrch  43. HISTORY AND SIGNIFICANCE Roof is original.  Building permit records indicat It has a moderate to high degree	able roof, plain frieze and corner contains a 1/1 window. Projecting ride 1/1 window (upper sash in top med wood shingles and oval opening that bay contains a single door with attached to center and right bay been altered with wrought iron suppose construction in 1903 for applicant e of integrity and is significant a	PHOTO MUST  BE PROVIDED  Orts and railing.  t Charles E. Herycele. s a representation
frame dwelling with cross g boards. Recessed left bay front gable wing contains w 1/3); gable wall has patter (now closed). Recessed rig transom. Wrap-around pcrch  43. HISTORY AND SIGNIFICANCE Roof is original.  Building permit records indicat It has a moderate to high degree	able roof, plain frieze and corner contains a 1/1 window. Projecting ride 1/1 window (upper sash in top med wood shingles and oval opening that bay contains a single door with attached to center and right bay been altered with wrought iron suppose construction in 1903 for applicant e of integrity and is significant a	PHOTO MUST  BE PROVIDED  Orts and railing.  t Charles E. Herycele. s a representation
frame dwelling with cross g boards. Recessed left bay front gable wing contains w 1/3); gable wall has patter (now closed). Recessed rig transom. Wrap-around pcrch  43. HISTORY AND SIGNIFICANCE Roof is original. Building permit records indicat It has a moderate to high degre of transitional Queen Anne/Colo	able roof, plain frieze and corner contains a 1/1 window. Projecting ride 1/1 window (upper sash in top ned wood shingles and oval opening that bay contains a single door with attached to center and right bay been altered with wrought iron suppose construction in 1903 for applicant a smial Revival residential property to	PHOTO MUST  BE PROVIDED  Orts and railing.  t Charles E. Herycele. s a representation
frame dwelling with cross g boards. Recessed left bay front gable wing contains w 1/3); gable wall has patter (now closed). Recessed rig transom. Wrap-around pcrch  43. HISTORY AND SIGNIFICANCE Roof is original. Building permit records indicat It has a moderate to high degre of transitional Queen Anne/Colo	able roof, plain frieze and corner contains a 1/1 window. Projecting ride 1/1 window (upper sash in top ned wood shingles and oval opening that bay contains a single door with attached to center and right bay been altered with wrought iron suppose construction in 1903 for applicant a smial Revival residential property to	PHOTO MUST  BE PROVIDED  Orts and railing.  t Charles E. Herycele. s a representation
frame dwelling with cross g boards. Recessed left bay front gable wing contains w 1/3); gable wall has patter (now closed). Recessed rig transom. Wrap-around pcrch  43. HISTORY AND SIGNIFICANCE Roof is original. Building permit records indicat It has a moderate to high degre of transitional Queen Anne/Colo	able roof, plain frieze and corner contains a 1/1 window. Projecting ride 1/1 window (upper sash in top ned wood shingles and oval opening that bay contains a single door with attached to center and right bay been altered with wrought iron suppose construction in 1903 for applicant a smial Revival residential property to	PHOTO MUST  BE PROVIDED  Orts and railing.  t Charles E. Herycele. s a representation
frame dwelling with cross g boards. Recessed left bay front gable wing contains w 1/3); gable wall has patter (now closed). Recessed rig transom. Wrap-around pcrch  43. HISTORY AND SIGNIFICANCE Roof is original.  Building permit records indicat It has a moderate to high degre of transitional Queen Anne/Colo	able roof, plain frieze and corner contains a 1/1 window. Projecting ride 1/1 window (upper sash in top ned wood shingles and oval opening that bay contains a single door with attached to center and right bay been altered with wrought iron suppose construction in 1903 for applicant a smial Revival residential property to	PHOTO MUST  BE PROVIDED  Orts and railing.  t Charles E. Herycele. s a representation ype.
frame dwelling with cross g boards. Recessed left bay front gable wing contains w 1/3); gable wall has patter (now closed). Recessed rig transom. Wrap-around pcrch  43. HISTORY AND SIGNIFICANCE Roof is original.  Building permit records indicat It has a moderate to high degre of transitional Queen Anne/Colo  44. DESCRIPTION OF ENVIRONMENT AND OUT In residential neighborhood; fa	able roof, plain frieze and corner contains a 1/1 window. Projecting ride 1/1 window (upper sash in top ned wood shingles and oval opening that bay contains a single door with attached to center and right bay been altered with wrought iron suppose construction in 1903 for applicant a smial Revival residential property to	PHOTO MUST  BE PROVIDED  orts and railing.  t Charles E. Herycele. s a representation ype.  46. PREPARED BY Mary Jo Winder
frame dwelling with cross g boards. Recessed left bay front gable wing contains w 1/3); gable wall has patter (now closed). Recessed rig transom. Wrap-around pcrch 43. HISTORY AND SIGNIFICANCE Roof is original. Building permit records indicat It has a moderate to high degre of transitional Queen Anne/Colo  44. DESCRIPTION OF ENVIRONMENT AND OUT In residential neighborhood; fa  45. SOURCES OF INFORMATION BP #A901, 4/6/03; site	able roof, plain frieze and corner contains a 1/1 window. Projecting ride 1/1 window (upper sash in top ned wood shingles and oval opening that bay contains a single door with attached to center and right bay been altered with wrought iron suppose construction in 1903 for applicant a smial Revival residential property to	PHOTO MUST  BE PROVIDED  Orts and railing.  t Charles E. Herycele. s a representation ype.



# MISSOURI OFFICE OF HISTORIC PRESERVATION ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

I. NO. 192	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
2. COUNTY Buchanan	5, OTHER NAME(S)	
3. LOCATION OF Dept. of P & Z NEGATIVES Roll #3-2	o, other tame(s)	
6. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	I6. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 2 29. BASEMENT? YES()
IF CITY OR TOWN, STREET ADDRESS	17. DATE(S) OR PERIOD	29. BASEMENT ? YES ( ) NO ( ) 30. FOUNDATION MATERIAL
1325 Mitchell 7. CITY OR TOWN IF RURAL, VICINITY	18. STYLE OR DESIGN	Brick
St. Joseph  8. DESCRIPTION OF LOCATION	Classic Revival 50	31. WALL CONSTRUCTION  Brick
Legal: Lot 8, Block 29,		32. ROOF TYPE AND MATERIAL Flat PR
Patee's Addition	20. CONTRACTOR OR BUILDER 30	33. NO. OF BAYS
	Duplex USE, IF APPARENT CB	34. WALL TREATMENT
	22. PRESENT USE Same	Stretcher/Painted  35. PLAN SHAPE Rectangul r
•	23. OWNERSHIP PUBLIC ( PRIVATE ( X	) 36. CHANGES ADDITION( )
	24. OWNER'S NAME AND ADDRESS	NO. 42) ALTERED ( ) MOVED ( )
9. COORDINATES UTM	IF KNOWN  Donald Mackley	37. CONDITION INTERIOR
LAT LONG		EXTERIOR Good
IO. SITE( ) STRUCT		) 38. PRESERVATION YES ( ) ) UNDERWAY ? NO (XX)
	ECT ( ). 26. LOCAL CONTACT PERSON OR ORGANIZATION $YES(X)$	N 39. ENDANGERED? YES (XX) BY WHAT? Poor Maintenance  40. VISIBLE FROM YES (X )
REGISTER ? NO ( X) ELIGIBLE ?	NO( ) 27. OTHER SURVEYS IN WHICH INCLUDED	Poor Maintenance
13. PART OF ESTAB. YES ( ) HIST. DISTRICT? NO ( X)	NO()	40. VISIBLE FROM YES(X) PUBLIC ROAD? NO()
15. NAME OF ESTABLISHED DISTRICT	, <b> </b>	41. DISTANCE FROM AND FRONTAGE ON ROAD
42. FURTHER DESCRIPTION OF IMPORTANT	FEATURES Two story, 4-bay, symmetri-	
	ling with flat roof with parapet	PHOTO MUST
	amentation, brick quoins and cornice 1). Porch attached to center two ba	
	ith) has brick pedestals with Tuscan	BE
	ont gable roof; bays contain single	PROVIDED
	cond story has 1/1 windows	<b>L</b>
Openings have stone sil	1s and cornices; end bay openings ha	ve brick quoining.
	rmits of record for this property; he iginal construction. It has a high o	
and is significant as a repre	sentation of turn of the century Class	
duplex property type.		
		·
44. DESCRIPTION OF ENVIRONMENT AND	OUTBUILDINGS	5
	orhood; commercial zone to south.	
45. SOURCES OF INFORMATION	·	46, PREPARED BY
No B.P.; site; 1911 San	born map	Mary Jo Winder 47. ORGANIZATION
RETURN THIS FORM WHEN COMPLET	TED TO: OFFICE OF HISTORIC PRESERVATION	City of St. Joseph
IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 Ph. 314-751-4096	48. DATE 49. REVISION DATE(S) 7/88



I. NO. 101	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	,	
Buchanan  3. Location of Dept. of P & Z NEGATIVES Roll #8-0	5. OTHER NAME(S)		 
6. SPECIFIC LEGAL LOCATION TOWNSHIPRANGESECTION_ IF CITY OR TOWN, STREET ADDRESS  1016-18 Olive 7. CITY OR TOWN	I6. THEMATIC CATEGORY Architecture  17. DATE(S) OR PERIOD 1889  18. STYLE OR DESIGN 53 ROMANESQUE REV./Classic Reviva 19. ARCHITECT OR ENGINEER  20. CONTRACTOR OR BUILDER 21. ORIGINAL USE, IF APPARENT Multi-family residence 22. PRESENT USE	32. ROOF TYPE AND MATERIAL Flat PR  33. NO. OF BAYS FRONT 4 SIDE  34. WALL TREATMENT Stretcher	2. COUNTY
II. ON NATIONAL YES ( ) 12. IS IT Y	CT() 26. LOCAL CONTACT PERSON OR ORGANIZATION ES(X) NO() 27. OTHER SURVEYS IN WHICH INCLUDED	(EXPLAIN IN ALTERED (XX MOVED ( ) )  37. CONDITION INTERIOR Fair-Good	LOCAL NAME(S) OR DESIGNATION(S)
brick multi-family dwelli chimneys, stone belt cour brickwork pattern of arca wall. Center bays contai transoms; smooth cornered single light windows on e contain paired 1/1 window Romanesque semi-circular original configuration is	reatures 2 story, 4 bay, symmetrical, mg with flat roof; side, brick se above second story windows with de and bracketed cornice on parapet in recessed single door entries with brick on edges around entries; small ither side of entries; flat roof over ys supported by heavy brackets; second (openings altered on right side). arched openings on first story; stone right bay with 1/1 window with short of rectangular opening, center and me	PHOTO MUST  BE PROVIDED  and story center bays End bays have a sills and keystone; tened sidelights;	5. OTHER NAME(S) 6. TO
43. Buildiing permit records McReynolds. It has a moderate	indicate construction in 1889£ for app to high degree of integrity and is s lassic Revival multi-family property	plicant, W.O. ignificant as a	TOWNSHIP RANGE
45. SOURCES OF INFORMATION BP # D198, 8/21/89; site	rhood; commercial zone to west.  ED TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102	46. PREPARED BY Mary Jo Winder  47. ORGANIZATION City of St. Joseph 48. DATE 49. REVISION DATE(\$) 7/88	SECTION



ARCHITECTURAL/HISTORIC I	INVENTORY SURVEY FORM	•
I. NO. 102	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
2. COUNTY Buchanan	5. OTHER NAME(S)	
3. LOCATION OF Dept. of P & Z RO11 #12-27		
8. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 1
IF CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	29. BASEMENT? YES( ) NO( )
1106-08 Olive	1899	30. FOUNDATION MATERIAL
7. CITY OR TOWN IF RURAL, VICINITY St. Joseph	Vernacular/Queen Anne 45 5/	31. WALL CONSTRUCTION
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Frame 32. ROOF TYPE AND MATERIAL
Legal: Lot 6, Block 6, Patee's Addition	20. CONTRACTOR OR BUILDER	Trunc. Hip/Comp. Shingl
	21. ORIGINAL USE, IF APPARENT	33. NO. OF BAYS FRONT $^4$ Side
	Duplex	34. WALL TREATMENT
	22. PRESENT USE Same	Clapboard  35. PLAN SHAPE "T"
	23. OWNERSHIP PUBLIC ( )	36. CHANGES ADDITION ( )
	PRIVATE( $\chi$ )  24. OWNER'S NAME AND ADDRESS	NO. 42)  ALTERED ( )  MOVED ( )
	IF KNOWN	37. CONDITION
9. COORDINATES UTM		INTERIOR
LONG	25. OPEN TO PUBLIC? YES( )	
BUILDING ( X) OBJEC		
II. ON NATIONAL YES ( ) 12. IS IT YE	<b>S</b> (X)	BY WHAT? NO() Neglect/Poor Maintenanc
IZ DADT OF FETAR VEG ( ) IA DISTRICT VE	O( ) 27. OTHER SURVEYS IN WHICH INCLUDED	40. VISIBLE FROM YES (X )
HIST. DISTRICT? NO ( X) POTENTIAL?	0( )	· NO ( )
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD
AO SUPTUED DESCRIPTION OF IMPORTANT F	PATIBE .	
	TEATURES 1 story, 4 bay, symmetrical, incated hip roof with centered front	РНОТО
	boards. Recessed end bays with	MUST
	corner verenda with turned post	BE
and spindled frieze. Center by transom with narrow 1/1 side 1	ights. All fenestration has plain	PROVIDED
frames with narrow cornice mol	dings. Enframed gable has fish-	
	good shingle wall with plain frieze.	
Building permit records indica-	te construction in 1899 for applican	t, Pike Peyely. It
of vernacular Queen Anne duple:	tectural integrity and is significan x property type. Its construction c	t as a representation of the
1891-1915 period in the city's	historical development.	
•		· <b></b>
44. DESCRIPTION OF ENVIRONMENT AND OU	UTBUILDINGS	
In residential neighborhood w/o	other vernacular dwellings built pri	or to 1915.
45. SOURCES OF INFORMATION		46. PREPARED BY Mary Jo Winder
BP #7072, 8/11/99; site		47. ORGANIZATION
RETURN THIS FORM WHEN COMPLETE	D TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176	City of St. Joseph 48. DATE 49. REVISION DATE(S)
IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	6/88



i. No. 10년	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		-
2. COUNTY		· · · · · · · · · · · · · · · · · · ·	No.
Buchanan  3. LOCATION OF Dept. of P & Z	5. OTHER NAME(S)		
NEGATIVES Roll #12-28			
6. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	I6. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 2 29. BASEMENT? YES ( )	2. C
IF CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	NO( )	COUNTY
7. CITY OR TOWN IF RURAL, VICINITY	ca. 1860/1902  18. STYLE OR DESIGN  40 49	30. FOUNDATION MATERIAL	7
St. Joseph	Vernacular/Oueen Anne/Italianat	31. WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	32. ROOF TYPE AND MATERIAL	
Legal: Part Lots 5 & 6, B 23, Patee's Addition	20. CONTRACTOR OR BUILDER	Hip/Comp. Shingle	DR.
25, raced 5 Addreson	DO	33. NO. OF BAYS FRONT 5 SIDE	
	Single Family Residence WA	84. WALL TREATMENT	PRES
	22. PRESENT USE Multi-Family Residence	Painted Brick/Asbesto	si <b>š</b> i
•	23. OWNERSHIP PUBLIC ( )		. LOCAL
	PRIVATE(X)	(EXPLAIN IN NO. 42) ALTERED XX)	
	24. OWNER'S NAME AND ADDRESS IF KNOWN	MOVED ( )	NAME(S)
9, COORDINATES UTM	Howard Powell	INTERIOR	E(S)
LAT Long	25. OPEN TO PUBLIC? YES( )	EXTERIOR GOOD  38. PRESERVATION YES ( )	င္က
IO. SITE ( ) STRUCTU	•		DES
	CT( ) 26. LOCAL CONTACT PERSON OR ORGANIZATION	BY WHAT 2	DESIGNATION(S)
DECIOTED 0 EL ICIDI E 0	ES(X) NO( ) 27, OTHER SURVEYS IN WHICH INCLUDED	_ S. WIRL; NO (XX	170
HIST. DISTRICT ? NO ( X)	ES(X)	40. VISIBLE FROM YES (X ) PUBLIC ROAD ?	ŝ
15. NAME OF ESTABLISHED DISTRICT	NO( )	41. DISTANCE FROM AND	1
		FRONTAGE ON ROAD	
42. FURTHER DESCRIPTION OF IMPORTANT	FEATURES 2 story, 5 bay, asymmetrical,		
	roof. Brick first story is ca. 1860	ol Photo	ОТНЕ
	entries with transom in first and	MUST	ER
	and third bays have 2/2 windows,	BE	N A
	brick hoodmolds. Wrap around porch med posts, spindled frieze and	PROVIDED	NAME (S)
	rought iron railing is a later alter-		j
43. HISTORY AND SIGNIFICANCE ation	n). Frame, upper story bays each cor	ntain 2/2 windows	
	narrow cornices. Gable centered about rectangular windows and has orna		
	lyconal bay unit on west elevation t		
windows and has a flat ro			TOWNSHIP
tion or addition in 1902 for a	oplicant, F. L. Enderbrock (also took	out a permit in 1887	HS N
for a wood shed on same proper	ty). It has a high degree of archite	ec <b>e</b> tural integrity and	7
is significant as a representa type (original Italianate dwel	tion of early 20th century Queen Anne ling still apparent and significant).	residential property	<u> </u>
44. DESCRIPTION OF ENVIRONMENT AND	map.	Appears on 1883 Sambor	nn ₽
In residential neighborhood; va	acant lot to corner on west side.		RANGE
45. SOURCES OF INFORMATION		46. PREPARED BY Mary Jo Winder	<b> </b>
	519 9/10/02 site . 1883 Sanborn mar	I work on wringer	E G
BP #X-B28, 4/12/87; BP #A	Jis, 3/10/02, bice, 1003 bamboin map	47. ORGANIZATION	7 6
	ED TO: OFFICE OF HISTORIC PRESERVATION	47. ORGANIZATION City of St. Joseph 48. DATE 49. REVISION DATE(\$)	SECTION



I. NO. 103	RESENT LOCAL NAME(S) OR DESIGNATION(S)		:
Buchanan  3. Location of Dept. of P & Z NEGATIVES Roll #12-29	THER NAME(S)		, ,
6. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS  1116 Olive 7. CITY OR TOWN	I6. THEMATIC CATEGORY Architecture  I7. DATE(S) OR PERIOD  1902  I8. STYLE OR DESIGN Neoclassical	28. NO. OF STORIES 11, 29. BASEMENT? YES() NO() SO. FOUNDATION MATERIAL Brick 31. WALL CONSTRUCTION	!
B. DESCRIPTION OF LOCATION Legal: Part of Lots 5 & 6, Block 23, Patee's Addition  9. COORDINATES LAT LONG  10. SITE() STRUCTURE( BUILDING(X) OBJECT(  11. ON NATIONAL YES() REGISTER? NO(X)  13. PART OF ESTAB. YES() HIST. DISTRICT? YES(X) HIST. DISTRICT? NO(X)  15. NAME OF ESTABLISHED DISTRICT	) 26. LOCAL CONTACT PERSON OR ORGANIZATION  ) 27. OTHER SURVEYS IN WHICH INCLUDED	(EXPLAIN IN ALTERED ( ) NO. 42) MOVED ( )  37. CONDITION INTERIOR EXTERNOR GOOD  36. PRESERVATION YES ( ) UNDERWAY ? NO ( X X	
frame dwelling with hip roof with Verenda with brick pedestals, squentablature and open slat railing form polyzonal bay unit, each with plain frames with narrow cornice shingled, walls with recessed parts. HISTORY AND SIGNIFICANCE	pare, fluted wood columns, wide g shelters left three bays which the l/l window. Fenestration has moldings. Large dormer with ired 6/l windows.	PHOTO MUST BE PROVIDED	
owned property adjacent on west).	construction in 1902 for applicant The dwelling has a high degree o esentation of Neoclassical residen	f architectural integ-	
44. DESCRIPTION OF ENVIRONMENT AND OUTBOOM In residential neighborhood; vacar			
45. SOURCES OF INFORMATION BP #A547, 9/19/02; site  RETURN THIS FORM WHEN COMPLETED T IF ADDITIONAL SPACE IS NEEDED, ATTACH	O: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102	46. PREPARED BY Mary Jo Winder  47. ORGANIZATION City of St. Joseph 48. DATE 49. REVISION DATE(\$) 7/88	



I. NO. 156	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		:-
3. LOCATION OF Dept, of P & Z	5. OTHER NAME(S)		NO.
NEGATIVES ROLL #11-14  6. SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY	20 NO OF OTODIES 21	
TOWNSHIP RANGE SECTION	Architecture	28. NO. OF STORIES $2\frac{1}{2}$ 29. BASEMENT? YES ( )	,
IF CITY OR TOWN, STREET ADDRESS 1306 Olive	IT. DATE(S) OR PERIOD Ca. 1888	NO( ) 30. FOUNDATION MATERIAL	COON
7. CITY OR TOWN IF RURAL, VICINITY	18. STYLE OR DESIGN	Brick	-
St. Joseph	Queen Anne	31. WALL CONSTRUCTION Brick	
8. DESCRIPTION OF LOCATION Legal: Lot 5, Cowan's Subdi	19. ARCHITECT OR ENGINEER	32. ROOF TYPE AND MATERIAL	
sion	20. CONTRACTOR OR BUILDER	Hip/Comp. Shingle	DIE
	OL OBIGINAL HOR IS ADDARDENT	FRONT 4 SIDE	
	Single Family Residence	34. WALL TREATMENT Stretcher	3
	22. PRESENT USE Same	35. PLAN SHAPE Irregular	PRESER! LOCAL NAME(S)
·	23. OWNERSHIP PUBLIC( )	36. CHANGES ADDITION ( )	5
	PRIVATE(X) 24. OWNER'S NAME AND ADDRESS	(EXPLAIN IN NO. 42) ALTERED ( ) MOVED ( )	,
	IF KNOWN	37. CONDITION	
9. COORDINATES UTM	Harold Knox	INTERIOR	•
LAT Long	25, OPEN TO PUBLIC? YES( )	EXTERIOR Good  30. PRESERVATION YES ( )	9
IO. SITE ( ) STRUCTUR		UNDERWAY ? NO (XX)	
BUILDING ( X) OBJEC		39. ENDANGERED? YES (XX) BY WHAT?	
DECIGTED A FLICIDLE A	S(X) O( ) 27. OTHER SURVEYS IN WHICH INCLUDED	Poor Maintenance	
TOTAL TOTAL OF THE PARTY OF THE	9 / 7 )	40. VISIBLE FROM YES (X ) PUBLIC ROAD ?	3
HIST. DISTRICT? NO ( X) POTENTIAL? N	0(_)	41. DISTANCE FROM AND	
TO, HAME OF ESTABLISHED DISTRICT	•	FRONTAGE ON ROAD	
42. FURTHER DESCRIPTION OF IMPORTANT F	EATURES 21. at our A harman		Ů
	EATURES 2½ story, 4-bay, asymmetri- hip roof with gable roof pro-	РНОТО	
	side elevation dormer; heavily molded	MUST	
	d cornice; brick water table. Porch	1 / 1	
	ion wraps around east side elevation	PROVIDED	
	Beysantine shape capitals and lded, boxed cornice; gable roof over		•
43. HISTORY AND SIGNIFICANCE entry b	pay (3rd) with ornamented pediment; of	one section of turned	İ
	ct. Recessed left bay contains sing		
	d story; second bay has picture wind nd paired, square, six-light windows		
	story; third bay has double door er		
1/1 window on second sto	ry; fourth bay is recessed wall of h	back portion of building	
43. There are no building perm	its of record; however, 1888 and 189	7 Sanborn maps indicate	1
of integrity and is significant	s (it appears on the map of 97). It as a representation of Queen Anne r	has a high degree	-
44. DESCRIPTION OF ENVIRONMENT AND OU		estronerat broberth	
In residential neighborhood; in faces block w/public school.	block of other late 19th/early 20th	century dwellings;	
45. SOURCES OF INFORMATION		46. PREPARED BY Mary Jo Winder	1-
No B.P.; site; 1897 San	born map	47. ORGANIZATION	1
RETURN THIS FORM WHEN COMPLETE	TO: OFFICE OF HISTORIC PRESERVATION	City of St. Joseph	1
RETURN THIS FORM WHEN COMPLETE  IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	P.O. BOX 176  P.O. BOX 176  JEFFERSON CITY, MISSOURI 65102  PH. 314-751-4096	48. DATE 49. REVISION DATE(S) 7/88	



	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		:
2. COUNTY		· · · · · · · · · · · · · · · · · · ·	
Buchanan  3. Location of Dept. of P & Z	5. OTHER NAME(S)		
NEGATIVES Roll #11-15			
6. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	I6. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 25 29. BASEMENT? YES ( )	
IF CITY OR TOWN, STREET ADDRESS	17. DATE(S) OR PERIOD 1906	NO( )	
1310 Olive 7. CITY OR TOWN IF RURAL, VICINITY	18. STYLE OR DESIGN	30. FOUNDATION MATERIAL Stone	•
St. Joseph	Classic Revival/4-Square 49	31. WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Stone 32. ROOF TYPE AND MATERIAL	
Legal: Part of Lot 4, Corva		Hip/Comp. Shingle	D
Subdivision	21. ORIGINAL USE, IF APPARENT	33. NO. OF BAYS FRONT 2 SIDE	
	Single Family Residence Fa	34. WALL TREATMENT	
	22. PRESENT USE Same	Plain ashlar 35. PLAN SHAPE Rectangular	!
•	23. OWNERSHIP PUBLIC ( )	36. CHANGES ADDITION ( )	
	PRIVATE(X)	(EXPLAIN IN NO. 42) ALTERED (XX) MOVED ( )	
	IF KNOWN	37. CONDITION	
9, COORDINATES UTM	Denise Cannon	INTERIOR	•
LONG	25. OPEN TO PUBLIC? YES( )	36. PRESERVATION YES ( )	
BUILDING ( X) OBJE	URE( ) NO(X)		1
II. ON NATIONAL YES ( ) 12. IS IT Y	(ES (X)	BY WHAT?	
	NO( ) 27, OTHER SURVEYS IN WHICH INCLUDED	Poor Maintenance '	
13. PART OF ESTAB. YES ( ) 14. DISTRICT Y NO ( X) POTENTIAL?	YES (X ) NO( ).	40. VISIBLE FROM YES (X ) PUBLIC ROAD ? NO ( )	]
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD	
			_
	FEATURES $2\frac{1}{2}$ story, 2 bay, asymmetri-	РНОТО	1
•	nip roof with front gable projection	MUST	
and gable roof side dormer			
and gable roof side dormer tion (north) has stone pie	ers that support a flat roof; molded	$\perp$	į
tion (north) has stone pie entablature; short, <b>d</b> pen s	ers that support a flat roof; molded slat railing. Left bay contains pic-	BE	
tion (north) has stone pie entablature; short, <b>d</b> pen s ture window with 1/1 sidel	ers that support a flat roof; molded slat railing. Left bay contains pic- lights; right bay contain single door		
tion (north) has stone pie entablature; short, depen s ture window with 1/1 sidel (both openings have brick 43. HISTORY AND SIGNIFICANCE upp	ers that support a flat roof; molded slat railing. Left bay contains pictights; right bay contain single door infill, an alteration). Symmetrical per facade has 10/1 windows in each bas	PROVIDED  ay. Bracketed gable	
tion (north) has stone pie entablature; short, depen s ture window with 1/1 sidel (both openings have brick 43. HISTORY AND SIGNIFICANCE upp (at base); boxed cornice a	ers that support a flat roof; molded slat railing. Left bay contains pictights; right bay contain single door infill, an alteration). Symmetrical per facade has 10/1 windows in each band returns; gable wall contains pair	PROVIDED  ay. Bracketed gable  ed smaller windows.	
tion (north) has stone pie entablature; short, depen s ture window with 1/1 sidel (both openings have brick 43. HISTORY AND SIGNIFICANCE upp (at base); boxed cornice a 43. Building permit records in	ers that support a flat roof; molded slat railing. Left bay contains pictights; right bay contain single door infill, an alteration). Symmetrical per facade has 10/1 windows in each band returns; gable wall contains pair and returns; gable wall contains pair and cate construction in 1906 for appl	PROVIDED  ay. Bracketed gable ed smaller windows.	
tion (north) has stone pied entablature; short, depends ture window with 1/1 sidelded (both openings have brick)  43. HISTORY AND SIGNIFICANCE upper (at base); boxed cornice and a suilding permit records in the same high degree of integral.	ers that support a flat roof; molded slat railing. Left bay contains pictights; right bay contain single door infill, an alteration). Symmetrical per facade has 10/1 windows in each band returns; gable wall contains pair and contains pair and contains pair and is significant as a representation in 1906 for applicate construction in 1906 for application is significant as a representation.	PROVIDED  ay. Bracketed gable ed smaller windows.	
tion (north) has stone pied entablature; short, depends ture window with 1/1 sidelded (both openings have brick)  43. HISTORY AND SIGNIFICANCE upper (at base); boxed cornice and a suilding permit records in the same high degree of integral.	ers that support a flat roof; molded slat railing. Left bay contains pictights; right bay contain single door infill, an alteration). Symmetrical per facade has 10/1 windows in each band returns; gable wall contains pair and contains pair and contains pair and is significant as a representation in 1906 for applicate construction in 1906 for application is significant as a representation.	PROVIDED  ay. Bracketed gable ed smaller windows.	
tion (north) has stone pied entablature; short, depending the sidel (both openings have brick)  43. HISTORY AND SIGNIFICANCE upper (at base); boxed cornice and a building permit records in the same high degree of integral.	ers that support a flat roof; molded slat railing. Left bay contains pictights; right bay contain single door infill, an alteration). Symmetrical per facade has 10/1 windows in each band returns; gable wall contains pair and contains pair and contains pair and is significant as a representation in 1906 for application is significant as a representation.	PROVIDED  ay. Bracketed gable ed smaller windows.	
tion (north) has stone pied entablature; short, depends ture window with 1/1 sidelded (both openings have brick)  43. HISTORY AND SIGNIFICANCE upper (at base); boxed cornice and a suilding permit records in the same high degree of integral.	ers that support a flat roof; molded slat railing. Left bay contains pictights; right bay contain single door infill, an alteration). Symmetrical per facade has 10/1 windows in each band returns; gable wall contains pair and contains pair and contains pair and is significant as a representation in 1906 for application is significant as a representation.	PROVIDED  ay. Bracketed gable ed smaller windows.	
tion (north) has stone pied entablature; short, depends ture window with 1/1 sidelded (both openings have brick)  43. HISTORY AND SIGNIFICANCE upper (at base); boxed cornice and a suilding permit records in the same high degree of integral.	ers that support a flat roof; molded slat railing. Left bay contains pictights; right bay contain single door infill, an alteration). Symmetrical per facade has 10/1 windows in each band returns; gable wall contains pair and contains pair and contains pair and contains pair and contains pair and contains pair and contains pair and contains pair and contains significant as a representative.	PROVIDED  ay. Bracketed gable ed smaller windows.	
tion (north) has stone pie entablature; short, depen sture window with 1/1 sidel (both openings have brick  43. HISTORY AND SIGNIFICANCE upper (at base); boxed cornice at large and the same and the sa	ers that support a flat roof; molded slat railing. Left bay contains pictights; right bay contain single door infill, an alteration). Symmetrical per facade has 10/1 windows in each band returns; gable wall contains pair and contains pair and contains pair and contains pair and contains pair and contains pair and contains pair and contains pair and contains significant as a representative.	PROVIDED  ay. Bracketed gable ed smaller windows.  icant, J.D. McKinney. ation of Classic	
tion (north) has stone pied entablature; short, depending the sture window with 1/1 sidel (both openings have brick)  43. HISTORY AND SIGNIFICANCE upper (at base); boxed cornice at the state of the st	ers that support a flat roof; molded slat railing. Left bay contains pictights; right bay contain single door infill, an alteration). Symmetrical per facade has 10/1 windows in each band returns; gable wall contains pair andicate construction in 1906 for applity and is significant as a representative.	PROVIDED  ay. Bracketed gable ed smaller windows.  icant, J.D. McKinney. ation of Classic  s; faces public school	
tion (north) has stone pied entablature; short, depending ture window with 1/1 sideld (both openings have brick)  43. HISTORY AND SIGNIFICANCE upper (at base); boxed cornice at the same of the same	ers that support a flat roof; molded slat railing. Left bay contains pictights; right bay contain single door infill, an alteration). Symmetrical per facade has 10/1 windows in each band returns; gable wall contains pair andicate construction in 1906 for applity and is significant as a representative.	PROVIDED  ay. Bracketed gable ed smaller windows.  icant, J.D. McKinney. ation of Classic	
tion (north) has stone pie entablature; short, depen sture window with 1/1 sidel (both openings have brick  43. HISTORY AND SIGNIFICANCE upp (at base); boxed cornice at the same of the s	ers that support a flat roof; molded slat railing. Left bay contains pictights; right bay contain single door infill, an alteration). Symmetrical per facade has 10/1 windows in each band returns; gable wall contains pair andicate construction in 1906 for applity and is significant as a representative.	PROVIDED  ay. Bracketed gable ed smaller windows.  icant, J.D. McKinney. ation of Classic  s; faces public school	



COUNTY	<b>~</b>	
Buchanan Location of Dept. of P & Z NEGATIVES Roll #11-17	5. OTHER NAME(S)	
SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	I6. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 23, 29. BASEMENT? YES ( )
1312 Olive	17. DATE(S) OR PERIOD 1909	NO( )
city or town if rural, vicinity St. Joseph	18. STYLE OR DESIGN Classic Revival	Stone 31. WALL CONSTRUCTION
DESCRIPTION OF LOCATION Legal: Part of Lots 3 &	19. ARCHITECT OR ENGINEER	Frame 32. ROOF TYPE AND MATERIAL
Cowan's Subdivision	20. CONTRACTOR OR BUILDER	JGable/Comp. Shingle 33. NO. OF BAYS
	21. ORIGINAL USE, IF APPARENT Single Family Residence	FRONT 3 SIDE 34. WALL TREATMENT
	22. PRESENT USE Same	Clapboard  35. PLAN SHAPE Irregular
	23. OWNERSHIP PUBLIC ( ) PRIVATE ( X )	36. CHANGES ADDITION ( )
	24. OWNER'S NAME AND ADDRESS IF KNOWN	MOVED ( )
COORDINATES UTM	Marion A. Conrey	INTERIORGOOd
LONG SITE ( ) STRUCT	25. OPEN TO PUBLIC? YES( )  TURE( ) NO(X)	38. PRESERVATION YES ( ) UNDERWAY ? NO (XX)
ON NATIONAL YES ( ) 12. IS IT	VEST ( ) 26. LOCAL CONTACT PERSON OR ORGANIZATION VEST (X) NO( ) 27. OTHER SURVEYS IN WHICH INCLUDED	
PART OF ESTAB. YES ( ) 14. DISTRICT POTENTIAL 2	Vre/Y)	40. VISIBLE FROM YES (X ) PUBLIC ROAD ?
NAME OF ESTABLISHED DISTRICT	,	41. DISTANCE FROM AND FRONTAGE ON ROAD
. FURTHER DESCRIPTION OF IMPORTANT	EFATURES 01 2 1	
cal, frame dwelling with	cross gable roof; narrow corner	РНОТО
	y contains door with transoms with window on second story. Front gable	MUST
	and third bays of front elevation	BE
	foundation and corner piers, open	PROVIDED
	blature and boxed gable returns.	
	cond bay contains picture window with ory has polyzonal bay unit wiht polyzonal	
	ht bay has slight projection which cor	
_	on right; 1/1 window on second story.	
of three small windows.	•	
. Building permit records	indicate construction in 1909 for appl	icant John W. Kash
has a high degree of integr	rity and is significant as a representation	ation of early 20th
ntury Classic Revival reside	ential property type.	
. DESCRIPTION OF ENVIRONMENT AND	OUTBUILDINGS	
residential neighborhood in nool across Olive.	n area of other turn of the century dwe	ellings; faces public
S. SOURCES OF INFORMATION		46. PREPARED BY Mary Jo Winder
BP #6256, 10/21/09; site		47. ORGANIZATION



NO. 159  4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)			
2. COUNTY Buchanan	5. OTHER NAME(S)		
3. LOCATION OF Dept. of P & Z NEGATIVES Roll #11-18			
6. SPECIFIC LEGAL LOCATION TOWNSHIPRANGESECTION	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 21/2	
IF CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	29. BASEMENT? YES ( ) NO ( )	
1316 Olive 7. CITY OR TOWN IF RURAL, VICINITY	1905	30 FOUNDATION MATERIAL Stone	
St. Joseph	Neoclassical/4-Square 🔿	31. WALL CONSTRUCTION Frame	
B. DESCRIPTION OF LOCATION  Legal: Part of Lots 1 &	19. ARCHITECT OR ENGINEER	32. ROOF TYPE AND MATERIAL	
Cowan's Subdivision	20. CONTRACTOR OR BUILDER	Hip/Comp. Shingle	
	2L ORIGINAL USE, IF APPARENT Single Family Residence + u	FRONT 2 SIDE	
	22. PRESENT USE	34. WALL TREATMENT Weatherboard	
	Same	35. PLAN SHAPE Irregular	
	23. OWNERSHIP PUBLIC ( PRIVATE ( Y	(EXPLAIN IN	
	24. OWNER'S NAME AND ADDRESS IF KNOWN	MOVED( )	
o. COORDINATES UTM	Katherine L. Batson	37. CONDITION INTERIOR	
LAT		exterior Good	
LONG D. SITE ( ) STRUC	25. OPEN TO PUBLIC? YES( RE( )	11510 m middald	
ON NATIONAL YES ( ) 12. IS IT	OBJECT(). 26. LOCAL CONTACT PERSON OR ORGANIZATION 39. ENDANGERED?  12. IS IT YES(X)  POOT Maintenance		
A DART OF FOTAR VEG ( ) 14 DISTRICT	NO( ) 27. OTHER SURVEYS IN WHICH INCLUDED ES(X)	40. VISIBLE FROM YES (X )	
HIST. DISTRICT? NO ( X) POTENTIAL	NO( ).	PUBLIC ROAD ? NC( )	
5. NAME OF ESTABLISHED DISTRICT	•	41. DISTANCE FROM AND FRONTAGE ON ROAD	
12. FURTHER DESCRIPTION OF IMPORTANT	FEATURES $2\frac{1}{2}$ story, 2 bay, asymmetri	.dal.	
frame dwelling with hip	of with flared eaves and hip roof	РНОТО	
Porch attached to front	h dentils and plain corner boards. evation (north) has stone foundation	MUST	
and pedestals with flute	Doric columns, molded entablature wi	th BE	
ž	t bay contains 1/1 window and single	PROVIDED	
	indow on second. Right bay contains	-V	
	indow, both stories. Dormer has growalls and frieze with dentils.	ouping of three small	
	 ndicate construction in 1905 for app:	licant C Tanner	
t has a high degree of integ	ity and is significant as a represent	tation of turn of the	
entury Neoclassical resident	al property type.		
•			
4. DESCRIPTION OF ENVIRONMENT AND	UTBUILDINGS		
	similar turn of the century dwelling	gs in same area; faces	
	ss Olive.		
	ss Olive.	46. PREPARED BY	
oublic school on property acr	ss Olive.	46. PREPARED BY Mary Jo Winder 47. ORGANIZATION	



i. NO. <b>160</b> 4. Pi	RESENT LOCAL NAME(S) OR DESIGNATION(S)	
2. COUNTY Buchanan 5. 0	THER NAME(S)	
3. LOCATION OF Dept. of P & Z NEGATIVES Roll #7-14, 15 & 15;	• •	
8. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES $1\frac{1}{2}$ 29. BASEMENT? YES()
IF CITY OR TOWN, STREET ADDRESS	17. DATE(\$) OR PERIOD 1889/1905	NO( )
1322 Olive CITY OR TOWN IF RURAL, VICINITY	IB, STYLE OR DESIGN	30. FOUNDATION MATERIAL  Brick
St. Joseph  B. DESCRIPTION OF LOCATION	Neoclassical/Shingle 50	31. WALL CONSTRUCTION  Brick/Frame
Legal: Lot 1, Cowan's Sub-	20. CONTRACTOR OR BUILDER	32. ROOF TYPE AND MATERIAL Gambrel/Comp. Shingle
Division		33. NO. OF BAYS FRONT 5 SIDE
	21. ORIGINAL USE, IF APPARENT Single Family Residence	Z 84. WALL TREATMENT 30 25
	22. PRESENT USE Same	Stretcher/Wood Shing: 35. PLAN SHAPEIrregular
1	23. OWNERSHIP PUBLIC ( PRIVATE(X	(EXPLAIN IN
	24. OWNER'S NAME AND ADDRESS IF KNOWN	NO. 42)  MOVED ( )  37. CONDITION
o, COORDINATES UTM	Lawrence L. Morgan	INTERIOR
LAT Long	25. OPEN TO PUBLIC? YES(	
O. SITE() STRUCTURE( BUILDING(X) OBJECT(	· · · · · · · · · · · · · · · · · · ·	
I. ON NATIONAL YES ( ) 12. IS IT YES (X NO ( X)	1	BY WHAT? NO (XX)
3. PART OF ESTAB. YES ( ) 14. DISTRICT YES (X	1	40. VISIBLE FROM YES(X) PUBLIC ROAD?
HIST. DISTRICT? NO ( X) POTENTIAL? NO ( 5. NAME OF ESTABLISHED DISTRICT	<u>.</u>	41. DISTANCE FROM AND
		FRONTAGE ON ROAD
42. FURTHER DESCRIPTION OF IMPORTANT FEATURE		РНОТО
cal brick frame dwelling with s cross gambrel. Porch attached		MUST
	edestals with polyzonal columns	
	ure and hip roof with gable pro-	PROVIDED
dentils. Recessed left bay und	all has wood shingle siding and	
43. HISTORY AND SIGNIFICANCE Second, thi		
	som in center and 1/1 windows or	·
	polyzonal bay unit in gambrel v	
	on either side; engaged columns e with dentils. Side gambrel is	-
circular arched loggia; rows of		s boxed to form semi-
Building permit records indicat		oplicant. Conrad
ner, one in 1889, the other in 19	905. It has a high degree of in-	tearity and is signifi
t as a representation of turn of	the century Neoclassical residen	tial property type.
AA DESCRIPTION OF ENVIRONMENT AND OUTHU	ILDINGS	
	of similar turn of the century of	dwellings; significant   ner lot
residential neighborhood in area	ate) at rear of property; on corn	.101.
residential neighborhood in area n structure (1889 construction da		46. PREPARED BY
residential neighborhood in area n structure (1889 construction da		46. PREPARED BY
residential neighborhood in area n structure (1889 construction da	6/20/05; BP #342-D, 10/2/89; sit	46. PREPARED BY









i. No. 176	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
2, COUNTY_	Everett School	· •
Buchanan  3. LOCATION OF Dept. of P & Z	5. OTHER NAME(S)	
NEGATIVES Roll #9-0, #4-23		
8. SPECIFIC LEGAL LOCATION TOWNSHIPRANGESECTION_	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 25. PASEMENT? YES (XX)
IF CITY OR TOWN, STREET ADDRESS	17. DATE(S) OR PERIOD	Raised NO()
NW Corner S. 14th & O	IR STYLE OF DESIGN	30. FOUNDATION MATERIAL Brick
St. Joseph	Neo Classical 52 89	31. WALL CONSTRUCTION
B. DESCRIPTION OF LOCATION Legal: Lot 2, B. Patte	19. ARCHITECT OR ENGINEER	Brick 32, ROOF TYPE AND MATERIAL
Legal: Lot 2, B. Patt	20. CONTRACTOR OR BUILDER	Flat p
	40	33. NO. OF BAYS FRONT 3 SIDE
	21. ORIGINAL USE, IF APPARENT School	34. WALL TREATMENT
	22. PRESENT USE	BE DIAN SHADE T
•	Vacant  23. OWNERSHIP PUBLIC( x)	
	PRIVATE(X	(EXPLAIN IN NO. 42) ALTERED ( )
	24. OWNER'S NAME AND ADDRESS IF KNOWN	MOVED ( )
9, COORDINATES UTM		INTERIOR Excellent
LAT Long	25. OPEN TO PUBLIC? YES	EXTERIOR DACETTEIL  38. PRESERVATION YES ( )
	TURE( ) NO(X	UNDERWAY ? NO (XX)
<del></del>	JECT ( ) 26. LOCAL CONTACT PERSON OR ORGANIZATION YES (X)	RY WHAT 2
REGISTER ? NO ( X) ELIGIBLE ?	NO( ) 27, OTHER SURVEYS IN WHICH INCLUDED	Non-use
I3. PART OF ESTAB. YES ( ) I4. DISTRICT HIST. DISTRICT? NO ( $_{ m Y}$ )	YES(X) PNO( )	40. VISIBLE FROM YES (X )
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD
		e to to to to to to to to to to to to to
42. FURTHER DESCRIPTION OF IMPORTANT	22 Story, 5 Bay, Brick	РНОТО
3	apped, stepped parapet, wide, molded er table, with hip roofed and flat	MUST
	s. 1909 plan has west front orienta-	$\rightarrow$
tion. End wings and	center portion defined by deep wall	BE
	nd wings have bands of windows on h stone quoining defining edges:	PROVIDED
	w units are 6/6; substory windows are	smaller 6/6 units.
Center bay has double	door entry with sidelights (these has	ve been altered);
	-light windows with narrow sidelights soms. Fenestration in entry bay is ed	
	d with recessed semi-circular arch wi	
	-up parapet over this portion has segn	mental arch top with
	ative corner ornaments. 43. Everett So	
molded cornice; decor	Mar 1011 Crubrus man indicates it	snareo the dymnasium
molded cornice; decorning in 1909 for elementary classe	s. The 1911 Sanborn map indicates it s	
molded cornice; decorning to the molded cornice; decorning the moldest	t are north of it with the high school	that was sited
molded cornice; decorning the normal power plant buildings the notation of ENVIRONMENT AND onger on the site. It has a	t are north of it with the high school outbuildings north of these buildings high degree of integrity and is sign:	that was sited (this school is no
molded cornice; decorning to the molded cornice; decorning to the molden	t are north of it with the high school outbuildings north of these buildings high degree of integrity and is sign:	that was sited (this school is no
molded cornice; decorning to the molded cornice; decorning the moldest the mol	t are north of it with the high school outbuildings north of these buildings high degree of integrity and is sign:	that was sited (this school is no ificant as a represen-
molded cornice; decorning to the state of th	t are north of it with the high school outBuildings north of these buildings high degree of integrity and is significant architecture.	that was sited (this school is no ificant as a represen-





3. LOCATION OF Dept. Of P & Z NEGATIVES RO11 #9-4  6. SPECIFIC LEGAL LOCATION TOWNSHIP	I6. THEMATIC CATEGORY Architecture  I7. DATE(S) OR PERIOD ca. 1860/ca. 1890  I8. STYLE OR DESIGN Vernacular  I9. ARCHITECT OR ENGINEER  20. CONTRACTOR OR BUILDER  21. ORIGINAL USE, IF APPARENT BOARDING HOUSE?  22. PRESENT USE DUPLEX?  23. OWNERSHIP PUBLIC() PRIVATE(X)  24. OWNER'S NAME AND ADDRESS IF KNOWN	(EXPLAIN IN
3. LOCATION OF Dept. Of P & Z NEGATIVES RO11 #9-4  6. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS  913 Patee  7. CITY OR TOWN IF RURAL, VICINITY St. Joseph  8. DESCRIPTION OF LOCATION Legal: Part Lot 5, Block 11, Patee's Addition  9. COORDINATES LAT LONG  10. SITE() STRUCTURE( BUILDING(X) OBJECT( 11. ON NATIONAL YES() REGISTER? NO(X) REGISTER? NO(X)  13. PART OF ESTAB. YES() H4. DISTRICT YES() HIST, DISTRICT? NO(X)  15. NAME OF ESTABLISHED DISTRICT	16. THEMATIC CATEGORY Architecture  17. DATE(S) OR PERIOD ca. 1860/ca. 1890  18. STYLE OR DESIGN Vernacular  19. ARCHITECT OR ENGINEER  20. CONTRACTOR OR BUILDER  21. ORIGINAL USE, IF APPARENT BOARding House?  22. PRESENT USE Duplex?  23. OWNERSHIP PUBLIC() PRIVATE(X)	29. BASEMENT? YES() NO() 30. FOUNDATION MATERIAL  31. WALL CONSTRUCTION Brick/Frame  32. ROOF TYPE AND MATERIAL Hip/Comp Shingle  33. NO. OF BAYS FRONT 6 SIDE  34. WALL TREATMENT STUCCO/WOOD Shingle 35. PLAN SHAPERCTANGULAR  36. CHANGES ADDITION(XX)
TOWNSHIP	Architecture  17. DATE(S) OR PERIOD  ca. 1860/ca. 1890  18. STYLE OR DESIGN  Vernacular  19. ARCHITECT OR ENGINEER  20. CONTRACTOR OR BUILDER  21. ORIGINAL USE, IF APPARENT 59  22. PRESENT USE  Duplex?  23. OWNERSHIP  PUBLIC()  PRIVATE(X)	29. BASEMENT? YES() NO() 30. FOUNDATION MATERIAL  31. WALL CONSTRUCTION Brick/Frame  32. ROOF TYPE AND MATERIAL Hip/Comp Shingle  33. NO. OF BAYS FRONT 6 SIDE  34. WALL TREATMENT STUCCO/WOOD Shingle 35. PLAN SHAPERCTANGULAR  36. CHANGES ADDITION(XX)
913 Patee 7. CITY OR TOWN IF RURAL, VICINITY St. Joseph 8. DESCRIPTION OF LOCATION Legal: Part Lot 5, Block 11, Patee's Addition  9. COORDINATES LAT LONG 10. SITE() STRUCTURE( BUILDING(X) OBJECT( 11. ON NATIONAL YES() REGISTER? NO(X) 13. PART OF ESTAB. YES() HIST, DISTRICT? NO(X)  15. NAME OF ESTABLISHED DISTRICT	ca. 1860/ca. 1890  18. STYLE OR DESIGN  Vernacular  19. ARCHITECT OR ENGINEER  20. CONTRACTOR OR BUILDER  21. ORIGINAL USE, IF APPARENT  Boarding House?  22. PRESENT USE  Duplex?  23. OWNERSHIP  PUBLIC( )  PRIVATE(X)	NO()  30. FOUNDATION MATERIAL  31. WALL CONSTRUCTION Brick/Frame  32. ROOF TYPE AND MATERIAL Hip/Comp Shingle  33. NO. OF BAYS FRONT 6 SIDE  34. WALL TREATMENT STUCCO/Wood Shingle  35. PLAN SHAPERCTANGULAR  36. CHANGES ADDITION(XX)
St. Joseph  8. DESCRIPTION OF LOCATION Legal: Part Lot 5, Block 11, Patee's Addition  9. COORDINATES LAT LONG  10. SITE() STRUCTURE( BUILDING(X) OBJECT(  11. ON NATIONAL YES() REGISTER? NO(X) 13. PART OF ESTAB. YES() HIST. DISTRICT? NO(X)  15. NAME OF ESTABLISHED DISTRICT	18. STYLE OR DESIGN Vernacular  19. ARCHITECT OR ENGINEER  20. CONTRACTOR OR BUILDER  21. ORIGINAL USE, IF APPARENT Boarding House?  22. PRESENT USE Duplex?  23. OWNERSHIP PUBLIC() PRIVATE(X)	Brick/Frame  32.ROOF TYPE AND MATERIAL Hip/Comp Shingle  33.NO. OF BAYS FRONT 6 SIDE  34. WALL TREATMENT STUCCO/Wood Shingle  35. PLAN SHAPERCTANGULAR  36. CHANGES ADDITION(XX)
8. DESCRIPTION OF LOCATION Legal: Part Lot 5, Block 11, Patee's Addition  9. COORDINATES LAT LONG  10. SITE() STRUCTURE( BUILDING(X) OBJECT(  11. ON NATIONAL YES() REGISTER? NO(X) PART OF ESTAB. YES() HIST. DISTRICT? NO(X)  15. NAME OF ESTABLISHED DISTRICT	19. ARCHITECT OR ENGINEER  20. CONTRACTOR OR BUILDER  21. ORIGINAL USE, IF APPARENT Boarding House?  22. PRESENT USE Duplex?  23. OWNERSHIP PUBLIC() PRIVATE(X)  24. OWNER'S NAME AND ADDRESS	32. ROOF TYPE AND MATERIAL Hip/Comp Shingle  33. NO. OF BAYS FRONT 6 SIDE  34. WALL TREATMENT Stucco/Wood Shingle  35. PLAN SHAPERectangular  36. CHANGES ADDITION(XX)
Patee's Addition  9. COORDINATES UTM LAT LONG  10. SITE() STRUCTURE( BUILDING(X) OBJECT( 11. ON NATIONAL YES() REGISTER? NO(X)  13. PART OF ESTAB. YES() HIST, DISTRICT? NO(X)  15. NAME OF ESTABLISHED DISTRICT	21. ORIGINAL USE, IF APPARENT 59 Boarding House?  22. PRESENT USE Duplex?  23. OWNERSHIP PUBLIC() PRIVATE(X)  24. OWNER'S NAME AND ADDRESS	Hip/Comp Shingle  33. No. OF BAYS FRONT 6 SIDE  34. WALL TREATMENT Stucco/Wood Shingle  35. PLAN SHAPERECTANGULAR  36. CHANGES ADDITION(XX)
LAT LONG  10. SITE ( ) STRUCTURE ( SUILDING ( X) OBJECT (  11. ON NATIONAL YES ( ) 12. IS IT YES ( ) REGISTER ? NO ( X) ELIGIBLE ? NO ( 13. PART OF ESTAB. YES ( ) HIST. DISTRICT YES ( ) HIST. DISTRICT ? NO ( X)  15. NAME OF ESTABLISHED DISTRICT	22. PRESENT USE Duplex?  23. OWNERSHIP PRIVATE(X)  24. OWNER'S NAME AND ADDRESS	34. WALL TREATMENT Stucco/Wood Shingle 35. PLAN SHAPERECTANGULAR 36. CHANGES ADDITION(XX)
LAT LONG  10. SITE ( ) STRUCTURE ( SUILDING ( X) OBJECT (  11. ON NATIONAL YES ( ) 12. IS IT YES ( ) REGISTER ? NO ( X) ELIGIBLE ? NO ( 13. PART OF ESTAB. YES ( ) HIST. DISTRICT YES ( ) HIST. DISTRICT ? NO ( X)  15. NAME OF ESTABLISHED DISTRICT	Duplex?  23. OWNERSHIP  PRIVATE(X)  24. OWNER'S NAME AND ADDRESS	36. PLAN SHAPERectangular 36. CHANGES ADDITION(XX)
LAT LONG  10. SITE ( ) STRUCTURE (  BUILDING ( X) OBJECT (  11. ON NATIONAL YES ( ) 12. IS IT YES ( ) REGISTER ? NO ( X) ELIGIBLE? NO (  13. PART OF ESTAB. YES ( ) HIST. DISTRICT ? NO ( X)  15. NAME OF ESTABLISHED DISTRICT	23. OWNERSHIP PUBLIC( ) PRIVATE(X)  24. OWNER'S NAME AND ADDRESS	36. CHANGES ADDITION (XX)
LAT LONG  10. SITE ( ) STRUCTURE ( BUILDING ( X) OBJECT (  11. ON NATIONAL YES ( ) 12. IS IT YES ( ) REGISTER ? NO ( X) ELIGIBLE? NO ( 13. PART OF ESTAB. YES ( ) HIST. DISTRICT ? NO ( X)  15. NAME OF ESTABLISHED DISTRICT	24. OWNER'S NAME AND ADDRESS	
LAT LONG  10. SITE ( ) STRUCTURE ( BUILDING ( X) OBJECT (  11. ON NATIONAL YES ( ) 12. IS IT YES ( ) REGISTER ? NO ( X) ELIGIBLE? NO ( 13. PART OF ESTAB. YES ( ) HIST. DISTRICT ? NO ( X)  15. NAME OF ESTABLISHED DISTRICT		NO. 42)  MOVED ( )  37. CONDITION
LONG  10. SITE ( ) STRUCTURE (  BUILDING ( X) OBJECT (  11. ON NATIONAL YES ( ) 12. IS IT YES ( )  REGISTER ? NO ( X) ELIGIBLE ? NO (  13. PART OF ESTAB. YES ( ) 14. DISTRICT YES ( )  HIST. DISTRICT ? NO ( X) POTENTIAL ? NO (		INTERIOR
BUILDING ( X)  OBJECT (  II. ON NATIONAL PES ( )   12, IS IT PES ( )   13, PART OF ESTAB. PO ( X )   14. DISTRICT POTENTIAL? NO ( X )   15. NAME OF ESTABLISHED DISTRICT	25. OPEN TO PUBLIC? YES( )	
REGISTER ? NO ( X) ELIGIBLE? NO ( 13. PART OF ESTAB. YES ( ) HIST. DISTRICT? NO ( X)  15. NAME OF ESTABLISHED DISTRICT	) 26. LOCAL CONTACT PERSON OR ORGANIZATION	
HIST. DISTRICT? NO (X) POTENTIAL? NO (	) 27, OTHER SURVEYS IN WHICH INCLUDED	Deteriorated Environ
	() )	40. VISIBLE FROM YES(X) PUBLIC ROAD? NO()
AG SUDTUS DESCRIPTION OF IMPORTANT STATE		41. DISTANCE FROM AND Frontage on Road
	rumes 2 story, 6 bay, brick and	РНОТО
frame dwelling with hip roof and story porch attached to front el	evation (south) second through	MUST
fourth bays is an alteration (prowas constructed); its ca. 1890 e	obably added when the second story lements include brick pedestals	BE
with square columns that support	entablature and second story,	PROVIDED
open slat railing on second leve  43. HISTORY AND SIGNIFICANCE MODERN a	i; awning roof and supports in Iteration. Stucco covered brick f	irst story contains
1/1 windows in first, second, for	urth and fifth bays; third bay con	
	podmolds over these openings. Six	
	13. There are no building permits	of record for this
building; however, architectural	elements indicate cal860 original	construction with
rity and is significant both for	nd story). It has a high degree of its cal860 Italianate residential	<pre>: architectural integ- property type and its</pre>
Classic Revival addition.  44. DESCRIPTION OF ENVIRONMENT AND OUTS	UILDINGS	
	ood; commercial zone in close proxi	imity to south and
west.  45. Sources of Information No relevent building permit; si		46. PREPARED BY Mary Jo Winder
To refevente buriating permite, Si	te. 1883 Sanborn man	47. ORGANIZATION
RETURN THIS FORM WHEN COMPLETED	te; 1883 Sanborn map	City of St. Joseph 48. DATE 49. REVISION DATE(S)



I. NO. 16	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		
2. COUNTY Buchanan	5. OTHER NAME(S)		ا
3. LOCATION OF Dept. of P & Z NEGATIVES Roll #9-5			
6. SPECIFIC LEGAL LOCATION TOWNSHIPRANGESECTION	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 11/2 29. BASEMENT? YES (XX)	Ņ
IF CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	NO( )	000
914-916 Patee	ca. 1870/1891	30. FOUNDATION MATERIAL	
7. CITY OR TOWN IF RURAL, VICINITY	18. STYLE OR DESIGN	Brick	1
St. Joseph	Vernacular/2nd Empire 5	31. WALL CONSTRUCTION	1
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Frame 32. ROOF TYPE AND MATERIAL	
Legal: Part Lots 9 & 10, 12, Patee's Addition	20. CONTRACTOR OR BUILDER	Mansard/Comp. Shingle	PR
	21. ORIGINAL USE, IF APPARENT	FRONT 5 SIDE	
	Single Family Residence	84. WALL TREATMENT	170000
	22. PRESENT USE	Alumi or Vinyl Siding	
	Duplex 23. OWNERSHIP PUBLIC()	36. PLAN SHAPE Rectangular	
	23. OWNERSHIP PUBLIC( ) PRIVATE( $_{ m X}$ )	(EXPLAIN IN	3
	24. OWNER'S NAME AND ADDRESS	NO, 42) ALIENED (AA) MOVED ( )	. :
	IF KNOWN	37. CONDITION	
9, COORDINATES UTM	Donald Smith	INTERIORPOOT	
LAT Long	25. OPEN TO PUBLIC? YES( )	EXTERNOT	:
	CTURE( ) NO(X)	***************************************	
BUILDING ( X) OF	BJECT( ) 26. LOCAL CONTACT PERSON OR ORGANIZATION YES(X)	39. ENDANGERED? YES (XX) BY WHAT?	
REGISTER ? NO ( X) ELIGIBLE		Unsympathetic Alterat	ion
13. PART OF ESTAB. YES ( ) 14. DISTRICT	YFR (X )	40. VISIBLE FROM YES (X )	
<del></del>	L? NO( )	. 101 )	
15. NAME OF ESTABLISHED DISTRICT	* 1	41. DISTANCE FROM AND Frontage on Road	
42. FURTHER DESCRIPTION OF IMPORTAN	T FEATURES $1\frac{1}{2}$ story, 5 bay, asymmetrical		
	d roof with gable roof dormer. Narrow	′ РНОТО	
	peen completely altered with new	MUST	
	ding. Fenestration also has been	$I \longrightarrow I$	
	caining 1/1 windows; second and fourth	BE	
bays containing single door	s and third and fifth bay containing	PROVIDED	
wide 1/1 windows. Dormers	contain 1/1 windows.		1
43. HISTORY AND SIGNIFICANCE			1
Building permit records indi	cate construction of an addition in 189	ol for applicant, Mrs.	l
Fannie McCormick; however st	ylistic features indicate a ca 1870 ori	ginal construction.	
It has a moderate degree of	architectural integrity and is moderate	ely significant as a	
representation of 2nd Empire	vernacular residential property type.		
		,	
•			H
44. DESCRIPTION OF ENVIRONMENT AND			
At edge of residential neigh	borhood; commercial zone in close proxi	mity to south and west.	
45. SOURCES OF INFORMATION		46. PREPARED BY	L.
BP #1825, 9/11/91; site		Mary Jo Winder	ı
		47. ORGANIZATION	
RETURN THIS FORM WHEN COMPLI	ETED TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176	City of St. Joseph 48. DATE   49. REVISION DATE(S)	1
IF ADDITIONAL SPACE IS NEEDED, ATTACH		7/88	1
SEPARATE SHEET(S) TO THIS FORM	PH. 314-751-4096	1.,	A



I. NO. L7 4. P	RESENT LOCAL NAME(S) OR DESIGNATION(S)		20
2. COUNTY Buchanan 5. 0	THER NAME(S)		•
3. LOCATION OF Dept. of P & Z NEGATIVES Roll #9-6	THEIR HAME(3)		
8. SPECIFIC LEGAL LOCATION TOWNSHIPRANGESECTION	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES $1\frac{1}{2}$	Ņ
IF CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	29. BASEMENT? YES (XX NO()	000
920 Patee	1937	30. FOUNDATION MATERIAL	=
7. CITY OR TOWN IF RURAL, VICINITY St. Joseph	IB. STYLE OR DESIGN	31. WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION Legal: Part of Lots 9 and 10,	Bungalow  19. ARCHITECT OR ENGINEER	Frame 32. ROOF TYPE AND MATERIAL	
Block 12, Patee's Addition	20. CONTRACTOR OR BUILDER	Gable/Comp Shingle	
·	21. ORIGINAL USE, IF APPARENT Single Family Residence	33. NO. OF BAYS FRONT 4 SIDE  34. WALL TREATMENT	4. PRESERT LOCAL NAME(S)
	22. PRESENT USE	Clapboard	טבת
·	Same 23. OWNERSHIP PUBLIC (	35. PLAN SHAPERectangular 36. CHANGES ADDITION(XX	5
	PRIVATE(X)	100111011 (2131	Š
	24. OWNER'S NAME AND ADDRESS IF KNOWN	MOVED( )	}
9. COORDINATES UTM	T KNOWN	37. CONDITION	i S
LAT		EXTERIOR GOOD	Ş
IO. SITE ( ) STRUCTURE (		I IN IO PRIMARY O	
BUILDING ( X) OBJECT (  II. ON NATIONAL YES ( ) 12. IS IT YES (X REGISTER? NO ( X)	?	BY WHAT? NO()	DESIGNATION (S)
IS DART OF FETAR VES ( ) IA DISTRICT VES (X	1	Poor Maintenance  40. VISIBLE FROM YES(X)	) ac
HIST. DISTRICT? NO ( X) POTENTIAL? NO (	<u>)                                    </u>	PUBLIC ROAD ? NO ( )	-
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND Frontage on Road	
42. FURTHER DESCRIPTION OF IMPORTANT FEAT	JRES $1\frac{1}{2}$ story, 4 bay, asymmetrical		Ģ
frame bungalow with side gable ro		Photo	
	er 1/3 of facade has front gable	MUST	5
roof supported by square tapered	<del>-</del>	BE	3
stals; open slot railing. Left k		PROVIDED	24 a.C. (0)
(vertical mullions); second bay of sally mullioned light; right two			
43. HISTORY AND SIGNIFICANCE			
The first building permit of reco	rd for this property is in 1937 fo	or remodeling for	
applicant, Abe Weinschenck; howeve	er it may have an original constru	uction date pre1887.	
It has a moderate degree of integ of vernacular Bungalow property t	rity and is moderately significan	t as a representation .	
or vermedual bungaron property of	, pc.		į
			•
•		·	
44. DESCRIPTION OF ENVIRONMENT AND OUTBU	ILDINGS		į
At edge of residential neighborhoo		imity to south and west.	
45. SOURCES OF INFORMATION		46. PREPARED BY Mary Jo Winder	
BP #8938, 3/3/37; site		47. ORGANIZATION	
RETURN THIS FORM WHEN COMPLETED T	O: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176	City of St. Joseph 48. DATE 49. REVISION DATE(S)	;



#### OFFICE OF HISTORIC PRESERVATION **MISSOURI**

. NO. 42	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		
2. COUNTY Buchanan		<i>'</i>	
	5. OTHER NAME(S)		
3. LOCATION OF Dept. of P & Zi NEGATIVES RO11 #10-19			ļ
8. SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY	28. NO. OF STORIES 1 3/4	
TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS	Architecture  17. DATE(\$) OR PERIOD	29. BASEMENT? YES ( ) No ( )	
1014-1016 Patee Street	1912	30. FOUNDATION MATERIAL	
CITY OR TOWN IF RURAL, VICINITY	18. STYLE OR DESIGN		
St. Joseph	Vernacular 5/	31. WALL CONSTRUCTION Frame	
3. description of Location  Legal: Lot 9, Block 9,	IS. ARCHITECT OR ENGINEER	32. ROOF TYPE AND MATERIAL	
Patee's Addition	20. CONTRACTOR OR BUILDER	<u>Gable/Comp. Shingle</u>	S
	21. ORIGINAL USE, IF APPARENT	33. NO. OF BAYS FRONT 4 SIDE	ĺ
	Duplex	34. WALL TREATMENT	
	22. PRESENT USE	35. PLAN SHAPE Rectangul	
•	Same 23. OWNERSHIP PUBLIC( )	36. CHANGES ADDITION ( )	r
	PRIVATE(X)	(EXPLAIN IN NO. 42) ALTERED ( )	
	24. OWNER'S NAME AND ADDRESS IF KNOWN	MOVED ( )	
9, COORDINATES UTM		INTERIOR	
LAT		EXTERIOR Good	İ
LONG O. SITE() STRUCTUE	25. OPEN TO PUBLIC ? YES( ) NO(X)	36. PRESERVATION YES ( ) UNDERWAY ? NO (XX)	
	T( ) 26. LOCAL CONTACT PERSON OR ORGANIZATION	BY WHAT 2	
DEGISTED 9   ELICIDIES	SS(X)  10( ) 27, OTHER SURVEYS IN WHICH INCLUDED	Poor Maintenance	
13. PART OF ESTAB. YES ( ) 14. DISTRICT YE	F\$ (X )	40, VISIBLE FROM YES (X )	
HIST. DISTRICT? NO ( X) POTENTIAL?	NO ( )	PUBLIC ROAD ? NO()	
15. NAME OF ESTABLISHED DISTRICT	•	41. DISTANCE FROM AND FRONTAGE ON ROAD	
	FEATURES 1 3/4 story, 4 bay, symmet- with side gable roof with gable roof	РНОТО	
	rick chimney. End bays contain sing		-
	ood-braced gable roofs. Center	\ \ \ \	
	o-bay second story bays each have 1/		
and ice cycle shape at facade	d dormer gables have pointed fascias	PROVIDED	l
43. HISTORY AND SIGNIFICANCE	•		
	e construction in 1912 for applicant,	7 Homes Tiller	ı
moderate degree of architectu	ral integrity and is significant as a	representation of	
ernacular duplex property type	•	representation of	
		•	
44. DESCRIPTION OF ENVIRONMENT AND O	ILTRUU DINGS		Γ
r residential neighbornood; in	close proximity to commercial zone t	co west.	1
		46. PREPARED BY	1
45. SOURCES OF INFORMATION			L
		Mary Jo Winder	_
45. SOURCES OF INFORMATION BP #7279, 7/16/12; site  RETURN THIS FORM WHEN COMPLETE	D TO: OFFICE OF HISTORIC PRESERVATION	Mary Jo Winder  47. ORGANIZATION  City of St. Joseph	-



1. NO. 128	4. PRESENT LOCAL NAME(S) OR DESIGNATION	N(3)
2. COUNTY		
Buchanan  3. LOCATION OF Dept. of P & Z	5. OTHER NAME(S)	
NEGATIVES Roll #3-10		
6. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 2
IF CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	NO( )
1201-03 Penn 7. CITY OR TOWN IF RURAL, VICINITY	ca. 1860	30. FOUNDATION MATERIAL
St. Joseph		90 59 31. WALL CONSTRUCTION
B. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick 32. ROOF TYPE AND MATERIAL
Legal: Lots 11 & 12, Block 28, Patee's Addition	20. CONTRACTOR OR BUILDER	Hip&Flat/Comp. Shingle
zo, ratee's Addition	Discourse The	33. NO. OF BAYS FRONT 7 SIDE
	21. ORIGINAL USE, IF APPARENT DA	
	22. PRESENT USE OB OF	
	Multi-family Residence 23. OWNERSHIP	
		PRIVATE(X) (EXPLAIN IN ALTERED (XX)
	24. OWNER'S NAME AND ADDRESS IF KNOWN	37. CONDITION INTERIOR
9, COORDINATES UTM	Martin Ambrozi, Jr.	INTERIORFair-Good
LAT Long	25. OPEN TO PUBLIC?	EXTERIOR
IO. SITE ( ) STRUCTUE	•	YES() 38. PRESERVATION YES() NO(X)
	T( ) 26. LOCAL CONTACT PERSON OR OF	NO(X)  RGANIZATION UNDERWAY? NO (XX)  RGANIZATION 39. ENDANGERED? YES (XX) BY WHAT? NO()  Incompatible Alterations  40. VISIBLE FROM YES (X) PUBLIC ROAD?
DECICTED 2	S(X) O( ) 27. OTHER SURVEYS IN WHICH INC	CLUDED Incompatible Alterations
I3. PART OF ESTAB. YES ( ) I4. DISTRICT YES ( ) POTENTIAL?	(S (X )	40. VISIBLE FROM YES (X ) PUBLIC ROAD?
IS. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND
	•	FRONTAGE ON ROAD
42. FURTHER DESCRIPTION OF IMPORTANT F	EATURES 2 story, 7 bay, asym	metrical,
	roof (flat roof on side addi	
	essed first and second bays e stone lug sill and brick hoo	each MUST
	ical treatment of left four b	
*	nas decorative wrought iron s	supports PROVIDED
77.77	ck (new materials); second stagle door opening. Third and	
	ows both stories, fourth has	
Recessed fifth and sixth	n`bays have 2/2 windows in are	ched openings with stone
	typical of right 3 bays) and	door openings, both stories;
	pays. First bay flat roof side a single 2/2 window on second	
There are no building permits of	_	nowever, stylistic features
ndicate a cal860 original cons	truction. It has a moderate	degree of integrity and is
ignificant as a representation	of Italianate residential pr	coperty type. (On 1883 Sanborn mip)
44. DESCRIPTION OF ENVIRONMENT AND O	O I BUILDINGS	
t edge of residential neighbor	hood; in close proximity to P	Patee House hotel (1858); on
orner lot.	·	46. PREPARED BY
45. SOURCES OF INFORMATION Site; 1883 Sanborn map		Mary Jo Winder  47. ORGANIZATION  City of St. Joseph



i. No. 127	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		-
2. COUNTY	Patel House		
Buchanan	5. OTHER NAME(S)		
3. LOCATION OF Dept. of P & Z NEGATIVES RO11 #12-16			
S. SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY	28. NO. OF STORIES	·
TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS	Architecture 17. DATE(S) OR PERIOD	29. BASEMENT? YES ( )	5
1202-14 Penn Street	1858	30. FOUNDATION MATERIAL	001
CITY OR TOWN IF RURAL, VICINITY	18. STYLE OR DESIGN	TI WALL CONSTRUCTION	
St. Joseph  B. DESCRIPTION OF LOCATION	IS. ARCHITECT OR ENGINEER	31. WALL CONSTRUCTION	
Legal: Lots 1-7, Block 31,		32. ROOF TYPE AND MATERIAL	
Patee's Addition	20. CONTRACTOR OR BUILDER	33. NO. OF BAYS	
	21. ORIGINAL USE, IF APPARENT	FRONT SIDE	
	OO OBSERNY HOS	34. WALL TREATMENT	
	22. PRESENT USE	35. PLAN SHAPE Irregular	
	23. OWNERSHIP PUBLIC ( PRIVATE(X	) 36. CHANGES ADDITION ( )	
	24. OWNER'S NAME AND ADDRESS	NO. 42) ALTERED ( ) MOVED ( )	
	IF KNOWN	37. CONDITION	
9, COORDINATES UTM Lat		INTERIOR	ı
LONG	25. OPEN TO PUBLIC? YES(	) 36. PRESERVATION YES ( )	. :
O. SITE() STRUCTU			
·	T( ) 26. LOCAL CONTACT PERSON OR ORGANIZATION OF THE CONTACT PERSO	ON 39. ENDANGERED? YES() BY WHAT? NO()	
REGISTER ? NO ( X) ELIGIBLE ?	27. OTHER SURVEYS IN WHICH INCLUDED		
I3. PART OF ESTAB. YES ( ) 14. DISTRICT Y POTENTIAL?	\$(X) 0( )	40. VISIBLE FROM YES (X ) PUBLIC ROAD ? NO ( )	
5. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND	
		FRONTAGE ON ROAD	
42. FURTHER DESCRIPTION OF IMPORTANT	EATURES		
•		PHOTO	
		BE	
		PROVIDED	
43. HISTORY AND SIGNIFICANCE	then of Highenia Di 10/15/66		l
	ster of Historic Places - 10/15/66		
•			
		•	L.
44. DESCRIPTION OF ENVIRONMENT AND C	TBUILDINGS		
44. DESCRIPTION OF ENVIRONMENT AND	, i goldsings		
			1
45. SOURCES OF INFORMATION		46, PREPARED BY	<u>_</u>
TO. SOUNCES OF INFORMATION		Mary Jo Winder	
	TO: OFFICE OF HISTORIC PRESERVATION	City of St. Joseph	
	· ··· DEBUG OF BISIOSUL PRESERVATION		



i. NO. 181	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		i.
Buchanan  3. LOCATION OF Dept. of P & Z NEGATIVES RO11 #3-9	5. OTHER NAME(S)		jō.
6. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES	
if city or town, street address  1211 Penn	17. DATE(S) OR PERIOD  Ca. 1860	29. BASEMENT? YES() NO() 30. FOUNDATION MATERIAL	COUNTY
7. CITY OR TOWN IF RURAL, VICINITY St. Joseph	18. STYLE OR DESIGN  Italianate/Vernacular 49	31. WALL CONSTRUCTION	1
8. DESCRIPTION OF LOCATION Legal: E. part of Lots	19. ARCHITECT OR ENGINEER	Brick 32. ROOF TYPE AND MATERIAL	
12, Block 28, Patee's	Addn. 20. CONTRACTOR OR BUILDER	Hip/Comp. Shingle 33. NO. OF BAYS	<u> </u>
	21. ORIGINAL USE, IF APPARENT Single Family Residence	FRONT 4 SIDE 34. WALL TREATMENT	. דאפטפאו
	22. PRESENT USE Same	Stucco 35. Plan Shape "L"	
	23. OWNERSHIP PUBLIC( ) PRIVATE(X)	The second secon	ا م
9, COORDINATES UTM	24. OWNER'S NAME AND ADDRESS IF KNOWN  Laura Sue Hancock	MOVED ( )  37. CONDITION INTERIOR	LOCAL MAME(S)
LAT LONG	25. OPEN TO PUBLIC? YES( )	EXTERMOR Fair  38. PRESERVATION YES ( )	ş
IO. SITE() STRUCT BUILDING(X) OB	TURE( ) NO(X)  JECT( ) 26. LOCAL CONTACT PERSON OR ORGANIZATION	100 2112	
II. ON NATIONAL YES ( ) 12. IS IT NO ( X) ELIGIBLE?	YES(X) NO( ) 27, OTHER SURVEYS IN WHICH INCLUDED	Incompatible Alterat	ion
13. PART OF ESTAB. YES ( ) 14. DISTRICT POTENTIAL.	YES(X)	· NO( /)	9
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD	
·	FEATURES 1 story, 4 bay, asymmetriling with hip roof, plain frieze and maney. Left two bays in front wing;	PHOTO MUST	0.00
•	thin arched opening with stone sill . Recessed right bays contain single	$\sim$	
door with transom and	2/2 window; porch attached to bays wrought iron corner support on brick	PROVIDED	7 Ame (3)
43. HISTORY AND SIGNIFICANCE pe	edestal. Stucco is a later alteration	that covers all wall	
surfaces (including home).  3. There are no building per	oodmolds). Tmits of record for this dwelling; how	ever stylistic for	
ures indicate a ca 1860 origi	nal construction date. It has a mode as a representation of vernacular Ital	rate-high degree of	
•			<u>_</u>
44. DESCRIPTION OF ENVIRONMENT AND n residential neighborhood; i	outBuildings  n close proximity to 1858 Patee hotel	•	
45. SOURCES OF INFORMATION	<u> </u>	46. PREPARED BY Mary Jo Winder	<u> </u>
Site; 1883 Sanborn mag		47. ORGANIZATION	
RETURN THIS FORM WHEN COMPLET	TED TO: OFFICE OF HISTORIC PRESERVATION	City of St. Joseph 48. DATE 49. REVISION DATE(S)	1



ı	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
2. COUNTY	91BN00	62
B. LOCATION OF Dept. of P & Z	5. OTHER NAME(S)	
NEGATIVES Roll #3-8		
B. SPECIFIC LEGAL LOCATION TOWNSHIPRANGESECTION	I6. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 1 29. BASEMENT? YES()
IF CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	NO( )
1301-03 Penn	ca. 1860	30. FOUNDATION MATERIAL
city or town if rural, vicinity St. Joseph	18. STYLE OR DESIGN Italianate/Vernacular ← 5/	Brick 31. WALL CONSTRUCTION
s. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick
Legal: Lot 11, Block 24,		32. ROOF TYPE AND MATERIAL
Patee's Addition	20. CONTRACTOR OR BUILDER	Hip & Gable/Comp. Shi
-	21. ORIGINAL USE, IF APPARENT	33. NO. OF BAYS FRONT 6 SIDE
	Duplex	84. WALL TREATMENT
	22. PRESENT USE	Stretcher/Painted
	Same 23. OWNERSHIP PUBLIC( )	35. PLAN SHAPE Irregular 36. CHANGES ADDITION( )
	PRIVATE(X)	
	24. OWNER'S NAME AND ADDRESS IF KNOWN	MOVED ( )
	Cecil & Kathleen Johnson	37. CONDITION INTERIOR
G. COORDINATES (		EXTERIOR Fair-Good
LONG	25. OPEN TO PUBLIC? YES( )	36. PRESERVATION YES ( )
O. SITE ( ) STRUCTUR		
BUILDING ( X) OBJEC  I. ON NATIONAL YES ( ) 12, IS IT YE	$rac{T(-)}{S(X)}$ 26. Local contact person or organization	39. ENDANGERED? YESTX)
DEGISTED 2	O( ) 27. OTHER SURVEYS IN WHICH INCLUDED	Incompatible alteration Poor Maintenance  40. VISIBLE FROM YES(X)
■		
3. PART OF ESTAB. YES ( ) 14. DISTRICT YE	ES (X)	40. VISIBLE FROM YES (X )
HIST. DISTRICT ? NO ( X) POTENTIAL ? N	E\$ (X ) NO ( ) )	No ( )
3. PART OF ESTAB. YES ( ) 14. DISTRICT YE HIST. DISTRICT? NO ( X) POTENTIAL? N	E\$(X) NO( )	40. VISIBLE FROM YES(X) PUBLIC ROAD? NO()  41. DISTANCE FROM AND FRONTAGE ON ROAD
HIST, DISTRICT? NO ( X) POTENTIAL? N	(O ( ) )	41. DISTANCE FROM AND FRONTAGE ON ROAD
HIST. DISTRICT? NO ( X) POTENTIAL? N  5. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT F	FEATURES 1 story, 6 bay, symmetrical,	41. DISTANCE FROM AND FRONTAGE ON ROAD
HIST. DISTRICT? NO ( X) POTENTIAL? N  5. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT F  brick, duplex dwelling with	FEATURES 1 story, 6 bay, symmetrical, th hip roof variation with twin	41. DISTANCE FROM AND FRONTAGE ON ROAD
5. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT F brick, duplex dwelling with front gables. Recessed end	FEATURES 1 story, 6 bay, symmetrical,	41. DISTANCE FROM AND FRONTAGE ON ROAD
5. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT F brick, duplex dwelling wit front gables. Recessed end transoms in arched opening corner supports and open s	FEATURES 1 story, 6 bay, symmetrical, th hip roof variation with twin d bays contain single doors with gs under corner verendas with post slat railings (not original elements	41. DISTANCE FROM AND FRONTAGE ON ROAD  PHOTO MUST  BE
5. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT F brick, duplex dwelling with front gables. Recessed end transoms in arched opening corner supports and open s Center four bays separated	FEATURES 1 story, 6 bay, symmetrical, th hip roof variation with twin d bays contain single doors with gs under corner verendas with post slat railings (not original elements d in half by recessed vertical panel	41. DISTANCE FROM AND FRONTAGE ON ROAD  PHOTO MUST  BE
5. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT F brick, duplex dwelling with front gables. Recessed end transoms in arched opening corner supports and open some Center four bays separated each half with two bays each	FEATURES 1 story, 6 bay, symmetrical, th hip roof variation with twin d bays contain single doors with gs under corner verendas with post slat railings (not original elements d in half by recessed vertical panel ach with 2/2 window in slightly	41. DISTANCE FROM AND FRONTAGE ON ROAD  PHOTO MUST  BE PROVIDED
5. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT F brick, duplex dwelling with front gables. Recessed end transoms in arched opening corner supports and open so Center four bays separated each half with two bays each half with two bays each supports.	FEATURES 1 story, 6 bay, symmetrical, th hip roof variation with twin d bays contain single doors with gs under corner verendas with post slat railings (not original elements d in half by recessed vertical panel ach with 2/2 window in slightly ed arch opening; each half terminate	41. DISTANCE FROM AND FRONTAGE ON ROAD  PHOTO MUST  BE PROVIDED  es with gable with plain
5. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT F brick, duplex dwelling with front gables. Recessed end transoms in arched opening corner supports and open seach half with two bays each half with two bays each frieze and molded cornice;	FEATURES 1 story, 6 bay, symmetrical, th hip roof variation with twin d bays contain single doors with gs under corner verendas with post slat railings (not original elements d in half by recessed vertical panel ach with 2/2 window in slightly ed arch opening; each half terminate; gable wall has recessed pediment-s	AI. DISTANCE FROM AND FRONTAGE ON ROAD  PHOTO MUST  BE PROVIDED  es with gable with plain shape panels; windows
5. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT F brick, duplex dwelling with front gables. Recessed end transoms in arched opening corner supports and open seach half with two bays each half with two bays each half with two bays each frieze and molded cornice; have continuous stone sill	FEATURES 1 story, 6 bay, symmetrical, th hip roof variation with twin d bays contain single doors with gs under corner verendas with post slat railings (not original elements d in half by recessed vertical panel ach with 2/2 window in slightly ed arch opening; each half terminate	AI. DISTANCE FROM AND FRONTAGE ON ROAD  PHOTO MUST  BE PROVIDED  es with gable with plain shape panels; windows
5. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT FOR	FEATURES 1 story, 6 bay, symmetrical, th hip roof variation with twin d bays contain single doors with gs under corner verendas with post slat railings (not original elements d in half by recessed vertical panel ach with 2/2 window in slightly ed arch opening; each half terminate; gable wall has recessed pediment-sls and brick lintels; ornamented panel tered with infill between gables.	AI. DISTANCE FROM AND FRONTAGE ON ROAD  PHOTO MUST  BE PROVIDED  es with gable with plain shape panels; windows nels in arch above  er, stylistic features
5. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT F brick, duplex dwelling with front gables. Recessed end transoms in arched opening corner supports and open seen corner four bays separated each half with two bays each half with two bays each frieze and molded cornice; have continuous stone sill windows. Roof has been all there are no building permits leate a cal860 original constr	FEATURES 1 story, 6 bay, symmetrical, th hip roof variation with twin d bays contain single doors with gs under corner verendas with post slat railings (not original elements d in half by recessed vertical panel ach with 2/2 window in slightly ed arch opening; each half terminate; gable wall has recessed pediment-sls and brick lintels; ornamented panel tered with infill between gables. So of record for this dwelling; however cuction date. It has a moderate degree.	AI. DISTANCE FROM AND FRONTAGE ON ROAD  PHOTO MUST  BE PROVIDED  es with gable with plain shape panels; windows nels in arch above  er, stylistic features are of integrity and
5. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT F brick, duplex dwelling with front gables. Recessed end transoms in arched opening corner supports and open seen corner four bays separated each half with two bays each half with two bays each frieze and molded cornice; have continuous stone sill windows. Roof has been all there are no building permits leate a cal860 original constr	FEATURES 1 story, 6 bay, symmetrical, th hip roof variation with twin d bays contain single doors with gs under corner verendas with post slat railings (not original elements d in half by recessed vertical panel ach with 2/2 window in slightly ed arch opening; each half terminate; gable wall has recessed pediment-sls and brick lintels; ornamented panel tered with infill between gables.	AI. DISTANCE FROM AND FRONTAGE ON ROAD  PHOTO MUST  BE PROVIDED  es with gable with plain shape panels; windows nels in arch above  er, stylistic features are of integrity and
5. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT F brick, duplex dwelling with front gables. Recessed end transoms in arched opening corner supports and open seen corner four bays separated each half with two bays each half with two bays each frieze and molded cornice; have continuous stone sill windows. Roof has been all there are no building permits leate a cal860 original constr	FEATURES 1 story, 6 bay, symmetrical, th hip roof variation with twin d bays contain single doors with gs under corner verendas with post slat railings (not original elements d in half by recessed vertical panel ach with 2/2 window in slightly ed arch opening; each half terminate; gable wall has recessed pediment-sls and brick lintels; ornamented panel tered with infill between gables. So of record for this dwelling; however cuction date. It has a moderate degree.	AI. DISTANCE FROM AND FRONTAGE ON ROAD  PHOTO MUST  BE PROVIDED  es with gable with plain shape panels; windows nels in arch above  er, stylistic features are of integrity and
5. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT FOR	FEATURES 1 story, 6 bay, symmetrical, th hip roof variation with twin d bays contain single doors with gs under corner verendas with post slat railings (not original elements d in half by recessed vertical panel ach with 2/2 window in slightly ed arch opening; each half terminate; gable wall has recessed pediment-sls and brick lintels; ornamented panel tered with infill between gables. So of record for this dwelling; however cuction date. It has a moderate degree.	AI. DISTANCE FROM AND FRONTAGE ON ROAD  PHOTO MUST  BE PROVIDED  es with gable with plain shape panels; windows nels in arch above  er, stylistic features are of integrity and
5. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT F brick, duplex dwelling with front gables. Recessed end transoms in arched opening corner supports and open seach half with two bays each half with two bays each half with two bays each have continuous stone sill windows. Roof has been all windows. Roof has been all there are no building permits icate a cal860 original constructions in a representation.  44. DESCRIPTION OF ENVIRONMENT AND OF The sidential neighbors.	FEATURES 1 story, 6 bay, symmetrical, the hip roof variation with twin december by the bays contain single doors with grounder corner verendas with post slat railings (not original elements of in half by recessed vertical panel ach with 2/2 window in slightly ed arch opening; each half terminate; gable wall has recessed pedimentes is and brick lintels; ornamented panel tered with infill between gables. It compared to the country of vernacular Italianate duplex provided the country of vernacular Italianat	AI. DISTANCE FROM AND FRONTAGE ON ROAD  PHOTO MUST  BE PROVIDED  es with gable with plain shape panels; windows hels in arch above  er, stylistic features ree of integrity and roperty type.
5. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT F brick, duplex dwelling with front gables. Recessed end transoms in arched opening corner supports and open seach half with two bays each half with two bays each half with two bays each have continuous stone sill windows. Roof has been all windows. Roof has been all there are no building permits icate a cal860 original constructions in a representation.  44. DESCRIPTION OF ENVIRONMENT AND OF The sidential neighbors.	FEATURES 1 story, 6 bay, symmetrical, the hip roof variation with twin december by the bays contain single doors with grander corner verendas with post slat railings (not original elements of in half by recessed vertical panel ach with 2/2 window in slightly ed arch opening; each half terminated; gable wall has recessed pedimented; gable wall has recessed pedimented is and brick lintels; ornamented panel tered with infill between gables. It contains the contains a moderate degree on of vernacular Italianate duplex provides.	AI. DISTANCE FROM AND FRONTAGE ON ROAD  PHOTO MUST  BE PROVIDED  es with gable with plain shape panels; windows nels in arch above  er, stylistic features are of integrity and roperty type.
5. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT F brick, duplex dwelling with front gables. Recessed end transoms in arched opening corner supports and open seach half with two bays each half with two bays each half with two bays each half with two bays each have continuous stone sill windows. Roof has been all windows. Roof has been all there are no building permits leate a cal860 original constructions as a representation.  44. DESCRIPTION OF ENVIRONMENT AND OF The cast; in close proximates to east; in close proximates.	reatures 1 story, 6 bay, symmetrical, the hip roof variation with twin december by the bays contain single doors with growings under corner verendas with post slat railings (not original elements of in half by recessed vertical panel ach with 2/2 window in slightly ged arch opening; each half terminate; gable wall has recessed pedimented; gable wall has recessed pedimented is and brick lintels; ornamented panel tered with infill between gables. It can be considered to this dwelling; however the country of vernacular Italianate duplex provides on of vernacular Italianate duplex provides ghborhood; on corner lot; same mity to 1858 Patee House hotel	AI. DISTANCE FROM AND FRONTAGE ON ROAD  PHOTO MUST  BE PROVIDED  es with gable with plain shape panels; windows hels in arch above  er, stylistic features ree of integrity and roperty type.  type building on
5. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT F brick, duplex dwelling with front gables. Recessed end transoms in arched opening corner supports and open seach half with two bays each half with two bays each half with two bays each have continuous stone sill windows. Roof has been all windows. Roof has been all there are no building permits leate a cal860 original constructions as a representation.  44. DESCRIPTION OF ENVIRONMENT AND OF the cast; in close proximates to east; in close proximates.	reatures 1 story, 6 bay, symmetrical, the hip roof variation with twin december by the bays contain single doors with growings under corner verendas with post slat railings (not original elements of in half by recessed vertical panel ach with 2/2 window in slightly ged arch opening; each half terminate; gable wall has recessed pedimented; gable wall has recessed pedimented is and brick lintels; ornamented panel tered with infill between gables. It can be considered to this dwelling; however the country of vernacular Italianate duplex provides on of vernacular Italianate duplex provides ghborhood; on corner lot; same mity to 1858 Patee House hotel	AI. DISTANCE FROM AND FRONTAGE ON ROAD  PHOTO MUST  BE PROVIDED  es with gable with plain shape panels; windows nels in arch above  er, stylistic features are of integrity and roperty type.



	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
2. COUNTY	9181	N0061
Buchanan  3. LOCATION OF Dept. Of P & Z  NEGATIVES ROll #3-7	5. OTHER NAME(S)	
S. SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY	28. NO. OF STORIES
TOWNSHIP RANGE SECTION SECTION SECTION	Architecture	29. BASEMENT? YES ( )
1305-07 Penn	i7. DATE(S) OR PERIOD  ca. 1860	30. FOUNDATION MATERIAL
CITY OR TOWN IF RURAL, VICINITY	18. STYLE OR DESIGN	Brick
St. Joseph	Italianate/Vernacular 40	5/ SI. WALL CONSTRUCTION
DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick
Legal: Lot 12, Block 24,		32, ROOF TYPE AND MATERIAL
Patee's Addition	20. CONTRACTOR OR BUILDER	Hip & Gable/Comp. Shir
	<u> </u>	33. NO. OF BAYS FRONT 6 SIDE
	21. ORIGINAL USE, IF APPARENT Duplex	34. WALL TREATMENT
	22. PRESENT USE	Stretcher/Painted
	Same	35. PLAN SHAPE Irregular
	23. OWNERSHIP PUBLIC	(CMC) All III
	PRIVATE	NO. 42)
	24. OWNER'S NAME AND ADDRESS  IF KNOWN	MOVED( )
, COORDINATES UTM		37. CONDITION INTERIOR
LAT	Cecil & Kathleen Johnson	EXTERIOR Fair-Good
LONG		2/ )
· ·	URE( ) NO ECT ( ) 26. LOCAL CONTACT PERSON OR ORGANIZA	
	(ES(X)	They what?
REGISTER ? NO ( X) ELIGIBLE ?	NO( ) 27. OTHER SURVEYS IN WHICH INCLUDED	Poor maintenance
3. PART OF ESTAB. YES ( ) 14. DISTRICT	YES (X )	40. VISIBLE FROM YES (X )
HIST. DISTRICT? NO (X) POTENTIAL?	NO( )	NO()
5. NAME OF ESTABLISHED DISTRICT	]	41. DISTANCE FROM AND FRONTAGE ON ROAD
42. FURTHER DESCRIPTION OF IMPORTANT	FEATURES 1 story, 6 bay, symmetri	ical,
brick duplex dwelling wi	th hip roof variation with twin fr	
galbes. Recessed end ba	ys contain single doors wih transc	oms
	corner verendas with post corner	
	ailings (not original elements).	BE
Center four bays seperated in half by recessed vertical		anel; PROVIDED
	each with 2/2 window in slightly	
	ted arch opening; each half terming	
· ·	cornice gable wall has recessed pe	· · · · · · · · · · · · · · · · ·
-	dows. Roof has been altered with	
There dre no building per	mits of record for this dwelling;	however, stylistic fea-
d is significant as a reman	al construction date. It has a mo	derate degree of integrity
a is significant as a reples	entation of vernacular Italianate	cuplex property type.
•		}
4. DESCRIPTION OF ENVIRONMENT AND	OUTBUILDINGS	
residential neighborhood: o	n corner lot; same type building o	m lot to most in the
oximity to 1858 Patee House	hotel	n lot to west; in close
45. SOURCES OF INFORMATION		46. PREPARED BY Mary Jo Winder
TO. SOURCES OF INFORMATION		, , , , , , , , , , , , , ,
Site; 1883 Sanborn map		47. ORGANIZATION



MISSOURI OFFICE OF HISTORIC PRESERVATION ARCHITECTURAL/HISTORIC INVENTORY

i. no. 187	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
Buchanan  3. Location of Dept. of P & Z	5. OTHER NAME(S)	· .
NEGATIVES ROIT #3-14  6. SPECIFIC LEGAL LOCATION	IG. THEMATIC CATEGORY	28. NO. OF STORIES $1\frac{1}{2}$
TOWNSHIP RANGE SECTION	Architecture  17. DATE(S) OR PERIOD	29. BASEMENT? YES ( ) NO ( ) 30. FOUNDATION MATERIAL
1306 Penn 7. CITY OR TOWN IF RURAL, VICINITY	1904  18. STYLE OR DESIGN	
St. Joseph 8. DESCRIPTION OF LOCATION	Oueen Anne/Colonial Revival	31. WALL CONSTRUCTION Frame
Legal: Lot 2, Block 29, Patee's Addition	20. CONTRACTOR OR BUILDER	32. ROOF TYPE AND MATERIAL Hip & Gable/Comp. Shing
Patee's Addition	21. ORIGINAL USE, IF APPARENT	33. NO. OF BAYS
	21. ORIGINAL USE, IF APPARENT Single Family Residence	34. WALL TREATMENT Clapboard
	Same	35. PLAN SHAPE Irregular
	23. OWNERSHIP PUBLIC( ) PRIVATE(X)	36. CHANGES ADDITION ( ) (EXPLAIN IN NO. 42) ALTERED ( )
	24. OWNER'S NAME AND ADDRESS IF KNOWN	FRONT 3 SIDE  34. WALL TREATMENT  Clapboard  35. PLAN SHAPE Irregular  36. CHANGES (EXPLAIN IN NO. 42)  ALTERED()  MOVED()  37. CONDITION INTERIOR EXTERMOR  GOOD-Excelle
9, COORDINATES UTM	Jesse E. Wagenblast	INTERIOR GOOD-Excelle
LONG  10. SITE ( ) STRUCTU	25. OPEN TO PUBLIC? YES( ) NO(X)	38. PRESERVATION YES ( ) UNDERWAY ? NO (XX)
BUILDING ( X) OBJE		39. ENDANGERED? YES (XX)
REGISTER ? NO ( X) ELIGIBLE ?	NO( ) 27. OTHER SURVEYS IN WHICH INCLUDED	Poor Maintenance
I3. PART OF ESTAB. YES ( ) HIST. DISTRICT P NO ( X)	ES(X) NO()	40. VISIBLE FROM YES (X ) PUBLIC ROAD ? NO ( )
15, NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND Frontage on road
42. FURTHER DESCRIPTION OF IMPORTANT	FEATURES $1\frac{1}{2}$ story, 3 bay, asymmetrical	
-	and gable roof forms, plain frieze and ized brick chimney. Porch attached	PHOTO MUST
·	of front elevation (north) has col-	
	, molded entablature and hip roof. ndow; center bay is projecting front	BE
*	wide 1/1 window (upper 1/4 sash);	PROVIDED
TO, MICHOLI MIND CICINITION	nmed gable has small window with awn ak above window (west elevation has s	
ment). Recessed right ba	ay contains single door with transom.	
43. Building permit records	indicate construction in 1904 for ap ntegrity due to alterations and is s	plicant, A.A. Watts.
representation of transitiona	1 Queen Anne/Colonial Revival reside	ntial property type.
44. DESCRIPTION OF ENVIRONMENT AND Of In residential neighborhood; hotel building (1858) on block	museum exhibit structure on lot to w	est w/Patee House
45. SOURCES OF INFORMATION	,	46. PREPARED BY Mary Jo Winder
BP #2026, 9/6/04; site		47. ORGANIZATION
RETURN THIS FORM WHEN COMPLETE	D TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176	City of St. Joseph 48. DATE 49. REVISION DATE(S)
IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	7/88



Buchanan  3. LOCATION OF DEPT: OF P. S. Z. RECEATIVES ROLL IN 18-5 S 6 S 6  8. PECCINC LIGAL LOCATION 1309-11 Penn  1309-11 Penn  1309-11 Penn  1309-11 Penn  1889  3. DESCRIPTION OF LOCATION 1309-11 Penn  18. THEMATIC CATEGORY Architecture 19. DATE OF DESCRIPTION 1309-11 Penn  18. THEMATIC CATEGORY Architecture 19. DATE OF DESCRIPTION 15. JOSEPH 1000-11 1889  30. PENNORM  15. JOSEPH 1000-11 1890  30. PENNORM  18. ARCHITECT OR EMBRER  20. CONTRACTOR OR BULDER 21. ORIGINAL USE, IF APPARENT 1000-11 1890  22. PRESENT USE 33. SAME OF FYPE AND MATERIAL THURC. His/Comp. Shisq' 35. OWNERSHIP  25. OWNERSHIP  26. CONTRACTOR OR BULDER 27. ORIGINAL USE, IF APPARENT 1000-11 1890  28. PERCENT USE 38. MONOR 14 SIGE 29. ORIGINAL USE, IF APPARENT 1000-11 1890  28. PRESENT USE 38. SAME SHIP  29. CONTRACTOR OR BULDER 29. ORIGINAL USE, IF APPARENT 1000-11 1890  28. PRESENT USE 38. MONOR 14 SIGE 38. ORIGINAL USE, IF APPARENT 1000-11 1890  28. PROVIDED 28. PRESENT USE 38. BOOK FYPE AND MATERIAL THURC. His/Comp. Shisq' 38. MONOR 14 SIGE 17. CONTROLL 18. AND AND AND ADDRESS 17. CONTROLL 29. ORIGINAL USE, IF APPARENT 20. CONTRACTOR OR BULDER 29. ORIGINAL USE, IF APPARENT 20. ORIGINAL USE, IF APPARENT 20. SHOWNERSHIP 20. ORIGINAL USE, IF APPARENT 20. SHOWNERSHIP 20. ORIGINAL USE, IF APPARENT 20. SHOWNERSHIP 20. ORIGINAL USE, IF APPARENT 20. SHOWNERSHIP 20. ORIGINAL USE, IF APPARENT 20. SHOWNERSHIP 20. ORIGINAL USE, IF APPARENT 20. SHOWNERSHIP 20. SHOWNERSHIP 20. ORIGINAL USE, IF APPARENT 20. SHOWNERSHIP 20. ORIGINAL USE, IF APPARENT 21. MONOR 19. SHOWNERSHIP 22. SHOWNERSHIP 23. ORIGINAL USE, IF APPARENT 24. WHILL USE, IF APPARENT 25. ORIGINAL USE, IF APPARENT 26. CONTROLL 26. CONTRACTOR OR BULDER 26. SHOWNERSHIP 27. CONTROLL 27. CONTROLL 28. ROCKETH 29. SHOWNERSHIP 29. SHOWNERSHIP 29. ORIGINAL USE, IF APPARENT 29. SHOWNERSHIP 29. SHOWNERSHIP 29. SHOWNERSHIP 29. SHOWNERSHIP 29. SHOWNERSHIP 29. SHOWNERSHIP 29. SHOWNERSHIP 29. SHOWNERSHIP 29. SHOWNERSHIP 29. SHOWNERSHIP 29. SHOWNERSHIP 29. SHOWNERSHIP 29. SHOWNERSHIP 29. SHOWNERSHIP 29. SH	I. NO. 184	. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		Z
SPECIFIC LIGAL LOCATION   STORIES   18. PREMATIC CATEGORY ANYTHING COUNTY   STORIES   13.09-11 Penn   18. STYLE OR DESIGN   18. ACCOUNTED ON THE STYLE OR DESIGN   18. ACCOUNTED OR DESIGN   18. ACCOU	Buchanan  3 LOCATION OF DEPT. Of P & Z	3. OTHER NAME(S)		ç
1309-11 Penn	B. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION			
St. Joseph  B. Description of Location Legal: Lot 13, Block 24, Patee's Addition  19. ARCHITETO R ENGINEER  19. ARCHITETO R ENGINEER  19. ARCHITETO R ENGINEER  19. ARCHITETO R BUILDER  17. Unio. Bilip/Comp. Shirg/ 17. U	1309-11 Penn	1889	30. FOUNDATION MATERIAL	200
Legal: Dot 13, Block 24, Patee's Addition  20. CONTRACTOR OR BUILDER  21. ONLINE USE, IF APPARENT Duplex  22. PRESENT USE Same  23. OWNERSHIP PUBLIC() PRIVATE(X)  24. WALL TREATMENT COMMONION STORM INTERIOR PRIVATE(X)  25. OPEN TO PUBLIC? PRIVATE(X)  26. LOCAL CONTACT PERSON OR ORGANIZATION NO(X)  30. PLAT CESTABLISHED DISTRICT  27. OTHER SURVEYS IN WHICH INCLUDED  28. PORT TO PUBLIC? PROVING Y  30. PLAT OF ESTABLISHED DISTRICT  27. OTHER SURVEYS IN WHICH INCLUDED  28. PORT TO PUBLIC? PROVING Y  39. ENDANGERED? TESTXX NO(X) NO(X) NO(X) NO(X) NO(X) NO STRUCTURE() NO(X) NO(X) NO(X) NO(X) NO(X) NO(X) NO(X) NO(X) NO(X) NO(X) NO(X) NO STRUCTURE() NO(X) NO(X) NO(X) NO(X) NO(X) NO(X) NO(X) NO(X) NO(X) NO(X) NO(X) NO(X) NO(X) NO(X) NO(X) NO(X) NO(X) NO(X) NO(X) NO STRUCTURE() NO(X) N	_	12 61	31. WALL CONSTRUCTION	
Patee's Addition  20. CONTRACTOR OR BUILDER 21. ORIGINAL USE, IF APPARENT Duple 22. PRESENT USE 22. PRESENT USE 23. OWNERSHIP PUBLIC 23. FRONT 6 STORE FACE TO PRINATE (X) 24. OWNER'S NAME AND ADDRESS 15. OPEN TO PUBLIC? PRINATE (X) 25. OPEN TO PUBLIC? PRINATE (X) 26. OPEN TO PUBLIC? PRINATE (X) 27. ON NATIONAL VES () 12. IS INT YES (X) NO(X) 28. INCAL CONTACT PERSON OR ORGANIZATION WINCHINGLUDED  29. NAME OF ESTABLISHED DISTRICT 20. NAME OF ESTABLISHED DISTRICT 20. NAME OF ESTABLISHED DISTRICT 21. OWNER'S NAME AND ADDRESS 22. STORY, 4 bay, symmetrical, brick/stone, duplex dwelling with truncated hip roof with top cornice and corner ornament and molded lower cornice, wide ornamented frieze, and internal, side brick chimneys. Front elevation (south) faced with smooth limestone on coarses ashlar foundation. End bays have projecting first story rectangular bays have been maintained with shaped pots; center and back chimneys have been maintained with shaped pots; center and back chimneys have been maintained with shaped pots; center and back chi		19. ARCHITECT OR ENGINEER	32. ROOF TYPE AND MATERIAL	
22. PRESENT USE Same  23. OWNERSHIP PUBLIC! 25. OWNERS NAME AND ADDRESS PRESENTION 26. COORDINATES LONG SHTE() STRUCTURE() BULDING() OBJECT() BULDIC() OBJECT() BULDIC() OBJECT() BULDIC() OBJECT() BULDIC() OBJECT() BULDIC()		20. CONTRACTOR OR BUILDER		gle
Same  23. OWNERSHIP PUBLIC( PRIVATE(X) 1.0 COORDINATES  LAT LONG  10. SITE() STRUCTURE() 24. OWNER'S NAME AND ADDRESS IP KNOWN  25. OPEN TO PUBLIC? YES() 37. CONDITION INTERIOR GOOD  26. LOCAL CONTACT PERSON OR ORGANIZATION  27. OTHER SURVEYS IN WHICH INCLUDED  38. PLANAMBARE TRYES() 10. ON NATIONAL YES() 12. IS IT YES(X) 10. ON NATIONAL YES() 14. DISTRICT YES(X) 18. OITHORT, NO(X) 15. NAME OF ESTABLISHED DISTRICT  27. OTHER SURVEYS IN WHICH INCLUDED  38. PLANAMBER TRYES() 10. ON NATIONAL YES(X) 10. ON NATIONAL YES(X) 14. DISTRICT YES(X) 16. OITHORT, NO(X) 15. NAME OF ESTABLISHED DISTRICT  49. PLANAMBARE TRYES() 10. ON NATIONAL YES(X) 10. ON NATIONAL YES(X) 10. ON NATIONAL YES(X) 10. ON NATIONAL YES(X) 14. DISTRICT YES(X) 16. DISTRICT Y		21. ORIGINAL USE, IF APPARENT Duplex		ond
23. OWNERSHIP PRIVATE(X)  24. OWNER'S NAME AND ADDRESS  15. CHAMES (EXPLAIN NO. 421)  24. OWNER'S NAME AND ADDRESS  15. OWNER'				-
24. OWNER'S NAME AND ADDRESS  DITM LAT LONG  25. OPEN TO PUBLIC?  26. LOCAL CONTACT PERSON OR ORGANIZATION  16. ON MATIONAL YES ()   12. IS IT YES (X) REGISTER? NO(X)  27. OTHER SURVEYS IN WHICH INCLUDED  28. LOCAL CONTACT PERSON OR ORGANIZATION  29. LOCAL CONTACT PERSON OR OR OR O			36. CHANGES ADDITION ( )	LOCAL
LAT LONG  SITE() STRUCTURE()  OBJECT			MOVED( )	. Nation C (3)
25. OPEN TO PUBLIC?  SITE()  STRUCTURE()  BULDING(X)  OBJECT()  10. ON ANTONAL YES()  11. SI TY YES(X)  REGISTER Y NO(X)  35. PART OF ESTAB. YES(X)  NO(X)  13. PART OF ESTAB. YES(X)  NO(X)  14. DISTRICT  NO(X)  15. NAME OF ESTABLISHED DISTRICT  NO(X)  16. ON ANTONAL YES(X)  NO(X)  17. OTHER SURVEYS IN WHICH INCLUDED  18. NAME OF ESTABLISHED DISTRICT  NO(X)  18. NAME OF ESTABLISHED DISTRICT  NO(X)  18. NAME OF ESTABLISHED DISTRICT  NO(X)  19. NAME OF ESTABLISHED DISTRICT  NO(X)  19. NAME OF ESTABLISHED DISTRICT  NO(X)  10. ON ANTONAL YES(X)  NO(X)  10. ON ANTONAL YES(X)  NO(X)  10. ON ANTONAL YES(X)  NO(X)  10. OTHER SURVEYS IN WHICH INCLUDED  NO(X)  10. OTHER SURVEYS IN WHICH INCLUDED  NO(X)  10. OTHER SURVEYS IN WHICH INCLUDED  NO(X)  10. OTHER SURVEYS IN WHICH INCLUDED  NO(X)  10. OTHER SURVEYS IN WHICH INCLUDED  NO(X)  10. OTHER SURVEYS IN WHICH INCLUDED  NO(X)  10. OTHER SURVEYS IN WHICH INCLUDED  NO(X)  10. OTHER SURVEYS IN WHICH INCLUDED  NO(X)  10. OTHER SURVEYS IN WHICH INCLUDED  NO(X)  10. OTHER SURVEYS IN WHICH INCLUDED  NO(X)  10. OTHER SURVEYS IN WHICH INCLUDED  NO(X)  10. OTHER SURVEYS IN WHICH INCLUDED  NO(X)  10. OTHER SURVEYS IN WHICH INCLUDED  NO(X)  10. OTHER SURVEYS IN WHICH INCLUDED  NO(X)  10. OTHER SURVEYS IN WHICH INCLUDED  NO(X)  14. DISTRICT  NO(X)  14. DISTRICT  NO(X)  14. DISTRICT  NO(X)  15. OTHER SURVEYS IN WHICH INCLUDED  NO(X)  16. OTHER SURVEYS IN WHICH INCLUDED  NO(X)  16. OTHER SURVEYS IN WHICH INCLUDED  NO(X)  16. OTHER SURVEYS IN WHICH INCLUDED  NO(X)  16. OTHER SURVEYS IN WHICH INCLUDED  NO(X)  16. OTHER SURVEYS IN WHICH INCLUDED  NO(X)  16. OTHER SURVEYS IN WHICH INCLUDED  NO(X)  16. OTHER SURVEYS IN WHICH INCLUDED  NO(X)  16. OTHER SURVEYS IN WHICH INCLUDED  NO(X)  10. OTHER SURVEYS IN WHICH INCLUDED  NO(X)  10. OTHER SURVEYS IN WHICH INCLUDED  NO(X)  10. OTHER SURVEYS IN WHICH INCLUDED  NO(X)  10. OTHER SURVEYS IN WHICH INCLUDED  NO(X)  14. DISTRUCT  NO(X)  14. DISTRICT  NO(X)  14. DISTRICT  NO(X)  14. DISTRUCT  NO(X)  14. DISTRICT  NO(X)  14. DISTRICT  NO(X)  14. DISTRIC	•, •••••		Good	
BUILDING (X)  1. ON NATIONAL YES (1) 12. IS IT YES(X) ELIBBLE? NO(1) 2. OTHER SURVEYS IN WHICH INCLUDED  1. ON NATIONAL YES (1) 12. IS IT YES(X) ELIBBLE? NO(1) 2. OTHER SURVEYS IN WHICH INCLUDED  3. PART OF ESTAB. YES (1) 14. DISTRICT YES(X) POYENTAL? NO(1) 2. NAME OF ESTABLISHED DISTRICT  5. NAME OF ESTABLISHED DISTRICT  1. ON NATIONAL YES (2) 14. DISTRICT YES(X) POYENTAL? NO(1) 2. OTHER SURVEYS IN WHICH INCLUDED  1. ON NATIONAL YES (2) 14. DISTRICT YES(X) POYENTAL? NO(1) 2. NAME OF ESTABLISHED DISTRICT  1. ON NAME OF ESTABLISHED DISTRICT  1. OTHER SURVEYS IN WHICH INCLUDED  1. OURS INCLUDED  1. OURS INCLUDED  1. OURS INCLUDED  1. OURS INCLUDED  1. OURS INCLUDED  1. OURS INCLUDED  1. OURS INCLUDED  1. OURS INCLUDED  1. OURS INCLUDED  1. OURS INCLUDED  1. OURS INCLUDED  1. OTHER SURVEYS IN WHICH INCLUDED  1. OURS INCLUDED  1. OU	LONG		LINDERWAY 2	5
A PART OF ESTABL YES () 14. DISTRICT YES (X) POTENTAL? NO()  3. PART OF ESTABL YES () 14. DISTRICT YES (X) POTENTAL? NO()  5. NAME OF ESTABLISHED DISTRICT  2. Story, 4 bay, symmetrical, brick/stone, duplex dwelling with truncated hip roof with top cornice and corner ornament and molded lower cornice, wide ornamented frieze, and internal, side brick chimneys. Front elevation (south) faced with smooth limestone on coarsed ashlar foundation. End bays have projecting first story rectangular bay units with paired narrow 1/1 windows with  13. HISTORY AND SIGNIFICANCE continuous sills, stone cornices and ballustrades; second story has slightly projecting walls and contains paired 1/1 windows between ornamented, engaged pilasters that begin at the top of windows and terminate above lower roof cornice as part of segmented parapet; vented gable centered in roof above. Recessed Eastlake frame porch with turned posts and ballusters, spindled frieze and shed roof; second story contains 1/1 windows. Front chimneys have been maintained with shaped pots; center and back chimneys have been altered.  43. Building permit records indicate construction in 1889 for applicant Joseph Prieffer. It has a high degree of integrity and is dignificent as a representation of Renaissance Revival (Classic) duplex property type.  In residential neighborhood; other duplex dwellings on either side; closely spaced cuildings W/shallow softbacks  45. Sources of INFORMATION  BP #A370, 5/13/89; site	BUILDING ( X) OBJEC	( ). 26. LOCAL CONTACT PERSON OR ORGANIZATION	39. ENDANGERED? YES (XX)	9
PUBLIC ROAD? NO()  5. NAME OF ESTABLISHED DISTRICT  41. DISTANCE FROM AND FRONTAGE ON ROAD  12. FURTHER DESCRIPTION OF IMPORTANT FEATURES 2 story, 4 bay, symmetrical, brick/stone, duplex dwelling with truncated hip roof with top cornice and corner ornament and molded lower cornice, wide ornamented frieze, and internal, side brick chimneys.  Front elevation (south) faced with smooth limestone on coarsed ashlar foundation. End bays have projecting first story rectangular bay units with paired narrow 1/1 windows with  13. HISTORY AND SIGNIFICANCE continuous sills, stone cornices and ballustrades; second story has slightly projecting walls and contains paired 1/1 windows between ornamented, engaged pilasters that begin at the top of windows and terminate above lower roof cornice as part of segmented parapet; vented gable centered in roof above.  Recessed Eastlake frame porch with turned posts and ballusters, spindled frieze and shed roof; second story contains 1/1 windows. Front chimneys have been maintained with shaped pots; center and back chimneys have been altered.  43. Building permit records indicate construction in 1889 for applicant Joseph Pfieffer. It has a high degree of integrity and is significant as a representation of Renaissance Revival (Classic) duplex property type.  In residential neighborhood; other duplex dwellings on either side; closely spaced childings w/shallow sotbacks.  46. PREPARED BY Mary Jo Winder  47. ORGANIZATION	REGISTER ? NO ( X) ELIGIBLE ? N	27. OTHER SURVEYS IN WHICH INCLUDED	Improper stone repair	(A)
PHOTO MUST  Drick/stone, duplex dwelling with truncated hip roof with top cornice and corner ornament and molded lower cornice, wide ornamented frieze, and internal, side brick chimneys.  Front elevation (south) faced with smooth limestone on coarsed ashlar foundation. End bays have projecting first story rectangular bay units with paired narrow 1/1 windows with his slightly projecting walls and contains paired 1/1 windows between ornamented, engaged pilasters that begin at the top of windows and terminate above lower roof cornice as part of segmented parapet; vented gable centered in roof above.  Recessed Eastlake frame porch with turned posts and ballusters, spindled frieze and shed roof; second story contains 1/1 windows. Front chimneys have been maintained with shaped pots; center and back chimneys have been altered.  43. Building permit records indicate construction in 1889 for applicant Joseph Pfieffer. It has a high degree of integrity and is significent as a representation of Renaissance Revival (Classic) duplex property type.  In residential neighborhood; other duplex dwellings on either side; closely spaced couldings W/shallow sotbacks  45. SOURCES OF INFORMATION  BP #A370, 5/13/89; site	HIST. DISTRICT ? NO ( X) POTENTIAL ? N	0( )	PUBLIC ROAD ? NO ( )	"
brick/stone, duplex dwelling with truncated hip roof with top cornice and corner ornament and molded lower cornice, wide ornamented frieze, and internal, side brick chimneys.  Front elevation (south) faced with smooth limestone on coarsed ashlar foundation. End bays have projecting first story rectangular bay units with paired narrow 1/1 windows with  13. HISTORY AND SIGNIFICANCE continuous sills, stone cornices and ballustrades; second story has slightly projecting walls and contains paired 1/1 windows between ornamented, engaged pilasters that begin at the top of windows and terminate above lower roof cornice as part of segmented parapet; vented gable centered in roof above.  Recessed Eastlake frame porch with turned posts and ballusters, spindled frieze and shed roof; second story contains 1/1 windows. Front chimneys have been maintained with shaped pots; center and back chimneys have been altered.  43. Building permit records indicate construction in 1889 for applicant Joseph Pfieffer. It has a high degree of integrity and is significant as a representation of Environment and OutBuildings of Renaissance Revival (Classic) duplex property type.  In residential neighborhood; other duplex dwellings on either side; closely spaced buildings w/shallow setbacks  46. PREPARED BY Mary Jo Winder  47. ORGANIZATION	S, NAME OF ESTABLISHED DISTRICT			
brick/stone, duplex dwelling with truncated hip roof with top cornice and corner ornament and molded lower cornice, wide ornamented frieze, and internal, side brick chimneys. Front elevation (south) faced with smooth limestone on coarsed ashlar foundation. End bays have projecting first story rectangular bay units with paired narrow 1/1 windows with  18. HISTORY AND SIGNIFICANCE continuous sills, stone cornices and ballustrades; second story has slightly projecting walls and contains paired 1/1 windows between ornamented, engaged pilasters that begin at the top of windows and terminate above lower roof cornice as part of segmented parapet; vented gable centered in roof above. Recessed Eastlake frame porch with turned posts and ballusters, spindled frieze and shed roof; second story contains 1/1 windows. Front chimneys have been maintained with shaped pots; center and back chimneys have been altered.  13. Building permit records indicate construction in 1889 for applicant Joseph Prieffer. It has a high degree of integrity and is significant as a representation  14. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS of Renaissance Revival (Classic) duplex property type.  15. The residential neighborhood; other duplex dwellings on either side; closely spaced  16. PREPARED BY Mary Jo Winder  17. ORGANIZATION  17. ORGANIZATION	2. FURTHER DESCRIPTION OF IMPORTANT F	EATURES 2 story, 4 bay, symmetrical,	вното	9.
wide ornamented frieze, and internal, side brick chimneys.  Front elevation (south) faced with smooth limestone on coarsed ashlar foundation. End bays have projecting first story rectangular bay units with paired narrow 1/1 windows with  13. HISTORY AND SIGNIFICANCE continuous sills, stone cornices and ballustrades; second story has slightly projecting walls and contains paired 1/1 windows between ornamented, engaged pilasters that begin at the top of windows and terminate above lower roof cornice as part of segmented parapet; vented gable centered in roof above.  Recessed Eastlake frame porch with turned posts and ballusters, spindled frieze and shed roof; second story contains 1/1 windows. Front chimneys have been maintained with shaped pots; center and back chimneys have been altered.  43. Building permit records indicate construction in 1889 for applicant Joseph Pfieffer. It has a high degree of integrity and is significant as a representation of Renaissance Revival (Classic) cuplex property type.  In residential neighborhood; other duplex dwellings on either side; closely spaced cuildings w/shallow setbacks  15. SOURCES OF INFORMATION  16. PREPARED BY Mary Jo Winder  17. ORGANIZATION	- 144	_		ğ
ashlar foundation. End bays have projecting first story rectangular bay units with paired narrow 1/1 windows with  13. HISTORY AND SIGNIFICANCE continuous sills, stone cornices and ballustrades; second story has slightly projecting walls and contains paired 1/1 windows between ornamented, engaged pilasters that begin at the top of windows and terminate above lower roof cornice as part of segmented parapet; vented gable centered in roof above. Recessed Eastlake frame porch with turned posts and ballusters, spindled frieze and shed roof; second story contains 1/1 windows. Front chimneys have been maintained with shaped pots; center and back chimneys have been altered.  43. Building permit records indicate construction in 1889 for applicant Joseph Pfieffer. It has a high degree of integrity and is significant as a representation  144. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS OF Renaissance Revival (Classic) duplex property type.  15 residential neighborhood; other duplex dwellings on either side; closely spaced cuildings w/shallow setbacks  16. PREPARED BY Mary Jo Winder  17. ORGANIZATION	wide ornamented frieze, as	nd internal, side brick chimneys.	<u>×</u>	}
rectangular bay units with paired narrow 1/1 windows with  13. HISTORY AND SIGNIFICANCE continuous sills, stone cornices and ballustrades; second story has slightly projecting walls and contains paired 1/1 windows between ornamented, engaged pilasters that begin at the top of windows and terminate above lower roof cornice as part of segmented parapet; vented gable centered in roof above.  Recessed Eastlake frame porch with turned posts and ballusters, spindled frieze and shed roof; second story contains 1/1 windows. Front chimneys have been maintained with shaped pots; center and back chimneys have been altered.  43. Building permit records indicate construction in 1889 for applicant Joseph Pfieffer. It has a high degree of integrity and is significant as a representation of Environment and Outbuildings of Renaissance Revival (Classic) duplex property type.  44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS of Renaissance Revival (Classic) duplex property type.  45. Sources of Information  BP #A370, 5/13/89; site			4 <i>/</i>	1
has slightly projecting walls and contains paired 1/1 windows between ornamented, engaged pilasters that begin at the top of windows and terminate above lower roof cornice as part of segmented parapet; vented gable centered in roof above.  Recessed Eastlake frame porch with turned posts and ballusters, spindled frieze and shed roof; second story contains 1/1 windows. Front chimneys have been maintained with shaped pots; center and back chimneys have been altered.  43. Building permit records indicate construction in 1889 for applicant Joseph Pfieffer. It has a high degree of integrity and is significant as a representation of Renaissance Revival (Classic) duplex property type.  44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS of Renaissance Revival (Classic) duplex property type.  45. SOURCES OF INFORMATION  46. PREPARED BY Mary Jo Winder  47. ORGANIZATION				
cornice as part of segmented parapet; vented gable centered in roof above.  Recessed Eastlake frame porch with turned posts and ballusters, spindled frieze and shed roof; second story contains 1/1 windows. Front chimneys have been maintained with shaped pots; center and back chimneys have been altered.  43. Building permit records indicate construction in 1889 for applicant Joseph Pfieffer. It has a high degree of integrity and is significant as a representation of Environment and Outbulloings of Renaissance Revival (Classic) duplex property type.  In residential neighborhood; other duplex dwellings on either side; closely spaced buildings w/shallow setbacks.  45. Sources of information  BP #A370, 5/13/89; site  46. PREPARED BY Mary Jo Winder  47. ORGANIZATION	has slightly projecting wa	alls and contains paired 1/1 windows	between ornamented,	
Recessed Eastlake frame porch with turned posts and ballusters, spindled frieze and shed roof; second story contains 1/1 windows. Front chimneys have been maintained with shaped pots; center and back chimneys have been altered.  43. Building permit records indicate construction in 1889 for applicant Joseph Pfieffer. It has a high degree of integrity and is significant as a representation of Renaissance Revival (Classic) duplex property type.  44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS OF Renaissance Revival (Classic) duplex property type.  45. In residential neighborhood; other duplex dwellings on either side; closely spaced childings w/shallow setbacks  46. PREPARED BY Mary Jo Winder  46. PREPARED BY Mary Jo Winder  47. ORGANIZATION				-
tained with shaped pots; center and back chimneys have been altered.  43. Building permit records indicate construction in 1889 for applicant Joseph  Pfieffer. It has a high degree of integrity and is significant as a representation  44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS OF Renaissance Revival (Classic) duplex property type.  In residential neighborhood; other duplex dwellings on either side; closely spaced buildings w/shallow setbacks  45. SOURCES OF INFORMATION  BP #A370, 5/13/89; site  46. PREPARED BY Mary Jo Winder  47. ORGANIZATION	<del>-</del>			
A3. Building permit records indicate construction in 1889 for applicant Joseph Pfieffer. It has a high degree of integrity and is significant as a representation 14. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS OF Renaissance Revival (Classic) duplex property type.  In residential neighborhood; other duplex dwellings on either side; closely spaced childings w/shallow setbacks 15. Sources of Information BP #A370, 5/13/89; site		<del>-</del>	_	
Pfieffer. It has a high degree of integrity and is significant as a representation  14. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS OF Renaissance Revival (Classic) duplex property type.  In residential neighborhood; other duplex dwellings on either side; closely spaced childings w/shallow setbacks.  15. SOURCES OF INFORMATION  BP #A370, 5/13/89; site  46. PREPARED BY Mary Jo Winder  47. ORGANIZATION				
A4. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS OF Renaissance Revival (Classic) duplex property type.  In residential neighborhood; other duplex dwellings on either side; closely spaced childings w/shallow setbacks  A5. SOURCES OF INFORMATION  BP #A370, 5/13/89; site  A6. PREPARED BY Mary Jo Winder  47. ORGANIZATION	<u>Pfieffer. It has a high degre</u>	e of integrity and is significant as	- rospontation	
A5. SOURCES OF INFORMATION  BP #A370, 5/13/89; site  46. PREPARED BY Mary Jo Winder  47. ORGANIZATION	44. DESCRIPTION OF ENVIRONMENT AND OU	TBUILDINGS of Renaissance Revival (Clastype.	ssic) cuplex property	
45. SOURCES OF INFORMATION  BP #A370, 5/13/89; site  46. PREPARED BY Mary Jo Winder  47. ORGANIZATION	In residential neighborhood; o	ther duplex dwellings on either side	; closely spaced	
BP #A370, 5/13/89; site 47. ORGANIZATION	<b>.</b>			
RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION City of St. Joseph	BP #A370, 5/13/89; site			
P.O. BOX 176 48. DATE 49. REVISION DATE(S)	RETURN THIS FORM WHEN COMPLETE			





## MISSOURI OFFICE OF HISTORIC PRESERVATION ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

I. NO. 188	PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
2. COUNTY  Buchanan  5.  3. LOCATION OF Dept #3-15 P & Z NEGATIVES ROLL #3-15	OTHER NAME(S)	
6. SPECIFIC LEGAL LOCATION TOWNSHIPRANGESECTION IF CITY OR TOWN, STREET ADDRESS  1312 Penn 7. CITY OR TOWN IF RURAL, VICINITY St. Joseph 8. DESCRIPTION OF LOCATION Legal: Lot 3, Block 29, Patee's Addition  9. COORDINATES UTM	I6. THEMATIC CATEGORY Architecture  17. DATE(S) OR PERIOD 1899  18. STYLE OR DESIGN Vernacular/Oueen Anne  19. ARCHITECT OR ENGINEER  20. CONTRACTOR OR BUILDER  21. ORIGINAL USE, IF APPARENT Single Family Residence  22. PRESENT USE Same  23. OWNERSHIP PUBLIC() PRIVATE(X)  24. OWNER'S NAME AND ADDRESS IF KNOWN Michael Crawford	(EXPLAIN IN NO. 42)  ALTERED (XX)  MOVED ( )  37. CONDITION  INTERIOR  GOOD
LAT LONG  10. SITE ( ) STRUCTURE ( BUILDING ( X) OBJECT (  11. ON NATIONAL YES ( ) 12. IS IT YES ( ) REGISTER ? NO ( X) ELIGIBLE ? NO ( ) HIST. DISTRICT ? NO ( X)  13. PART OF ESTAB. YES ( ) 14. DISTRICT YES ( ) HIST. DISTRICT ? NO ( X)  15. NAME OF ESTABLISHED DISTRICT	26. LOCAL CONTACT PERSON OR ORGANIZATION  (1)  27. OTHER SURVEYS IN WHICH INCLUDED	38. PRESERVATION YES ( ) UNDERWAY ? NO XX )
frame dwelling with hip roof with set right gable roof dormer and paingle door and is recessed under center bay; newer porch supports slightly projecting front gable cont transom; enframed gable cont 43. HISTORY AND SIGNIFICANCE has pattabove windows. Right bay contain	hip roof porch attached to it an	PHOTO MUST  BE PROVIDED  ; sunburst pattern ove window has single
43. Building permit records indi Peterson. It has a moderate degr	icate construction in 1899 for appose of integrity due to alteration Queen Anne residential property	licant, Henry R.
44. DESCRIPTION OF ENVIRONMENT AND OUTB		
45. SOURCES OF INFORMATION BP #7057, 8/7/99; site RETURN THIS FORM WHEN COMPLETED  IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102	46. PREPARED BY Mary Jo Winder  47. ORGANIZATION City of St. Joseph 48. DATE 49. REVISION DATE(\$) 7/88



I. NO. 185	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		**************************************
2. COUNTY		``	?
Buchanan	5. OTHER NAME(S)		
3. LOCATION OF Dept. of P & Z NEGATIVES Roll #3-4			
6. SPECIFIC LEGAL LOCATION	IG. THEMATIC CATEGORY	20 10 05 07000	
TOWNSHIP RANGE SECTION _	Architecture	28. NO. OF STORIES 2 29. BASEMENT? YES()	:
IF CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	NO( )	
1313-1315 Penn	1903	30. FOUNDATION MATERIAL	:
7. CITY OR TOWN IF RURAL, VICINITY St. Joseph	Neoclassical 50 5/	31. WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION	Neoclassical  19. ARCHITECT OR ENGINEER	Frame	
Legal: Lot 14, Block 24,		32. ROOF TYPE AND MATERIAL	Ø
atee's Addition	20. CONTRACTOR OR BUILDER	Hip/Comp Shingle	
		33. NO. OF BAYS FRONT / SIDE	
	21. ORIGINAL USE, IF APPARENT Duplex	34. WALL TREATMENT 21 25	
	22. PRESENT USE	Clapboard/Wood Shing	e
	Vacant	35. PLAN SHAPE Irregular	
	23. OWNERSHIP PUBLIC (	. (FXPLAIN IN	,
	PRIVATE(X	NO. 42)  ALTERED (XX)  MOVED ( )	
	24. OWNER'S NAME AND ADDRESS  IF KNOWN	37. CONDITION	
9. COORDINATES UTM	Cecil & Kathleen Johnson	INTERIOR	
LAT		EXTERIOR Good	9
LONG  10. SITE ( ) STRUCTO	25. OPEN TO PUBLIC? YES( URE( ) NO(X	) 36. PRESERVATION YES ( ) UNDERWAY? NO (XX)	
BUILDING ( X) OBJE	CT ( ) . 26. LOCAL CONTACT PERSON OR ORGANIZATION	39. ENDANGERED? YES (XX)	
	(ES(X)	Poor Maintenance	
REGISTER ? NO ( X) ELIGIBLE ?  13. PART OF ESTAB. YES ( ) 14. DISTRICT POTENTIAL ?	NO( ) 27, OTHER SURVEYS IN WHICH INCLUDED	40. VISIBLE FROM YES (X )	
HIST. DISTRICT? NO ( X) POTENTIAL?	NO( )	PUBLIC ROAD? NO()	,
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND	
		FRONTAGE ON ROAD	
42 FURTHER DESCRIPTION OF IMPORTANT	FEATURES 2 story, 4 bay, symmetrical		9
rame duplex dwelling with hip	roof with twin front gable projec-	' РНОТО /	
	neys, string course between first	MUST	
nd second stories and wide co	rer boards on first. Two-bay porch	$\rightarrow$	:
ttached to front elevation (se	outh) has hexagonal columns that	BE	
apport entablature and hip ro-	of; railings have been removed. End	PROVIDED	
	center bays have single doors. Two		
	econd story with wood shingle walls was a shared of the same was in the same was a shared of the		
Vover-size fluted brackets.	shaped at top; projecting gable wall gable wall contains Gothic vented or	above is supported	
nd has patterned wood shingle	siding; fascia on gable is ornamente	ed with "kowblock"	
43. Building permit records	indicate construction in 1903 for ap	colicant C A Desiffor	
It has a moderate to high dec	gree of integrity and is significant	as a representation	
of Neoclassical duplex proper	ty type.		
•			4
44. DESCRIPTION OF ENVIRONMENT AND	OUTBUILDINGS		<u> </u>
In regidential neighborhand -	vith other duplex dwellings on proper	ties to west.	_
TH TESTGERCIAL HELGHDOLHCOG I	r realist to the		
		46. PREPARED BY	
45. SOURCES OF INFORMATION		Mary Jo Winder	
45. SOURCES OF INFORMATION  BP #1348, 10/3/03; site	ED TO: OFFICE OF HISTORIC PRESERVATION	46. PREPARED BY Mary Jo Winder  47. ORGANIZATION City of St. Joseph	



# MISSOURI OFFICE OF HISTORIC PRESERVATION ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
2. COUNTY		
Buchanan  3. LOCATION OF Dept. of P & Z NEGATIVES ROI1 #3-17	5. OTHER NAME(S)	
6. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION_	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES $1\frac{1}{2}$
IF CITY OR TOWN, STREET ADDRESS	17. DATE(S) OR PERIOD	29. BASEMENT? YES() NO()
1318 Penn	1899	30. FOUNDATION MATERIAL
7. CITY OR TOWN IF RURAL, VICINITY	IB. STYLE OR DESIGN	
St. Joseph  8. DESCRIPTION OF LOCATION	Vernacular/Oueen Anne/Col Re	31. WALL CONSTRUCTION Frame
Legal: Lot 5, Block 29,		32. ROOF TYPE AND MATERIAL
Patee's Addition	20. CONTRACTOR OR BUILDER	Hip/Comp. Shingle
	21. ORIGINAL USE, IF APPARENT	FRONT 3 SIDE
	Single Family Residence	34. WALL TREATMENT
	225 AMESENT USE	Clapboard  35. PLAN SHAPE Trregular
•	23. OWNERSHIP PUBLIC( )	36. CHANGES ADDITION ( )
	PRIVATE(X)	MU, 42)
	24. OWNER'S NAME AND ADDRESS IF KNOWN	MOVED ( )
9, COORDINATES UTM	Kenneth & Lori Bussell	INTERIOR
LAT Long		exterior Good
IO. SITE() STRUCT	25. OPEN TO PUBLIC? YES( )  URE( )	
	ECT ( ) 26. LOCAL CONTACT PERSON OR ORGANIZATION	39. ENDANGERED? YES (XX)
DECICTED A FIICIDIEA	YES (X)	BY WHAT? NO() Poor Maintenance
IZ PART OF SETAR VES / ) IA DISTRICT	NO( ) 27. OTHER SURVEYS IN WHICH INCLUDED YES(X)	40. VISIBLE FROM YES (X )
HIST. DISTRICT? NO ( X) POTENTIAL?	NO( )	PUBLIC ROAD ? NO ( )
15. NAME OF ESTABLISHED DISTRICT	,	41. DISTANCE FROM AND FRONTAGE ON ROAD
	·	
42. FURTHER DESCRIPTION OF IMPORTANT	12 Story, 3 Bay, asymmetri-	РНОТО
	oof, with gable roof projections,	MUST
orch attached to left and cer	and centralized brick chimneys. ter bays of front elevation (north)	
as brick pedestals with taper	ed square columns that support entab	BE
atures and hip roof; recessed	left bay contains single door, center	PROVIDED
av is projecting front gable	wing that contains picture window:	
	ramed gable contains small paired sin Right bay contains 1/1 window. All s	forget ration has plain
43. HISTORY AND SIGNIFICANCE enf		
43. HISTORY AND SIGNIFICANCE enf	right bay contains 1/1 window. All	tenestration has plain
43. HISTORY AND SIGNIFICANCE enfas fishscale shingle walls. rames with narrow cornices. 43. Building permit records	indicate construction in 1899 for app	licant, Joseph
43. HISTORY AND SIGNIFICANCE enfas fishscale shingle walls. rames with narrow cornices. 43. Building permit records Knabel; the porch received ma	indicate construction in 1899 for app jor alterations in 1920. It has a hi	licant, Joseph gh degree of architec-
43. HISTORY AND SIGNIFICANCE enforces fishscale shingle walls. rames with narrow cornices. 43. Building permit records (nabel; the porch received matural integrity and is signif	indicate construction in 1899 for app	licant, Joseph gh degree of architec-
43. HISTORY AND SIGNIFICANCE enfas fishscale shingle walls. rames with narrow cornices. 43. Building permit records Knabel; the porch received matural integrity and is signif	indicate construction in 1899 for app jor alterations in 1920. It has a hi	licant, Joseph gh degree of architec-
43. HISTORY AND SIGNIFICANCE enfas fishscale shingle walls. rames with narrow cornices. 43. Building permit records Knabel; the porch received matural integrity and is significial property type.	indicate construction in 1899 for app jor alterations in 1920. It has a hi icant as a representation of vernacul	licant, Joseph gh degree of architec-
43. HISTORY AND SIGNIFICANCE enforces fishscale shingle walls. rames with narrow cornices. 43. Building permit records Knabel; the porch received matural integrity and is significial property type.  44. DESCRIPTION OF ENVIRONMENT AND	indicate construction in 1899 for app jor alterations in 1920. It has a hi icant as a representation of vernacul	licant, Joseph gh degree of architec-
43. HISTORY AND SIGNIFICANCE enforces fishscale shingle walls. rames with narrow cornices. 43. Building permit records Knabel; the porch received matural integrity and is significial property type.  44. DESCRIPTION OF ENVIRONMENT AND	indicate construction in 1899 for app jor alterations in 1920. It has a hi icant as a representation of vernacul	licant, Joseph gh degree of architec-
43. HISTORY AND SIGNIFICANCE enfas fishscale shingle walls. rames with narrow cornices. 43. Building permit records Knabel; the porch received matural integrity and is significial property type.  44. DESCRIPTION OF ENVIRONMENT AND In residential neighborhood of	indicate construction in 1899 for app jor alterations in 1920. It has a hi icant as a representation of vernacul	licant, Joseph gh degree of architec- ar Queen Anne residen-
43. HISTORY AND SIGNIFICANCE enfas fishscale shingle walls. rames with narrow cornices. 43. Building permit records Knabel; the porch received matural integrity and is significial property type.  44. DESCRIPTION OF ENVIRONMENT AND In residential neighborhood of the country of the control of the country of the control of the country of	indicate construction in 1899 for app jor alterations in 1920. It has a hi- icant as a representation of vernacul outbuildings f cal880-1910 dwellings.	licant, Joseph gh degree of architec-
43. HISTORY AND SIGNIFICANCE enfas fishscale shingle walls. rames with narrow cornices. 43. Building permit records Knabel; the porch received matural integrity and is significial property type.  44. DESCRIPTION OF ENVIRONMENT AND In residential neighborhood of	indicate construction in 1899 for app jor alterations in 1920. It has a hi- icant as a representation of vernacul outbuildings f cal880-1910 dwellings.	licant, Joseph gh degree of architec- ar Queen Anne residen-



. NO. 190	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
Buchanan solution of Dept. of P & Z NEGATIVES Roll #3-18	3. OTHER NAME(S)	·
SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY	28. NO. OF STORIES 2
TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS	Architecture	29. BASEMENT? YES (XX)
	IT. DATE(S) OR PERIOD	NO( )
1320 Penn CITY OR TOWN IF RURAL, VICINITY	1899 18. STYLE OR DESIGN	Brick
St. Joseph	Oueen Anne/"Stick" 49	31. WALL CONSTRUCTION
. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Frame
Legal: Lot 6, Block 29,		32. ROOF TYPE AND MATERIAL
Patee's Addition	20. CONTRACTOR OR BUILDER	Hip & Gable/Comp. Shir
	21. ORIGINAL USE, IF APPARENT	FRONT A SIDE
	Single Family Residence WA	34. WALL TREATMENT
	22. PRESENT USE	
	Same	35. PLAN SHAPE Irregular
	23. OWNERSHIP PUBLIC( ) PRIVATE( X )	(EXPLAIN IN
	24. OWNER'S NAME AND ADDRESS	NO. 42) ALTERED (XX) MOVED ( )
	IF KNOWN	37. CONDITION
, COORDINATES UTM	Ronald Hoffman	INTERIOR
LAT		EXTERIOR
LONG	25. OPEN TO PUBLIC? YES( )	LINDERWAY 2
D. SITE( ) STRUCTURI Building ( $\chi$ ) object		
ON MATIONAL MEST NO IC IT MES	A/V \	BY WHAT ? NO()
REGISTER ? NO ( X) ELIGIBLE ? NO	27. OTHER SURVEYS IN WHICH INCLUDED	
3. PART OF ESTAB. YES ( ) 14. DISTRICT YES HIST. DISTRICT? NO ( Y) POTENTIAL? NO	3 (X )	40, VISIBLE FROM YES (X ) PUBLIC ROAD?
	<u> </u>	· NO( )
5. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD
2. FURTHER DESCRIPTION OF IMPORTANT FI	EATURES 2 story, 4 bay, asymmetrica	
	roof with p-ojecting front gable Left bay is part of rear portion of	PHOTO
	both stories. Second bay contains	Most
	rst story, 1/1 window on second.	
	front gable wing with camfered	PROVIDED
	able corner supports on second	PROVIDED
<del></del>		
	first story has wide window with tas paired 1/1 windows with ornament	
ornamented "stick style"	detailing and contain a small, arc	ed pediment; gable has
	cond and third bays has stone pedes	
	entablature, hip roof and open slot	
	s both stories; small porch attache	
	dicate construction in 1899 for app	
	ty and is significant as a represen	tation of Queen Anne
t has a high degree of integri		·
t has a high degree of integri esidential property type.		
t has a high degree of integri esidential property type.	TBUILDINGS	
t has a high degree of integriesidential property type.		
t has a high degree of integriesidential property type.	marily of ca1870-1900 dwellings.	
t has a high degree of integri residential property type.  44. DESCRIPTION OF ENVIRONMENT AND OUT In residential neighborhood pri		46. PREPARED BY
t has a high degree of integricesidential property type.  44. DESCRIPTION OF ENVIRONMENT AND OUT  In residential neighborhood pri  45. SOURCES OF INFORMATION	marily of ca1870-1900 dwellings.	Mary Jo Winder
t has a high degree of integricesidential property type.  44. DESCRIPTION OF ENVIRONMENT AND OUT  In residential neighborhood pri  45. SOURCES OF INFORMATION  B.P. #7125, 8/29/99; sit	marily of ca1870-1900 dwellings.	46. PREPARED BY Mary Jo Winder  47. ORGANIZATION City of St. Joseph



# MISSOURI OFFICE OF HISTORIC PRESERVATION ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

i. NO. 191	PRESENT LOCAL NAME(S) OR DESIGNATION(S)		
Buchanan  3. LOCATION OF Dept. of P & Z NEGATIVES Roll #3-19	OTHER NAME(S)		
6. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 23/2 29. BASEMENT? YES ( )	
1324 Penn 7. CITY OR TOWN IF RURAL, VICINITY	17. DATE(S) OR PERIOD  1903  18. STYLE OR DESIGN  50  71	NO( )	
St. Joseph  8. DESCRIPTION OF LOCATION Legal: Lot 7, Block 29, Patee's Addition	20. CONTRACTOR OR BUILDER  21. ORIGINAL USE, IF APPARENT Single Family Residence	31. WALL CONSTRUCTION Frame  32. ROOF TYPE AND MATERIAL Hip/Comp. Shingle  33. NO. OF BAYS FRONT 3 SIDE  34. WALL TREATMENT	PE
	22. PRESENT USE  Same  23. OWNERSHIP  PRIVATE(X)  24. OWNER'S NAME AND ADDRESS	(EMO) AIN IN	
9. COORDINATES UTM  LAT  LONG  IO. SITE() STRUCTURE	25. OPEN TO PUBLIC? YES( )	37. CONDITION INTERIOR EXTERIOR GOOD  38. PRESERVATION YES ( )	
BUILDING ( X) OBJECT  II. ON NATIONAL YES ( ) 12, IS IT YES NO ( X) ELIGIBLE? NO	( ) 26. LOCAL CONTACT PERSON OR ORGANIZATION (X) ( ) 27. OTHER SURVEYS IN WHICH INCLUDED		
13. PART OF ESTAB. YES ( ) 14. DISTRICT YES ( ) POTENTIAL? NO		PUBLIC ROAD ? NO( )  41. DISTANCE FROM AND FRONTAGE ON ROAD	
rame dwelling with hip roof with olded and dentiled frieze and porch attached to front elevation olumns, open rail with turned by olded and dentiled entablature icture windows with transoms (143. HISTORY AND SIGNIFICANCE TWO-bay ith window with transom in cent	ATURES 2½ story, 3 bay, symmetrical, a boxed cornice and hip roof dormer an corner boards. Three-bay a (north) has fluted Doric alasters and shaped, fluted rails, and hip roof. End bays contain eaded); center bay contains entry. Second story with each containing a er and narrow 1/1 windows in sides.	polyzonal bay unit Polyzonal shape	
oof line. ' 43. Building permit records in Mendell. It has a high degree	Sicate construction in 1903 for apport of architectural integrity and is sentury Classic/Neoclassical resides	licant, Dr. E.A.	
44. DESCRIPTION OF ENVIRONMENT AND OU In residential neighborhood; on	corner lot.		
<b>45. SOURCES OF INFORMATION</b> P #A984, 5/1/03; site		46. PREPARED BY Mary Jo Winder  47. ORGANIZATION	



	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
2. COUNTY  Buchanan  3. LOCATION OF Dept. of P & Z NEGATIVES Roll #3-3	5. OTHER NAME(S)	
6. SPECIFIC LEGAL LOCATION	IG. THEMATIC CATEGORY	28. NO. OF STORIES 1
TOWNSHIP RANGESECTION IF CITY OR TOWN, STREET ADDRESS	Architecture	29. BASEMENT? YES ( )
1325 Penn	17. DATE(S) OR PERIOD 1912	NO( ) 30. FOUNDATION MATERIAL
7. CITY OR TOWN IF RURAL, VICINITY	IS. STYLE OR DESIGN	Brick
St. Joseph	Bungalow 2-2	31, WALL CONSTRUCTION
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Frame 32. ROOF TYPE AND MATERIAL
Legal: Lot 16, Block 24,	20. CONTRACTOR OR BUILDER	Gable/Comp. Shingle
Patee's Addition	26	33. NO. OF BAYS
	21. ORIGINAL USE, IF APPARENT Single Family Residence Fu	FRONT 5 SIDE
	22. PRESENT USE	Stucco
	Same	35. PLAN SHAPE Irregular
	23. OWNERSHIP PUBLIC( )	36. CHANGES ADDITION ( )
	PRIVATE( $_{ m X}$ )	NO. 42) ALTERED ( )
	IF KNOWN	37. CONDITION
9, COORDINATES UTM	Charles Reed	INTERIOR
LAT		EXTERIOR GOOD
LONG  IO. SITE ( ) STRUCTION	25. OPEN TO PUBLIC? YES( )	LINDEDWAY
	ECT ( ) 26. LOCAL CONTACT PERSON OR ORGANIZATION	
DECIGRED A BUICIDIEA	YE9 (X)	BY WHAT? NO (XX)
MO ( X)	NO( ) 27. OTHER SURVEYS IN WHICH INCLUDED YES(X)	40 VICIDI E EDON VEC (V.)
HIST. DISTRICT? NO ( X)	NO( )	40. VISIBLE FROM YES (X ) PUBLIC ROAD? NO ( )
15. NAME OF ESTABLISHED DISTRICT	·	41. DISTANCE FROM AND
		41. DISTANCE FROM AND FRONTAGE ON ROAD
15. NAME OF ESTABLISHED DISTRICT	FEATURES 1 story, 5 bay, asymmetrica	FRONTAGE ON ROAD
15. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT	FEATURES 1 story, 5 bay, asymmetrica ont and side gable roof. Porch	FRONTAGE ON ROAD  PHOTO
15. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT Frame/stucco dwelling with from the stucked to center 3 bays has	ont and side gable roof. Porch open, brick railing and pedestals	PHOTO MUST
15. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT Frame/stucco dwelling with from the stacked to center 3 bays has with square corner columns that	ont and side gable roof. Porch open, brick railing and pedestals at support entablature and front gabl	FRONTAGE ON ROAD  PHOTO MUST
15. NAME OF ESTABLISHED DISTRICT  42. FURTHER DESCRIPTION OF IMPORTANT Frame/stucco dwelling with from that tached to center 3 bays has with square corner columns that coof; wall has half timbering.	ont and side gable roof. Porch open, brick railing and pedestals at support entablature and front gabl First and second bays recessed,	PHOTO MUST
42. FURTHER DESCRIPTION OF IMPORTANT Frame/stucco dwelling with from the attached to center 3 bays has with square corner columns that coof; wall has half timbering. each contains 1/1 windows; this	ont and side gable roof. Porch open, brick railing and pedestals at support entablature and front gable. First and second bays recessed, and bay has paired double hung	FRONTAGE ON ROAD  PHOTO MUST
42. FURTHER DESCRIPTION OF IMPORTANT Frame/stucco dwelling with from the attached to center 3 bays has with square corner columns that coof; wall has half timbering. Each contains 1/1 windows; this windows; fourth bay has single	ont and side gable roof. Porch open, brick railing and pedestals at support entablature and front gabl First and second bays recessed,	PHOTO MUST  BE PROVIDED
42. FURTHER DESCRIPTION OF IMPORTANT frame/stucco dwelling with from ttached to center 3 bays has with square corner columns that coof; wall has half timbering. each contains 1/1 windows; this windows; fourth bay has single	ont and side gable roof. Porch open, brick railing and pedestals at support entablature and front gable. First and second bays recessed, and bay has paired double hung a door; fifth bay is side porch with	PHOTO MUST  BE PROVIDED
42. FURTHER DESCRIPTION OF IMPORTANT Frame/stucco dwelling with from the attached to center 3 bays has with square corner columns that coof; wall has half timbering. Each contains 1/1 windows; this windows; fourth bay has single 43. HISTORY AND SIGNIFICANCE Stone coof.	ont and side gable roof. Porch open, brick railing and pedestals at support entablature and front gable First and second bays recessed, and bay has paired double hung a door; fifth bay is side porch with a (closed) railing, tapered, square contents.	PHOTO MUST BE PROVIDED olumns and side gable
42. FURTHER DESCRIPTION OF IMPORTANT Frame/stucco dwelling with from the attached to center 3 bays has with square corner columns that coof; wall has half timbering. Each contains 1/1 windows; this windows; fourth bay has single 43. HISTORY AND SIGNIFICANCE stone coof.	ont and side gable roof. Porch open, brick railing and pedestals at support entablature and front gabl First and second bays recessed, and bay has paired double hung a door; fifth bay is side porch with a (closed) railing, tapered, square cate construction in 1912 for applicant	PHOTO MUST BE PROVIDED olumns and side gable
42. FURTHER DESCRIPTION OF IMPORTANT frame/stucco dwelling with from that ached to center 3 bays has with square corner columns that coof; wall has half timbering. Each contains 1/1 windows; this windows; fourth bay has single 43. HISTORY AND SIGNIFICANCE stone coof.  Building permit records indicating a high degree of architect.	ont and side gable roof. Porch open, brick railing and pedestals at support entablature and front gable First and second bays recessed, and bay has paired double hung a door; fifth bay is side porch with a (closed) railing, tapered, square contents.	PHOTO MUST BE PROVIDED olumns and side gable
42. FURTHER DESCRIPTION OF IMPORTANT Frame/stucco dwelling with from the attached to center 3 bays has with square corner columns that coof; wall has half timbering. Each contains 1/1 windows; this windows; fourth bay has single 43. HISTORY AND SIGNIFICANCE stone coof.	ont and side gable roof. Porch open, brick railing and pedestals at support entablature and front gabl First and second bays recessed, and bay has paired double hung a door; fifth bay is side porch with a (closed) railing, tapered, square cate construction in 1912 for applicant	PHOTO MUST BE PROVIDED olumns and side gable
42. FURTHER DESCRIPTION OF IMPORTANT frame/stucco dwelling with from that ached to center 3 bays has with square corner columns that coof; wall has half timbering. Each contains 1/1 windows; this windows; fourth bay has single 43. HISTORY AND SIGNIFICANCE stone coof.  Building permit records indicating a high degree of architect.	ont and side gable roof. Porch open, brick railing and pedestals at support entablature and front gabl First and second bays recessed, and bay has paired double hung a door; fifth bay is side porch with a (closed) railing, tapered, square cate construction in 1912 for applicant	PHOTO MUST BE PROVIDED olumns and side gable
42. FURTHER DESCRIPTION OF IMPORTANT Frame/stucco dwelling with from the attached to center 3 bays has with square corner columns that coof; wall has half timbering. Each contains 1/1 windows; this windows; fourth bay has single 43. HISTORY AND SIGNIFICANCE stone coof.  Building permit records indicated as a high degree of architector bungalow property type.	ont and side gable roof. Porch open, brick railing and pedestals at support entablature and front gable. First and second bays recessed, and bay has paired double hung a door; fifth bay is side porch with a (closed) railing, tapered, square construction in 1912 for applicant astruction integrity and is significant as	PHOTO MUST BE PROVIDED olumns and side gable
42. FURTHER DESCRIPTION OF IMPORTANT Frame/stucco dwelling with from the attached to center 3 bays has with square corner columns that coof; wall has half timbering. Each contains 1/1 windows; this windows; fourth bay has single 43. HISTORY AND SIGNIFICANCE stone coof.  Building permit records indicated as a high degree of architector bungalow property type.	ont and side gable roof. Porch open, brick railing and pedestals at support entablature and front gable. First and second bays recessed, and bay has paired double hung a door; fifth bay is side porch with a (closed) railing, tapered, square construction in 1912 for applicant actural integrity and is significant as	PHOTO MUST BE PROVIDED olumns and side gable
42. FURTHER DESCRIPTION OF IMPORTANT Frame/stucco dwelling with from the attached to center 3 bays has with square corner columns that coof; wall has half timbering. Each contains 1/1 windows; this windows; fourth bay has single 43. HISTORY AND SIGNIFICANCE stone coof.  Building permit records indicated as a high degree of architector bungalow property type.	ont and side gable roof. Porch open, brick railing and pedestals at support entablature and front gable. First and second bays recessed, and bay has paired double hung a door; fifth bay is side porch with a (closed) railing, tapered, square construction in 1912 for applicant actural integrity and is significant as	PHOTO MUST BE PROVIDED olumns and side gable
42. FURTHER DESCRIPTION OF IMPORTANT Frame/stucco dwelling with from the attached to center 3 bays has with square corner columns that coof; wall has half timbering. Each contains 1/1 windows; this windows; fourth bay has single 43. HISTORY AND SIGNIFICANCE stone coof.  Building permit records indicated as a high degree of architector bungalow property type.	ont and side gable roof. Porch open, brick railing and pedestals at support entablature and front gable. First and second bays recessed, and bay has paired double hung a door; fifth bay is side porch with a (closed) railing, tapered, square construction in 1912 for applicant actural integrity and is significant as	PHOTO MUST BE PROVIDED olumns and side gable
42. FURTHER DESCRIPTION OF IMPORTANT Frame/stucco dwelling with from the attached to center 3 bays has with square corner columns that coof; wall has half timbering. Each contains 1/1 windows; this windows; fourth bay has single 43. HISTORY AND SIGNIFICANCE stone coof.  Building permit records indicated as a high degree of architector bungalow property type.	ont and side gable roof. Porch open, brick railing and pedestals at support entablature and front gable. First and second bays recessed, and bay has paired double hung a door; fifth bay is side porch with a (closed) railing, tapered, square construction in 1912 for applicant actural integrity and is significant as	PHOTO MUST BE PROVIDED olumns and side gable t, Sam Steffel. It is a representation
42. FURTHER DESCRIPTION OF IMPORTANT Frame/stucco dwelling with from the attached to center 3 bays has with square corner columns that coof; wall has half timbering. Each contains 1/1 windows; this windows; fourth bay has single 43. HISTORY AND SIGNIFICANCE stone coof.  Building permit records indicated has a high degree of architector bungalow property type.	ont and side gable roof. Porch open, brick railing and pedestals at support entablature and front gable. First and second bays recessed, and bay has paired double hung a door; fifth bay is side porch with a (closed) railing, tapered, square construction in 1912 for applicant actural integrity and is significant as	PHOTO MUST BE PROVIDED  olumns and side gable  t, Sam Steffel. It is a representation  46. PREPARED BY Mary Jo Winder
42. FURTHER DESCRIPTION OF IMPORTANT Frame/stucco dwelling with from that ached to center 3 bays has with square corner columns that coof; wall has half timbering. Each contains 1/1 windows; this windows; fourth bay has single 43. HISTORY AND SIGNIFICANCE stones coof.  Building permit records indicated as a high degree of architector bungalow property type.  44. DESCRIPTION OF ENVIRONMENT AND In residential neighborhood; of the square of the squa	ont and side gable roof. Porch open, brick railing and pedestals at support entablature and front gable. First and second bays recessed, and bay has paired double hung a door; fifth bay is side porch with a (closed) railing, tapered, square construction in 1912 for applicant actural integrity and is significant as	PHOTO MUST BE PROVIDED olumns and side gable t, Sam Steffel. It is a representation



#### OFFICE OF HISTORIC PRESERVATION MISSOURI

. NO. 126	PRESENT LOCAL NAME(S) OR DESIGNATION(S)		:
2. COUNTY	. warehouse	· · · · · · · · · · · · · · · · · · ·	:
Buchanan5.	OTHER NAME(S)		
3. LOCATION OF Dept. of P & Z NEGATIVES Roll #12-17		* .	
B. SPECIFIC LEGAL LOCATION TOWNSHIPRANGESECTION	i6. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 2	
IF CITY OR TOWN, STREET ADDRESS	17. DATE(S) OR PERIOD	29. BASEMENT? YES ( ) NO ( )	
SW corner 12th & Penn	1899	30. FOUNDATION MATERIAL	
rcity or town if rural, vicinity St. Joseph	18. STYLE OR DESIGN 40 L.A. Romanesque/Classic Revivals	Brick 31. WALL CONSTRUCTION	
B. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick	
Legal: Lots 8-10, Block 32,	20. CONTRACTOR OR BUILDER	32. ROOF TYPE AND MATERIAL Flat PR	
Patee's Addition	SP 95		
	21. ORIGINAL USE, IF APPARENT Warehouse	FRONT 18 SIDE	
	22. PRESENT USE		
	Commercial/Multi Use  23. OWNERSHIP PUBLIC(		
	PRIVATE(X	(EXPLAIN IN NO. 42) ALTERED ( )	
	24. OWNER'S NAME AND ADDRESS IF KNOWN	MOVED ( )	
9. COORDINATES UTM		INTERIOR	
LAT Long	25. OPEN TO PUBLIC? YES(	) 38. PRESERVATION YES ( )	
IO. SITE ( ) STRUCTURE		) UNDERWAY ? NO (XX)	
BUILDING ( X) OBJECT	Ed. Eddie delition   Elitable del discontinue	N 39. ENDANGERED? YES $(XX)$ BY WHAT? NO()	
	27. OTHER SURVEYS IN WHICH INCLUDED	Unsympathetic Alterat	on
I3. PART OF ESTAB. YES ( ) 14. DISTRICT YES POTENTIAL? NO	(X ) ( )	40. VISIBLE FROM YES (X ) PUBLIC ROAD ? NO ( )	
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD	
42. FURTHER DESCRIPTION OF IMPORTANT FE	ATURES 2 story, multibay, brick Lat roof, molded, brick belt course	PHOTO	
	acket patterned ornamentation and	MUST	
narrow cornice. First sto	ory openings are rectangular with	$\perp$	
	stone sills and brick lintels; n. Second story 1/1 windows are in	n PROVIDED	
	nings with brick Romanesque arches		
43. HISTORY AND SIGNIFICANCE Stone si	lls; arches spring from dentiled c	apitals between	
each opening.			
Building permit records indi	cate construction in 1899 for appl	icant R.L. McDonald.	
uilding formerly the Patee House	rt of McDonald's clothing manufact hotel (in block east of property)	uring facility in the	
architectural integrity and is	significant as a representation o	f warehouse property	
pe with Romanesque and Classic	design elements.		
·			-
	BUILDINGS		
st outside of residential area;	commercial properties on south an	d west; Patee Museum	
44. DESCRIPTION OF ENVIRONMENT AND OUT ast outside of residential area; a east sidé. 45. SOURCES OF INFORMATION		46. PREPARED BY	
st outside of residential area; east sidé.			



. NO. 203	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		
2. COUNTY Duckson	90BN0011		
Buchanan  Buchanan  Buchanan  Buchanan  Buchanan  Buchanan  Buchanan  Buchanan  Buchanan  Buchanan  Buchanan	5. OTHER NAME(S)		
SPECIFIC LEGAL LOCATION TOWNSHIP RANGESECTION	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 2	
IF CITY OR TOWN, STREET ADDRESS 901 Seneca	17. DATE(S) OR PERIOD	29. BASEMENT ? YES ( ) NO ( ) 30. FOUNDATION MATERIAL	
CITY OR TOWN IF RURAL, VICINITY St. Joseph	18. STYLE OR DESIGN Classic Revival	Brick 31. WALL CONSTRUCTION	
DESCRIPTION OF LOCATION Legal: Lot 14, Block 38,	19. ARCHITECT OR ENGINEER	Brick 32. ROOF TYPE AND MATERIAL	
Patee's Addition	20. CONTRACTOR OR BUILDER 90	Flat PE  33. No. OF BAYS	
	Multi family or boarding house	FRONT 4 SIDE 34. WALL TREATMENT	
	22. PRESENT USE Vacant	Stretcher 35. PLAN SHAPE Irregular	
·	23. OWNERSHIP PUBLIC ( ) PRIVATE(X)	36. CHANGES ADDITION ( ) (EXPLAIN IN NO. 42)	
	24. OWNER'S NAME AND ADDRESS IF KNOWN	MOVED ( )	
COORDINATES UTM	George Porr	INTERIOR Fair-Good	
LONG SITE ( ) STRUCT	URE( ) YES( )	38. PRESERVATION YES ( ) UNDERWAY ? NO (XX)	
<del></del>	ECT( ), 26. LOCAL CONTACT PERSON OR ORGANIZATION YES(X) NO( ) 27. OTHER SURVEYS IN WHICH INCLUDED	39. ENDANGERED? YES (X) BY WHAT? NO() Neglect	
PART OF ESTAB. YES ( ) 14. DISTRICT POTENTIAL?	VF9/X1	40. VISIBLE FROM PUBLIC ROAD ? NO()	
NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD	
	FEATURES 2 story, 4 bay, symmetrical, roof. Three-bay porch attached to	РНОТО	
front elevation (south) h	has brick pedestals with square wood	MUST	
	ide molded entablature on hip roof; is ca. 1910). End bays have slightly	BE	İ
	<pre>paired 1/1 windows, both stories; le doors with transoms and 1/1 windows</pre>	PROVIDED	
3. HISTORY AND SIGNIFICANCE	second; all fenestration has stone si ign on labels. Parapet brickwork form	lls and flat stone	
43. Building permit record McLealand. It has a modera	ds indicate construction in 1887 for ante to high degree of integrity due to a representation of vernacular Classic	excessive deteriora-	
•			$\vdash$
.,			
In area of commercial/resid lot; Patee Park in block to	lential mix; commercial/industrial zone o south.	e to west; on corner	
5. SOURCES OF INFORMATION		46. PREPARED BY Mary Jo Winder	<u> </u>
BP #B96, 8/22/87: site		47. ORGANIZATION	İ
RETURN THIS FORM WHEN COMPLET IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	TED TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102	City of St. Joseph 48. DATE 49. REVISION DATE(S) 7/88	



NO. 204	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
. county Buchanan		
LOCATION OF Dept. of P & Z	5. OTHER NAME(S)	
NEGATIVES RO11 #2-2		
SPECIFIC LEGAL LOCATION	IS. THEMATIC CATEGORY	28. NO. OF STORIES 1
TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS		29. BASEMENT? YES ( )
•	IT. DATE(S) OR PERIOD	No( )
905-07 Seneca FRURAL, VICINITY	1928	30, FOUNDATION MATERIAL
St. Joseph	IS. STYLE OR DESIGN Bungalow	31, WALL CONSTRUCTION
DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Frame/Brick
Legal: Lot 13, Block 38,		32. ROOF TYPE AND MATERIAL
Patee's Addition	20. CONTRACTOR OR BUILDER 63	Gable/Comp. Shingle
acce 5 Madicion		33. NO. OF BAYS FRONT 4 SIDE
	21. ORIGINAL USE, IF APPARENT Single Family Residence Lu	34. WALL TREATMENT
	22. PRESENT USE	Common Bond
	Vacant	35. PLAN SHAPE Rectangular
•	23. OWNERSHIP PUBLIC ( )	36. CHANGES ADDITION ( )
	PRIVATE(X)	- /cvov and the
	24. OWNER'S NAME AND ADDRESS	MOVED( )
	IF KNOWN	37. CONDITION
COORDINATES UTM		INTERIOR
LAT Long	or open to public o	EXTERNOR Fair
	25. OPEN TO PUBLIC? YES( )  TURE( )	38. PRESERVATION YES ( ) UNDERWAY ? NO (XX)
• • • •	JECT ( ) 26. LOCAL CONTACT PERSON OR ORGANIZATION	
ON NATIONAL YES ( ) 12, IS IT	YES (X)	BY WHAT? NO()
REGISTER ? NO ( X) ELIGIBLE ?	NO( ) 27. OTHER SURVEYS IN WHICH INCLUDED	Neglect
B. PART OF ESTAB. YES ( ) 14. DISTRICT	YES (X )	40. VISIBLE FROM YES (X )
WET DISTRICT A I POTENTIAL 2		
HIST. DISTRICT? NO ( X) POTENTIAL?	* NO( )	PUBLIC ROAD ? NO ( )
HIST. DISTRICT? NO ( X) POTENTIAL?	* NO( )	41. DISTANCE FROM AND FRONTAGE ON ROAD
HIST. DISTRICT? NO ( X) POTENTIAL?	* NO( )	41. DISTANCE FROM AND
HIST. DISTRICT? NO ( X) POTENTIAL?		41. DISTANCE FROM AND FRONTAGE ON ROAD
HIST. DISTRICT? NO ( X) POTENTIAL?  5. NAME OF ESTABLISHED DISTRICT  2. FURTHER DESCRIPTION OF IMPORTANT	FEATURES 1 story, 4 bay, symmetrical,	41. DISTANCE FROM AND FRONTAGE ON ROAD
HIST. DISTRICT? NO (X) POTENTIAL?  5. NAME OF ESTABLISHED DISTRICT  12. FURTHER DESCRIPTION OF IMPORTANT  brick veneer duplex dwellin	FEATURES 1 story, 4 bay, symmetrical, and with front gable roof. Porch	41. DISTANCE FROM AND FRONTAGE ON ROAD
5. NAME OF ESTABLISHED DISTRICT  2. FURTHER DESCRIPTION OF IMPORTANT brick veneer duplex dwelling attached to front elevation	FEATURES 1 story, 4 bay, symmetrical, and with front gable roof. Porch (south) has brick pedestals with	41. DISTANCE FROM AND FRONTAGE ON ROAD  PHOTO MUST
5. NAME OF ESTABLISHED DISTRICT  2. FURTHER DESCRIPTION OF IMPORTANT brick veneer duplex dwelling attached to front elevation tapered, square wood column	FEATURES 1 story, 4 bay, symmetrical, ng with front gable roof. Porch (south) has brick pedestals with ms that support molded entablature and	41. DISTANCE FROM AND FRONTAGE ON ROAD  PHOTO MUST
hist. District? NO(X)  5. NAME OF ESTABLISHED DISTRICT  2. FURTHER DESCRIPTION OF IMPORTANT brick veneer duplex dwellin attached to front elevation tapered, square wood column front gable roofs. Center	FEATURES 1 story, 4 bay, symmetrical, and with front gable roof. Porch (south) has brick pedestals with as that support molded entablature and two bays contain single doors; end	41. DISTANCE FROM AND FRONTAGE ON ROAD  PHOTO MUST
POTENTIAL?  5. NAME OF ESTABLISHED DISTRICT  2. FURTHER DESCRIPTION OF IMPORTANT brick veneer duplex dwellin attached to front elevation tapered, square wood column front gable roofs. Center bays contain wide 1/1 windo	FEATURES 1 story, 4 bay, symmetrical, and with front gable roof. Porch in (south) has brick pedestals with an that support molded entablature and two bays contain single doors; end ows. Gable wall has asphalt shingle	41. DISTANCE FROM AND FRONTAGE ON ROAD  PHOTO MUST  BE
ANAME OF ESTABLISHED DISTRICT  2. FURTHER DESCRIPTION OF IMPORTANT brick veneer duplex dwellin attached to front elevation tapered, square wood column front gable roofs. Center bays contain wide 1/1 windo siding and contains a three	FEATURES 1 story, 4 bay, symmetrical, and with front gable roof. Porch (south) has brick pedestals with as that support molded entablature and two bays contain single doors; end	41. DISTANCE FROM AND FRONTAGE ON ROAD  PHOTO MUST  BE
ANAME OF ESTABLISHED DISTRICT  2. FURTHER DESCRIPTION OF IMPORTANT brick veneer duplex dwelling attached to front elevation tapered, square wood column front gable roofs. Center bays contain wide 1/1 windo siding and contains a three  3. HISTORY AND SIGNIFICANCE	FEATURES 1 story, 4 bay, symmetrical, and with front gable roof. Porch in (south) has brick pedestals with as that support molded entablature and two bays contain single doors; end ows. Gable wall has asphalt shingle e-light, vertically mullioned window.	41. DISTANCE FROM AND FRONTAGE ON ROAD  PHOTO MUST  BE PROVIDED
NAME OF ESTABLISHED DISTRICT  2. FURTHER DESCRIPTION OF IMPORTANT brick veneer duplex dwellin attached to front elevation tapered, square wood column front gable roofs. Center bays contain wide 1/1 windo siding and contains a three  3. HISTORY AND SIGNIFICANCE Building permit records ind	reatures 1 story, 4 bay, symmetrical, and with front gable roof. Porch in (south) has brick pedestals with as that support molded entablature and two bays contain single doors; end ows. Gable wall has asphalt shingle e-light, vertically mullioned window.	41. DISTANCE FROM AND FRONTAGE ON ROAD  PHOTO MUST  BE PROVIDED  ant, E. Marte. It has
ANAME OF ESTABLISHED DISTRICT  2. FURTHER DESCRIPTION OF IMPORTANT brick veneer duplex dwellin attached to front elevation tapered, square wood column front gable roofs. Center bays contain wide 1/1 windo siding and contains a three  3. HISTORY AND SIGNIFICANCE Building permit records ind a moderate to high degree o	FEATURES 1 story, 4 bay, symmetrical, ng with front gable roof. Porch in (south) has brick pedestals with ins that support molded entablature and two bays contain single doors; end ows. Gable wall has asphalt shingle e-light, vertically mullioned window.  dicate construction in 1928 for applicate integrity and is significant as a reserver.	41. DISTANCE FROM AND FRONTAGE ON ROAD  PHOTO MUST  BE PROVIDED  ant, E. Marte. It has
ANAME OF ESTABLISHED DISTRICT  2. FURTHER DESCRIPTION OF IMPORTANT brick veneer duplex dwellin attached to front elevation tapered, square wood column front gable roofs. Center bays contain wide 1/1 windo siding and contains a three  3. HISTORY AND SIGNIFICANCE Building permit records ind	FEATURES 1 story, 4 bay, symmetrical, ng with front gable roof. Porch in (south) has brick pedestals with ins that support molded entablature and two bays contain single doors; end ows. Gable wall has asphalt shingle e-light, vertically mullioned window.  dicate construction in 1928 for applicate integrity and is significant as a reserver.	41. DISTANCE FROM AND FRONTAGE ON ROAD  PHOTO MUST  BE PROVIDED  ant, E. Marte. It has
NAME OF ESTABLISHED DISTRICT  2. FURTHER DESCRIPTION OF IMPORTANT brick veneer duplex dwellin attached to front elevation tapered, square wood column front gable roofs. Center bays contain wide 1/1 windo siding and contains a three Building permit records ind a moderate to high degree o	FEATURES 1 story, 4 bay, symmetrical, ng with front gable roof. Porch in (south) has brick pedestals with ins that support molded entablature and two bays contain single doors; end ows. Gable wall has asphalt shingle e-light, vertically mullioned window.  dicate construction in 1928 for applicate integrity and is significant as a reserver.	41. DISTANCE FROM AND FRONTAGE ON ROAD  PHOTO MUST  BE PROVIDED  ant, E. Marte. It has
ANAME OF ESTABLISHED DISTRICT  2. FURTHER DESCRIPTION OF IMPORTANT brick veneer duplex dwellin attached to front elevation tapered, square wood column front gable roofs. Center bays contain wide 1/1 windo siding and contains a three  3. HISTORY AND SIGNIFICANCE Building permit records ind a moderate to high degree o	FEATURES 1 story, 4 bay, symmetrical, ng with front gable roof. Porch in (south) has brick pedestals with ins that support molded entablature and two bays contain single doors; end ows. Gable wall has asphalt shingle e-light, vertically mullioned window.  dicate construction in 1928 for applicate integrity and is significant as a reserver.	41. DISTANCE FROM AND FRONTAGE ON ROAD  PHOTO MUST  BE PROVIDED  ant, E. Marte. It has
NAME OF ESTABLISHED DISTRICT  2. FURTHER DESCRIPTION OF IMPORTANT brick veneer duplex dwellin attached to front elevation tapered, square wood column front gable roofs. Center bays contain wide 1/1 windo siding and contains a three Building permit records ind a moderate to high degree o	FEATURES 1 story, 4 bay, symmetrical, ng with front gable roof. Porch in (south) has brick pedestals with ins that support molded entablature and two bays contain single doors; end ows. Gable wall has asphalt shingle e-light, vertically mullioned window.  dicate construction in 1928 for applicate integrity and is significant as a reserver.	41. DISTANCE FROM AND FRONTAGE ON ROAD  PHOTO MUST  BE PROVIDED  ant, E. Marte. It has
ANAME OF ESTABLISHED DISTRICT  2. FURTHER DESCRIPTION OF IMPORTANT brick veneer duplex dwelling attached to front elevation tapered, square wood column front gable roofs. Center bays contain wide 1/1 windo siding and contains a three  3. HISTORY AND SIGNIFICANCE  Building permit records indicating a moderate to high degree of bungalow residential proper	reatures 1 story, 4 bay, symmetrical, and with front gable roof. Porch in (south) has brick pedestals with ans that support molded entablature and two bays contain single doors; end ows. Gable wall has asphalt shingle e-light, vertically mullioned window.  Micate construction in 1928 for applicate integrity and is significant as a recty type.	41. DISTANCE FROM AND FRONTAGE ON ROAD  PHOTO MUST  BE PROVIDED  ant, E. Marte. It has
ANAME OF ESTABLISHED DISTRICT  2. FURTHER DESCRIPTION OF IMPORTANT brick veneer duplex dwelling attached to front elevation tapered, square wood column front gable roofs. Center bays contain wide 1/1 windo siding and contains a three  3. HISTORY AND SIGNIFICANCE  Building permit records indicating a moderate to high degree of bungalow residential proper	reatures 1 story, 4 bay, symmetrical, and with front gable roof. Porch in (south) has brick pedestals with ans that support molded entablature and two bays contain single doors; end ows. Gable wall has asphalt shingle e-light, vertically mullioned window.  Micate construction in 1928 for applicate integrity and is significant as a recty type.	41. DISTANCE FROM AND FRONTAGE ON ROAD  PHOTO MUST  BE PROVIDED  ant, E. Marte. It has
NAME OF ESTABLISHED DISTRICT  2. FURTHER DESCRIPTION OF IMPORTANT brick veneer duplex dwelling attached to front elevation tapered, square wood column front gable roofs. Center bays contain wide 1/1 windowsiding and contains a three siding permit records ind a moderate to high degree of bungalow residential proper	reatures 1 story, 4 bay, symmetrical, and with front gable roof. Porch in (south) has brick pedestals with ans that support molded entablature and two bays contain single doors; end ows. Gable wall has asphalt shingle e-light, vertically mullioned window.  Micate construction in 1928 for applicate integrity and is significant as a recty type.	PHOTO MUST  BE PROVIDED  ant, E. Marte. It has epresentation of
NAME OF ESTABLISHED DISTRICT  2. FURTHER DESCRIPTION OF IMPORTANT brick veneer duplex dwelling attached to front elevation tapered, square wood column front gable roofs. Center bays contain wide 1/1 windowsiding and contains a three suilding permit records ind a moderate to high degree of bungalow residential proper	FEATURES 1 story, 4 bay, symmetrical, and with front gable roof. Porch in (south) has brick pedestals with an sthat support molded entablature and two bays contain single doors; end ows. Gable wall has asphalt shingle e-light, vertically mullioned window.  Sicate construction in 1928 for applicate integrity and is significant as a restry type.	PHOTO MUST  BE PROVIDED  ant, E. Marte. It has epresentation of
A. DESCRIPTION OF ENVIRONMENT AND  In residential neighborhood faces Patee District  POTENTIAL?  POTEN	FEATURES 1 story, 4 bay, symmetrical, and with front gable roof. Porch in (south) has brick pedestals with an sthat support molded entablature and two bays contain single doors; end ows. Gable wall has asphalt shingle e-light, vertically mullioned window.  Sicate construction in 1928 for applicate integrity and is significant as a restry type.	41. DISTANCE FROM AND FRONTAGE ON ROAD  PHOTO MUST  BE PROVIDED  ant, E. Marte. It has expresentation of
A. DESCRIPTION OF ENVIRONMENT AND  In residential neighborhood faces Patee Park.	FEATURES 1 story, 4 bay, symmetrical, and with front gable roof. Porch in (south) has brick pedestals with an sthat support molded entablature and two bays contain single doors; end ows. Gable wall has asphalt shingle e-light, vertically mullioned window.  Sicate construction in 1928 for applicate integrity and is significant as a restry type.	PHOTO MUST  BE PROVIDED  ant, E. Marte. It has epresentation of
A. DESCRIPTION OF ENVIRONMENT AND In residential neighborhood faces Patee District  POTENTIAL?  POTENTA.  POTENTIAL?  POTENTIA	FEATURES 1 story, 4 bay, symmetrical, and with front gable roof. Porch in (south) has brick pedestals with an sthat support molded entablature and two bays contain single doors; end ows. Gable wall has asphalt shingle e-light, vertically mullioned window.  Sicate construction in 1928 for applicate integrity and is significant as a restry type.	41. DISTANCE FROM AND FRONTAGE ON ROAD  PHOTO MUST  BE PROVIDED  ant, E. Marte. It has expresentation of
HIST. DISTRICT? NO (X)  S. NAME OF ESTABLISHED DISTRICT  2. FURTHER DESCRIPTION OF IMPORTANT brick veneer duplex dwellin attached to front elevation tapered, square wood column front gable roofs. Center bays contain wide 1/1 windo siding and contains a three  3. HISTORY AND SIGNIFICANCE Building permit records ind a moderate to high degree o bungalow residential proper  4. DESCRIPTION OF ENVIRONMENT AND In residential neighborhood faces Patee Park.  45. SOURCES OF INFORMATION BP #5807, 7/28/28; site	FEATURES 1 story, 4 bay, symmetrical, and with front gable roof. Porch in (south) has brick pedestals with an sthat support molded entablature and two bays contain single doors; end ows. Gable wall has asphalt shingle e-light, vertically mullioned window.  Sicate construction in 1928 for applicate integrity and is significant as a restry type.	41. DISTANCE FROM AND FRONTAGE ON ROAD  PHOTO MUST  BE PROVIDED  ant, E. Marte. It has expresentation of  The on east and west;  46. PREPARED BY Mary Jo Winder



	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
Buchanan :    Buchanan	S. OTHER NAME(S)	
S SPECIFIC LEGAL LOCATION	IG. THEMATIC CATEGORY	28. NO. OF STORIES
TOWNSHIP RANGE SECTION	Architecture	29. BASEMENT? YES ( )
IF CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	NO( )
2 CITY OR TOWN IF RURAL, VICINITY	ca. 1860	Brick
St. Joseph	Vernacular 49	31. WALL CONSTRUCTION
. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick
Legal: Lot 12, Block 35,	20. CONTRACTOR OR BUILDER	32. ROOF TYPE AND MATERIAL Gable/Comp. Shingle
Patee's Addition		33. NO. OF BAYS
	21. ORIGINAL USE, IF APPARENT OB OB	FRONT 5 SIDE
	Single Family Residence 22. PRESENT USE	34. WALL TREATMENT Painted
	Same	35. PLAN SHAPE "L"
•	23. OWNERSHIP PUBLIC (	36. CHANGES ADDITION ( )
	PRIVATE(X	NO. 42) ALTERED (XX)
	24. OWNER'S NAME AND ADDRESS IF KNOWN	MOVED ( )
COORDINATES UTM		INTERIOR
LAT		EXTERMOR Fair-Good
LONG O. SITE ( ) STRUCTURE		
BUILDING ( X) OBJECT  1. ON NATIONAL YES ( ) 12, IS IT YES	2/XX	39. ENDANGERED? YES ( ) BY WHAT? NO (XX)
REGISTER ? NO ( X) ELIGIBLE ? NO ( X)  3. PART OF ESTAB. YES ( ) HIST. DISTRICT ? NO ( Y)		40. VISIBLE FROM YES (X )
	o( )	PUBLIC ROAD ? NO ( )
5. NAME OF ESTABLISHED DISTRICT	•	41. DISTANCE FROM AND FRONTAGE ON ROAD
12. FURTHER DESCRIPTION OF IMPORTANT FO	EATURES 1 story, 5 bay, asymmetrical f and internally placed stuccop	РНОТО
covered brick chimneys. Left has been altered; window open that contains a single light lights; small brick-framed di bay contains 1/1 window; porc	ing has been reduced to an opening fixed window with small 1/1 side-amond opening in gable wall. Secon h attached to bay has wood post	d PROVIDED
covered brick chimneys. Left has been altered; window open that contains a single light lights; small brick-framed di bay contains 1/1 window; porces.  43. HISTORY AND SIGNIFICANCE suppopening has simple brick hoods.	ing has been reduced to an opening fixed window with small 1/1 side-amond opening in gable wall. Secon h attached to bay has wood post	bay contains 1/1 window room addition to
covered brick chimneys. Left has been altered; window open that contains a single light lights; small brick-framed di bay contains 1/1 window; porcess. HISTORY AND SIGNIFICANCE suppopening has simple brick hoods side wing; they contain a sing attached to addition.  43. There are no building perfeatures indicate a ca 1860 cereatives.	ing has been reduced to an opening fixed window with small 1/1 side-amond opening in gable wall. Secon h attached to bay has wood post orts and open slat railing. Thrid mold. Fourth and Fifth bays are in	bay contains 1/1 window room addition to orch with shed roof however, stylistic to high degree
covered brick chimneys. Left has been altered; window open that contains a single light lights; small brick-framed di bay contains 1/1 window; porcess. HISTORY AND SIGNIFICANCE suppopening has simple brick hoods side wing; they contain a singulation.  43. There are no building perfeatures indicate a ca 1860 confinitegrity and is significant property type.	ing has been reduced to an opening fixed window with small 1/1 side- amond opening in gable wall. Secon h attached to bay has wood post orts and open slat railing. Thrid mold. Fourth and Fifth bays are in gle door and a 2/2 window; simple p rmits of record for this dwelling; honstruction date. It has a moderate	bay contains 1/1 window room addition to orch with shed roof however, stylistic to high degree
covered brick chimneys. Left has been altered; window open that contains a single light lights; small brick-framed di bay contains 1/1 window; porcess. HISTORY AND SIGNIFICANCE suppopening has simple brick hoods side wing; they contain a sine attached to addition.  43. There are no building perfeatures indicate a ca 1860 confinite of integrity and is significant property type.	ing has been reduced to an opening fixed window with small 1/1 side- amond opening in gable wall. Secon h attached to bay has wood post orts and open slat railing. Thrid mold. Fourth and Fifth bays are in gle door and a 2/2 window; simple p rmits of record for this dwelling; honstruction date. It has a moderate int as a representation of mid 19th of	bay contains 1/1 window room addition to orch with shed roof however, stylistic to high degree century vernacular
covered brick chimneys. Left has been altered; window open that contains a single light lights; small brick-framed di bay contains 1/1 window; porcess. HISTORY AND SIGNIFICANCE suppopening has simple brick hoods side wing; they contain a sine attached to addition.  43. There are no building perfeatures indicate a ca 1860 confinite of integrity and is significant property type.  44. DESCRIPTION OF ENVIRONMENT AND OUT In residential neighborhood; of the sidential	ing has been reduced to an opening fixed window with small 1/1 side- amond opening in gable wall. Secon h attached to bay has wood post orts and open slat railing. Thrid mold. Fourth and Fifth bays are in gle door and a 2/2 window; simple p rmits of record for this dwelling; honstruction date. It has a moderate nt as a representation of mid 19th of TRBUILDINGS	bay contains 1/1 window room addition to orch with shed roof nowever, stylistic to high degree century vernacular
covered brick chimneys. Left has been altered; window open that contains a single light lights; small brick-framed di bay contains 1/1 window; porcess. HISTORY AND SIGNIFICANCE suppopening has simple brick hoods side wing; they contain a sine attached to addition.  43. There are no building perfeatures indicate a ca 1860 confinite of integrity and is significant property type.	ing has been reduced to an opening fixed window with small 1/1 side- amond opening in gable wall. Secon h attached to bay has wood post orts and open slat railing. Thrid mold. Fourth and Fifth bays are in gle door and a 2/2 window; simple p rmits of record for this dwelling; honstruction date. It has a moderate nt as a representation of mid 19th of TRBUILDINGS	bay contains 1/1 window room addition to orch with shed roof nowever, stylistic e to high degree century vernacular



I. NO. 114	4. PRE	SENT LOCAL NAME(S) OR DESIGNATION(S)		;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;
2. COUNTY	┪			O
3. LOCATION OF Dept. of P & Z NEGATIVES Roll #5-8	5. OT	HER NAME(S)		
6. SPECIFIC LEGAL LOCATION		16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES	<u>i,</u>
TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS		17. DATE(S) OR PERIOD	29. BASEMENT? YES ( ) NO( )	COUNTY
807 Vine			30. FOUNDATION MATERIAL	7
7. CITY OR TOWN IF RURAL, VICINITY St. Joseph		18. STYLE OR DESIGN	31. WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION  Legal: Dart of Lot 9 PI		19. ARCHITECT OR ENGINEER	32. ROOF TYPE AND MATERIAL	
Legal: Part of Lot 8, Bl 8, Patee's Addition	ock	20. CONTRACTOR OR BUILDER	BAP GR	
		21. ORIGINAL USE, IF APPARENT	FRONT SIDE	4.
		OLF)	84. WALL TREATMENT	PRESENT
		22. PRESENT USE	35. PLAN SHAPE LS	
		23. OWNERSHIP PUBLIC( ) PRIVATE(X)	(EXPLAIN IN	LOCAL
		24. OWNER'S NAME AND ADDRESS IF KNOWN	MOVED()	NA
9. COORDINATES UTM		Clarence E. Cole	37. CONDITION INTERIOR EXTERNOR.	NAME(S)
LONG	TURE( )	25. OPEN TO PUBLIC? YES( )	38. PRESERVATION YES ( )	OR DE
II. ON NATIONAL YES ( ) 12, IS IT	YES(X)		39. ENDANGERED? YES( ) BY WHAT? NO( )	DESIGNATION(S)
IN DART OF FEYAR VER ( ) IA DISTRICT	NO( ) YES(X)		40. VISIBLE FROM YES (X )	ON (S)
HIST. DISTRICT? NO ( X) POTENTIAL	<sup>7</sup> NO( )	4	PUBLIC ROAD ? NO()	
IS. NAME OF ESTABLISHED DISTRICT	•		FRONTAGE ON ROAD	
42. FURTHER DESCRIPTION OF IMPORTANT	FEATUR	RES	PHOTO MUST	5. OTHER N
			BE	NAME (S
			PROVIDED	(8)
43. HISTORY AND SIGNIFICANCE				
Noncontributing.				1
				ā
				TOWNSHIP
				HSH
44. DESCRIPTION OF ENVIRONMENT AND	OUTBUIL	DINGS		,
passini iisi vi airinvimaii. Air	- 5 , 5 0 16	,		XANGE
45. SOURCES OF INFORMATION	<del></del>		46. PREPARED BY Mary Jo Winder	_
No relevent building permit.		47. ORGANIZATION	250	
		: OFFICE OF HISTORIC PRESERVATION	City of St. Joseph	SECTION
IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	•	P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102	48. DATE 49. REVISION DATE(\$)	•



. NO. 113	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
. COUNTY		
s. LOCATION OF Dept. of P & Z	5. OTHER NAME(S)	
NEGATIVES ROLL #5-7		
S. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES
IF CITY OR TOWN, STREET ADDRESS	17. DATE(S) OR PERIOD	29. BASEMENT ? YES ( ) NO ( )
815 Vine		30. FOUNDATION MATERIAL
city or town if rural, vicinity St. Joseph	18. STYLE OR DESIGN	31, WALL CONSTRUCTION
B. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	wu
Legal: Part of Lot 11, Blo	ck 8,	32. ROOF TYPE AND MATERIAL BOOK
Patee's Addition		33. NO. OF BAYS
	21. ORIGINAL USE, IF APPARENT OB	FRONT SIDE
	22. PRESENT USE	99
		35. PLAN SHAPE AS
		BLIC() 36. CHANGES ADDITION() VATE(X) NO. 42) ALTERED()
	24. OWNER'S NAME AND ADDRESS	MOVED( )
O. COORDINATES UTM	Edward H. Schellhorn	37. CONDITION INTERIOR
LAT		EXTERIOR
	25. OPEN TO PUBLIC?	YES() 38. PRESERVATION YES() NO(X) UNDERWAY? NO()
	ECT( ). 26. LOCAL CONTACT PERSON OR ORGA	RY WHAT 2
I. ON NATIONAL YES ( ) 12. IS IT REGISTER? NO ( X) ELIGIBLE?	NO( ) 27. OTHER SURVEYS IN WHICH INCLU	
3. PART OF ESTAB. YES ( ) 14. DISTRICT POTENTIAL?	YES(X)	40. VISIBLE FROM YES (X ) PUBLIC ROAD? NO()
5. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND
	, in the second second	FRONTAGE ON ROAD
42. FURTHER DESCRIPTION OF IMPORTANT	FEATURES	
•		PHOTO
		1001
		BE
		PROVIDED
43. HISTORY AND SIGNIFICANCE		
Noncontributing.		1
		·
44. DESCRIPTION OF ENVIRONMENT AND	OUTBUILDINGS	
BP #5567, 6/20/01; site		
45. SOURCES OF INFORMATION		46. PREPARED BY
		Mary Jo Winder
DETIION THIS EARN WHEN CAMPIE	ED TO: OFFICE OF HISTORIC PRESERVAT	
		48, DATE 49, REVISION DATE(S)



#### OFFICE OF HISTORIC PRESERVATION MISSOURI

I. NO. 95	4. PRE	SENT LOCAL NAME(S) OR DESIGNATION(S)		
2. COUNTY Bughanan	┤		· .	
Buchanan  3. Location of Dept. of P & Z NEGATIVES Roll #12-24	5. OT	HER NAME(S)		
6. SPECIFIC LEGAL LOCATION		IG. THEMATIC CATEGORY	28. NO. OF STORIES	
TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS		Architecture  17. DATE(S) OR PERIOD	29. BASEMENT? YES ( )	
816-818 Vine		1909	30. FOUNDATION MATERIAL	
7. CITY OR TOWN IF RURAL, VICINITY St. Joseph		18. STYLE OR DESIGN	31. WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION		Colonial Revival/Vernacular  19. ARCHITECT OR ENGINEER	Frame	
Legal: Lot 4, Block 8, Pat	cee's		32. ROOF TYPE AND MATERIAL	D
Addition		20. CONTRACTOR OR BUILDER	Hip/Comp. Shingle 33. No. OF BAYS	- 60
	1	21. ORIGINAL USE, IF APPARENT Duplex OB	FRONT 3 SIDE	
		22. PRESENT USE	WALL TREATMENT Vinyl Siding	
		Same	35. PLAN SHAPE Rectangul	ar
		23. OWNERSHIP PUBLIC( ) PRIVATE( $\chi$ )	(EXPLAIN IN	l
		24. OWNER'S NAME AND ADDRESS	NO. 42) ALTERED (XX)	
		IF KNOWN	37. CONDITION	i
9, COORDINATES UTM			INTERIOR_Fair-Good	
LONG		25. OPEN TO PUBLIC? YES( )	38. PRESERVATION YES ( )	
* *	TURE( ) Ject( )	NO(X)  26. LOCAL CONTACT PERSON OR ORGANIZATION	, NO ( /	
II. ON NATIONAL YES ( ) 12. IS IT	YES(X)		BY WHAT? NO XX)	
IT PART OF FETAR VER / ) IA DISTRICT	VEG (X )	27. OTHER SURVEYS IN WHICH INCLUDED	40, VISIBLE FROM YES (X )	
HIST. DISTRICT? NO ( X)	<sup>?</sup> NO( )		PUBLIC ROAD ? NO ( )	
15. NAME OF ESTABLISHED DISTRICT	,		41. DISTANCE FROM AND FRONTAGE ON ROAD	
42. FURTHER DESCRIPTION OF IMPORTANT	FEATUR	2 story, 3 bay, symmetrical		┢
		h hip roof with hip roof dormer.	РНОТО	
		cont elevation (east) have brick	MUST	
		and hip roofs; bays contain sin-		i
		t bay, small single light window second story. Center bay contain		
		has small, paired, square window	T /	
43. HISTORY AND SIGNIFICANCE				
Building permit records indic	cate c	onstruction in 1909 for applicant	t, Leona E. Schall.	ı
It has a moderate degree of i	integr	ity and is moderately significant	t as a representation	-
pf vernacular Colonial Reviva	ar dup.	lex property type.		1
•				-
44. DESCRIPTION OF ENVIRONMENT AND	OUTBUIL	DINGS	<del></del>	1
In residential neighborhood;	vacan	t lots to north.		
45. SOURCES OF INFORMATION			46, PREPARED BY	1-
BP# 6029, 8/16/09; site			Mary Jo Winder	
RETURN THIS FORM WHEN COMPLE	TED TO	OFFICE OF HISTORIC PRESERVATION	City of St. Joseph	j
•	, 0	P.O. BOX 176	48. DATE 49. REVISION DATE(S)	1
IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM		JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	7/88	I



I. NO. 112	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		
2. COUNTY			ŏ
3. LOCATION OF Dept. of P & Z	5. OTHER NAME(S)		
NEGATIVES Roll #5-5			
6. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES	Ņ
IF CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	29. BASEMENT? YES( ) No( )	COUNTY
81 <b>7</b> Vine		30. FOUNDATION MATERIAL	NTY
7. CITY OR TOWN IF RURAL, VICINITY St. Joseph	18. STYLE OR DESIGN	31. WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION	IS. ARCHITECT OR ENGINEER	- OL	
Legal: Part of Lot 11, Blo	ck 8,	32. ROOF TYPE AND MATERIAL	
Patee's Addition	20. CONTRACTOR OR BUILDER	33. NO. OF BAYS	
	21. ORIGINAL USE, IF APPARENT	FRONT SIDE	79 20
	22. PRESENT USE	34. WALL TREATMENT	PRESENT
	EL TRESERT OSE	36. PLAN SHAPE TS	
	23. OWNERSHIP PUBLI PRIVAT	C( ) 36. CHANGES ADDITION( )	LOCAL
	24. OWNER'S NAME AND ADDRESS	NO. 42) ALTERED ( ) MOVED ( )	
	IF KNOWN	37. CONDITION	NAME(S)
9, COORDINATES UTM	Michael Patterson	INTERIOR	
LONG	•	S( ) 38. PRESERVATION YES( ) O(X ) UNDERWAY? NO( )	OR DE
	CT( ) 26. LOCAL CONTACT PERSON OR ORGANIZ	ATION 39. ENDANGERED? YES( )	SIGN
II. ON NATIONAL YES ( ) 12, IS IT NO ( X) ELIGIBLE?	YES (X) NO( ) 27, OTHER SURVEYS IN WHICH INCLUDE	BY WHAT? NO()	DESIGNATION(5)
IT DARK OF FOTAR MED / ) IA DISTRICT	/Fe/Y \	40, VISIBLE FROM YES (X )	N (S)
HIST. DISTRICT? NO ( X) POTENTIAL?	NO( ),	PUBLIC ROAD ? NO ( )	
15. NAME OF ESTABLISHED DISTRICT		FRONTAGE ON ROAD	
42. FURTHER DESCRIPTION OF IMPORTANT	FFATILITE		0
TE. FORTHER DESCRIPTION OF IMPORTANT	TEATORES	РНОТО	
		MUST	OTHER
			3
		PROVIDED	NAME (S)
		PROVIDED	9)
43. HISTORY AND SIGNIFICANCE			
Name and the state of the state		ı	
Noncontributing.		1	
		1	o. TOWNORIN
		I	770
			1 1
•			
44. DESCRIPTION OF ENVIRONMENT AND	OUTBUILDINGS		3
			72795
45. SOURCES OF INFORMATION		46. PREPARED BY Mary Jo Winder	
BP #6338, 8/29/98; site		47. ORGANIZATION	6
RETURN THIS FORM WHEN COMPLET	ED TO: OFFICE OF HISTORIC PRESERVATIO	N City of St. Joseph	00000
	P.O. BOX 176	48, DATE 49, REVISION DATE(S)	•



		``\
LOCATION OF Dept. of P & Z	OTHER NAME(S)	
NEGATIVES RO11 #5-4	LIC TURNATIO CATEGORY	
TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 2 29. BASEMENT? YES()
IF CITY OR TOWN, STREET ADDRESS 819 Vine	17. DATE(S) OR PERIOD 1892	NO( ) 30. FOUNDATION MATERIAL
city or town if RURAL, VICINITY St. Joseph	IB. STYLE OR DESIGN  Vernacular/Col. Revival	31. WALL CONSTRUCTION
B. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Frame 32. ROOF TYPE AND MATERIAL
Legal: Part of Lot 11, Block 8, Patee's Addition	20. CONTRACTOR OR BUILDER	Hip/Comp. Shingle
	21. ORIGINAL USE, IF APPARENT	33. NO. OF BAYS FRONT 3 SIDE
	Single Family Residence	34. WALL TREATMENT
	22. PRESENT USE	Ashestos Shingle
	Same (J) PUBLIC( )	36. PLAN SHAPE Trregular 36. CHANGES ADDITION( )
	PRIVATE(X)	(EXPLAIN IN NO. 42) ALTERED ( )
	24. OWNER'S NAME AND ADDRESS IF KNOWN	MOVED ( )
, COORDINATES UTM	Michael Patterson	INTERIOR
LAT LONG		EXTERMOR Fair
o, SITE( ) STRUCTURE(		UNDERWAY ? NO (XX)
BUILDING ( X) OBJECT (		RY WHAT 2
REGISTER ? NO ( X) ELIGIBLE ? NO (	) 27. OTHER SURVEYS IN WHICH INCLUDED	Poor Maintenance NO()
3. PART OF ESTAB. YES ( ) 14. DISTRICT YES ( POTENTIAL.? NO ( X)	X)	40. VISIBLE FROM YES (X ) PUBLIC ROAD?
5. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND
	· •	FRONTAGE ON ROAD
42. FURTHER DESCRIPTION OF IMPORTANT FEA	TURES 2 story, 3 bay, asymmetrical,	
	oof. Wrap around porch attached t	d Photo
	Tuscan columns that support	MUST
	ft bay has paired 1/1 windows on	25
	ssed rear/side wing wall with 1/1	PROVIDED
narrow cornices.	nestration has plain frames with	
43. HISTORY AND SIGNIFICANCE		
Building permit records indicate	e construction in 1892 for applican	t Alex Johnson
It has a moderate degree of inte	egrity and is significant as a repr	resentation of verna-
cular Colonial Revival residenti	al property type.	i
		. · · · · · · · · · · · · · · · · · · ·
·		
44. DESCRIPTION OF ENVIRONMENT AND OUT	BUILDINGS	
In residential neighborhood prim	marily of cal870-1900 dwellings.	
45. SOURCES OF INFORMATION		46. PREPARED BY
ת ביי ביין מיין מיין מיין מיין מיין מיין		Mary Jo Winder
B.P. #1974, 3/3/92; site		47. ORGANIZATION



# MISSOURI OFFICE OF HISTORIC PRESERVATION ARCHITECTURAL CHISTORIC INVENTORY CHISTORIC PRESERVATION

I. NO. 99	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
2. COUNTY		
Buchanan  3. Location of Dept. of P & Z NEGATIVES Roll #12-25	5. OTHER NAME(S)	
6. SPECIFIC LEGAL LOCATION	IS. THEMATIC CATEGORY	28. NO. OF STORIES
TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS	Architecture  17. DATE(S) OR PERIOD	29. BASEMENT? YES ( ) NO ( )
820 Vine	1910	30. FOUNDATION MATERIAL
7. CITY OR TOWN IF RURAL, VICINITY St. Joseph	18. STYLE OR DESIGN Colonial Revival	Brick 31. WALL CONSTRUCTION
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Frame
Legal: Lot 3, Block 8,	20. CONTRACTOR OR BUILDER	32. ROOF TYPE AND MATERIAL Gambrel/Comp. Shingle
Patee's Addition	20. CONTRACTOR OR BUILDER	33. NO. OF BAYS
	21. ORIGINAL USE, IF APPARENT Single Family Residence	FRONT 3 SIDE
	22. PRESENT USE	Clapboard
	Same	35. PLAN SHAPE Rectangular
	23. OWNERSHIP PUBLIC( ) PRIVATE( $_{ m X}$ )	
	24. OWNER'S NAME AND ADDRESS	MOVED( )
9. COORDINATES UTM	Milton Williams	37. CONDITION INTERIOR.
LAT		EXTERMOR Fair-Good
IO. SITE ( ) STRUCTUR	25. OPEN TO PUBLIC? YES( ) NO(X)	LINE COMAY 6
BUILDING ( X) OBJECT OF THE STATE OF THE STA	$T(\ )$ 26. Local contact person or organization $S(X)$	39. ENDANGERED? YES( ) BY WHAT? NO $(XX)$
DEGICTED 2 ELICIDIE 2	O( ) 27. OTHER SURVEYS IN WHICH INCLUDED	, NO (XX)
I3. PART OF ESTAB. YES ( ) I4. DISTRICT YE POTENTIAL?	ES(X)	40. VISIBLE FROM YES(X) PUBLIC ROAD? NO()
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD
	TEATURES $1\frac{1}{2}$ story, 3 bay, asymmetrical	РНОТО
roof dormers. Verenda with br	orel roof with side elevation gable	MUST
	levation has been enclosed with brich	$\langle \rangle$
and bands of windows; off-cent	er entry bay has single door with	BE
	ins grouping of three 1/1 windows,	PROVIDED
center taller than those flank 43. HISTORY AND SIGNIFICANCE	ang.	
	o construction in 1010 for anni-	C D III al-a Ti
	e construction in 1910 for applicant rity and is significant as a represe	
Colonial Revival residential pr		neadien of Bucch
		1
		ı
		· L
44. DESCRIPTION OF ENVIRONMENT AND O	UTBUILDINGS	
n residential neighborhood		
		1
<b>45. SOURCES OF INFORMATION</b> BP #5989, 9/16/10; site		46. PREPARED BY Mary Jo Winder
		47. ORGANIZATION
RETURN THIS FORM WHEN COMPLETE	D TO: OFFICE OF HISTORIC PRESERVATION	City of St. Joseph 48. DATE 49. REVISION DATE(S)
IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	P.O. BOX 176 Jefferson City, Missouri 65102 Ph. 314-751-4096	7/88 49. REVISION DATE(S)



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

. NO. 110	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
Buchanan  3. LOCATION OF Dept. of P & Z NEGATIVES ROll #5-1&2	5. OTHER NAME(S)	
S. SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES
TOWNSHIPRANGESECTION IF CITY OR TOWN, STREET ADDRESS 823 Vine	IT. DATE(S) OR PERIOD Ca1880	29. BASEMENT ? YES ( ) NO ( )  30. FOUNDATION MATERIAL
city or town   IF RURAL, VICINITY   St. Joseph	18. STYLE OR DESIGN Oueen Anne/Vernacular	Brick 31. WALL CONSTRUCTION
DESCRIPTION OF LOCATION Legal: Part of Lot 11, Blo 8, Patee's Addition	19. ARCHITECT OR ENGINEER	Brick  32.ROOF TYPE AND MATERIAL Hip/Comp. Shingle  33.NO. OF BAYS
	21. ORIGINAL USE, IF APPARENT Single Family Residence	FRONT 6 SIDE
	22. PRESENT USE Same	Stretcher/Painted  35. PLAN SHAPETrregular
	23. OWNERSHIP PUBLIC( ) PRIVATE(X)	tentent and the
	24. OWNER'S NAME AND ADDRESS IF KNOWN	MOVED ( )
COORDINATES UTM	Stephan Lawhon, et al	INTERIORGOOD
LONG  SITE ( ) STRUCTU		UNDERWAY ? NO (XX)
ON NATIONAL YES ( ) 12. IS IT Y	ET( ) 26. LOCAL CONTACT PERSON OR ORGANIZATION	39. ENDANGERED? YES (XX) BY WHAT? NO() Poor Maintenance
NO ( A)	10(_) 27. OTHER SURVEYS IN WHICH INCLUDED ES(X)	40. VISIBLE FROM YES (X ) PUBLIC ROAD? NO ( )
5. NAME OF ESTABLISHED DISTRICT	,	41. DISTANCE FROM AND FRONTAGE ON ROAD
brick dwelling with truncated frieze and brick water table portion and contains a 1/1 wind and brick lintel (typical). form polyzonal bay unit with window. Fifth and sixth bays as history and significance porchathey contain a single door was	hip and hip roof forms, plain Left bay is west wall of rear ndow within opening with stone sill Second, third, and fourth bays hip roof, each bay has typical recessed under flat roof corner with square corner columns and wrou th transom and typical window.	BE PROVIDED ght iron railing;
1887; however, stylistic fea	record is for a wood shed for application indicate a calabol construction ignificant as a representation of tracty type.	date. It has a high
	UTDUU DINGE	·
In residential neighborhood.	UTBUILDING\$	
\$5. SOURCES OF INFORMATION		46. PREPARED BY
BP #31, 3/14/87; site; 1888 S	anborn map	Mary Jo Winder  47. ORGANIZATION
RETURN THIS FORM WHEN COMPLET  F ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	D TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	City of St. Joseph 48. DATE 49. REVISION DATE(S) 7/88





MISSOURI OFFICE OF HISTORIC PRESERVATION

ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

COUNTY   Buchanan	No. 109	RESENT LOCAL NAME(S) OR DESIGNATION(S)		
STRUCTURE   STRU	Duchanan			
TOWNSHIP ANNE SECTION FOR THE CITY OR TOWN, STREET ADDRESS (C. 1.870/1910 C. 1.870/191	LOCATION OF Dept. of P & Z	THER NAME(S)		
To Date(s) or Period   Sale Vine   Sale		16. THEMATIC CATEGORY		
CORDINATES LONG SITE() STRUCTURE() SITE() STRUCTURE() SULDING(Y) ORGATION (S. 45')  ON NATIONAL VS. () IS 1/4 VS. () () IS 1/4 VS. () () POTENTIAL NO. () POTEN				
St. Joseph  Description of Location  Legal: Lot 12, Block 8, Patee's Addition (S. 45')  20. CONTRACTOR OR BUILDER  21. ORIGINAL USE, IF APPARENT Single Family Residence (JA)  22. ORIGINAL USE, IF APPARENT Single Family Residence (JA)  23. OWNERSHIP PUBLIC() SAME  24. OWNER'S PUBLIC() PRIVATE()  25. OWNER'S PUBLIC()  8ULDING()  8	<del> </del>			
DESCRIPTION OF LOCATION Legal: Lot 12, Block 8, Patee's Addition (S. 45')  20. CONTRACTOR OR BUILDER  21. ORIGINAL USE, IF APPARENT Single Family Residence (LA)  22. ORIGINAL USE, IF APPARENT Single Family Residence (LA)  23. OWNERSHIP PUBLIC () PRIVATE(X)  24. OWNER'S NAME AND ADDRESS IF KNOWN  Clarence L. Hewitt  25. OPEN TO PUBLIC?  SITE() STRUCTURE() BUILDING (X) ELIGIBLE? NO() ON NATIONAL YES()   12. IS IT, YES()   25. LOCAL CONTACT PERSON OR ORGANIZATION ON NATIONAL YES()   12. IS IT, YES()   27. OTHER SURVEYS IN WHICH INCLUDED  PART OF ESTABLISHED DISTRICT  FURTHER DESCRIPTION OF IMPORTANT FEATURES 2 Story, 5 bay, asymmetrical frame dwelling with mansard roof with boxed, bracketed lower cornice with dentils below and heavy, molded top cornices. Left two bays contain 2/2 windows within arched openings. Third bay has door with transom: Wood frames are shapted, top and bottom of sides. Recessed fourth bay contains single door with transom. Fifth bay is one side of first story, polyzonal  INSTRUCT 1910, attached to front and wraps onto south elevation to shelter fourth bay; Titscan columns. Flat roof downers (3) have molded cornices and contain 2/2 windows. 43. Building permit records indicate construction phases in 1901 for Edgar Sleppy and in 1910 for Judge C. Sleppy; however, stylistic features are of a cal870 original construction period. It has a high degree of integrity and is significant as a representation of 2nd Empire residential property type.  DESSCRIPTION OF ENVRONMENT AND OUTBUILDINGS  In residential neighborhood; on corner lot; neighborhood commercial building on corner to West.		18. STYLE OR DESIGN 2nd Empire/Vernacular 43	31. WALL CONSTRUCTION	
Patee's Addition (S. 45')  Patee's Addition (S. 45')  Patee's Addition (S. 45')  20. ORIGINAL USE, IF APPARENT Single Family Residence (JA)  22. PRESENT USE  Same  23. OWNERSHIP PUBLIC()  24. OWNER'S NAME AND ADDRESS IF KNOWN  COORDINATES  LAT  LAT  LONG  SITE() STRUCTURE()  BUILDING() STRUCTURE()  SULDING() STRUCTURE()  ON NATIONAL YES()   12. IS IT YES(X)  NO(X)   14. DISTRICT YES(X)  NIST DISTRICT NO(X)   14. DISTRICT YES(X)  NIST DISTRICT NO(X)   15. DISTRICT YES(X)  NIST DISTRICT NO(X)   14. DISTRICT YES(X)  NIST DISTRICT NO(X)   15. DISTRICT YES(X)  NAME OF ESTABLISHED DISTRICT  PURTHER DESCRIPTION OF IMPORTANT FEATURES 2 story, 5 bay, asymmetrical frame dwelling with mansard roof with boxed, bracketed lower cornice with dentils below and heavy, molded top cornices. Let two bays contain 2/2 windows within arched openings. Third bay has door with transom, wood frames are shapted, top and bottom of sides. Recessed fourth bay contains single door with transom. Fifth bay is one side of first story, polyzonal bay; Tuscan columns. Flat roof dormers (3) have molded cornices and contain 2/2 windows; paneling below. Colonial Revival porch, probably constructed wither hay; Tuscan columns. Flat roof dormers (3) have molded cornices and contain 2/2 windows. 43. Building permit records indicate construction phases in 1901 for Edgar Provided to front and wraps onto south elevation to shelter fourth bay; Tuscan columns. Flat roof dormers (3) have molded cornices and contain 2/2 windows. 43. Building permit records indicate construction phases in 1901 for Edgar or representation of 2nd Empire residential property type.  DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  In residential neighborhood; on corner lot; neighborhood commercial building on corner to west.			Frame	
Patee's Addition (S. 45')  21. ORIONAL USE, IF APPARENT Single Family Residence (L) A  22. PRESENT USE Same 35. PLAN SHAPE TYREQUIAR SAME AND ADDRESS (CAPAGES) ADDITION () (CAPAGE) PROVIDE () (CAPAGE) PROVI	Legal: Lot 12, Block 8,	20 CONTRACTOR OR BUILDER	-41	DY
Single Family Residence (LA)  22. PRESENT USE Same  23. OWNERSHIP PUBLIC() PRIVATE(X) PROBLET PROBLET PROVIDED  PROVIDED  PROVIDED  PHOTO PROVIDED  PHOTO PROVIDED  PHOTO PROVIDED  PHOTO PROVIDED  PRO	Patee's Addition (S. 45')	20. CONTRACTOR OR BUILDER	33. NO. OF BAYS	
CORDINATES   UTM   Clarence L. Hewitt   Clarence L. Hewitt   Some   Singer   PRIVATE   Clarence D. Hewitt   Some   Some   Coordinates   Some   Private   Some   Clarence D. Hewitt   Some   Clarence		21. ORIGINAL USE, IF APPARENT Single Family Residence LUA		
Same 23. OWNERSHIP PUBLIC   PRIVATE(X) 23. OWNERSHIP PUBLIC   PRIVATE(X) 24. OWNER'S NAME AND ADDRESS   F. KERPLAIN NAME AND				
PRIVATE(X)   No. 42   ALTERED (XX MOVED)			35. PLAN SHAPE Irregular	
COGROINATES LAT LAT LONG  SITE ( ) STRUCTURE( )  BUILDING ( X)  OBJECT ( )  OBJECT ( )  OBJECT ( )  OBJECT ( )  STRUCTURE( )  OBJECT ( )			PAN AIN IN	
CORDINATES LAT LAT  Clarence L. Hewitt  Clarence L. Hewitt  STRINGSOOD  SITE( ) STRUCTURE( ) OBJECT( ) STRUCTURE( ) OBJECT( ) STRUCTURE( ) OBJECT( ) STRUCTURE( ) OBJECT( ) STRUCTURE( ) OBJECT( ) STRUCTURE( ) OBJECT( ) STRUCTURE( ) OBJECT( ) STRUCTURE( ) OBJECT( ) STRUCTURE( ) OBJECT( ) STRUCT PERSON OR ORGANIZATION OBJECT( ) STRUCT PERSON OR ORGANIZATION		24. OWNER'S NAME AND ADDRESS	MOVED	
Clarence L. Hewitt  25. OPEN TO PUBLIC?  SITE() STRUCTURE() OBJECT() OBJECT() ON NATIONAL YES() NO(X) ON NATIONAL YES() NO(X) PART OF ESTAB. YES() NO(X) NO(X)  PART OF ESTAB. YES() NO(X) NO(X)  NO(X	COORDINATES	- IF ANOWN		
SITE ( ) STRUCTURE( ) BUILDING ( ) OBJECT ( ) 26. LOCAL CONTACT PERSON OR ORGANIZATION OF 125 ( ) 12. IS IT YES ( ) 12. IS IT YES ( ) 14. DISTRICT YES ( ) 14. DISTRICT YES ( ) 15. NO ( ) 14. DISTRICT YES ( ) 15. NO ( ) 14. DISTRICT YES ( ) 15. NO ( ) 15. NOW ( ) 15. NOW ( ) 16. DISTRICT YES ( ) 16. DIS		Clarence L. Hewitt	exterror Good .	
ON NATIONAL YES()   12. ELIGIBLE? NO()   2. ELIGIBLE? NO()   27. OTHER SURVEYS IN WHICH INCLUDED   40. VISIBLE PROM PUBLIC ROAD?   40. VISIBLE PROM PUBLIC ROAD?   41. DISTANCE FROM AND PRONTAGE ON ROAD   41. DISTANCE FROM AND PRONTAGE ON ROAD   42. VISIBLE PROM PUBLIC ROAD?   43. DISTANCE FROM AND PRONTAGE ON ROAD   44. DISTANCE FROM AND PRONTAGE ON ROAD   45. PROVIDED   45. VISIBLE PROM PUBLIC ROAD?   46. VISI		·	38. PRESERVATION YES ( )	
PART OF ESTAB. VES ()   H. DISTRICT YES(X)   POPENNAL YBO ()   POP		<b>-1</b>	D RY WHAT?	
PHOTO MUST DISTRICT No(1) POTENTIAL? NO(1)  NAME OF ESTABLISHED DISTRICT  1. INSTANCE FROM AND FRONTAGE FROM AND FRONTAGE ON ROAD  2. FURTHER DESCRIPTION OF IMPORTANT FEATURES 2 story, 5 bay, asymmetrical frame dwelling with mansard roof with boxed, bracketed lower cornice with dentils below and heavy, molded top cornices. Left two bays contain 2/2 windows within arched openings. Third bay has door with transom; wood frames are shapted, top and bottom of sides. Recessed fourth bay contains single door with transom. Fifth bay is one side of first story, polyzonal  3. HISTORY AND SIGNIFICANCE bay unit with 1/1 window; narrow paired engaged columns flank windows; paneling below. Colonial Revival porch, probably constructed wither in 1901 or 1910, attached to front and wraps onto south elevation to shelter fourth bay; Tuscan columns. Flat roof dormers (3) have molded cornices and contain 2/2 windows. 43. Building permit records indicate construction phases in 1901 for Edgar Sleppy and in 1910 for Judge C. Sleppy; however, stylistic features are of a cal870 original construction period. It has a high degree of integrity and is significant as a representation of 2nd Empire residential property type.  4. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS In residential neighborhood; on corner lot; neighborhood commercial building on corner to west.  5. SOURCES OF INFORMATION BP #A5858, 7/19/10; BP #8447, 5/25/01; site; 1883 Sanborn map  46. PREPARED BY Mary Jo Winder  47. ORGANIZATION	REGISTER ? NO ( X) ELIGIBLE ? NO (	27, OTHER SURVEYS IN WHICH INCLUDED	Poor Maintenance	
**Instance of Established District**  **Instance of Established Distri	PART OF ESTAB. YES ( ) 14. DISTRICT YES (X HIST. DISTRICT? NO ( $_{ m Y}$ ) POTENTIAL? NO (	)	DIBLIC BOAD 2	
FURTHER DESCRIPTION OF IMPORTANT FEATURES 2 story, 5 bay, asymmetrical frame dwelling with mansard roof with boxed, bracketed lower cornice with dentils below and heavy, molded top cornices. Left two bays contain 2/2 windows within arched openings. Third bay has door with transom; wood frames are shapted, top and bottom of sides. Recessed fourth bay contains single door with transom. Fifth bay is one side of first story, polyzonal  3. HISTORY AND SIGNIFICANCE bay unit with 1/1 window; narrow paired engaged columns flank windows; paneling below. Colonial Revival porch, probably constructed wither in 1901 or 1910, attached to front and wraps onto south elevation to shelter fourth bay; Tuscan columns. Flat roof dormers (3) have molded cornices and contain 2/2 windows. 43. Building permit records indicate construction phases in 1901 for Edgar Sleppy and in 1910 for Judge C. Sleppy; however, stylistic features are of a ca1870 original construction period. It has a high degree of integrity and is significant as a representation of 2nd Empire residential property type.  4. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  In residential neighborhood; on corner lot; neighborhood commercial building on corner to west.  5. SOURCES OF INFORMATION  BP #A5858, 7/19/10; BP #8447, 5/25/01; site; 1883 Sanborn map  46. PREPARED BY Mary Jo Winder  47. ORGANIZATION	NAME OF ESTABLISHED DISTRICT	1	41. DISTANCE FROM AND	
frame dwelling with mansard roof with boxed, bracketed lower cornice with dentils below and heavy, molded top cornices. Left two bays contain 2/2 windows within arched openings. Third bay has door with transom; wood frames are shapted, top and bottom of sides. Recessed fourth bay contains single door with transom. Fifth bay is one side of first story, polyzonal  3. HISTORY AND SIGNIFICANCE bay unit with 1/1 window; narrow paired engaged columns flank windows; paneling below. Colonial Revival porch, probably constructed wither in 1901 or 1910, attached to front and wraps onto south elevation to shelter fourth bay; Tuscan columns. Flat roof dormers (3) have molded cornices and contain 2/2 windows. 43. Building permit records indicate construction phases in 1901 for Edgar Sleppy and in 1910 for Judge C. Sleppy; however, stylistic features are of a cal870 original construction period. It has a high degree of integrity and is significant as a representation of 2nd Empire residential property type.  4. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS In residential neighborhood; on corner lot; neighborhood commercial building on corner to west.  5. SOURCES OF INFORMATION BP #A5858, 7/19/10; BP #8447, 5/25/01; site; 1883 Sanborn map  46. PREPARED BY Mary Jo Winder  47. ORGANIZATION		<u> </u>		
cornice with dentils below and heavy, molded top cornices. Left two bays contain 2/2 windows within arched openings. Third bay has door with transom; wood frames are shapted, top and bottom of sides. Recessed fourth bay contains single door with transom. Fifth bay is one side of first story, polyzonal  3. HISTORY AND SIGNIFICANCE bay unit with 1/1 window; narrow paired engaged columns flank windows; paneling below. Colonial Revival porch, probably constructed wither in 1901 or 1910, attached to front and wraps onto south elevation to shelter fourth bay; Tuscan columns. Flat roof dormers (3) have molded cornices and contain 2/2 windows. 43. Building permit records indicate construction phases in 1901 for Edgar Sleppy and in 1910 for Judge C. Sleppy; however, stylistic features are of a cal870 original construction period. It has a high degree of integrity and is significant as a representation of 2nd Empire residential property type.  4. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  In residential neighborhood; on corner lot; neighborhood commercial building on corner to west.  5. SOURCES OF INFORMATION  BP #A5858, 7/19/10; BP #8447, 5/25/01; site; 1883 Sanborn map  46. PREPARED BY Mary Jo Winder  47. ORGANIZATION				
two bays contain 2/2 windows within arched openings. Third bay has door with transom; wood frames are shapted, top and bottom of sides. Recessed fourth bay contains single door with transom. Fifth bay is one side of first story, polyzonal  3. HISTORY AND SIGNIFICANCE bay unit with 1/1 window; narrow paired engaged columns flank windows; paneling below. Colonial Revival porch, probably constructed wither in 1901 or 1910, attached to front and wraps onto south elevation to shelter fourth bay; Tuscan columns. Flat roof dormers (3) have molded cornices and contain 2/2 windows. 43. Building permit records indicate construction phases in 1901 for Edgar Sleppy and in 1910 for Judge C. Sleppy; however, stylistic features are of a cal870 original construction period. It has a high degree of integrity and is significant as a representation of 2nd Empire residential property type.  4. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  In residential neighborhood; on corner lot; neighborhood commercial building on corner to west.  5. SOURCES OF INFORMATION BP #A5858, 7/19/10; BP #8447, 5/25/01; site; 1883 Sanborn map  46. PREPARED BY Mary Jo Winder  47. ORGANIZATION	2			
bay has door wiht transom; wood frames are shapted, top and bottom of sides. Recessed fourth bay contains single door with transom. Fifth bay is one side of first story, polyzonal  1. HISTORY AND SIGNIFICANCE bay unit with 1/1 window; narrow paired engaged columns flank windows; paneling below. Colonial Revival porch, probably constructed wither in 1901 or 1910, attached to front and wraps onto south elevation to shelter fourth bay; Tuscan columns. Flat roof dormers (3) have molded cornices and contain 2/2 windows. 43. Building permit records indicate construction phases in 1901 for Edgar Sleppy and in 1910 for Judge C. Sleppy; however, stylistic features are of a cal870 original construction period. It has a high degree of integrity and is significant as a representation of 2nd Empire residential property type.  4. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  In residential neighborhood; on corner lot; neighborhood commercial building on corner to west.  5. SOURCES OF INFORMATION  BP #A5858, 7/19/10; BP #8447, 5/25/01; site; 1883 Sanborn map  46. PREPARED BY Mary Jo Winder  47. ORGANIZATION		- · · · · · · · · · · · · · · · · · · ·		
with transom. Fifth bay is one side of first story, polyzonal  3. HISTORY AND SIGNIFICANCE bay unit with 1/1 window; narrow paired engaged columns flank windows; paneling below. Colonial Revival porch, probably constructed wither in 1901 or 1910, attached to front and wraps onto south elevation to shelter fourth bay; Tuscan columns. Flat roof dormers (3) have molded cornices and contain 2/2 windows. 43. Building permit records indicate construction phases in 1901 for Edgar Sleppy and in 1910 for Judge C. Sleppy; however, stylistic features are of a ca1870 original construction period. It has a high degree of integrity and is significant as a representation of 2nd Empire residential property type.  4. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS In residential neighborhood; on corner lot; neighborhood commercial building on corner to west.  5. SOURCES OF INFORMATION  BP #A5858, 7/19/10; BP #8447, 5/25/01; site; 1883 Sanborn map  46. PREPARED BY Mary Jo Winder  47. ORGANIZATION	<del>-</del>		BE	Ì
S. HISTORY AND SIGNIFICANCE bay unit with 1/1 window; narrow paired engaged columns flank windows; paneling below. Colonial Revival porch, probably constructed wither in 1901 or 1910, attached to front and wraps onto south elevation to shelter fourth bay; Tuscan columns. Flat roof dormers (3) have molded cornices and contain 2/2 windows. 43. Building permit records indicate construction phases in 1901 for Edgar Sleppy and in 1910 for Judge C. Sleppy; however, stylistic features are of a ca1870 original construction period. It has a high degree of integrity and is significant as a representation of 2nd Empire residential property type.  4. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  In residential neighborhood; on corner lot; neighborhood commercial building on corner to west.  5. SOURCES OF INFORMATION  BP #A5858, 7/19/10; BP #8447, 5/25/01; site; 1883 Sanborn map  46. PREPARED BY Mary Jo Winder  47. ORGANIZATION		<del>-</del>		l
flank windows; paneling below. Colonial Revival porch, probably constructed wither in 1901 or 1910, attached to front and wraps onto south elevation to shelter fourth bay; Tuscan columns. Flat roof dormers (3) have molded cornices and contain 2/2 windows. 43. Building permit records indicate construction phases in 1901 for Edgar Sleppy and in 1910 for Judge C. Sleppy; however, stylistic features are of a ca1870 original construction period. It has a high degree of integrity and is significant as a representation of 2nd Empire residential property type.  4. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  In residential neighborhood; on corner lot; neighborhood commercial building on corner to west.  5. SOURCES OF INFORMATION  BP #A5858, 7/19/10; BP #8447, 5/25/01; site; 1883 Sanborn map  46. PREPARED BY Mary Jo Winder  47. ORGANIZATION				l
in 1901 or 1910, attached to front and wraps onto south elevation to shelter fourth bay; Tuscan columns. Flat roof dormers (3) have molded cornices and contain 2/2 windows. 43. Building permit records indicate construction phases in 1901 for Edgar Sleppy and in 1910 for Judge C. Sleppy; however, stylistic features are of a ca1870 original construction period. It has a high degree of integrity and is significant as a representation of 2nd Empire residential property type.  4. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  In residential neighborhood; on corner lot; neighborhood commercial building on corner to west.  5. SOURCES OF INFORMATION  BP #A5858, 7/19/10; BP #8447, 5/25/01; site; 1883 Sanborn map  46. PREPARED BY Mary Jo Winder  47. ORGANIZATION				i
windows. 43. Building permit records indicate construction phases in 1901 for Edgar Sleppy and in 1910 for Judge C. Sleppy; however, stylistic features are of a ca1870 original construction period. It has a high degree of integrity and is significant as a representation of 2nd Empire residential property type.  4. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  In residential neighborhood; on corner lot; neighborhood commercial building on corner to west.  5. SOURCES OF INFORMATION  BP #A5858, 7/19/10; BP #8447, 5/25/01; site; 1883 Sanborn map  46. PREPARED BY Mary Jo Winder  47. ORGANIZATION			_	
Sleppy and in 1910 for Judge C. Sleppy; however, stylistic features are of a ca1870 original construction period. It has a high degree of integrity and is significant as a representation of 2nd Empire residential property type.  4. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS In residential neighborhood; on corner lot; neighborhood commercial building on corner to west.  5. SOURCES OF INFORMATION BP #A5858, 7/19/10; BP #8447, 5/25/01; site; 1883 Sanborn map  46. PREPARED BY Mary Jo Winder 47. ORGANIZATION				<b> </b>
original construction period. It has a high degree of integrity and is significant as a representation of 2nd Empire residential property type.  4. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  In residential neighborhood; on corner lot; neighborhood commercial building on corner to west.  5. SOURCES OF INFORMATION  BP #A5858, 7/19/10; BP #8447, 5/25/01; site; 1883 Sanborn map  46. PREPARED BY Mary Jo Winder  47. ORGANIZATION	windows. 43. Building permi	t records indicate construction p	hases in 1901 for Edgar	ł
a representation of 2nd Empire residential property type.  4. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS  In residential neighborhood; on corner lot; neighborhood commercial building on corner to west.  5. SOURCES OF INFORMATION  BP #A5858, 7/19/10; BP #8447, 5/25/01; site; 1883 Sanborn map  46. PREPARED BY Mary Jo Winder  47. ORGANIZATION	Sleppy and in 1910 for Judge C.	Sleppy; however, stylistic featu	res are of a ca1870	
4. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS In residential neighborhood; on corner lot; neighborhood commercial building on corner to west.  5. SOURCES OF INFORMATION BP #A5858, 7/19/10; BP #8447, 5/25/01; site; 1883 Sanborn map  46. PREPARED BY Mary Jo Winder 47. ORGANIZATION	a representation of 2nd Empire	residential property type	and is significant as	
In residential neighborhood; on corner lot; neighborhood commercial building on corner to west.  3. SOURCES OF INFORMATION BP #A5858, 7/19/10; BP #8447, 5/25/01; site; 1883 Sanborn map  46. PREPARED BY Mary Jo Winder 47. ORGANIZATION	* Tepresentation of Zina Empire	residencial property type.		┝
to west.  5. SOURCES OF INFORMATION BP #A5858, 7/19/10; BP #8447, 5/25/01; site; 1883 Sanborn map  46. PREPARED BY Mary Jo Winder 47. ORGANIZATION				
5. SOURCES OF INFORMATION BP #A5858, 7/19/10; BP #8447, 5/25/01; site; 1883 Sanborn map  46. PREPARED BY Mary Jo Winder  47. ORGANIZATION	In residential neighborhood; on	corner lot; neighborhood commerc	ial building on corner	
BP #A5858, 7/19/10; BP #8447, 5/25/01; site; 1883 Sanborn map  Mary Jo Winder  47. ORGANIZATION	to west.			
BP #A5858, 7/19/10; BP #8447, 5/25/01; site; 1883 Sanborn map  Mary Jo Winder  47. ORGANIZATION			46. PREPARED BY	1
47. ORGANIZATION	5. SOURCES OF INFORMATION			
THE ROOM THE ENDEW WILL AT THE PROPERTY OF THE PROPERTY OF THE WOLLD IN THE PROPERTY OF THE PR		5/25/01; site; 1883 Samborn man	Mary Jo Winder	



TEGORY 28. NO. OF STORIES 1-/
TEGORY 28 NO OF STORIES 1-/
ure
PERIOD cal860/1902 r/Italianate 7 30. FOUNDATION MATERIAL
ESIGN Brick 31. WALL CONSTRUCTION
OR ENGINEER Brick  32. ROOF TYPE AND MATERIAL
OR BUILDER Gable/Comp. Shingles
FRONT 3 SIDE THE STATE OF THE S
Stretcher/Painted  55. PLAN SHAPE "L"
PUBLIC( ) 36. CHANGES ADDITION( ) PRIVATE(X ) NO. 42) ALTERED (XX)
AME AND ADDRESS MOVED ( )
erd InteriorGood
JBLIC ? YES( ) 38. PRESERVATION YES( ) NO(X) UNDERWAY? NO(XX)
TACT PERSON OR ORGANIZATION 39. ENDANGERED? YES(XX)
RVEYS IN WHICH INCLUDED Poor Maintenance  40, VISIBLE FROM YES (X )
PUBLIC ROAD ? NO( )
FRONTAGE ON ROAD
, 3 bay, asymmetrical PHOTO
ed brick/stucco ple hung window in
has been closed up.
and shed roof t 2 bays in pro-
g 2/2 double hung
ls and brick hoodmolds.
on of an addition in 1902 for applicant, indicate a ca 1860 original structure.
gnificant as a representation of vernacular
<u>.</u>
2011+h
south.
46. PREPARED BY
٠



	R. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
2. COUNTY	<u> </u>	·
Buchanan  3. LOCATION OF Dept. of P & Z	3. OTHER NAME(S)	
NEGATIVES ROLL #12-31		
6. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	I6. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 1 29. BASEMENT? YES()
IF CITY OR TOWN, STREET ADDRESS	17. DATE(\$) OR PERIOD	NO( )
915 Vine 7. CITY OR TOWN IF RURAL, VICINITY	GEXXXXXX Ca1900	30. FOUNDATION MATERIAL
St. Joseph	Vernacular/Shotgun 19	31. WALL CONSTRUCTION Frame
8. DESCRIPTION OF LOCATION Legal: Part of Lot 3, Block	IS. ARCHITECT OR ENGINEER	32. ROOF TYPE AND MATERIAL
23, Patee's Addition	20. CONTRACTOR OR BUILDER	Gable/Comp. Shingle
	21 ORIGINAL USE . IF APPARENT	33. NO. OF BAYS FRONT 2 SIDE
	Single Family Residence Fu	34. WALL TREATMENT Asbestos Shingle
	22. PRESENT USE Same	FRONT 2 SIDE  34. WALL TREATMENT Asbestos Shingle  35. PLAN SHAPE "Rectangul
•	23. OWNERSHIP PUBLIC( )	36. CHANGES ADDITION ( )
	PRIVATE( $_{ m X}$ ) 24. Owner's name and address	NO. 42) ALTERED (XX) MOVED ( )
	IF KNOWN	37. CONDITION
9, COORDINATES UTM	ļ	INTERIOR
LONG	25. OPEN TO PUBLIC? YES( )	INDERWAY O
10. SITE ( ) STRUCTURE BUILDING ( $\chi$ ) OBJECT		, MO KX1
	3(X)	BY WHAT? Poor Maintenance
IN DART OF FETAR VEG / ) IA DISTRICT VEG	D( ) 27, OTHER SURVEYS IN WHICH INCLUDED (S(X))	40. VISIBLE FROM YES (X )
HIST. DISTRICT? NO ( X) POTENTIAL? NO	O( )	PUBLIC ROAD ? NO ( )
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD
42 FURTHER DESCRIPTION OF IMPORTANT FO	EATURES 1 story, 2 bay, asymmetrical	
	ont gable roof and centralized chim-	_ PHOTO
neys. Porch attached to front	elevation (west) is later (ca.1900)	MUST
	entablature and hip roof. Left	25
alteration with turned posts, e	ht hay has single door with transom	
alteration with turned posts, e	ht bay has single door with transom with narrow cornice moldings.	PROVIDED
alteration with turned posts, e bay contains wide windows; right fenestration has plain frames w	-	
alteration with turned posts, of bay contains wide windows; right fenestration has plain frames was also that the state of	with narrow cornice moldings.	PROVIDED
alteration with turned posts, of bay contains wide windows; right fenestration has plain frames was a significance with the significance and significance irst building permit of record in the significance in the significance and significance in the significance in t	with narrow cornice moldings.  is one for repairs in 1938 for appli	PROVIDED  .cant, S.M. Mund; how-
alteration with turned posts, of bay contains wide windows; right fenestration has plain frames was a significance with the significance wer, stylistic features indicate egree of architectural integrity	is one for repairs in 1938 for applie a cal <b>90</b> 0 construction date. It hay and is significant as a representa	.cant, S.M. Mund; how-
alteration with turned posts, ed bay contains wide windows; right fenestration has plain frames was also below the street of second street building permit of record ever, stylistic features indicate	is one for repairs in 1938 for applie a cal <b>90</b> 0 construction date. It hay and is significant as a representa	.cant, S.M. Mund; how-
alteration with turned posts, of bay contains wide windows; right fenestration has plain frames was a significance with the significance wer, stylistic features indicate egree of architectural integrity	is one for repairs in 1938 for applie a cal <b>90</b> 0 construction date. It hay and is significant as a representa	.cant, S.M. Mund; how-
alteration with turned posts, of bay contains wide windows; right fenestration has plain frames was a significance with the significance wer, stylistic features indicate egree of architectural integrity	is one for repairs in 1938 for applie a cal <b>90</b> 0 construction date. It hay and is significant as a representa	.cant, S.M. Mund; how-
alteration with turned posts, e bay contains wide windows; right fenestration has plain frames was a significance.  43. HISTORY AND SIGNIFICANCE irst building permit of record to ver, stylistic features indicate egree of architectural integrity hotgun residential property type.	is one for repairs in 1938 for applie a cal <b>90</b> 0 construction date. It hay and is significant as a representa	.cant, S.M. Mund; how-
alteration with turned posts, a bay contains wide windows; right fenestration has plain frames was a significance and significance and significance are stylistic features indicate agree of architectural integrity though residential property type and the significance are significantly and significance are significantly and significance are significantly and significance are significantly and significance are significantly and significance are significantly and significance are significantly and significance are significantly and significance are significantly and significance are significantly and significance are significantly and significance are significantly and significance are significantly and significance are significantly as a significant and significantly as a significant and significantly as a significant are significantly as a significant and significant are significantly as a significant and significant are significantly as a significant and significant are significantly as a significant are significantly as a significant and significant are significantly as a significant and significant are significantly as a significant and significant are significant as a significant are significantly as a significant and significant ar	with narrow cornice moldings.  is one for repairs in 1938 for appli e a cal <b>90</b> 0 construction date. It ha y and is significant as a representa e.	.cant, S.M. Mund; how-
alteration with turned posts, education bay contains wide windows; right fenestration has plain frames was also below the significance and significance are building permit of record to ver, stylistic features indicated egree of architectural integrity hotgun residential property types.	with narrow cornice moldings.  is one for repairs in 1938 for appli e a cal <b>90</b> 0 construction date. It ha y and is significant as a representa e.	PROVIDED  .cant, S.M. Mund; how- as a moderate to high ation of vernacular
alteration with turned posts, a bay contains wide windows; right fenestration has plain frames was a significance.  43. HISTORY AND SIGNIFICANCE irst building permit of record r	with narrow cornice moldings.  is one for repairs in 1938 for applie a cal 900 construction date. It hay and is significant as a representate.	cant, S.M. Mund; how- is a moderate to high ation of vernacular

PH. 314-751-4096

7/88

IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM



. NO. 107	PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
2. COUNTY Buchanan 5	OTHER NAME(S)	·
B. LOCATION OF Dept. of P & Z NEGATIVES Roll #12-32	·	
B. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 1 3/4 (29. BASEMENT? YES()
IF CITY OR TOWN, STREET ADDRESS	17. DATE(S) OR PERIOD	NO( )
917 Vine CITY OR TOWN IF RURAL, VICINITY	ca. 1860  18. STYLE OR DESIGN  Vernacular  44	
St. Joseph  B. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	31. WALL CONSTRUCTION Frame 32. ROOF TYPE AND MATERIAL
Legal: W 90' Lot 3, Block 23 Patee's Addition	20. CONTRACTOR OR BUILDER	Gable
racee's Addiction	21. ORIGINAL USE, IF APPARENT	33. NO. OF BAYS FRONT 2 SIDE
	_Single Family Residence + ^	34. WALL TREATMENT Asbestos Shingle
	22. PRESENT USE Same	35. PLAN SHAPERectangular
	23. OWNERSHIP PUBLIC ( ) PRIVATE ( )	(CYOLAIM IN
	24. OWNER'S NAME AND ADDRESS IF KNOWN	MOVED ( )
9, COORDINATES UTM		INTERIOR
LAT Long	25. OPEN TO PUBLIC? YES(	
O, SITE() STRUCTURE( BUILDING(X) OBJECT(		ONDERWAY ? NO KX)
I. ON NATIONAL YES ( ) 12. IS IT YES (	X)	39. ENDANGERED? YES(XX) BY WHAT? Poor Maintenance
RO(X) NO(	X )	40. VISIBLE FROM YES (X )
HIST. DISTRICT? NO ( X) POTENTIAL? NO (	)	PUBLIC ROAD ? NO ( )
	,	FRONTAGE ON ROAD
42. FURTHER DESCRIPTION OF IMPORTANT FEAT	rures 1 3/4 story, 2 bay, symme-	
trically massed frame dwelling w		PHOTO MUST
attached to front elevation (wes	ght iron railing and supports and	
shed roof. Left bay contains si	ingle door; right bay has 1/1	BE
window. Upper 3/4 story contain (easement?). Asbestos siding is		PROVIDED
43. HISTORY AND SIGNIFICANCE	s a later arteration.	
	ruction of this dwelling to be cal	860. It has a
oderate to high degree of integra	ity and is significant as a repres	entation of mid 19th
entury vernacular residentail pro	operty type. This may be ½ of a du	plex; the south ½ of
nich may have been demolished (18	888 Sanborn map shows this dwelling	g to be a duplex).
•		
	UILDINGS	
n residential neighborhood.		
		46. PREPARED BY Mary Jo Winder
45. SOURCES OF INFORMATION		
<b>45. SOURCES OF INFORMATION</b> BP #9209, 2/7/38; site; 1888 and	d 1911 Sanborn map	47. ORGANIZATION City of St. Joseph



. NO. 106	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
. COUNTY	a atura ways (a)	
N. LOCATION OF Dept. of P & Z NEGATIVES Roll #8-4	5. OTHER NAME(S)	
SPECIFIC LEGAL LOCATION TOWNSHIPRANGESECTION	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES
IF CITY OR TOWN, STREET ADDRESS	17. DATE(S) OR PERIOD	NO( )
920 Vine city or town   F RURAL, VICINITY St. Joseph	IB. STYLE OR DESIGN 49	31. WALL CONSTRUCTION
. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	32. ROOF, TYPE AND MATERIAL
Legal: Lot 2, Block 22, Patee's Addition	20. CONTRACTOR OR BUILDER	HP GB 63
2 mazozon	21. ORIGINAL USE, IF APPARENT	33. NO. OF BAYS FRONT SIDE
	22. PRESENT USE	34. WALL TREATMENT
	23. OWNERSHIP PUBLIC ( )	
	PRIVATE( $\chi$ ) 24. Owner's name and address 15 known	NO. 42) ALTERED ( ) MOVED ( )
O, COORDINATES UTM	Harry L. Wells	37. CONDITION INTERIOR
LAT Long	25. OPEN TO PUBLIC? YES( )	EXTERIOR
	TURE( ) NO(X)  DECT( ) 26. LOCAL CONTACT PERSON OR ORGANIZATION	39. ENDANGERED? YES( )
I. ON NATIONAL YES ( ) 12. IS IT REGISTER ? NO ( X) ELIGIBLE?	YES(X) NO( ) 27, OTHER SURVEYS IN WHICH INCLUDED	BY WHAT? NO()
3. PART OF ESTAB. YES ( ) 14. DISTRICT POTENTIAL	<b>YES</b> (X) <sup>?</sup> NO( )	40. VISIBLE FROM YES (X ) PUBLIC ROAD? NO ( )
5. NAME OF ESTABLISHED DISTRICT	,	41. DISTANCE FROM AND FRONTAGE ON ROAD
42. FURTHER DESCRIPTION OF IMPORTANT	FEATURES	
		PHOTO MUST
		<u> </u>
		PROVIDED
43. HISTORY AND SIGNIFICANCE		
Noncontributing.		
44. DESCRIPTION OF ENVIRONMENT AND	OUTBUILDINGS	
BP #7751, 3/18/13; site		:
	·	46. PREPARED BY
45. SOURCES OF INFORMATION		Mary Jo Winder



# MISSOURI OFFICE OF HISTORIC PRESERVATION ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

I. NO. 117 A	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
2. COUNTY	NO PHOTOGRAPH	· •
Buchanan	5. OTHER NAME(S)	
3. LOCATION OF Dept. of P & Z NEGATIVES		
B. SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 11/2
IF CITY OR TOWN, STREET ADDRESS	17. DATE(S) OR PERIOD	29. BASEMENT? YES ( ) NO ( )
1013-15 Vine Street	1909	30. FOUNDATION MATERIAL
city or town IF RURAL, VICINITY St. Joseph	18. STYLE OR DESIGN  Colonial Revival 50 5/	31. WALL CONSTRUCTION
B. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Frame
Legal: Lot 4, Blk. 25, Pat	ee's	32.ROOF TYPE AND MATERIAL Gable/Comp. shingle
Addition	20. CONTRACTOR OR BUILDER OB DB	33. NO. OF BAYS
	21. ORIGINAL USE, IF APPARENT	FRONT 4 SIDE
	Duplex 22. PRESENT USE	34. WALL TREATMENT Clapboard
	Same	35. PLAN SHAPE Irregular
	23. OWNERSHIP PUBLIC( ) PRIVATE(X)	(EXPLAIN IN
	24. OWNER'S NAME AND ADDRESS	NO. 42) ALTERED ( ) MOVED ( )
	IF KNOWN	37. CONDITION
9. COORDINATES UTM Lat	Kenneth H. Steele	INTERIOR
LONG	25. OPEN TO PUBLIC? YES( )	36. PRESERVATION YES ( )
O. SITE ( ) STRUCTUR BUILDING ( $\chi$ ) OBJEC		N. V. AV
I. ON NATIONAL YES ( ) 12, IS IT YE	S(X)	BY WHAT? NO()
	O( ) 27, OTHER SURVEYS IN WHICH INCLUDED	Poor maintenance
I3. PART OF ESTAB. YES ( ) 14. DISTRICT YE POTENTIAL? N	\$(X) o( )	40. VISIBLE FROM YES (X ) PUBLIC ROAD? NO ( )
5. NAME OF ESTABLISHED DISTRICT	,	41. DISTANCE FROM AND FRONTAGE ON ROAD
		2. 6
42. FURTHER DESCRIPTION OF IMPORTANT F	EATURES	
	frame dwelling w/cross gable roof,	PHOTO MUST
	boards. Recessed end bays contain	single
	ned to bays have Tuscan columns that ays contain paired, narrow 1/1 win-	BE
	ingle siding and a recessed Gothic	PROVIDED
arch center that contains a Pa		
43. HISTORY AND SIGNIFICANCE		
	ate construction in 1909 for applica rity and is significant as a represe	
Revival duplex property type.	ity and is significant as a represe	ncacion of Colonial
		·
44. DESCRIPTION OF ENVIRONMENT AND OU	UTBUILDINGS	
In residential neighborhood of	cal880-1910 dwellings	
	•	Language
45. SOURCES OF INFORMATION		46. PREPARED BY Mary Jo Winder
45. SOURCES OF INFORMATION BP# 5818, 5/24/09; site		46. PREPARED BY Mary Jo Winder  47. ORGANIZATION

ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

. NO. 100	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
e, county Buchanan	5, OTHER NAME(S)	
. LOCATION OF Dept. of P & Z NEGATIVES RO11 #8-1		
SPECIFIC LEGAL LOCATION TOWNSHIPRANGESECTION	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES I
IF CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	NO( )
NW corner Olive & Vine	ca1880/1923	30. FOUNDATION MATERIAL
city or town if RURAL, VICINITY St. Joseph	Vernacular/Commercial 63	31. WALL CONSTRUCTION
3. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick_
Legal: Lot 1, Block 8,		32. ROOF TYPE AND MATERIAL
Patee's Addition	20. CONTRACTOR OR BUILDER	Flat 33. NO. OF BAYS
	21. ORIGINAL USE, IF APPARENT	FRONT $_2$ SIDE $_4$
	Commercial 62E	34. WALL TREATMENT
	22. PRESENT USE	Stretcher
	Vacant	35. PLAN SHAPE Rectangular
	23. OWNERSHIP PUBLIC( ) PRIVATE(X)	36. CHANGES ADDITION ( )
	24. OWNER'S NAME AND ADDRESS	NO. 42) ALTERED (XX)
	IF KNOWN	37. CONDITION
, COORDINATES UTM		INTERIORFair
LAT Long		EXTERIOR
D. SITE ( ) STRUCTU	25. OPEN TO PUBLIC ? YES( ) RE( ) NO(X)	38. PRESERVATION YES ( ) UNDERWAY ? NO (XX)
BUILDING ( X) OBJEC	TO BE STORE SOLVEN ON SHORMER HOLD	
DECICTED O ELICIDIES	ES(X)  HO( ) 27 OTHER SUBVEYS IN WHICH INCLUDED	BY WHAT? NO() Neglect/Poor Maintena
DART OF FETAR MEE / ) IA DISTRICT ME	re/Y)	Neglect/Poor Maintena 40. VISIBLE FROM YES(X)
3. PART OF ESTAB. YES ( ) 14. DISTRICT YES ( ) POTENTIAL?	NO( )	PUBLIC ROAD? NO()
5. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND
	· ·	FRONTAGE ON ROAD
2. FURTHER DESCRIPTION OF IMPORTANT I	FEATURES 1 Story flat most	
	<pre>features 1 story, flat roof, commercia  entry with single door with transom</pre>	Photo
Wide openings (one on front.	three on side) have been filled in	MUST
and altered (one has been clo	sed entirely), however, transoms	×
and stone lintels and sills re		BE
separated by brick pilasters.	Rear frame addition has garage	PROVIDED
doors.		
3. HISTORY AND SIGNIFICANCE		
Building permit records indi	cate alterations to the building in	1923 for applicant,
Beck Eisberg; however, the c	priginal construction date is pre 188	7. It has a moderate-
nigh degree of architectural	integrity and is significant as a r	epresentation of late
	mercial property type. (On 1883 Sanbo	rn map without frame,
rear addition)		
•		
	UTBUILDINGS	
In residential neighborhood	primarily of cal860-1910 dwellings;	on corner lot.
\$5. SOURCES OF INFORMATION	•	46. PREPARED BY
	33 Sanborn man	Mary Jo Winder
36 #3=1364. 4/24/23* GIEA* IA*	O DAIDOLII IIIAD	45 4544454544
	-	47. ORGANIZATION
BP #5-1564, 4/24/23; site; 188 RETURN THIS FORM WHEN COMPLETE	D TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176	City of St. Joseph 48. DATE 49. REVISION DATE(9)

