ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		т. Но
BA-145-017-001	Sheridan-Clayton Paper Co. Parki:	ng Garage	
Buchanan	3. OTHER NAME(S)		
3. LOCATION OF City Hall	St. Joe Transfer Co. Garage		
SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	IS. THEMATIC CATEGORY	28. NO. CF STORIES 1 29. BASEMENT? YES ()	!
F CITY OR TOWN, STREET ADDRESS 219 S. 3rd St.	IT. DATE(S) OR PERIOD	NO(X)	
CITY OR TOWN IF RURAL, VICINITY	1928 IB. STYLE OR DESIGN		
Saint Joseph, Missouri	Vernacular	31. WALL CONSTRUCTION Brick	
B. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	32. ROOF TYPE AND MATERIAL	
Original Town Block 39	20. CONTRACTOR OR BUILDER	Flat 33. NO. OF BAYS	
Lot 2	21. ORIGINAL USE, IF APPARENT		
	Garage	A WALL TREATMENT Front: Running: Side: Common Bo	i nd d
	22. PRESENT USE Parking Garage	35. PLAN SHAPRectangular	iriu s
	23. OWNERSHIP PUBLIC (PRIVATE (X) 36. CHANGES ADDITION () (EXPLAIN IN ALTERED ()	
	24. OWNER'S NAME AND ADDRESS IF KNOWN Jack W. Clayton	MOVED ()	
COORDINATES UTM	1103 Northcrest Ct.	37. CONDITION INTERIOR	
LAT	St. Joseph, Mo.64506	EXTERIOR Fair	1
LONG O. SITE () STRUCTUR	25. OPEN TO PUBLIC ? YES(
	() 28. LOCAL CONTACT PERSON OR ORGANIZATIO	DN 39. ENDANGERED ? YES ()	•
	S() Landmarks Commission	- BY WHAT ? NO(X)	
3. PART OF ESTAB. YES () 14. DISTRICT YE HIST. DISTRICT ? NO (X) POTENTIAL ?		40. VISIBLE FROM YES (X) PUBLIC ROAD ? NO ()	ĺ
5. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND	
		FRONTAGE ON ROAD 0' and 45'	
2. FURTHER DESCRIPTION OF IMPORTANT :	EATURES is corbelled. The front	facade is further	Į
defined by brick piers on ei	ther end. A large garage door is o	centered on this facade	
and surmounted by a wide spa	drel of rectangular brick patterni	ing. The north facade	
is finished in common bond a	d is perforated by rectilinear wir	ndows with header prick	Į –
sills. The eastern rear fact has three rectangular window	de also centers around a large gar s on either side and is capped by a	a stepped parapet.	ŧ.
43. HISTORY AND SIGNIFICANCE			}
This structure was construct	ed in 1928 as a garage for the St.	Joe Transfer Company.	
It is compatible in building	material and proportion to the est	tablishment of an	
the central business distric	and early 20th Century commercial b	JULICINES SOUTH OF	
me central submess districts			
44. DESCRIPTION OF ENVIRONMENT AND O	TBUILDINGS is a parking lot; on the south is a		1
	is a nonking late on the south is t	a grassy, vacant,	1
To the north of this garage	is an alley with train tracks.		

	46. PREPARED BY	
Co., Garage, \$2,500.	Susan Ide Symington	33
	47. ORGANIZATION	2
INSIGNATION FORM WHEN COMPLETED TO: OFFICE OF DISTORIG FREDERATION	Landmarks Commission	Ĩ
P.O. BOX 176 P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 SEPARATE SHEET(S) TO THIS FORM PH. 314-751-4096	48. DATE 49. REVISION DATE(S)	



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

- 1	PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
BN 45-017-002	Acme Machine Shop	
	DTHER NAME(S)	
3. LOCATION OF City Hall	St. Joseph Transfer Company	
3 SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY	28. NO. CF STORIES 2
TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS	Architecture	29. BASEMENT? YES ()
301 S. 3rd St.	17. DATE(S) OR PERIOD	NO() 30. FOUNDATION MATERIAL
T CITY OR TOWN IF RURAL, VICINITY	18. STYLE OR DESIGN	Brick
Saint Joseph, Missouri	Vernacular	31. WALL CONSTRUCTION Brick
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	32. ROOF TYPE AND MATERIAL
Original Town	20. CONTRACTOR OR BUILDER	
Block 38		33. NO. OF BAYS FRONT 2 SIDE -
Lots 5 and 6	21. ORIGINAL USE OF APPARENT	34. WALL TREATMENT Punning & Common Bonds
	22. PRESENT USE	net-market and the second seco
	Commercial	SS. PLAN SHAPE
	23. OWNERSHIP PUBLIC() PRIVATE(X)	(EXPLAIN IN ALTERED ()
	24. OWNER'S NAME AND ADDRESS IF KNOWN BOD 7. Beers	NO. 42) ALTERED() MOVED()
	301 S. 3rd. St.	37. CONDITION
9 CCORDINATES UTM	St. Joseph. Mo.64501	EXTERIOR Good
LONG	25. OPEN TO PUBLIC ? YES (X)	38. PRESERVATION YES ()
IO. SITE () STRUCTURE (UNDERWAY ? NO (X)
BUILDING (X) OBJECT (
REGISTER ? NO (X) ELIGIBLE ? NO (X) <u>Tandmarks Commission</u> 27. Other surveys in which included	NO(X)
I3. PART OF ESTAB. YES () 14. DISTRICT YES (HIST. DISTRICT ? NO () POTENTIAL ? NO (x	40. VISIBLE FROM YES(X) PUBLIC ROAD ? NO()
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND
		o' and 90'
facade by raised brick forming	in running bond. The flat roof a dentiled pattern, accented by c ally arched lintels formed by two	rows of headers.
These windows as well as the or	ighar storerront, and the webter	TA OI THE TWO Barage
These windows as well as the or doors on the north facade have	been filled in with wood siding.	In the rear, there is
doors on the north facade have a one-story concrete block addi	been filled in with wood siding. tion. The south facade has been	In the rear, there is
doors on the north facade have a one-story concrete block addi -Dedestrian and two garage doors	been filled in with wood siding. tion. The south facade has been	In the rear, there is stuccoed and has two
doors on the north facade have a one-story concrete block addi pedestrian and two garage doors HISTORY AND SIGNIFICANCE This building was constructed i	been filled in with wood siding. tion. The south facade has been n 1906 for the St. Joseph Transfe	In the rear, there is stuccoed and has two
doors on the north facade have a one-story concrete block addi pedestrian and two garage doors This building was constructed i building permit listed price of	been filled in with wood siding. tion. The south facade has been n 1906 for the St. Joseph Transfe Th.500.	In the rear, there is stuccoed and has two r Company with a
doors on the north facade have a one-story concrete block addi -pedestrian and two garage doors This building was constructed i building permit listed price of This solid brick building with	been filled in with wood siding. tion. The south facade has been n 1906 for the St. Joseph Transfe N.500. raised brick detailing would cont	In the rear, there is stuccoed and has two r Company with a ribute to the establish
doors on the north facade have a one-story concrete block addi pedestrian and two garage doors This building was constructed i building permit listed price of This solid brick building with rent of an historic district in	been filled in with wood siding. tion. The south facade has been n 1906 for the St. Joseph Transfe Th.500.	In the rear, there is stuccoed and has two r Company with a ribute to the establish
doors on the north facade have a one-story concrete block addi pedestrian and two garage doors This building was constructed i building permit listed price of This solid brick building with	been filled in with wood siding. tion. The south facade has been n 1906 for the St. Joseph Transfe N.500. raised brick detailing would cont	In the rear, there is stuccoed and has two r Company with a ribute to the establish
doors on the north facade have a one-story concrete block addi pedastrian and two garage doors This building was constructed i building permit listed price of This solid brick building with rent of an historic district in	been filled in with wood siding. tion. The south facade has been n 1906 for the St. Joseph Transfe N.500. raised brick detailing would cont	In the rear, there is stuccoed and has two r Company with a ribute to the establish
doors on the north facade have a one-story concrete block addi pedestrian and two garage doors This building was constructed i building permit listed price of This solid brick building with rent of an historic district in commercial buildings.	been filled in with wood siding. tion. The south facade has been	In the rear, there is stuccoed and has two or Company with a ribute to the establish- nd early 20th Century
doors on the north facade have a one-story concrete block addi pedestrian and two garage doors This building was constructed i building permit listed price of This solid brick building with rent of an historic district in commercial buildings.	been filled in with wood siding. tion. The south facade has been	In the rear, there is stuccoed and has two or Company with a mibute to the establish- and early 20th Century railroad tracks;
doors on the north facade have a one-story concrete block addi pedestrian and two garage doors This building was constructed i building permit listed price of This solid brick building with rent of an historic district in commercial buildings.	been filled in with wood siding. tion. The south facade has been n 1906 for the St. Joseph Transfe N.500. raised brick detailing would cont	In the rear, there is stuccoed and has two or Company with a mibute to the establish- and early 20th Century railroad tracks;
doors on the north facade have a one-story concrete block addi pedestrian and two garage doors This building was constructed i building permit listed price of This solid brick building with rent of an historic district in commercial buildings.	been filled in with wood siding. tion. The south facade has been	In the rear, there is stuccoed and has two or Company with a mibute to the establish- and early 20th Century railroad tracks;
doors on the north facade have a one-story concrete block addi pedastrian and two garage doors This building was constructed i building permit listed price of This solid brick building with rent of an historic district in commercial buildings. 44. DESCRIPTION OF ENVIRONMENT AND OUTB This corner property is bounded however, there are no doors ope south is a parking area.	been filled in with wood siding. tion. The south facade has been in 1906 for the St. Joseph Transfe Mu.500. raised brick detailing would cont a this area of high quality 19th a lon the east by an alley lined by ening onto the tracks from this st	In the rear, there is stuccoed and has two or Company with a mibute to the establish- and early 20th Century railroad tracks; sructure. On the
 doors on the north facade have a one-story concrete block addi pedestrian and two garage doors This building was constructed in building permit listed price of This solid brick building with rent of an historic district in commercial buildings. 44. DESCRIPTION OF ENVIRONMENT AND OUTBUT This corner property is bounded however, there are no doors ope south is a parking area. 45. SOURCES OF INFORMATION Building Permit 	been filled in with wood siding. tion. The south facade has been	In the rear, there is stuccoed and has two or Company with a mibute to the establish- and early 20th Century railroad tracks; mucture. On the

IF ADDITIONAL SPACE IS NEEDED, ATTACH Separate sheet(s) to this form

3

RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176 JEFFERSON CITY, MISSOURI PH. 314-751-4096 65102

48. DATE 49. REVISION DATE(S)



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

-	RESENT LOCAL NAME(S) OR DESIGNATION(S)		-
BN-A5-017-003	eridan-Clayton Paper Company		NO
	THER NAME(S)		l
3. LOCATION OF City Hall Tu	rner, Frazer and Company		
3 SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORY Architecture	28. NO. OF	2. 0
F CITY OR TOWN, STREET ADDRESS 302 S. 3rd St.	17. DATE(S) OR PERIOD 1882	30. FOUNDATION MAT	COUNTY
Saint Joseph, Missouri	18. STYLE OR DESIGN Victorian Eclectic	Brick 31. WALL CONSTRUCT.	
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick 32. ROOF TYPE AND MAT BIAL	
	Eckel and Mann 20. CONTRACTOR OR BUILDER	Flat 33. NO. OF BAYS	<u> </u>
Original Town Block 33	21. ORIGINAL USE, IF APPARENT	FRONT 5 SIDE 9	PRE
Lots 7 and 8	Commercial 22. PRESENT USE Commercial	Brick & Terra Cott 35. PLAN SHAPE Rectangula	PRESENT
	23. OWNERSHIP PUBLIC() PRIVATE(v)	36. CHANGES ADDITION () (EXPLAIN IN ALTERED ()	LOCAL
	24. OWNER'S NAME AND ADDRESS	NU. 42) MOVED ()	L NAME (S)
9. COORDINATES UTM	- Sheridan-Clayton Paper	INTERIOR	
LAT LONG	25. OPEN TO PUBLIC? YES(X)	EXTERIOR Excellent 38. PRESERVATION YES() UNDERWAY?	D R
DO. SITE() STRUCTURE(BUILDING(<u>x</u>) OBJECT(39. ENDANGERED? YES()	DESIGNATION(S
II. CN NATIONAL YES () 12. IS IT YES (X REGISTER ? NO () ELIGIBLE ? NO (27. OTHER SURVEYS IN WHICH INCLUDED	BY WHAT? NO (X)	ATION
13. PART OF ESTAB. YES () 14. DISTRICT YES (X POTENTIAL? NO (χ)) Historical Inventory Johnson, Johnson & Roy	40. VISIBLE FROM YES(X) PUBLIC ROAD ? NO()	(S)
15. NAME OF ESTABLISHED DISTRICT	Johnson, Johnson & Roy	41. DISTANCE FROM AND FRONTAGE ON ROAD O and 80'	
42. FURTHER DESCRIPTION OF IMPORTANT FEATURE	JRES		
cotta cornices and spandrels be sawtooth molded stringcoursing; radiating brick arched lintels; storefront of cast metal with fl window panes above, remain inta	rner bays are richly textured wit tween the 2nd and 4th stories; de varied fenestration; raised bric and raised brick pilasters with uted pilasters capped by composit ct.	ntiled, corbelled and k labels above the capitals. The origina	
	e is an outstanding and well pres constructed for the Turner, Fraze		
grocers, in 1882, the same year wholesale grocers. These two s the street were all designed by	as its neighbor to the south, Na tructures as well as the C.D. Smi the prominent firm of Eckel and ional Register of Historic Places	we and McCord,also th building across Mann, and create	5. IOWNSHIP
44. DESCRIPTION OF ENVIRONMENT AND OUTBU On the west side of this level 1 building's rear loading docks of	ot is a parking area and traintrainer. The entrance to Interstate	acks into which the 229 is directly north.	KANGE


- VI UCOMMANUM WALEL FERMINE 1007, NUMBER PRAZER & LO VLIEV	46 PREPARED BY Susan Ide Symington	SE
RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION	47. ORGANIZATION Landmarks Commission 48. DATE 49. REVISION DATE(S)	CTION
IF ACDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	8/85	

.



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

BN-AS-017-004	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	Í
2. COUNTY	Research Seeds	
Buchanan 3. LOCATION OF City Hall	5. OTHER NAME(S)	
NEGATIVES	The Nave and McCord Mercantile C	ompany
3 SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	Architecture	28. NO. OF STORIES 5
F CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	29. BASEMENT ? YES (X) NO ()
310 S. 3rd St.	1882	30. FOUNDATION MATERIAL Brick
Saint Joseph, Missouri	18. STYLE OR DESIGN	31. WALL CONSTRUCTION
B. DESCRIPTION OF LOCATION	Victorian Eclectic	Brick
	E. J. Eckel 20. contractor or builder	32. ROOF TYPE AND MATERIAL
	20. CONTRACTOR OR BUILDER	33. NO. OF BAYS
Original Town	21. ORIGINAL USE, IF APPARENT	FRONT 5 SIDE 9
Block 33	Commercial 22. PRESENT USE	34. WALL TREATMENT Running & Common Bonds
Lots 9,10,11 and 12	Commercial	35. PLAN SHAPE Rectangular
	23. OWNERSHIP PUBLIC () 36. CHANGES ADDITION ()
	PRIVATE X	NO. 42) ALTERED () MOVED ()
	IF KNOWN Mitchelhill Seed Co.	37. CONDITION
9. COORDINATES UTM	310 S. 3rd St.	INTERIOR
LAT Long	25. OPEN TO PUBLIC? YESX	
O. SITE () STRUC	CTURE()NO(
	BJECT () 26. LOCAL CONTACT PERSON OR ORGANIZATI	DY WHAT O
I. CN NATIONAL YES () 12. IS IT REGISTER ? NO (X) ELIGIBLE ?	YES(X) <u>Landmarks Commission</u> ? NO() 27. OTHER SURVEYS IN WHICH INCLUDED	NO (X)
3. PART OF ESTAB. YES () 14. DISTRICT HIST. DISTRICT ? NO () POTENTIAL	4	40. VISIBLE FROM YES (X) PUBLIC ROAD ? NO()
5. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD
42. FURTHER DESCRIPTION OF IMPORTAN		41. DISTANCE FROM AND FRONTAGE ON ROAD O and 160'
42. FURTHER DESCRIPTION OF IMPORTANT The richly textured facades bays by raised brick pilast stringcoursing ornamented we and fourth floors. The free it has oversized brackets a and transom above, lined we 43. HISTORY AND SIGNIFICANCE 1 Please see the attached 188 This structure was built for The architect was the prome	are enlivened by varied fenestration ters stretching the length of the bu- with terra cotta medallions and spane ont entry has Mannerist overtones in and dwarfed columns on either size and than an an interaction of this building. 87 depiction of this building. or the Nave and McCord wholesale groot inent, Beaux Arts trained Edmund J. H	41. DISTANCE FROM AND FRONTAGE ON ROAD O and 160' n grouped into symmetric ilding and elaborate drels between the third its decorative surround; and a scroll-like frame cery company in 1882.
42. FURTHER DESCRIPTION OF IMPORTANT The richly textured facades bays by raised brick pilast stringcoursing ornamented of and fourth floors. The from it has oversized brackets a and transom above, lined with 43. HISTORY AND SIGNIFICANCE 1 Please see the attached 188 This structure was built for The architect was the prom This high quality and large impressive triumvirate with	are enlivened by varied fenestration ters stretching the length of the bu- with terra cotta medallions and spane ont entry has Mannerist overtones in and dwarfed columns on either size and tha nailhead border. 87 depiction of this building. or the Nave and McCord wholesale groot	41. DISTANCE FROM AND FRONTAGE ON ROAD O and 160' n grouped into symmetric ilding and elaborate drels between the third its decorative surround; nd a scroll-like frame cery company in 1882. Eckel. ing helps to form an street and the Sheridan
A2. FURTHER DESCRIPTION OF IMPORTANT The richly textured facades bays by raised brick pilast stringcoursing ornamented of and fourth floors. The from it has oversized brackets a and transom above, lined with 43. HISTORY AND SIGNIFICANCE 1 Please see the attached 188 This structure was built for The architect was the prom This high quality and large impressive triumvirate with Clayton Building to the not A cobblestone street runs a	are enlivened by varied fenestration ters stretching the length of the bu- with terra cotta medallions and spane ont entry has Mannerist overtones in and dwarfed columns on either size and ith a nailhead border. 87 depiction of this building. or the Nave and McCord wholesale groot inent, Beaux Arts trained Edmund J. H ely in tact Victorian Eclectic build h the C.D. Smith Building across the rth. This grouping is of National Re	4) DISTANCE FROM AND FRONTAGE ON ROAD O and 160' and grouped into symmetric ilding and elaborate drels between the third its decorative surround; and a scroll-like frame cery company in 1882. Eckel. Ing helps to form an street and the Sheridan egister calibre.
42. FURTHER DESCRIPTION OF IMPORTANT The richly textured facades bays by raised brick pilast stringcoursing ornamented of and fourth floors. The from it has oversized brackets a and transom above, lined with and transom above, lined with this structure was built for The architect was the prom This high quality and large impressive triumvirate with Clayton Building to the nor A cobblestone street runs a parking area and traintracl	are enlivened by varied fenestration ters stretching the length of the but with terra cotta medallions and spane ont entry has Mannerist overtones in and dwarfed columns on either size and ith a nailhead border. 87 depiction of this building. or the Nave and McCord wholesale groot inent, Beaux Arts trained Edmund J. H ely in tact Victorian Eclectic build h the C.D. Smith Building across the rth. This grouping is of National Re ourbuilding along the west side of the	4) DISTANCE FROM AND FRONTAGE ON ROAD O and 160' and grouped into symmetric ilding and elaborate drels between the third its decorative surround; and a scroll-like frame cery company in 1882. Eckel. ing helps to form an street and the Sheridan egister calibre.
A2. FURTHER DESCRIPTION OF IMPORTANT The richly textured facades bays by raised brick pilast stringcoursing ornamented of and fourth floors. The from it has oversized brackets a and transom above, lined with a mistory and significance 1 Please see the attached 188 This structure was built for The architect was the prom This high quality and large impressive triumvirate with Clayton Building to the not a cobblestone street runs a parking area and traintract as sources of information Water	are enlivened by varied fenestration ters stretching the length of the but with terra cotta medallions and spane ont entry has Mannerist overtones in and dwarfed columns on either size and ith a nailhead border. 87 depiction of this building. or the Nave and McCord wholesale groot inent, Beaux Arts trained Edmund J. H ely in tact Victorian Eclectic build h the C.D. Smith Building across the rth. This grouping is of National Re outbuilding along the west side of the Permit:1882,Nave & McCord;City Direct	4) DISTANCE FROM AND FRONTAGE ON ROAD O and 160' and grouped into symmetric ilding and elaborate drels between the third its decorative surround; and a scroll-like frame cery company in 1882. Eckel. ing helps to form an street and the Sheridan egister calibre. property. There is a building.
 42. FURTHER DESCRIPTION OF IMPORTANT The richly textured facades bays by raised brick pilast stringcoursing ornamented with and fourth floors. The from it has oversized brackets a and transom above, lined with the sevent stringcourse of the sevent string sevent string area and traintract 43. DESCRIPTION OF ENVIRONMENT AND A cobblestone street runs a parking area and traintract 45. SOURCES OF INFORMATION Water Bldg. Permit:1930, Mitchelm 	are enlivened by varied fenestration ters stretching the length of the but with terra cotta medallions and spane ont entry has Mannerist overtones in and dwarfed columns on either size and ith a nailhead border. 87 depiction of this building. or the Nave and McCord wholesale groot inent, Beaux Arts trained Edmund J. H ely in tact Victorian Eclectic build h the C.D. Smith Building across the rth. This grouping is of National Re ourbuilding the south side of this corner p k running along the west side of the Permit:1882,Nave & McCord;City Direct ill Seed Co.,Bus. Add., \$25,000.	41. DISTANCE FROM AND FRONTAGE ON ROAD O and 160' and grouped into symmetric ilding and elaborate drels between the third its decorative surround; and a scroll-like frame cery company in 1882. Cckel. ing helps to form an street and the Sheridan egister calibre. property. There is a building. 46. PREPARED BY Susan Ide Symington 47. ORGANIZATION
 42. FURTHER DESCRIPTION OF IMPORTANT The richly textured facades bays by raised brick pilast stringcoursing ornamented with and fourth floors. The from it has oversized brackets a and transom above, lined with the sevent stringcourse of the sevent string sevent string area and traintract 43. DESCRIPTION OF ENVIRONMENT AND A cobblestone street runs a parking area and traintract 45. SOURCES OF INFORMATION Water Bldg. Permit:1930, Mitchelm 	are enlivened by varied fenestration ters stretching the length of the but with terra cotta medallions and spane ont entry has Mannerist overtones in and dwarfed columns on either size an ith a nailhead border. 87 depiction of this building. or the Nave and McCord wholesale groot inent, Beaux Arts trained Edmund J. H ely in tact Victorian Eclectic build h the C.D. Smith Building across the rth. This grouping is of National Re outbuilding along the west side of the Permit:1882,Nave & McCord;City Direct ill Seed Co.,Bus. Add., \$25,000. ETED TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176	4) DISTANCE FROM AND FRONTAGE ON ROAD O and 160' and grouped into symmetric ilding and elaborate drels between the third its decorative surround; and a scroll-like frame cery company in 1882. Eckel. ing helps to form an street and the Sheridan egister calibre. property. There is a building.



THE NAVE & McCORD MERCANTILE COMPANY,

The oldest and largest wholesale grocery combination in Northwest Missouri, originally established in 1846 under the firm name of Nave & McCord. In 1857, Nave, McCord & Co. est blished an exclusive wholesale grocery business, and in 18 incorporated as "The Nave & McCord Mercantile Com-' whose officers now consist of James McCord, Presipa S. M. Nave, Vice-President; J. H. McCord, Treasurer. each succeeding year their business has shown a large narked increase in volume and magnitude, which has 2) lled them, from time to time, to enlarge and increase facilities to meet the demand of their ever-increasing ness, until the ground was purchased and the large and modious building now occupied was constructed as rapidly possible.

They commenced with no traveling representatives a few

years ago, but to meet the requirements of time and competition which has sprung up in the rapidly developing country of the great West, they now have twenty-five traveling salesmen, covering the following states and territories: Missouri, Iowa, Kansas, Nebraska, Colorado, Texas, New Mexico, Wyoming, Utah, Montana, Idaho, Indian Territory and the Republic of Mexico. Always leading, pushing at the same time conservatively, the Nave & McCord Mercantile Co. is honored an respected in whatever market goods are to be purchased o sold. The year of 1887, now drawing to a close, has been one of unprecedented prosperity, with their business largely increased in volume over any previous year or years, will leave them occupying the position they have held since their first organization, viz.: the "leaders in their line in the Northwest."



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM


NO.	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
3N - A=> -017-005	C. D. Smith Drug Co.	
Buchanan	5. OTHER NAME(S)	
LOCATION OF City Hall NEGATIVES	C. D. Smith Drug Co.	
SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	IG. THEMATIC CATEGORY	28. NO. OF STORIES 5
IF CITY OR TOWN, STREET ADDRESS	Architecture	29. BASEMENT? YES (X) NO ()
13 S. 3rd St.	1888	30. FOUNDATION MATERIAL
Saint Joseph, Missouri	18. STYLE OR DESIGN	- Brick
DESCRIPTION OF LOCATION	Richardsonian Romane sque	31. WALL CONSTRUCTION Brick & Terra Cotta
DESCRIPTION OF LOCATION	Fckel and Mann	32. ROOF TYPE AND MATERIAL
	20. CONTRACTOR OR BUILDER	Flat
riginal Town	21. ORIGINAL USE, IF APPARENT	33. NO. OF BAYS FRONT SIDE
lock 38	Commercial	34. WALL TREATMENT Common S Running Bonds
ots 1, 2 and 3	22. PRESENT USE Commercial	
	23. OWNERSHIP PUBLIC (35. PLAN SHAPE Rectangular
	PRIVATE	
	24. OWNER'S NAME AND ADDRESS IF KNOWN C.D. Smith Drug Co.	MOVED()
CCORDINATES UTM		37. CONDITION INTERIOR
LAT		EXTERIOR Excellent
LONG SITE () STRUCTL	25. OPEN TO PUBLIC ? YES()	L) 38. PRESERVATIONYES ()UNDERWAY ?NO (X)
	CT() 26. LOCAL CONTACT PERSON OR ORGANIZATIO	
CN NATIONAL YES () 12. IS IT Y REGISTER ? ELIGIBLE?	(FC (X) Tandmanlag Commiggion	BY WHAT ? NO (X)
	NO() 27. OTHER SURVEYS IN WHICH INCLUDED	
PART OF ESTAB. YES () 14. DISTRICT Y HIST. DISTRICT ? NO () POTENTIAL ?	(FS (T))	40. VISIBLE FROM YES (X) PUBLIC ROAD ? NO ()
NAME OF ESTABLISHED DISTRICT		PUBLIC ROAD ? NO () 41. DISTANCE FROM AND FRONTAGE ON ROAD O' and 120
HIST. DISTRICT? NO(X) POTENTIAL? NAME OF ESTABLISHED DISTRICT FURTHER DESCRIPTION OF IMPORTANT This hand some brick building characteristic of the Richar corner spandrel on the first parapet. The front facade i From the first to second sto vindows on the front section HISTORY AND SIGNIFICANCE This landmark calibre buildi which is still located here. this outstanding example of Joseph's finest structures.	YES (X) NO()	PUBLIC ROAD? NO() 41. DISTANCE FROM AND FRONTAGE ON ROAD O' and 120 ta with organic motifs a cotta is used on the floor and along the tal round arches struct to the south. The h and east are set under C. D. Smith Drug Co.
HIST. DISTRICT? NO (X) POTENTIAL? NAME OF ESTABLISHED DISTRICT FURTHER DESCRIPTION OF IMPORTANT This hand some brick building characteristic of the Richar corner spandrel on the first parapet. The front facade i from the first to second sto vindows on the front section HISTORY AND SIGNIFICANCE This landmark calibre build which is still located here. this outstanding example of Joseph's finest structures. 1904; its cost listed on the This corner property is bour There is a parking area to the Sources of INFORMATION Building	FEATURES (is graced by elaborate terra cot clasnian Romanesque style. The terr story, the capitals on the fourth is dominated by an arcade of monumen pries and wraping around the corner a are rectilinear; those on the sout entally arched lintels. Ing was constructed in 1888 for the the Architectural firm, Eckel and the Richardsonian Romanesque style, The attached warehouse to the nort building permit was \$5,500.	PUBLIC ROAD ? NO() 41. DISTANCE FROM AND FRONTAGE ON ROAD O' and 120 ta with organic motifs a cotta is used on the floor and along the tal round arches struct to the south. The h and east are set under C. D. Smith Drug Co. Mann, which designed designed many of St. th was constructed in 46. PREPARED BY Susan Ide Symington
HIST. DISTRICT? NO (X) POTENTIAL? NAME OF ESTABLISHED DISTRICT FURTHER DESCRIPTION OF IMPORTANT This hand some brick building characteristic of the Richar corner spandrel on the first parapet. The front facade is from the first to second stor vindows on the front section this landmark calibre buildi which is still located here. This landmark calibre buildi which is still located here. this outstanding example of Joseph's finest structures. 1904; its cost listed on the There is a parking area to the sources of information Building \$25,000;1904, Warehouse, \$5,50	FEATURES (is graced by elaborate terra cot dsonian Romanesque style. The terr story, the capitals on the fourth is dominated by an arcade of monumen pries and wraping around the corner a are rectilinear; those on the sout entally arched lintels. Ing was constructed in 1888 for the the Architectural firm, Eckel and the Richardsonian Romanesque style, The attached warehouse to the nort building permit was \$5,500.	PUBLIC ROAD ? NO() 41. DISTANCE FROM AND FRONTAGE ON ROAD O' and 120 ta with organic motifs a cotta is used on the floor and along the tal round arches struct to the south. The h and east are set under C. D. Smith Drug Co. Mann, which designed designed many of St. th was constructed in was constructed in 46. PREPARED BY Susan Ide Symington 47. ORGANIZATION Landmarks Commission
NAME OF ESTABLISHED DISTRICT FURTHER DESCRIPTION OF IMPORTANT This hand some brick building characteristic of the Richar corner spandrel on the first parapet. The front facade i from the first to second sto windows on the front section 3. HISTORY AND SIGNIFICANCE This landmark calibre buildi which is still located here. this outstanding example of Joseph's finest structures. 1904; its cost listed on the 4. DESCRIPTION OF ENVIRONMENT AND There is a parking area to to 5. SOURCES OF INFORMATION Building \$25,000;1904, Warehouse, \$5,50	FEATURES (is graced by elaborate terra cot clasnian Romanesque style. The terr story, the capitals on the fourth is dominated by an arcade of monumen pries and wraping around the corner a are rectilinear; those on the sout entally arched lintels. Ing was constructed in 1888 for the the Architectural firm, Eckel and the Richardsonian Romanesque style, The attached warehouse to the nort building permit was \$5,500.	PUBLIC ROAD ? NO() 41. DISTANCE FROM AND FRONTAGE ON ROAD O' and 120 ta with organic motifs a cotta is used on the floor and along the tal round arches struct to the south. The h and east are set under C. D. Smith Drug Co. Mann, which designed designed many of St. th was constructed in was constructed in 46. PREPARED BY Susan Ide Symington 47. ORGANIZATION






ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

i. NO.	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		
BN A5 017-006			NO,
2. COUNTY Buchanan	5. OTHER NAME(S)		
3. LOCATION OF City Hall NEGATIVES	Studebaker and Welch		
3 SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY	28. NO. OF STORIES 2	N
IF CITY OR TOWN, STREET ADDRESS	Architecture	29. BASEMENT? YES () NO ()	COUNTY
205-7 S. 4th St.	c.1875	30. FOUNDATION MATERIAL	NTY
7. CITY OR TOWN IF RURAL, VICINITY	18. STYLE OR DESIGN	Brick	
Saint Joseph, Missouri	Italianate	31. WALL CONSTRUCTION Brick	
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	32. ROOF TYPE AND MATERIAL	
	20. CONTRACTOR OR BUILDER	Flat	
		33. NO. OF BAYS	+
Original Town Block 52	21. ORIGINAL USE, IF APPARENT	FRONT 4 SIDE -	PR
Lots 5 and 6	Commercial 22. présent Use	34. WALL TREATMENT Brick and Stone	ESE
	Storage	35. PLAN SHAPERectangular	-
	23. OWNERSHIP PUBLIC ()	36. CHANGES ADDITION ()	PRESENT LOCAL NAME(S)
	PRIVATE(X)	- NU. 42)	<u>م</u>
	24. owner's name and address if known Leon M. Block	MOVED () 37. CONDITION	NAN
9. COORDINATES UTM	408 Edmond	INTERIOR	E(S)
LAT	St. Joseph, Mo.64501	EXTERIOR Fair	QR
LONG	25. OPEN TO PUBLIC ? YES()	LINDE DWAY 2	
IO. SITE() STRUCTUF BUILDING(x) OBJEC			DESIGNATION(S
IL CN NATIONAL YES () 12 IS IT YE	S() Tondmanka Commission	39. ENDANGERED? YES() BY WHAT? NO (X)	AL
REGISTER ? NO (X) ELIGIBLE ?	O() 27. OTHER SURVEYS IN WHICH INCLUDED		
I3. PART OF ESTAB. YES () 14. DISTRICT YE HIST. DISTRICT ? NO (X) POTENTIAL ?		40. VISIBLE FROM YES(X) PUBLIC ROAD ? NO()	1(5)
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD O and 40'	
springing from stone Doric pi contrasting colors and textur stone. The round arch is rep ating stretcher lintels accen	facade is graced by an elegantly pro- lasters. As characteristic of the V es, the voussoirs of this arcade all eated on the second story in the win ted by keystones. These two stories he rear facade, there are large squa glass block on the face	Victorian period of ternate dark and light ndows capped by radi- s are well articulated are windows filled with	S. OTHER NAME(S)
Studebaker Brothers wagon ma	nufacturers and dealers headquartere	ed in South Bend India	ha.
	tory as early as 1868, however, the		
of Studebaker and Welch first etching of the building in 18 a building permit for fire da Although this structure has b	occupied this building in 1876. At 87. The third story was most likely	ttached please find an y removed in 1949 when tectural remnants are	S. TOWNSHIP
		s development.	
An alley bounds the property	on the east side.		RAMOE
45. SOURCES OF INFORMATION Ruchanan	County Ownership List c. 1890;1883	46. PREPARED BY	
	87 Illustrated View of St. Joseph,	Susan Ide Symington	ļ
	D TO: OFFICE OF HISTORIC PRESERVATION	47. ORGANIZATION Landmarks Commission	
REIURN THIS FORM WHEN COMPLETE	D TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176	48. DATE 49. REVISION DATE(S)	





ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

i. NO. 4.	PRESENT LOCAL NAME(S) OR DESIGNATION(S)		-
3N-AS-017-007	Whitaker Cable Corporation Storage		NO,
2. COUNTY Buchanan 5.	OTHER NAME(S)		
3. LOCATION OF City Hall	Frederick W. Smith's Real Estate (ffice	
3 SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY Architecture	28. NO. CF STORIES	2
IF CITY OR TOWN, STREET ADDRESS		29. BASEMENT? YES() NO()	COUNT
209-11 S. Lth St.	17. DATE(S) OR PERIOD Core: c. 1861; Facade, pre-1883	30. FOUNDATION MATERIAL	4TY
Saint Joseph, Missouri	18. STYLE OR DESIGN Eclectic	31. WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick 32. ROOF TYPE AND MATERIAL	
Original Town Block 52	20. CONTRACTOR OR BUILDER	Flat	
Lot 4	21. ORIGINAL USE, IF APPARENT	33. NO. OF BAYS FRONT 3 SIDE -	. 4 10
	Commercial	34. WALL TREATMENT	PRESENT
	22. PRESENT USE Storage	Running Bond 35. PLAN SHAPE Rectangular	
	23. OWNERSHIP PUBLIC()	36. CHANGES ADDITION ()	LOCAL
	PRIVATE (X)	NO. 42) ALTERED () MOVED ()	
	24. OWNER'S NAME AND ADDRESS IF KNOWN Dale L. Gann 6538 Washington	37. CONDITION	NAME(S)
9. COORDINATES UTM	St. Joseph, Mo.64504	INTERIOR	
	25. OPEN TO PUBLIC ? YES()	38. PRESERVATION YES ()	OR
IO. SITE () STRUCTURE BUILDING () OBJECT		UNDERWAY ? NO (X) 39. ENDANGERED ? YES ()	DESIGNATION(S
IL CN NATIONAL YES () 12, IS IT YES		BY WHAT? NO (X)	HAT
REGISTER ? NO (X) ELIGIBLE? NO	· ·	40. VISIBLE FROM YES (X)	101
I3. PART OF ESTAB. YES () I4. DISTRICT YES HIST. DISTRICT ? NO (X) POTENTIAL ? NO	(X) 1972 Historical Inventory	40. VISIBLE FROM YES (X) PUBLIC ROAD ? NO ()	S
15. NAME OF ESTABLISHED DISTRICT	Johnson, Johnson & Roy	41. DISTANCE FROM AND BRONTAGE ON ROAD	
42. FURTHER DESCRIPTION OF IMPORTANT FE.	been altered dramatically from its	original design. The	 9
original front might have been	a double storefront, with both ha	Ives looking like the	OTHER
one on the south. This store	ront has cast metal panelled pilas	ters and wooden casing	NAM
for the plateglass windows and	double doors recessed in the cent when a building permit was request	ed. The stark parapet	ME (S)
looks like a more recent addit	ion that ight have replaced an up	per story. There is	S)
43. HISTORY AND SIGNIFICANCE 2	agother garage door on the	east facade.	
Designer of the "Original Town	" plat for he City of St. Joseph a	and major real estate	
developer, particularly in the	Smith Additions, Frederick W. Smith additions, Frederick W. Smith a location in 1861. The building fill	th was listed as naving led the entire site by 18	383.
The remaining cast metal store	front would contribute strongly to	the establishment of	VO
an historic district in the Ce	ntral Business District which reta	ins many high quality	OWNSHIP
buildings from the 19th and ea			P
		}	
44. DESCRIPTION OF ENVIRONMENT AND OUT	BUILDINGS		RA
An alley runs along the east	side of the building.		RANGE
	•		
45. SOURCES OF INFORMATION Building	Permit:1924, Vegeley Estate, Repairs,	46. PREPARED BY	
\$100; Abstract; City Directory	r: 1883 Sanborn Fire Insurance Map.		SECTION
RETURN THIS FORM WHEN COMPLETED	TO: OFFICE OF HISTORIC PRESERVATION	Landmarks Commission 48. DATE 49. REVISION DATE(S)	NOL
IF ADDITIONAL SPACE IS NEEDED, ATTACH Separate Sheet(S) to this form	JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	8/85	



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM


			_
ENO. BN AS-017-008	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) Block's Storage		I. NO
2. COUNTY			0
Buchanan 3. LOCATION OF City Hall	5. OTHER NAME(S)		
NEGATIVES	Schultz and Hosea Company		مبنيستير
3 SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	IG. THEMATIC CATEGORY	28. NO. CF STORIES 3	2.0
IF CITY OR TOWN, STREET ADDRESS	17. DATE(S) OR PERIOD C.1882	29. BASEMENT ? TES (1) NO()	COUNTY
210-14 S. 4th St.		30. FOUNDATION MATERIAL	TT
Saint Joseph, Missouri	IB. STYLE OR DESIGN Italianate	31. WALL CONSTRUCTION	
B. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick	
Ominina] Marm	20. CONTRACTOR OR BUILDER	32. ROOF TYPE AND MATERIAL	
Original Town Eleck 39		33. NO. OF BAYS FRONT 9 SIDE	
Lot 10	21. ARIGINAL USE IF APPARENT		PRE
·	22. PRESENT USE	Running & Common Bonds	PRESENT
	23. OWNERSHIP PUBLIC()	35. PLAN SHAPE Rectangular	
	PRIVATE(X)		LOCAL
	24. OWNER'S NAME AND ADDRESS IF KNOWN LEON HLOCK	MOVED () 37. CONDITION	NAME (S)
9. CCORDINATES UTM	408 Edmond	INTERIOR	:E(S)
LAT LONG	St. Joseph, Mo.64501	EXTERIOR Fair	POR
IO. SITE () STRUCTU	25. OPEN TO PUBLIC? YES() NO(T)	38. PRESERVATION YES () UNDERWAY ? NO (X)	DE
BUILDING (X) OBJE	CT() 28. LOCAL CONTACT PERSON OR ORGANIZATION		SIGN.
	ES(X) <u>Tandmarks Commission</u> NO() 27. OTHER SURVEYS IN WHICH INCLUDED		DESIGNATION (S
13. PART OF ESTAB. YES () 14. DISTRICT Y	(FS (X)	40. VISIBLE FROM YES (X) PUBLIC ROAD 2 NO ()	N(S)
HIST. DISTRICT ? NO () POTENTIAL ?	Johnson, Johnson & Roy	41. DISTANCE FROM AND	
		FRONTAGE ON ROAD	
brick queining. The windows third are round arched. The with arched stone lintels, w front has a boxed cornice li slender columns and paneled GOMEGORY AND SIGNIFICANCE Shultz and Hosea Company dea	FEATURES ront facade are divided into three la on the second story are segmentally se windows are similarly grouped in hich are peaked in the center of each ned with a nailhead motif and accent pilasters that frame the nine bays of west side, the flush lintels are for ling in wholesale hardware, was first as was established in 1865 by C.H. S	arched; those on the threes, and treated h bay. The metal store- ed by brackets. The f the storefront, have med by double header rew listed at this	5. OTHER NAME(S)
Hosea.	SE WAS ESCAPITSHED IN 1003 by C.R. 5		-j
Despite a missing cornice. t	this well intact Italianate structure ment of an historic district in this commercial buildings.	would contribute area of high quality	5. TOWNSHIP
lined with railroad tracks I	outBuildings as on the north and south sides of t runs along the west side of the prope	£ (y.	RANGE
45. SOURCES OF INFORMATION WATER PE	mmit: 1888, Shultz & Hosea; City Direc	Susan Ide Symington	
1881 History of St. Joseph, I	p.632;1883 Sanborn Insurance Map.	47. ORGANIZATION	SECTION
RETURN THIS FORM WHEN COMPLET	ED TO: OFFICE OF HISTORIC PRESERVATION	Landmarks Commission 48. DATE 49. REVISION DATE(S)	ION
IF ADDITIONAL SPACE IS NEEDED, ATTACH Separate Sheet(S) to this form	JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	8/85	



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM


2

i. NO.	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		-
BN-A5-017-009			NO
Buchanan	5. OTHER NAME(S)		
3. LOCATION OF City Hall NEGATIVES			
3 SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORY	28. NO. OF STORIES 3	Ņ
F CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	29. BASEMENT ? YES (T) NO ()	
213-15 s. 4th St.	c. 1887; Core pre-1881	30. FOUNDATION MATERIAL Brick	
Saint Joseph, Missouri	18. STYLE OR DESIGN Victorian Eclectic	31. WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick 32. BOOF TYPE AND MATERIAL Flat	
Original Town	20. CONTRACTOR OR BUILDER		
Block 52	21. ORIGINAL, USE TIF APPARENT	33. NO. OF BAYS FRONT O SIDE -	م . ۲
Lot 3	21. Commercial F APPARENT	34 WALL TREATMENT Running Bond	PRESENT
	22. PRESENT USE Commercial	35. PLAN SHAPERectangular	
	23. OWNERSHIP PUBLIC()	36. CHANGES ADDITION (X)	
	PRIVATE (X)	NO. 42) ALTERED () MOVED ()	
	24. OWNER'S NAME AND ADDRESS IF KNOWN Cynthia L. Fisher 215 S. 4th St.	37. CONDITION	11.VII.E (3)
9. CCORDINATES UTM LAT	St. Joseph, Mo.64501	INTERIOR	
LONG	25. OPEN TO PUBLIC? YES()	38. PRESERVATION YES ()	
IO. SITE () STRUCTU BUILDING (T) OBJE	JRE() NO(X) CT() 26. LOCAL CONTACT PERSON OR ORGANIZATION	$\frac{\text{NO}(\mathbf{X})}{39. \text{ ENDANGERED ? YES()}}$	DESIGNATION(S)
	(ES(X) Landmarks Commission	BY WHAT? NO(X)	
IS PART OF ESTAR YES () 14 DISTRICT)	NO() 27. OTHER SURVEYS IN WHICH INCLUDED	40. VISIBLE FROM YES (X)	
HIST. DISTRICT ? NO (x) POTENTIAL ?	1972 Historical Inventory Johnson, Johnson & Roy	PUBLIC ROAD ? NO ()	
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON TOAD O and 45	
dentilling defines the tops on these two floors are flux however, the two vary in sha second are segmentally arche <u>surmounted by a boxed cornic</u> ^{43.} HISTORY AND SIGNIFICANCE Grocer Samuel S. Allen had a here on the 1883 Sanborn Map	is lined on the front facade by a bo of the second and third stories on the h, created of radiating brick, and ac pe, the third story lintels are splay d. The plateglass storefront has wi e. In the rear there is a garage door store on this site as early as 1881. was very shallowly projecting into t	his facade. The lintel conted by keystones; yed and these on the ide transons and is or opening onto the alley. The building shown the lot from the street	
J.B.Moss, Vice President of addition" with a listed cost year. J.B. Moss undertook a Whe richly textured brickwor	teok place here; the building permit Dougherty and Moss Lumber (not locate of \$4,500. The present facade proba nother addition in 1892; the permit l k of this building would contribute a	ed here), for a "store ably dates from this Listed a cost of \$1,000 significantly to the	
establishment of an historic	district in this area of high qualit	ty 19th and early 20th	
The property is bounded on t	OUTBUILDINGS Century commercial structure he east by an alley.		
45. SOURCES OF INFORMATIONWAter Pe	rmit: JB. Moss, 1887; Building Permits:	46. PREPARED BY	<u> </u>
J.B. Moss, 1887, Store Add., \$4,	deal the state of	Jeneran Ida Siminatan	1
DETUDN THE TOT 100 and 1000	500;1892, Addition, \$1,000, City Directo	141. OHOANIEATION	
RETORN THIS FORM WHEN COMPLET	500;1892, Addition, \$1,000, City Director ED TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176	47. ORGANIZATION Landmarks Commission 48. DATE 49. REVISION DATE(S)	



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

NO. 4	. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
BN-AS-DITICO	Appliance Man Rentals	
Buchanan 5	OTHER NAME(S)	
LOCATION OF City Hall	The Gazette Building, J. Wichenhe	fer and Company
SPECIFIC LEGAL LOCATION	IG. THEMATIC CATEGORY	28. NO. OF STORIES 3
IF CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	29. BASEMENT? YES () NO ()
222 S. 4th St.	c.1874	30. FOUNDATION MATERIAL
CITY OR TOWN IF RURAL . VICINITY	18. STYLE OR DESIGN	Brick
Saint Joseph, Missouri		31. WALL CONSTRUCTION Brick
DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	32. ROOF TYPE AND MATERIAL
	20. CONTRACTOR OR BUILDER	Low Hip:Asphalt
		33. NO. OF BAYS
Original Town	21. ORIGINAL USE, IF APPARENT	FRONT 6 SIDE 5
Block 39 .	Commercial	34. WALL TREATMENT
Lot 12	22. PRESENT USE	Running Bond 35. PLAN SHAPE Rectangular
	<u> </u>	
	PRIVATE (X) (EXPLAIN IN ALTERED ()
	24. OWNER'S NAME AND ADDRESS IF KNOWN Mr. & Mrs. R. Monson	MOVED ()
	3612 Emerald Lane	37. CONDITION INTERIOR
CCORDINATES UTM Lat	St. Joseph, Mo. 64506	
LONG	25. OPEN TO PUBLIC 2 YES	38. PRESERVATION YES ()
. SITE () STRUCTURE		UNDERWAY ? NO (X)
BUILDING (X) OBJECT		
	(x) Landmarks Commission	BY WHAT ? NO (X)
PART OF ESTAB. YES () 14. DISTRICT YES		40. VISIBLE FROM YES (X)
HIST. DISTRICT? NO (X) POTENTIAL? NO	Johnson, Johnson & Roy	PUBLIC ROAD ? NO()
3. NAME OF ESTABLISHED DISTRICT	1972 Historical Inventory	41. DISTANCE FROM AND FRONTAGE ON ROAD
		0 and 45!
The original cornice has been the original storefront might by the quoins peaking through	ch depicts the Gazette Building as removed and replaced by sheets of remain under the present shake-shi on the southeast corner. On the s rround with quoins on either side a	plywood, while art of ingle canopy as sugges e c south facade, there is
the first year that the <u>St. Jo</u> was established in 1845 and is J. Wickenhoefer & Co., manufa of vehicles, located here in Despite the disguised storefr ginal window treatment and ba	ont and missing cornice, this build y articulation and would therefore	ddress. The <u>Gazette</u> buggies and other types ding retains some ori-
4. DESCRIPTION OF ENVIRONMENT AND OU	ed on the west by an alley lined wi	ith railroad tracks and
5. SOURCES OF INFORMATION CITY Dire	ctory, 1883 Sanborn Map; 1889 Histo	DICAL BY
	oseph, Publisher John Lethem.	Susan Ide Symington
and Deberthette tien of Det o	······································	147. URGANIZATION
	TO: OFFICE OF HISTORIC PRESERVATION	Landmarks Commission





ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

Markey and the second	PRESENT LOCAL NAME(S) OR DESIGNATION(S)	1	:
BN-M-2017-011 (Custom Cable, Inc.		
Buchanan 5. 0	OTHER NAME(S)		
LOCATION OF City Hall (Combe Printing Co.		
SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY	28. NO. OF STORIES	!
F CITY OR TOWN, STREET ADDRESS	Architecture	29. BASEMENT ? YES (X) NO ()	
223 S. 4th St.	190 2	30. FOUNDATION MATERIAL	
CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri	18. STYLE OR DESIGN Eclectic	Brick 31. WALL CONSTRUCTION	
DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick	
Original Town Block 52	E.J. Eckel 20. contractor or builder	32. BOOF TYPE AND MATERIAL Flat 33. NO. OF BAYS	
Lots 1 and 2	21. ORIGINAL USE, IF APPARENT	FRONT 6 SIDE 9	
	Commercial	34. WALL TREATMENT. Running Bond	
	22. PRESENT USE Commercial	35. PLAN SHAPE Rectangular	
	23. OWNERSHIP PUBLIC () 36. CHANGES ADDITION ()	
		-1 NO 42)	
	24. OWNER'S NAME AND ADDRESS, IF KNOWN Midland Acceptance Co	DI H37. CONDITION	
CCORDINATES UTM	- C/oW. L. Mead 3502 Auburn	INTERIOR	
LAT LONG	St. Joseph, Mo. 64501 25. OPEN TO PUBLIC? YES(X		
. SITE () STRUCTURE () UNDERWAY? NO (X)	
BUILDING (X) OBJECT (AY WHAT 2	
CN NATIONAL YES () 12. IS IT YES () REGISTER ? NO (X) ELIGIBLE ? NO (
. PART OF ESTAB. YES () 14. DISTRICT YES () HIST. DISTRICT ? NO () POTENTIAL ? NO ()	x) 1972 Historical Inventory	40. VISIBLE FROM YES (X) PUBLIC ROAD 2 NO ()	
HIST. DISTRICT ? NO () POTENTIAL ? NO (Johnson, Johnson & Roy	41. DISTANCE FROM AND	
	7		
		PRONTAGE ON ROAD	
windows in each bay articulate are created on the first floor and wrapping around the south the pilasters; on the third by are differentiated by round ar	street facades are organized by a ed by raised brick pilasters. How by a heavy molded coursing runn: side; on the second floor by a su corbelling at the top; and on the rch windows forming an arcade pat	a grid pattern of paired rizontal definitions ing along the storefront ubtle coursing between he top story the windows tern which contrasts	
The west (or front) and south windows in each bay articulate are created on the first floor and wrapping around the south the pilasters; on the third by are differentiated by round an ³ . HISTORY AND SIGNIFICANCE This building was built in 190 telephone and city directories nent St. Joseph, Beaux Arts to appeared on the front or west building in the 1972 Historics Although this structure has lo features, including the store:	street facades are organized by a ed by raised brick pilasters. How side; on the second floor by a su corbelling at the top; and on the rch windows forming an arcade pat- segmental arches found on the other 02 for the Combe Printing Company s before the Depression. It was rained architect, E.J. Eckel. La section and the east section in al Inventory. They have since be ost its cornices, it retains many front. and would contribute signi	a grid pattern of paired rizontal definitions ing along the storefront ubtle coursing between he top story the windows tern which contrasts er floors. which printed the designed by the promi- rge boxed cornices the photograph of this en removed. original architectural ficantly to the esta-	
The west (or front) and south windows in each bay articulate are created on the first floor and wrapping around the south the pilasters; on the third by are differentiated by round an . HISTORY AND SIGNIFICANCE With the s This building was built in 190 telephone and city directories nent St. Joseph, Beaux Arts to appeared on the front or west building in the 1972 Historica Although this structure has lo features, including the store: <u>blickment of an historic dist</u>	street facades are organized by a ed by raised brick pilasters. How side; on the second floor by a sur- c by a heavy molded coursing runn: side; on the second floor by a sur- c windows forming an arcade pat- segmental arches found on the other 02 for the Combe Printing Company s before the Depression. It was rained architect, E.J. Eckel. La section and the east section in al Inventory. They have since be ost its cornices, it retains many front, and would contribute signi rict in the surrounding area of h uncourses early 20th Century building	a grid pattern of paired rizontal definitions ing along the storefront ubtle coursing between he top story the windows tern which contrasts er floors. which printed the designed by the promi- rge boxed cornices the photograph of this en removed. original architectural ficantly to the esta- high quality 19th and	
The west (or front) and south windows in each bay articulate are created on the first floor and wrapping around the south the pilasters; on the third by are differentiated by round an HISTORY AND SIGNIFICANCE This building was built in 190 telephone and city directories nent St. Joseph, Beaux Arts to appeared on the front or west building in the 1972 Historica Although this structure has lo features, including the store: blishment of an historic dist distance This corner property is bounded 5. SOURCES OF INFORMATION Building P	street facades are organized by a ed by raised brick pilasters. How side; on the second floor by a say of corbelling at the top; and on the rch windows forming an arcade path segmental arches found on the other 02 for the Combe Printing Company s before the Depression. It was rained architect, E.J. Eckel. La section and the east section in al Inventory. They have since be ost its cornices, it retains many front, and would contribute signi rict in the surrounding area of h uncomes early 20th Century buildin ed on the east by an alley.	a grid pattern of paired rizontal definitions ing along the storefront ubtle coursing between he top story the windows tern which contrasts er-floors. which printed the designed by the promi- rge boxed cornices the photograph of this en removed. original architectural ficantly to the esta- high quality 19th and ags.	
The west (or front) and south windows in each bay articulate are created on the first floor and wrapping around the south the pilasters; on the third by are differentiated by round an HISTORY AND SIGNIFICANCE This building was built in 190 telephone and city directories nent St. Joseph, Beaux Arts to appeared on the front or west building in the 1972 Historica Although this structure has lo features, including the store: blishment of an historic dist. This corner property is bounded S. SOURCES OF INFORMATION Puilding P	street facades are organized by a ed by raised brick pilasters. How side; on the second floor by a say of corbelling at the top; and on the rch windows forming an arcade path segmental arches found on the other 02 for the Combe Printing Company s before the Depression. It was rained architect, E.J. Eckel. La section and the east section in al Inventory. They have since be ost its cornices, it retains many front, and would contribute signi rict in the surrounding area of h uncomes early 20th Century buildin ed on the east by an alley.	a grid pattern of paired rizontal definitions ing along the storefront ubtle coursing between he top story the windows tern which contrasts er floors. which printed the designed by the promi- rge boxed cornices the photograph of this en removed. original architectural ficantly to the esta- high quality 19th and egs.	
The west (or front) and south windows in each bay articulate are created on the first floor and wrapping around the south the pilasters; on the third by are differentiated by round an "B HISTORY AND SIGNIFICANCE With the s This building was built in 190 telephone and city directories nent St. Joseph, Beaux Arts the appeared on the front or west building in the 1972 Historics Although this structure has lo features, including the stores blishment of an historic dist "A DESCRIPTION OF ENVIRONMENT AND OUTB This corner property is bound "Business, \$20,000; St. Joseph N	street facades are organized by a ed by raised brick pilasters. How by a heavy molded coursing runn: side; on the second floor by a su corbelling at the top; and on the rch windows forming an arcade pat- segmental arches found on the other 02 for the Combe Printing Company s before the Depression. It was rained architect, E.J. Eckel. La section and the east section in al Inventory. They have since be ost its cornices, it retains many front, and would contribute signi rict in the surrounding area of h willows early 20th Century building ed on the east by an alley.	a grid pattern of paired rizontal definitions ing along the storefront ubtle coursing between he top story the windows tern which contrasts er-floors. which printed the designed by the promi- rge boxed cornices the photograph of this en removed. original architectural ficantly to the esta- high quality 19th and ags.	



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

Т. NO. BN-AS-017-012	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
2. COUNTY		
Ruchanan	5. OTHER NAME(S)	
3. LOCATION OF City Hall		
3 SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	Architecture	28. NO. OF STORIES
IF CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	29. BASEMENT? YES () NO ()
301-17 S. 4th St.	1920 (exterior)	30. FOUNDATION MATERIAL
Z CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri	18. STYLE OR DESIGN Vernacular	31, WALL CONSTRUCTION
8. DESCRIPTION OF LOCATION	IS. ARCHITECT OR ENGINEER	Brick
		32. ROOF TYPE AND MATERIAL
Original Town	20. CONTRACTOR OR BUILDER	33. NO. OF BAYS
Block 53	21. ORIGINAL USE IF APPARENT	FRONT 4 SIDE 10
Lots 5 and 6		34. WALL TREATMENT Running & Common Bonda
	22. PRESENT USE Commercial	35. PLAN SHAPE HOC CANGULAN
	23. OWNERSHIP PUBLIC (36. CHANGES ADDITION ()
· · · · · · · · · · · · · · · · · · ·	PRIVATE	- NU. 42)
	24. OWNER'S NAME AND ADDRESS IF KNOWN Richmond Screw Anchor	MOVED () 37. CONDITION
9. CCORDINATES UTM	Gulf & Western Ind.,7214 Barns	INTERIOR
LAT LONG	Ft. Worth, Texas 76118	EXTERIOR GOOD
	25. OPEN TO PUBLIC ? YES (TURE ()	
	JECT () 26. LOCAL CONTACT PERSON OR ORGANIZATION	39. ENDANGERED ? YES()
II. CN NATIONAL YES () 12. IS IT REGISTER ? NO (X) ELIGIBLE?	YES(X) Landmarks Commission	
IS PART OF ESTAR YES () 14 DISTRICT	YES ()	40. VISIBLE FROM YES (X)
HIST DISTRICT ? NO (X) POTENTIAL	? NO())	PUBLIC ROAD ? NO()
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD
		0' and 90'
piers which break through t facade is emphasized by a t this side are framed by ver structures have header sill bond, as are the other late 43. HISTORY AND SIGNIFICANCE A livery was located here a	a laid in common bond and divided into the parapet of the flat roof. The gar caller section of the parapet. The co- tically placed stretchers. The recti is. In the rear there is a brick external facades, and capped by a hipped r ored on the east or rear facade. As early as 1883 and remained on this was constructed in 1920. The building	age door bay on this ncrete spandrels on linear windows of this nsion laid in common oof. A garage door is site until at least
	who did not have a business here and	
pharmacist practicing in a	different part of the city; the cost	listed on this permit
was \$2,500.		<u> </u>
This structure is not archi	itecturally outstanding in itself, how	ever, its scale and
	th the establishment of an historic di	
44. DESCRIPTION OF ENVIRONMENT AND	outBuildings	
This corner property is bou	anded on the east by an alley lined wi	th railroad tracks.
45. SOURCES OF INFORMATION	Downit 1000 (howles Cohnoidan Dag	46. PREPARED BY
Fronta \$2.500 city Director	ng Permit:1920,Charles Schneider, Bus. ry:1883,1888 and 1897 Sanborn Maps.	Susan ide Symington
		47. ORGANIZATION Landmarks Commission
·	TED TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176	48. DATE 49. REVISION DATE(S)
IF ACDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	JEFFERSON CITY, MISSOURI 65102	8/85

IF ACDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM

3

JEFFERSON CITY, MISSOURI 65102 8/85 PH. 314-751-4096



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

4

i. NO. 4. PR	ESENT LOCAL NAME(S) OR DESIGNATION(S)	() (-
BN-AS-017-013	exaco Service Station		NO
2. COUNTY	HER NAME(S)		
	ollins Oil Co. Service Station		
3 SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORY	28. NO. OF STORIES 1	Ņ
F CITY OR TOWN, STREET ADDRESS	Architecture 17. DATE(S) OR PERIOD 1920 and 1952	29. BASEMENT ? YES () NO (<u>X</u>)	COUNTY
302 S. 4th St. or 312 Charles	1920 and 1952 18. STYLE OR DESIGN International	30. FOUNDATION MATERIAL Concrete	77
Saint Joseph, Missouri	Vernacular/ Style	31. WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION	I9. ARCHITECT OR ENGINEER	Concrete/ Stucco 32. ROOF TYPE AND MATERIAL	
Original Town	20. CONTRACTOR OR BUILDER	Flat 33. NO. OF BAYS	
Block 38	21. ORIGINAL USE IF APPARENT Service Station	FRONT 2 SIDE1 & 2	. РЯ
Lot 7	22. PRESENT USE	34. WALL TREATMENT Stucco; Brick; Concrete	PRESENT
	Service Station	35. PLAN SHAPE Rectangula	
	23. OWNERSHIP PUBLIC() PRIVATE(X)	36. CHANGES ADDITION () (EXPLAIN IN NO. 42) ALTERED ()	OCAL
	24. OWNER'S NAME AND ADDRESS IF KNOWN Home Oil and Gas Co.	MOVED()	LOCAL NAME(S)
9 COORDINATES UTM	915 Atchison	INTERIOR	E(S)
LAT Long	St. Joseph, Mo. 25. OPEN TO PUBLIC? YES(X)	EXTERIOR <u>GOOD</u> 38. PRESERVATION YES ()	POR
IO. SITE () STRUCTURE ()	NO()	UNDERWAY ? NO (X)	DESI
BUILDING (X) OBJECT ()	Tandmanica Commiggion	39. ENDANGERED? YES() BY WHAT? NO(X)	DESIGNATION(S
REGISTER? NO(X) ELIGIBLE? NO(X)	27 OTHER SURVEYS IN WHICH INCLUDED	40. VISIBLE FROM YES (X)	NOI.
13. PART OF ESTAB. YES () 14. DISTRICT YES (χ) HIST. DISTRICT? NO (χ) POTENTIAL? NO ()		40. VISIBLE FROM YES (X) PUBLIC ROAD ? NO ()	S)
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD 35' and 150'	
The original service station buil faced base and stucco above, capp rectilinear and unadorned. The e more recent two-door garage was c ⁴³ . HISTORY AND SIGNIFICANCE The original service station buil for \$1,000. The garage was built amenity for the area and the imme	ding was constructed in 1920 by in 1952 for \$3,(~0. The service diate access for e interstate	glass windows are as now enclosed. The has a flat roof. the Collins Oil Co. ce station is an highway ramp; however,	5, 10
architecturally, this station is wholesale and commercial area sou	a non-contributing member of the	rict.	TOWNSHIP
44. DESCRIPTION OF ENVIRONMENT AND OUTBUIL There are concrete paved parking An alley with railroad tracks rur	areas to the ease and north of t along the west de of the prop	the two structures. perty.	RANGE
45. SOURCES OF INFORMATION Building Per		46. PREPARED BY Susan Ide Symington	5
Oil Co.,\$1,000;Nov. 1952, Home Oi		47. ORGANIZATION	SECTION
RETURN THIS FORM WHEN COMPLETED TO IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	CONTINUE OF HISTORIC PRESERVATION P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102	Landmarks Commission 48. DATE 49. REVISION DATE(S) 8/85	Î



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
BN-17-014	Richmond Screw Anchor Co., Inc.	
	5. OTHER NAME(S)	
LOCATION OF City Hall	Fire Station of the City of St. J.	oseph
SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORY	28. NO. OF STORIES 2
if city or town, street address 309 S. 4th St.	IT. DATE(S) OR PERIOD	29. BASEMENT? YES() NO()
CITY OR TOWN IF RURAL, VICINITY	1912 18. STYLE OR DESIGN	30. FOUNDATION MATERIAL Brick
Saint Joseph, Missouri	Beaux Arts Influence	31. WALL CONSTRUCTION Brick
DESCRIPTION OF LOCATION		32. ROOF TYPE AND MATERIAL
Driginal Town	20. CONTRACTOR OR BUILDER	Flat 33. NO. OF BAYS
lock 53	21. ORIGINAL USE, IF APPARENT	FRONT 2 SIDE 34. WALL TREATMENT
Lot 4 .	Fire Station 22. present use	Running & Common Bonds
	Commercial	35. PLAN SHAPE Rectangular
	23. OWNERSHIP PUBLIC() PRIVATE (X)	36. CHANGES ADDITION ()
		NO. 42) ALTERED ()
	24. OWNER'S NAME AND ADDRESS IF KNOWN Richmond Screw Anchor	37. CONDITION
COORDINATES UTM	7214 Burns	INTERIOR
LAT Long	Ft. Worth, Tx. 76118	EXTERIOR Good
. SITE () STRUCTUR		38. PRESERVATION YES () UNDERWAY ? NO (X)
CN NATIONAL YES () 12 IS IT YE	(T()) 26. LOCAL CONTACT PERSON OR ORGANIZATION S(X) Tandmarks Commission	39. ENDANGERED? YES() BY WHAT? NO(X)
REGISTER ? NO (X) ELIGIBLE?	O() 27. OTHER SURVEYS IN WHICH INCLUDED	40. VISIBLE FROM YES (X)
3. PART OF ESTAB. YES () 14. DISTRICT YE HIST. DISTRICT ? NO (X) POTENTIAL ? NO	S (X) NO ()	40. VISIBLE FROM YES(X) PUBLIC ROAD ? NO()
5. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD TO and 40
42. FURTHER DESCRIPTION OF IMPORTANT F		
terminated on the second stor; oversized keystones. Vithin	by two, identical, monumental scale y with corners chamfered and the cen the surrounds on the second story an k patterned spandrel capping garage	e three series entry below. The
parapet is slightly raised in the rear there is a one-story 43. HISTORY AND SIGNIFICANCE	concrete block extention.	ays together. In
parapet is slightly raised in the rear there is a one-story 	concrete block extention. 912 as a fire station for the City of	of St. Joseph. The of on the front facade prical grouping of
parapet is slightly raised in the rear there is a one-story ^{33.} HISTORY AND SIGNIFICANCE This structure was built in 1 price listed on the building The stylized classical influe renders this structure a soli high quality 19th and early 2	concrete block extention. 912 as a fire station for the City of permit was \$7,779.85. nce of the Beaux Arts school apparendly contributing member of the histo	oays together. In of St. Joseph. The nt on the front facade orical grouping of this area.
parapet is slightly raised in the rear there is a one-story 3. HISTORY AND SIGNIFICANCE This structure was built in 1 price listed on the building The stylized classical influe renders this structure a soli high quality 19th and early 2 44. DESCRIPTION OF ENVIRONMENT AND O An alley lined with railroad	concrete block extention. 912 as a fire station for the City of permit was \$7,779.85. nce of the Beaux Arts school apparen dly contributing member of the histo Oth Century commercial buildings in	oays together. In of St. Joseph. The nt on the front facade orical grouping of this area. the building.
parapet is slightly raised in the rear there is a one-story 43. HISTORY AND SIGNIFICANCE This structure was built in 1 price listed on the building The stylized classical influe renders this structure a soli high quality 19th and early 2 44. DESCRIPTION OF ENVIRONMENT AND O An alley lined with railroad	concrete block extention. 912 as a fire station for the City of permit was \$7,779.85. nce of the Beaux Arts school apparen dly contributing member of the histo Oth Century commercial buildings in Tracks runs along the east side of	oays together. In of St. Joseph. The nt on the front facade orical grouping of this area. the building.
parapet is slightly raised in the rear there is a one-story 43. HISTORY AND SIGNIFICANCE This structure was built in 1 price listed on the building The stylized classical influe renders this structure a soli high quality 19th and early 2 44. DESCRIPTION OF ENVIRONMENT AND O An alley lined with railroad 45. SOURCES OF INFORMATION Building Fire Fouse, \$7,779.85.	concrete block extention. 912 as a fire station for the City of permit was \$7,779.85. nce of the Beaux Arts school apparen dly contributing member of the histo Oth Century commercial buildings in Tracks runs along the east side of	oays together. In of St. Joseph. The nt on the front facade orical grouping of this area. the building.



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

BN-AS-017-05	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		I. NO.
2. COUNTY Buchanan 3. LOCATION OF City Hall NEGATIVES	5. OTHER NAME(S)		
 B SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS 314 S. 4th St. 7. CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri 	16. THEMATIC CATEGORY Architecture 17. DATE(S) OR PERIOD c.1887 18. Style OR DESIGN Victorian Eclectic	28. NO. OF STORIES 2 29. BASEMENT? YES(X) NO() 30. FOUNDATION MATERIAL Brick 31. WALL CONSTRUCTION Brick	2. COUNTY
8. DESCRIPTION OF LOCATION Original Town Block 38 Lot 10	19. ARCHITECT OR ENGINEER 20. CONTRACTOR OR BUILDER 21. ORIGINAL USE, IF APPARENT Commercial 22. PRESENT USE Commercial Storage	32. ROOF TYPE AND MATERIAL Flat 33. NO. OF BAYS FRONT SIDE - 34. WALL TREATMENT Running & Common Bond 35. PLAN SHAPERectangular	4. PRESENT
	23. OWNERSHIP PUBLIC() PRIVATE(X) 24. OWNER'S NAME AND ADDRESS IF KNOWN R.F. Clark	35. PLAN SHAPE NEC CARGUIAL 36. CHANGES ADDITION () (EXPLAIN IN NO. 42) ALTERED () MOVED () 37. CONDITION INTERIOR	LOCAL NAME (S)
9 COORDINATES UTM LAT LONG 10. SITE() STRUCTU	25. OPEN TO PUBLIC? YES() RF() NO()	EXTERIOR Fair B. PRESERVATION YES () UNDERWAY? NO (X)	OR
BUILDING (X) OBJE II. CN NATIONAL YES () I2. IS IT YI REGISTER ? NO (X)	CT() 28. LOCAL CONTACT PERSON OR ORGANIZATION ES(X) <u>Landmarks Commission</u> NO() 27. OTHER SURVEYS IN WHICH INCLUDED	39. ENDANGERED? YES() BY WHAT? NO (X)	DESIGNATION(S)
13. PART OF ESTAB. YES () HIST. DISTRICT ? NO (X) 15. NAME OF ESTABLISHED DISTRICT	ES (X) NO()	40. VISIBLE FROM YES (X) PUBLIC ROAD ? NO () 41. DISTANCE FROM AND FRONTAGE PAD ROAD	(c)

42. FURTHER DESCRIPTION OF IMPORTANT FEATURES

2

The parapet of the flat roof is lined with raised brick dentilling and accented in the center by a sunburst diadem emphasizing the entry below to the second story. This entry has a tall transom and is flanked by twin plateglass storefronts whose separate entries are centered and capped by similarly tall transoms. Elongated, cast metal Doric pilasters frame these side entries. The rectangular windows on the second story have round arched radiating stretcher lintels, joined by recessed spandrels. In the 43. HISTORY AND SIGNIFICANCE fear there is a one story brick extension in common bond with a

43. HISTORY AND SIGNIFICANCE PEAR there is a one story brick extension in common blue with a The water permit for this property was taken out in 1887 by Joseph Schenecker, whose name appeared also on the Buchanan Ownership List circa 1890. It seems to have been investment property for him, as he did not work or reside here. He was either a grocer or affiliated with the McCord and Collins Company.

This well intact example of Victorian Eclecticism would contribute significantly to the establishment of an historic district in this area of high quality 19th and early 20th Century commercial structures.


On the north side of the building there is a gravel parking area. The property is bounded on the west by an alley lined with railroad tracks.

45. SOURCES OF INFORMATION Water Permit:1887, Joseph Sc Directory; Buchanan County Ownership List c. 1890	Joseph Scheneckenusan Ide Symington
RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTOR	RIC PRESERVATION Landmarks Commission
F ACDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM PH. 314-751-409	MISSOURI 65102 8/85

. TOWNSHIP

RANGE

SECTION



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

E NO. BN-AS-017-010 2. COUNTY	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		I. NO.
Buchanan 3. LOCATION OF City Hall NEGATIVES	5. OTHER NAME(S)		
3 SPECIFIC LEGAL LOCATION TOWNSHIPRANGESECTION IF CITY OR TOWN, STREET ADDRESS 315-17 S. 4th St. 7 CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri	IG. THEMATIC CATEGORY Architecture IT. DATE(S) OR PERIOD 1927 IB. STYLE OR DESIGN Vernacular	28. NO. CF STORIES 1 29. BASEMENT? YES() NO() 30. FOUNDATION MATERIAL CONCRETE 31. WALL CONSTRUCTION	2. COUNTY
B. DESCRIPTION OF LOCATION Original Town	19. ARCHITECT OR ENGINEER 20. CONTRACTOR OR BUILDER	Brick 32. ROOF TYPE AND MATERIAL Composite;Asphalt 33. NO. OF BAYS	
Block 53 Lots 2 and 3	21. ORIGINAL USE, IF APPARENT Commercial 22. present USE Commercial	33. NO. OF BATS FRONT & SIDE _ 34. WALL TREATMENT Todified Flemish Bond 35. PLAN SHAPE Cectangular	4 PRESENT
	23. OWNERSHIP PUBLIC() PRIVATE(X) 24. OWNER'S NAME AND ADDRESS IF KNOWN Richmond Screw Anchor		LOCAL NAME (S)
9 CCORDINATES UTM LAT LONG	7214 Burns Ft.Worth, Tx. 76118 25. OPEN TO PUBLIC? YES(X)		
			DESIGNATION(S)
13. PART OF ESTAB. YES () 14. DISTRICT Y. HIST. DISTRICT ? NO (χ) POTENTIAL ? 15. NAME OF ESTABLISHED DISTRICT		40. VISIBLE FROM YES (X) PUBLIC ROAD ? NO () 41. DISTANCE FROM AND FRONTAGE ON ROAD O' and 80'	N(S)

42. FURTHER DESCRIPTION OF IMPORTANT FEATURES

The front facade is dominated by a widely-spaced stepped parapet which reflects the configuration of the roof behind. The center of the roof is barrel vaulted and lined by a clerestory level which is the transition to the lower side parts of the roof. The front facade in running bond is echoed on the rear facade of common bond capped by another stepped parapet. There is a garage door centered on this rear facade.

3 43. HISTORY AND SIGNIFICANCE This structure was built in 1927 as a garage for the commercial enterprise of Haas Ibsen. Its scale and building material are compatible with the establishment of an historic district in this area of high quality 19th and early 20th Century commercial buildings

44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS Railroad tracks run along the east side of this building.		RANGE
45. SOURCES OF INFORMATION Building Permits:2-9-27. Hans Ibsen, \$5.000, Bus.;4-22-27. Hans Ibsen, \$1,000, Concrete Floor; City Directory.	46. PREPARED BY Susan Ide Symington 47. Organization	SECTION
RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176 IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM PH. 314-751-4096	Landmarks Commission 48. DATE 49. REVISION DATE(S) 8/85	ION



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

2

2. COUNTY <u>Buchanan</u> 3. LOCATION OF City Hall MEGATIVES 3 SPECIFIC LEGAL LOCATION TOWNSHIPRANGESECTION IF CITY OR TOWN, STREET ADDRESS 318-20 S. Lth St. 7. CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri	5. OTHER NAME(S) IG. THEMATIC CATEGORY Architecture 17. Date(S) or period 1890	28. NO. OF STORIES 2 29. BASEMENT? YES (X)	
TOWNSHIPRANGESECTION IF CITY OR TOWN, STREET ADDRESS 318-20 S. Lith St. 7. CITY OR TOWN IF RURAL, VICINITY	Architecture	29. BASEMENT? YES (X)	
CITY OR TOWN IF RURAL, VICINITY	1890	NO()	
	18. STYLE OR DESIGN	30. FOUNDATION MATERIAL Brick 31. WALL CONSTRUCTION	-
B. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER 20. CONTRACTOR OR BUILDER	Brick 32. ROOF TYPE AND MATERIAL Flat	
Original Town Block 38 Lot 11	21. ORIGINAL USE, IF APPARENT Commercial 22. present USE	33. NO. OF BAYS FRONT 3 SIDE - 34. WALL TREATMENT RUNNING BOND	
	Commercial 23. OWNERSHIP PUBLIC() PRIVATE(X) 24. OWNER'S NAME AND ADDRESS IF KNOWN Tri-State	35. PLAN SHAPE Rectangula 36. CHANGES ADDITION () (EXPLAIN IN NO. 42) ALTERED () MOVED () 37. CONDITION	
9. COORDINATES UTM LAT LONG	314 S. 4th St. St. Joseph Mo.64501 25. OPEN TO PUBLIC? YES(X)	S. CONDITION INTERIOR EXTERIOR Fair 38. PRESERVATION YES() UNDERWAY? NO(X)	
	TE() 26. LOCAL CONTACT PERSON OR ORGANIZATION ES(X) <u>Tandmarks Commission</u> NO() 27. OTHER SURVEYS IN WHICH INCLUDED	39. ENDANGERED? YES() BY WHAT? NO(X)	
3. PART OF ESTAB. YES () HIST. DISTRICT ? NO () 5. NAME OF ESTABLISHED DISTRICT	(FS (X))	40. VISIBLE FROM YES(X) PUBLIC ROAD? NO() 41. DISTANCE FROM AND FRONTAGE ON ROAD O' and 40'	
frontfronts below also empl deep reveals in which the d windows on either side are between the two storefront ners. On the second story, apartite window surrounded b This building was construct his business and residence	f is underscored by pressed metal der oy metal in the cast,fluted Ionic col ouble doors are set. These entries a	umns that flank the and the plateglass of the second story is on with chamfered cor- wide round arched tri-	
4th St., directly south. This structure retains the	e original storefronts and fenestration congly contributing member of an estal gh quality 19th and early 20th Centur	on on the second story blished historic	
44. DESCRIPTION OF ENVIRONMENT AND To the rear of this buildir parked. An alley lined by	outBuildings Ig is a parking area on which semi-tr railroad tracks bounds the property	uck trailors are on the west.	
3,000;1888 & 1897 Sanborn	g Permit, 6-27-90, Casper Weckerle, Stor Maps; City Directories. ED TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102	46. PREPARED BY Susan Ide Symington 47. ORGANIZATION Landmarks Commission 48. DATE 49. REVISION DATE(S) 8/85	

PH. 314-751-4096



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

BA AS-017-019 Tr 2. COUNTY Buchanan 5. OT	ESENT LOCAL NAME(S) OR DESIGNATION(S) i-State Insulation, Window and A HER NAME(S) Sper Weckerle's Grocery	wning	
3 SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS 322-24 S. 4th St. 7 CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri 8. DESCRIPTION OF LOCATION	16. THEMATIC CATEGORY Architecture 17. DATE(S) OR PERIOD c.1878 18. STYLE OR DESIGN Italianate 19. ARCHITECT OR ENGINEER 20. CONTRACTOR OR BUILDER	28. NO. OF STORIES 2 29. BASEMENT? YES (X) NO () 30. FOUNDATION MATERIAL BRICK 31. WALL CONSTRUCTION BRICK 32. ROOF TYPE AND MATERIAL Flat	
Original Town Block 38 Lot 12	21. ORIGINAL USE, IF APPARENT Commercial 22. PRESENT USE Commercial 23. OWNERSHIP PUBLIC() PRIVATE(X) 24. OWNER'S NAME AND ADDRESS IF KNOWN Tri-State Insulation, Window and Awning, 324 S. 4th S	33. NO. OF BAYS FRONT 6 SIDE 34. WALL TREATMENT COMMON BOND 35. PLAN SHAPERectangular 36. CHANGES ADDITION () (EXPLAIN IN ALTERED () NO. 42) MOVED () 37. CONDITION	
9. CCORDINATES UTM LAT LONG 10. SITE () STRUCTURE() BUILDING (X) OBJECT () 11. CN NATIONAL YES () 12. IS IT YES (X) REGISTER ? NO (X) ELIGIBLE? NO () 13. PART OF ESTAB. YES () 14. DISTRICT YES (X)	St. Joseph, Mo.64501 25. OPEN TO PUBLIC? YES(X) NO() 26. LOCAL CONTACT PERSON OR ORGANIZATION Landmanks Commission 27. OTHER SURVEYS IN WHICH INCLUDED	INTERIOR EXTERIOR Good 38. PRESERVATION UNDERWAY ? YES () NO (X) 39. ENDANGERED ? YES () BY WHAT ? AU VISIBLE FROM YES (X)	
HIST. DISTRICT ? NO (x) POTENTIAL ? NO ()		PUBLIC ROAD ? NO() 41. DISTANCE FROM AND ERONTAGE ON ROAD O AND 45	

The original Italianate window treatment remains on the second story where the round arch label lintels accented by keystones. follow the line of the arch of the window. The bays of these windows on the front facade are defined by raised brick piers. The cornice on the front has been removed. The double storefronts have cast metal supports with rope molding lining alender columns flanking the deeply recessed centered entries, and paneled pilasters on the ends of the storefronts. The lintels on the first story of the south facade are segmentally arched, label lintels of raised brick with keystene.

Although the front cornice has been removed from this otherwise well intact Italianate double storefront, the building would contribute significantly to the establishment of an historic district in this area of high quality 19th and early 20th Century commercial structures.

2

The long lived grocery and residence of Casper Weckerle was first listed at this address in 1879.

44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS. This corner property is bounded on the west by an alley lined with railroad tracks. In the rear there is a parking area.

45. SOURCES OF INFORMATION Water Permit: 1887, Casper Weckerle; City Directory; 1883 Sanborn Fire Insurance Map.	46 PREPARED BY Susan Ide Symington 47 Organization	SECT
RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION	Landmarks Commission 48. DATE 49. REVISION DATE(S)	NOL
IF ADDITIONAL SPACE IS NEEDED, ATTACH JEFFERSON CITY, MISSOURI 65102 SEPARATE SHEET(S) TO THIS FORM PH. 314-751-4096	8/85	ł

NAP

5. TOWNSHIP

RANGE

OTHER



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

ان میں بالا میں ان کا مالا کا ان کا ان کا ان کا تک کا تک کا میں جاد ہاتی ہے۔ 1			_
BN-175-017-019	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		NO
2. COUNTY	Casey Products Inc.		ç
Buchanan	5. OTHER NAME(S)		
LOCATION OF City Hall	Cudahy Packing Co.; Swift and Co.		
SPECIFIC LEGAL LOCATION	I6. THEMATIC CATEGORY	28. NO. CE STORIES 2	N 0
F CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	29. BASEMENT ? YES (X) NO ()	COUNTY
323 S. 4th St.	1900; Remodeled in 1936	30. FOUNDATION MATERIAL Brick	11
Saint Joseph, Missouri	18. STYLE OR DESIGN Vernacular	31. WALL CONSTRUCTION	
DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick 32. ROOF TYPE AND MATERIAL	
Original Town	20. CONTRACTOR OR BUILDER	Flat	
Block 53		33. NO. OF BAYS FRONT 1. SIDE	
Lot 1	21. ORIGINAL USE, IF APPARENT Commercial	34. WALL TREATMENT	PHES
	22. PRESENT USE	Running & Common Bonds. 35. PLAN SHAPE Rectangular	ENI
	Commercial 23. Ownership Public()	36. CHANGES ADDITION ()	500
· · · · · · · · · · · · · · · · · · ·	PRIVATE(X)	(EXPLAIN IN NO. 42) ALTERED (X)	PRESENT LOCAL NAME (S)
	24. OWNER'S NAME AND ADDRESS IF KNOWN Casey Prod. Inc.	MOVED () 37. CONDITION	NWAS
CCORDINATES UTM	323 S. 4th St.	INTERIOR	(5)
LAT	St. Joseph. Mo. 64501	EXTERIOR	Q.
0. SITE () STRUCTU	25. OPEN TO PUBLIC? YES(X) RE() NO()		
BUILDING (X) OBJE	CT () 28. LOCAL CONTACT PERSON OR ORGANIZATION	DY WHAT D	OESIG, MALION (S)
	ES() <u>Landmarks Commission</u> NO(^X) 27. OTHER SURVEYS IN WHICH INCLUDED		
3. PART OF ESTAR. YES () 14. DISTRICT Y	ES (X)	40. VISIBLE FROM YES (X) PUBLIC ROAD 2 NO()	10101
HIST. DISTRICT ? NO (X) POTENTIAL ? 5. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND	
		FRONTAGE ON ROAD O' and 40'	
42. FURTHER DESCRIPTION OF IMPORTANT			ç
The parapet of the flat ro	of is unadorned except for three sin	gle rows of corbelled	
brick along the top of the	west facade. This facade was origi	nally the front one	
because of this remaining	decoration and use of running bond,	a more formal one than	
the common bond used on th	e other facades. The original main	entry as well as many	
windows have been bricked	over and most of the remaining windo	WS have been iffied in	
with glass block from the	1936 remodeling. On the east or rea	r side there is a	
*3. HISTORY AND SIGNIFICANCE	ted in 1900 for the Cudahy Packing (o.: the price listed	
This building pormit was	5,600. The front facade was alter	red in 1936 by Swift	
and Co., which alluded to	the building as a"terminal warehouse	e." The price listed	
on the permit for the remo	deling was \$1.400.	1	
The original building has	been severely altered and would, in :	its present state.	l
contribute only minimally	to the establishment of an historic	district in this area	ĺ
of high quality 19 and ear	ly 20th Century commercial building:	5.	
44. DESCRIPTION OF ENVIRONMENT AND	the east side of the property		
Haltroad tracks run along	the east side of the property.		
45. SOURCES OF INFORMATION Building	r Permits:1900, Cudahy Packing Co.,	46. PREPARED BY Susan Ide Sumington	
Bus.,\$5,600;1936.Swift & (301em. Front. 31,400.	Susan Ide Symington	1
RETURN THIS FORM WHEN COMPLET	ED TO: OFFICE OF HISTORIC PRESERVATION	Landmarks Commission	
	P.O. BOX 176	48. DATE 49. REVISION DATE(S)	
IF ADDITIONAL SPACE IS NEEDED, ATTACH Separate Sheet(s) to this form	JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	8/85	i



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

PALAS MAR DIA	esent local name(s) or designation(s) and M Machine Shop	
	HER NAME(S)	
3 SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	IG. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 1 29. BASEMENT? YES()
if city or town, street address 401-5 S. 4th St.	17. DATE(S) OR PERIOD 1926	NO() 30. FOUNDATION MATERIAL
Saint Joseph, Missouri	1920 18. STYLE OR DESIGN Moderne	Concrete 31. WALL CONSTRUCTION
B. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick-Yellow 32. ROOF TYPE AND MATERIAL
Driginal Town	20. CONTRACTOR OR BUILDER	Flat: Barrel Vault
Block 54 Jots 5 and 6	21. ORIGINAL USE, IF APPARENT Commercial	FRONT 8 SIDE 7
	22. PRESENT USE Commercial	Running Bond 35. PLAN SHAPE Irregular
	23. OWNERSHIP PUBLIC (30) PRIVATE()	36. CHANGES ADDITION () (EXPLAIN IN NO. 42) ALTERED ()
	24. OWNER'S NAME AND ADDRESS IF KNOWN Thomas & Marlene Lein	
COORDINATES UTM	401-5 S. 4th St. St. Joseph. Mo.64501	INTERIOR
LONG O. SITE () STRUCTURE ()	25. OPEN TO PUBLIC ? YES(X) NO()	
BUILDING (X) OBJECT ()	Landmarks Commission	39. ENDANGERED? YES() BY WHAT? NO(X)
$\begin{array}{c c c c c c c c c c c c c c c c c c c $		40. VISIBLE FROM YES (X) PUBLIC ROAD ? NO ()
5. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON BOAD 45' and 80

42. FURTHER DESCRIPTION OF IMPORTANT FEATURES The main facade of this corner structure faces toward the west. The corners of this facade are rounded and the parapets of the flat roof are unadowned, both in the Moderne style. Some of the window treatment is also characteristic of this style, such as the use of glass block and plateglass windows in series rounding the corners. The interior work area is heightened by the use of a wide barrel vault. On the east side of the structure is a concrete block addition with a garage door and lone rectilinear windows, 43. HISTORY AND SIGNIFICANCE Which might have been constructed after the fire in 1949.

3

This structure was built in 1926 and 27 as an oil station and garage. The building permit was in the name of "Basket Store" and the price listed in 1926 was \$4,000. This Moderne style structure is later in period than the surrounding high quality 19th and 20th Century commercial buildings, however, it is compatible in use and scale and would contribute to the establishment of an historic district in the area.

44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS On the west side of the property is an asphalt parking area. This corner property is bounded on the east by railroad tracks.

45. SOURCES OF INFO	RMATION Building Per	mits: Basket Store, Oil Station,	46. PREPARED BY	
		27; Berry Motor Co., Fire Damage	Susan Ide Symington	SE
\$4,000,J=11=20;			47. ORGANIZATION	2
RETURN'THIS' FORM	WHEN COMPLETED TO:	OFFICE OF HISTORIC PRESERVATION	Landmarks Commission	ģ
	WHEN COMPLETED TO	P.O. BOX 176	48. DATE 49. REVISION DATE(S)	1 -
IF ADDITIONAL SPACE IN		JEFFERSON CITY, MISSOURI 65102	8/85	
SEPARATE SHEET(S) TO	THIS FORM	PH. 314-751-4096		•

TOWNSHIP

RANGE



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

BN-A-017-02)	PRESENT LOCAL NAME(S) OR DESIGNATION(S) Schneitter Fireworks and Importir	ng Co
COUNTY	-	ig 00.
Buchanan 5. LOCATION OF City Hall	OTHER NAME(S)	
SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORY	28. NO. OF STORIES 2
if city or town, street address 09 S. 4th St.	17. DATE(S) OR PERIOD 1889	29. BASEMENT ? YES (X) NO ()
CITY OR TOWN IF RURAL , VICINITY	18. STYLE OR DESIGN	30. FOUNDATION MATERIAL Brick
Saint Joseph, Missouri	Richardsonian Romanesque	31. WALL CONSTRUCTION Brick
riginal Town		32. ROOF TYPE AND MATERIAL
lock 54	20. CONTRACTOR OR BUILDER	33. NO. OF BAYS FRONT 2 SIDE -
ot 4	21. ORIGINAL USE, IF APPARENT Commercial	34. WALL TREATMENT
	22. PRESENT USE Commercial	Bunning & Common Bond. 35. PLAN SHAPE Bectangular
	23. OWNERSHIP PUBLIC (PRIVATE (X) 36. CHANGES ADDITION () (())
	24. OWNER'S NAME AND ADDRESS	NO. 42) MOVED()
CCORDINATES UTM	409 S. 4th St.	37. CONDITION INTERIORGOOD
LAT LONG	St. Joseph. Mo. 64501 25. OPEN TO PUBLIC? YES(X	
	() NO () UNDERWAY ? NO (X)
BUILDING (X) OBJECT (CN NATIONAL YES () 12. IS IT YES (REGISTER ?		N 3: NDANGERED? YES() BY WHAT? NO(X)
	X \	40. ISIBLE FROM YES (X)
HIST. DISTRICT ? NO (x) POTENTIAL ? NO (x)		PUBLIC ROAD ? NO()
		FLONTAGE ON ROAD
2. FURTHER DESCRIPTION OF IMPORTANT FEA	ATURES	
The front facade is dominated by From brownstone carved capitals engaged columns. This composit style, as are the organic motif partite windows on the second s rooden storefront with a line of 3. HISTORY AND SIGNIFICANCE SIDE OF The 1889 building permit for the in the City Directory, for the	by two wide round arches on the sec a atop brick piers flanked by elong ion is characteristic of the Richa 's in the stone carving. These arc story and beneath a simple brick sp of transoms and entries set in reve each bay. In the rear, there are with splaye his building was in the name of Bal amount of \$11,000. In the 1899 C	ated, slender brick ardsonian Romanesque ches frame multi- pandrel, a tri-partite eals on the southern <u>arectilinear windows</u> of lintels of brick. ker and Donovan. unliste ity Directory, the city
The front facade is dominated by From brownstone carved capitals engaged columns. This composit style, as are the organic motif partite windows on the second s rooden storefront with a line of 3. HISTORY AND SIGNIFICANCE SIDE OF The 1889 building permit for the in the City Directory, for the office of the Melson Morris Pac of the Swift Packing Co. was li This outstanding example of the significantly to the establishm	by two wide round arches on the sec a atop brick piers flanked by elong ion is characteristic of the Richa 's in the stone carving. These arc story and beneath a simple brick sp of transoms and entries set in reve each bay. In the rear, there are with splaye his building was in the name of Bal amount of \$11,000. In the 1899 C sking Co. was listed at 409 S. 4th sted at 411 S. 4th. e Richardsonian Romanesque style we hent of an historic district in the	rated. slender brick ardsonian Romanesque ches frame multi- pandrel, a tri-partite eals on the southern <u>prectilinear windows</u> ed lintels of brick. ker and Donovan. unliste ity Directory, the city and the city office
The front facade is dominated by From brownstone carved capitals engaged columns. This composit style, as are the organic motif partite windows on the second s rooden storefront with a line of 3. HISTORY AND SIGNIFICANCE SIDE OF The 1889 building permit for the in the City Directory, for the office of the Melson Morris Pac of the Swift Packing Co. was li this outstanding example of the significantly to the establishm quality 19th and early 20th Cen	by two wide round arches on the sec a atop brick piers flanked by elong ion is characteristic of the Richa 's in the stone carving. These arc story and beneath a simple brick sp of transoms and entries set in reve each bay. In the rear, there are with splaye his building was in the name of Bal amount of \$11,000. In the 1899 C: sking Co. was listed at 409 S. 4th sted at 411 S. 4th. e Richardsonian Romanesque style we hent of an historic district in the neury commercial structures.	rated. slender brick ardsonian Romanesque ches frame multi- pandrel, a tri-partite eals on the southern <u>prectilinear windows</u> ed lintels of brick. ker and Donovan. unliste ity Directory, the city and the city office
The front facade is dominated by rom brownstone carved capitals ingaged columns. This composit style, as are the organic motif partite windows on the second s rooden storefront with a line of 3. HISTORY AND SIGNIFICANCE SIDE OF The 1889 building permit for the office of the Melson Morris Pac of the Swift Packing Co. was li this outstanding example of the significantly to the establishm quality 19th and early 20th Cen 4. DESCRIPTION OF ENVIRONMENT AND OUT cailroad tracks runs along the	by two wide round arches on the sec a atop brick piers flanked by elong ion is characteristic of the Richa 's in the stone carving. These arc story and beneath a simple brick sp of transoms and entries set in reve each bay. In the rear, there are with splaye his building was in the name of Bal amount of \$11,000. In the 1899 C: eking Co. was listed at 409 S. 4th sted at 411 S. 4th. e Richardsonian Romanesque style we hent of an historic district in the ntury commercial structures.	gated. slender brick ardsonian Romanesque ches frame multi- pandrel, a tri-partite eals on the southern erectilinear windows ed lintels of brick. ker and Donovan. unliste ity Directory, the city and the city office ould contribute is area of high
The front facade is dominated be from brownstone carved capitals engaged columns. This composit style, as are the organic motif partite windows on the second s wooden storefront with a line of the storefront with a line of the 1889 building permit for the in the City Directory, for the office of the Nelson Morris Pac of the Swift Packing Co. was li This outstanding example of the significantly to the establishm quality 19th and early 20th Cen the DESCRIPTION OF ENVIRONMENT AND OUT hailroad tracks runs along the saker and Donovan, Store, \$11,0	by two wide round arches on the sec a atop brick piers flanked by elong ion is characteristic of the Richa 's in the stone carving. These arc story and beneath a simple brick sp of transoms and entries set in rever each bay. In the rear, there arc with splaye is building was in the name of Bal amount of \$11,000. In the 1899 C: sking Co. was listed at 409 S. 4th sted at 411 S. 4th. e Richardsonian Romanesque style we hent of an historic district in the neury commercial structures. BUILDINGS east side of the building.	rated. slender brick ardsonian Romanesque ches frame multi- pandrel, a tri-partite eals on the southern <u>prectilinear windows</u> ed lintels of brick. ker and Donovan. unliste ity Directory, the city and the city office ould contribute is area of high

1



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

BN-AS-017-022	. PRESENT LOCAL NAME(S) OR DESIGNATION(S) Wing Printing Co.		I. NO
2. COUNTY Buchanan 5. 3. LOCATION OF City Hall NEGATIVES	OTHER NAME(S) Armour and Co. Office Building		
3 SPECIFIC LEGAL LOCATION TOWNSHIPRANGESECTION IF CITY OR TOWN, STREET ADDRESS 413 S. 4th St. 7 CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri 8. DESCRIPTION OF LOCATION	IG. THEMATIC CATEGORY Architecture 17. DATE(S) OR PERIOD 1910 18. STYLE OR DESIGN Vernacular 19. ARCHITECT OR ENGINEER	28. NO. OF STORIES 2 29. BASEMENT? YES (X) NO() 30. FOUNDATION MATERIAL Brick 31. WALL CONSTRUCTION Brick 32. ROOF TYPE AND MATERIAL	2. COUNTY
Original Town Block 514 Lot 3	20. CONTRACTOR OR BUILDER 21. ORIGINAL USE, IF APPARENT Commercial	Flat 33. NO. OF BAYS FRONT SIDE - 34. WALL TREATMENT	4. PRES
	22. PRESENT USE Printing Company 23. OWNERSHIP 24. OWNER'S NAME AND ADDRESS LE KNOWN TO THE ADDRESS) (EXPLAIN IN ALTERED () NO. 42) MOVED ()	PRESENT LOCAL NAME(S)
9 CCORDINATES UTM LAT LONG 10. SITE() STRUCTURE BUILDING(x) OBJECT) UNDERWAY? NO(X)	QH R
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	(X) <u>Landmarks Commission</u> () 27. other surveys in which included	A0. VISIBLE FROM YES (X) PUBLIC ROAD ? NO ()	DESIGNATION(S)
IS. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE AN ROAD	
raised brick notches which dr story. The corbelling is echo accommodate a wide garage door extreme south bay of the first canopy above the loading dock 43. HISTORY AND SIGNIFICANCE WINDOWS This building was constructed It retains original brick corb	ed by richly tertared brick corbell cop down to accent the six window b bed above the front entry set off-c on the northern half. A triparti t story of this facade. In the rea	ays of the second eenter to the south to the window is in the ar there is a bracketed second story there are double header rows. an office. d contribute to the	5

44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS Train tracks run along the east side of the building.

45. SOURCES OF INFORMATION Building Permit, 3-28-10, Armour and Co., Building; \$15,000.	46. PREPARED BY Susan Ide Symington 47. Organization	SECT
RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION	Landmarks Commission 48. DATE 49. REVISION DATE(S)	ō
FOL BOX 173 FOL BOX 173 JEFFERSON CITY, MISSOURI 65102 SEPARATE SHEET(S) TO THIS FORM PH. 314-751-4096	8/85	l

RANGE



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM


2

1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
BN . 45 . 017 . 023	Carpet Mill	
Buchanan	5. OTHER NAME(S)	
LOCATION OF City Hall NEGATIVES	Hundley Dry Goods Co.	
SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY	28. NO. OF STORIES 4
TOWNSHIPRANGESECTION	Architecture	29. BASEMENT ? YES (X) NO ()
417 S. 4th St.	1907	30. FOUNDATION MATERIAL
Saint Joseph, Missouri	18. STYLE OR DESIGN Beaux Arts Influence	Brick 31. WALL CONSTRUCTION
DESCRIPTION OF LOCATION	IS. ARCHITECT OR ENGINEER	Brick
Original Town	20. CONTRACTOR OR BUILDER	32. ROOF TYPE AND MATERIAL
Block 54		33. NO. OF BAYS
Lots 1 and 2	21. ORIGINAL USE AF APPARENT	
	22. PRESENT USE	34. WALL TREATMENT Flemish & Common Bonds 35. PLAN SHAPE Rectangular
	Commercial 23. OWNERSHIP PUBLIC	
	PRIVATE	(EXPLAIN IN ALTERED (X)
	24. OWNER'S NAME AND ADDRESS IF KNOWN David C. Moeck	MOVED () 37. CONDITION
COORDINATES UTM	721 S. 14th St.	INTERIOR
LAT LONG	St. Joseph, Mo.6450	
SITE () STRUC	CTURE() NO(() UNDERWAY ? NO (X)
$\frac{\text{BUILDING}(\mathbf{X})}{\text{CN NATIONAL YES}()} OB$	DJECT () 26. LOCAL CONTACT PERSON OR ORGANIZAT	TION 39. ENDANGERED? YES() BY WHAT? NO(X)
REGISTER ? NO(X) ELIGIBLE?	YES(X) <u>Tandmarks Commission</u> NO() 27. OTHER SURVEYS IN WHICH INCLUDED	
B. PART OF ESTAB. YES () 14. DISTRICT HIST. DISTRICT ? NO () POTENTIAL	YES(X) ? NO()	40. VISIBLE FROM YES (X) PUBLIC ROAD ? NO ()
5. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND
		FRONTAGE ON ROAD
2. FURTHER DESCRIPTION OF IMPORTANT The flat roof has a parape facade. The merlons accer the second to fourth stor: vertically accented bays a brick with keystones. The treatment above, and is de an arg rory ANO SIGNIFICANCE	et which is corbelled and crenelated nt the bays articulated by monumenta ies, which run around the south faca are capped by wide segmentally arche e ground story visually serves as a emarcated by dentilated coursing. The d by splayed brick lintels accented	frontage of Road O' and 55 and 55 al on the front or west al brick pilasters from ade, as well. These ed lintels of radiating base to the monumental The windows on this level by raiged brick keystones
2. FURTHER DESCRIPTION OF IMPORTANT The flat roof has a parape facade. The merlons accer the second to fourth stor: vertically accented bays a brick with keystones. The treatment above, and is de and is de treatment above. This structure was built	et which is corbelled and crenelated nt the bays articulated by monumenta ies, which run around the south face are capped by wide segmentally arche e ground story visually serves as a emarcated by dentilated coursing. The d by splayed brick lintels accented in 1907 and used by the Hundley Dry	frontage of Road O' and 85 al on the front or west al brick pilasters from ade, as well. These ed lintels of radiating base to the monumental The windows on this level by raised brick keystones y Goods Company. The
2. FURTHER DESCRIPTION OF IMPORTANT The flat roof has a parape facade. The merlons accer the second to fourth stor: vertically accented bays a brick with keystones. The treatment above, and is de are rectilinear and capped This structure was built building permit was in the Heat and Power Company, a: Although the original fer- and window treatment on t	et which is corbelled and crenelated nt the bays articulated by monumenta ies, which run around the south face are capped by wide segmentally arche e ground story visually serves as a emarcated by dentilated coursing. The d by splayed brick lintels accented is in 1907 and used by the Hundley Dry he name of John Donovan, President of and the price listed for the building the stration is sheathed by corrugation the ground and fourth stories remain an historic district in this area of	PRONTAGE OF ROAD O' and 65 and 65 al on the front or west al brick pilasters from ade, as well. These ed lintels of radiating base to the monumental the windows on this level by raised brick keystones by Goods Company. The the St. Joseph Light. g was \$35.000. n. original corbelling and wild contribute
2. FURTHER DESCRIPTION OF IMPORTANT The flat roof has a parape facade. The merlons accer the second to fourth stor: vertically accented bays a brick with keystones. The treatment above, and is de are rectilinear and capped This structure was built building permit was in the Heat and Power Company, a: Although the original fer and window treatment on t to the establishment of a early 20th Century commer	et which is corbelled and crenelated nt the bays articulated by monumenta ies, which run around the south faca are capped by wide segmentally arche e ground story visually serves as a emarcated by dentilated coursing. The d by splayed brick lintels acconted is in 1907 and used by the Hundley Dry he name of John Donovan, President of and the price listed for the building the ground and fourth stories remain an historic district in this area of scial buildings.	PRONTAGE OF POAD O' and 05 d on the front or west al brick pilasters from ade, as well. These ed lintels of radiating base to the monumental The windows on this level by raised brick keystones by Goods Company. The the St. Joseph Light, g was \$35,000. n. original corbelling and would contribute high quality 19th and
 2. FURTHER DESCRIPTION OF IMPORTANT The flat roof has a parape facade. The merlons accer the second to fourth stor: vertically accented bays a brick with keystones. The treatment above, and is de are rectilinear and capped This structure was built building permit was in the Heat and Power Company, a: Although the original fer and window treatment on to to the establishment of a early 20th Century commer 44. DESCRIPTION OF ENVIRONMENT AND This building occupies a 	et which is corbelled and crenelated nt the bays articulated by monumenta ies, which run around the south faca are capped by wide segmentally arche e ground story visually serves as a emarcated by dentilated coursing. The d by splayed brick lintels accented in 1907 and used by the Hundley Dry he name of John Donovan, President of and the price listed for the building the ground and fourth stories remain an historic district in this area of scial buildings.	frontage of Poad O' and 05 Notes of the set of the front or west al brick pilasters from ade, as well. These ed lintels of radiating base to the monumental the windows on this level by raised brick keystone by raised brick keystone of the St. Joseph Light, g was \$35,000. n. original corbelling and wild contribute high quality 19th and on the south side.
 2. FURTHER DESCRIPTION OF IMPORTANT The flat roof has a parape facade. The merlons accer the second to fourth stor: vertically accented bays a brick with keystones. The treatment above, and is de are rectilinear and capped This structure was built building permit was in the Heat and Power Company, a: Although the original fer and window treatment on to to the establishment of a early 20th Century commer 44. DESCRIPTION OF ENVIRONMENT AND This building occupies a 	et which is corbelled and crenelated nt the bays articulated by monumenta ies, which run around the south faca are capped by wide segmentally arche e ground story visually serves as a emarcated by dentilated coursing. T d by splayed brick lintels accented in 1907 and used by the Hundley Dry he name of John Donovan, President of and the price listed for the building the ground and fourth stories remain an historic district in this area of scial buildings.	PRONTAGE ON POAD O' and 05 and 05 al on the front or west al brick pilasters from ade, as well. These ed lintels of radiating base to the monumental The windows on this level by raiged brick keystone by and solve brick keystone by and brick keystone by and solve brick keystone by and solve brick keystone by and solve brick keystone by and solve brick keystone by and brick keystone brick keystone
 2. FURTHER DESCRIPTION OF IMPORTANT The flat roof has a parape facade. The merlons accer the second to fourth stor: vertically accented bays a brick with keystones. The treatment above. and is de are rectilinear and capped This structure was built building permit was in the Heat and Power Company, a: Although the original fer and window treatment on t to the establishment of a early 20th Century commer 44. DESCRIPTION OF ENVIRONMENT AND This building occupies a 45. SOURCES OF INFORMATION Building Business; City Directory. 	et which is corbelled and crenelated nt the bays articulated by monumenta ies, which run around the south faca are capped by wide segmentally arche e ground story visually serves as a emarcated by dentilated coursing. The d by splayed brick lintels accented in 1907 and used by the Hundley Dry he name of John Donovan, President of and the price listed for the building hestration is sheathed by corrugation the ground and fourth stories remain an historic district in this area of scial buildings.	A on the front or west al on the front or west al brick pilasters from ade, as well. These ed lintels of radiating base to the monumental the windows on this level by raised brick keystone by Goods Company. The the St. Joseph Light. g was \$35.000. n. original corbelling and will contribute high quality 19th and on the south side.



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

i, NO.	4. PRESENT LOCAL NAME(S) CR DESIGNATION(S)		-
BN AS-017-024	The National Cash Register Corpora	ation	NO
2. COUNTY Buchanan	5. OTHER NAME(S)	4	,
3. LOCATION OF City Hall MEGATIVES			
3 SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 2	N
F CITY OR TOWN, STREET ADDRESS 213-17 S. 5th St.	17. DATE(S) OR PERIOD 1960, 1921 and 1909	29. BASEMENT ? YES () NO () 30. FOUNDATION MATERIAL	COUNTY
7. CITY OF TOWN IF RURAL, VICINITY Saint Joseph, Missouri	is. SIYLE OR DESIGN International Style	31. WALL CONSTRUCTION	-
8. DESCRIPTION OF LOCATION	IS. ARCHITECT OR ENGINEER	Brick	
Original Town	20. CONTRACTOR OR BUILDER	32. ROOF TYPE AND MATERIAL Flat	
Block 59	21. ORIGINAL USE, IF APPARENT	33. NO. OF BAYS FRONT 1 SIDE	<u>ھ</u> . ج
Lot 3	Commercial	34. WALL TREATMENT Yellow Brick	RESE
	22. PRESENT USE Commercial	35. PLAN SHAPE Rectangula	
	23. OWNERSHIP PUBLIC (PRIVATE (X		PRESENT LOCAL NAME(S)
	24. OWNER'S NAME AND ADDRESS IF KNOWN B.R. B. Inc. 90 Herb Gros	MOVED()	NAR
9 CCORDINATES UTM	3404 E. Colony Sq.		E(S)
LAT LONG	St. Joseph, Mo. 64506 23. OPEN TO PUBLIC? YES(X	EXTERIOR GOOD YES ()	PR PR
IO. SITE () STRUCT BUILDING () OB.	JRE()) UNDERWAY? NO(X)	DESIG
H. CN NATIONAL YES () 12. IS IT	(ES() Landmarks Commission	N 39. ENDANGERED? YES() BY WHAT? NO(X)	57AT
NO (X) ELGIBLE ? 13. PART OF ESTAB. YES () 14. DISTRICT HIST. DISTRICT ? NO (X) POTENTIAL	$\frac{10}{10}$ (X) 27. OTHER SURVEYS IN WHICH INCLUDED (ES(_))	40. VISIBLE FROM YES (X)	DESIGNATION(S)
IS. NAME OF ESTABLISHED DISTRICT	<u>(3) 00</u>	PUBLIC ROAD ? NO () 41. DISTANCE FROM AND	-
		FRONTAGE ON ROAD O' and 45'	
brickwork laid to emphasize a series of plateglass ribb canopy. The blind facade of are two large garage doors. 43. HISTORY AND SIGNIFICANCE	front facade is the stark plane of t n the International style. The wall vertical joints. The front entry n windows all surmounted by transoms the south was formerly a party wall	is off-center and adjoint and a rectilinear . In the rear, there	d s
This structure has undergor	e many metamorphoses since its constr atkan 07 000 was great on the building	ruction in 1909 by ng by the Salvation	
Army in 1921. The present \$10,000 remodeling undertak Register office.	other 37,000 was spent on the building appearance of this building was atta: en by the Robidoux Realty Co. for the ributing member of the largely high or ructures in the area.	ined during the 1960 e Mational Cash	5. IOWNSHIP
44. DESCRIPTION OF ENVIRONMENT AND		east and north by	
45. SOURCES OF INFORMATION Building	g Permits:11-23-09, Isaac Curd, 10.00	0 46. PREPARED BY	<u> </u>
	y,37,000;12-12-60,Robidoux Realty,	Susan Ide Symington	300 IO
RETURN THIS FORM WHEN COMPLE	ED TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176	Landmarks Commission 48. DATE 49. REVISION DATE(S)	ģ
IF ADDITIONAL SPACE IS NEEDED, ATTACH		8/85	



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

I. NO.	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	-
BN-AS-017-025	St. Charles Hotel	Z
2. COUNTY		
Buchanan	5. OTHER NAME(S)	
3. LOCATION OF City Hall		
3 SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY28. NO. OF STORIES3Architecture29. BASEMENT ?YES (x)	2. 0
IF CITY OR TOWN, STREET ADDRESS 303 S. 5th St.	17. DATE(S) OR PERIOD COTE C. 1872 C.1880;Addition,1901 30. FOUNDATION MATERIAL	COUNTY
Saint Joseph, Missouri	18. STYLE OR DESIGN Beaux Arts Colonial Revival 31. WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER Brick 32. ROOF TYPE AND MATERIAL	
Original Town	20. CONTRACTOR OR BUILDER Flat 33. NO. OF BAYS	
Block 58 Lots 4, 5 and 6	21. ORIGINAL USE, IF APPARENT FRONT SIDE 12- Hotel 34. WALL TREATMENT	PRESENT LOCAL
Lots 4, J and 0	22. PRESENT USE	ENT
	Hotel 35. PLAN SHAPE Irregular 23. OWNERSHIP PUBLIC() \$ 36. CHANGES ADDITION()	5
	PRIVATE(X) (EXPLAIN IN NO. 42) ALTERED(X)	
	24. OWNER'S NAME AND ADDRESS MOVED ()	Z
	IF KNOWN Rosshold Inc. 37. CONDITION	
9. CCORDINATES UTM	301 S. 5th St. INTERIOR	
LONG	St. Joseph, Mo. 64501 EXTERIOR 0000 25. OPEN TO PUBLIC? YES(X) 38. PRESERVATION YES()	
IO. SITE () STRUCTUR	LINDE 2WAY 2	1
BUILDING (X) OBJEC	T() 26. LOCAL CONTACT PERSON OR ORGANIZATION 39. ENDANGERED? YES()	1
	S(x) Landmarks Commission BY WHAT? NO(x)	
	IO() 27 OTHER SURVEYS IN WHICH INCLUDED ES(X) 40. VISIBLE FROM YES(X) PUBLIC ROAD ? NO()	
15. NAME OF ESTABLISHED DISTRICT	41. DISTANCE FROM AND	1
	FRONTAGE ON ROAD O' and 85'	
42. FURTHER DESCRIPTION OF IMPORTANT	FEATURES	I
	al Revival design was added in 1901. It is dominated by	
	anking a recessed entry surmounted by a fanlight. Please s an 1889 view of the St. Charles. Since this time the	ļ ,
	design has been removed. However, the peaked lintels	NAME (S)
	s from this period remain intact on the north facade.	E(S)

43. HISTORY AND SIGNIFICANCE

The landmark calibre St. Charles Hotel was opened in 1880 and continuously operated under the same name. A contemporary history said that large additions (35 rooms plus) were made to the original building at that time. However, there was no hotel by this name or on this site the years preceding 1880 in the City Directories, and a c. 1910 description listed only a total of 45 rooms, so the building referred to was probably the boarding house of Mary E. Duncan on the southeast corner of Fifth and Charles, listed in the City Directory as early as 1872 and through the 1870's. This much smaller core building contained only six boarders in 1874.

44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS This corner level property is bounded on the east by an alley. There is a parking area to the south of the building.

45. SOURCES OF INFORMATION Bldg.Permits:Georg Hotel Add.;1883,1888,1897 & 1911 Sanbor	n Maps;1881 History;City	46. PREPARED BY Susan Ide Symington 47. ORGANIZATION
RETURN THIS FORM WHEN COMPLETED TO: OFFIC	E OF HISTORIC PRESERVATION	Landmarks Commission 48. DATE 49. REVISION DATE(S)
IF ADDITIONAL SPACE IS NEEDED, ATTACH JEFFE	RSON CITY, MISSOURI 65102 514-751-4096	8/85

ż





ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

4

	. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		-
BN-HS-017-0260	Hiland Dairy	1	NO.
2. COUNTY Buchanan	OTHER NAME(S)		
3. LOCATION OF City Hall			
8 SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY	28. NO. OF STORIES	2
TOWNSHIP RANGE SECTION	Architecture	29. BASEMENT? YES ()	
IF CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	NO(X)	COUNTY
310 S. 5th St.	c.195 6	30. FOUNDATION MATERIAL	۲۲
Z CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri	18. STYLE OR DESIGN Vernacular Utilitarian	31. WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick and Metal	
		32. ROOF TYPE AND MATERIAL	
Original Town	20. CONTRACTOR OR BUILDER		
Block 53	21. ORIGINAL USE, IF APPARENT	33. NO. OF BAYS FRONT SIDE	. ≜ .
Lots 7-12	Commercial	34. WALL JREATMENT	PRE
·	22. PRESENT USE	34. WALL TREATMENT Brick and Metal	SEN
	Commercial	35. PLAN SHAPE Rectangula	-
	23. OWNERSHIP PUBLIC()		PRESENT LOCAL NAME(S)
	PRIVATE(X)	NO. 42) ALTERED ()	ŕ
	24. OWNER'S NAME AND ADDRESS IF KNOWN Hiland Dairy	MOVED () 37. CONDITION	NAM
9 CCORDINATES UTM	$\frac{1}{221} \text{ S. 5th St.}$		E(S)
LAT	St. Joseph, Mo.64501	EXTERIOR Good	OR
	25. OPEN TO PUBLIC? YES()		
IO. SITE () STRUCTURE		10(DESI
BUILDING (X) OBJECT		BY WHAT 2	GNA
PECIETED 2	() Landmarks Commission (X) 27. OTHER SURVEYS IN WHICH INCLUDED		DESIGNATION(S)
13. PART OF ESTAB. YES () 14. DISTRICT YES HIST. DISTRICT? NO () POTENTIAL? NO		40. VISIBLE FROM YES(X) PUBLIC ROAD ? NO()	N(S)
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON BOAD 90 and 250	
		90° anu 290°	
 loading docks for trucks along area on this site. 43. HISTORY AND SIGNIFICANCE This storage and loading dock a drawing from plans, suggesting this structure would be an interview. 	n is a refrigerated series of stora the east and west sides. There ap first appeared on the 1956 Sanborn ng construction was in progress. rusion in an established historic d 20th Century commercial structures	Fire Insurance Map as	
	-	1	Ē
			P
	TBUILDINGS which this structure sits is covere est by an alley lined with railroad		RANGE
45. SOURCES OF INFORMATION 1911 and	1956 Sanborn Fire Insurance Maps;	46. PREPARED BY	
	1881, National Bank of St. Joseph.	Susan Ide Symington	SECTION
RETURN THIS FORM WHEN COMPLETED	TO: OFFICE OF HISTORIC PRESERVATION	Landmarks Commission	ION
IF ADDITIONAL SPACE IS NEEDED, ATTACH Separate sheet(s) to this form	P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	48. DATE 49. REVISION DATE(S) 8/85	

(10-20)



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

2 NO.	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	§
BN - A5-617-027	BTS Brown Companies	
Buchanan	5. OTHER NAME(S)	
B. LOCATION OF City Hall	Chase Candy Company	
SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY	28. NO. OF STORIES 4
TOWNSHIP RANGE SECTION	Architecture	29. BASEMENT ? YES (X)
400-24 S. 5th St.	17. DATE(S) OR PERIOD	NO() 30. FOUNDATION MATERIAL Brick
Saint Joseph, Missouri	18. STYLE OR DESIGN Vernacular	31. WALL CONSTRUCTION
. DESCRIPTION OF LOCATION Driginal Town	19. ARCHITECT OR ENGINEER Walter Boschen	Brick 32. ROOF TYPE AND MATERIAL
310ck 54	20. CONTRACTOR OR BUILDER	LL
Lots 7 -1 2	21. ORIGINAL USE, IF APPARENT	33. NO. OF BAYS FRONT 12 SIDE 7
·	22. PRESENT USE Commercial	34. WALL TREATMENT Tunning Sond 35. PLAN SHAPE Rectangula.
	23. OWNERSHIP PUBLIC() PRIVATE(X)	36. CHANGES ADDITION ()
	24. OWNER'S NAME AND ADDRESS	NO. 42) ALTERED (X) MOVED ()
COORDINATES UTM	BUS Brown Companies	37. CONDITION INTERIOR
LAT	25. OPEN TO PUBLIC ? YES (X)	38. PRESERVATION YES ()
D. SITE() STRUCTU BUILDING($\mathbf{\chi}$) Obje	RE() NO() CT() 26. LOCAL CONTACT PERSON OR ORGANIZATION	
REGISTER ? NO (X) ELIGIBLE ?	es(X) <u>Landmarks Commission</u> NO() 27. OTHER SURVEYS IN WHICH INCLUDED	BY WHAT? NO(X)
3. PART OF ESTAB. YES () 14. DISTRICT Y HIST. DISTRICT ? NO (X) POTENTIAL ?	ES ())	40. VISIBLE FROM YES (X) PUBLIC ROAD ? NO()
5. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD O' and 200'
stories high and stringcourse flat roof is decorated by log northeast corner which has be detail removed along the para are decorated with terra cott entry was most likely decorated This structure was built in the price listed on the build	pries are clearly articulated by whit ang lining the top of every window. Senges between the pilasters. The make een drastically altered. There are the apet and entry. Entries on the north a Classical elements of the Beaux Ar and in a similar way. There are large 1923 as the factory building for the	The parapet of the tin entry is in the graces of original west and southeast ts period. The origin to loading docks on the north and west sid Chase Candy Company;
it retains fine brickwork and of an historic district in th commercial structures.	d bay definition. and would contribut his area of high quality 19th and ear outsuilloings ast half of the block. The property	te to the establishment rly 20th Century
45. SOURCES OF INFORMATION Building factory, \$227.000;St. Joseph	Permit: 3-8-23, Chase Candy Co Newspress. Obituary.	46 PREPARED BY Susan Ide Symington 47 Organization
RETURN THIS FORM WHEN COMPLET	D TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176	Landmarks Commission 48. DATE 49. REVISION DATE(S) 8/80

F	ADDITIO	NAL	SPACE	IS	NEED	ED.	ΔΤ	TACH
SE	PARATE	SHE	ET(S)	TO	THIS	FOI	ส พี่	

3

P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 8/85 PH. 314-751-4096



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM


			فالتنبع
BN-AS-017-628	A. PRESENT LOCAL NAME(S) OR DESIGNATION(S) Silver Dollar Tavern		I. NO
2. COUNTY			Ģ
Buchanan 3. LOCATION OF City Hall	5. OTHER NAME(S)		
SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY	28. NO. CF STORIES 2	N
TOWNSHIP RANGE SECTION	Architecture	29. BASEMENT? YES (X)	
302-L S. 6th St.	17. DATE(S) OR PERIOD C.1887	NO() 30. FOUNDATION MATERIAL	COUNTY
z city or town IF RURAL, VICINITY Saint Joseph, Missouri	18. STYLE OR DESIGN Victorian Eclectic	Brick 31. WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick	
Original Town	20. CONTRACTOR OR BUILDER	32. ROOF TYPE AND MATERIAL	
Block 58		33. NO. OF BAYS FRONT 6 SIDE 8	4 .
Lot 7	21. ORIGINAL USE IF APPARENT	34. WALL TREATMENT Junning & Common Bond	PRESENT
	22. PRESENT USE Commercial	35. PLAN SHAPE Rectangula.	
	23. OWNERSHIP PUBLIC()	36. CHANGES ADDITION ()	
	PRIVATE (3)	- NO. 42)	LOCAL NAME(S)
	24. OWNER'S NAME AND ADDRESS IF KNOWN Prarie Farms Dairy, In 302 S. 5th St.		VWE(
9. CCORDINATES UTM LAT	St. Joseph. No. 64501	INTERIOR	
LONG	25. OPEN TO PUBLIC ? YES(X)	38. PRESERVATION YES ()	J RO
IO. SITE () STRUCT BUILDING (_X) OBJ	() 26. LOCAL CONTACT PERSON OR ORGANIZATION		-sig:
II. CN NATIONAL YES () 12. IS IT REGISTER ? NO (X) ELIGIBLE ?	(X) Landmarks Commission	BY WHAT ? NO (X.)	SIGNATION(S
	27. OTHER SURVEYS IN WHICH INCLUDED S(X)	40. VISIBLE FROM YES (X)	DN(S)
HIST. DISTRICT ? NO (x) POTENTIAL ?		PUBLIC ROAD ? NO ()	
		O' and 140' ROAD	
entry typical of the 19th C story by pilasters corbelle bays of the front facade. metal boxed cornice lined b raised brick panels and den and are generally segmental "And structure w Amanda Corby whose name is	been sheathed in wooden siding and s ntury is recessed behind a brick pice at the bottom above the pier; two re panels with geometric designs. The illing. The lintels are flush, form arched, except for the narrow row ing on the front facade with paired is most likely built in 1887 as an in on the water permit taken out in that	er. echoed on the second nore pilasters frame the rnamented by a pressed e north parapet has ned by radiating brick, ad arched ones rhythmica segmentally arched ones nvestment for Mrs. at year. This is	NAME (S)
substantiated by the buildi on the map of 1888. The re Although the first story ha facade retains its elaborat renders this building a str	y's abscence from the 1883 Sanborn of r section was added in 1902 by the (been greatly altered, the second so Victorian period cornice and window ngly contributing member of a potent 19th and early 20th Century commerce	ap and its appearance Corby Estate. tory of the front w treatment which tial historic district	
TH this area of high qualit 44. DESCRIPTION OF ENVIRONMENT AND This corner property is bou	TBUILDINGS led on the west by a brick alley,		
45. SOURCES OF INFORMATION Water I	rmit 1887. Irs. A. Corby; Sanborn	46. PREPARED BY	
Fire Insurance Laps of 188	and 1888; City Directory; Puilding ore, \$1,500.	Susan Ide Symington	
RETURN THIS FORM WHEN COMPLET	TO: OFFICE OF HISTORIC PRESERVATION	Landmarks Commission 48. DATE 49. REVISION DATE(S)	
IF ACDITIONAL SPACE IS NEEDED, ATTACH Separate sheet(s) to this form	P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	8/85	





ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

NO. BN-HS-017-029	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) 510 AA Club	
Buchanan	5. OTHER NAME(S)	
3. LOCATION OF City Hall		
3 SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY	28. NO. CF STORIES 1
TOWNSHIP RANGE SECTION	Architecture	29. BASEMENT? YES ()
306-8 S. 6th St.	17. DATE(S) OR PERIOD	NO() 30. FOUNDATION MATERIAL
CITY OR TOWN IF RURAL , VICINITY	1928; Core between 1888 &1897	Brick
Saint Joseph, Missouri	Vernacular	31. WALL CONSTRUCTION
B. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick 32. ROOF TYPE AND MATERIAL
riginal Town	20. CONTRACTOR OR BUILDER	Flat
Block 58		33. NO. OF BAYS
Lot 8	21. ORIGINAL USE, IF APPARENT	FRONT 2 SIDE -
	Commercial	Running Bond
	22. PRESENT USE Commercial Vacant; Club	35. PLAN SHAPERectangular
	23. OWNERSHIP PUBLIC () PRIVATE (X)	(EXPLAIN IN
		NO. 42) ALTERED (X) MOVED ()
	24. OWNER'S NAME AND ADDRESS IF KNOWN Abe Kaplan, Trustee	37. CONDITION
9. CCORDINATES UTM	6114 King Hill Avenue St. Joseph, Mo. 64504	INTERIOR POOR
LAT Long	25. OPEN TO PUBLIC? YES(X)	
0. SITE () STRUCT	URE()	UNDERWAY ? NO (X)
······································	ECT () 28. LOCAL CONTACT PERSON OR ORGANIZATION	
I. CN NATIONAL YES () 12. IS IT REGISTER ? NO (X) ELIGIBLE?	YES(X) <u>Landmarks Commission</u> NO() 27. OTHER SURVEYS IN WHICH INCLUDED	Neglect No()
3. PART OF ESTAB. YES () 14. DISTRICT	E. OTHER SORVERS IN MIGH MOLOBED	40. VISIBLE FROM YES (X)
	NO()	PUBLIC ROAD ? NO ()
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND ERONTAGE ON ROAD O' and 40'
The entry to each is central display windows; this is usra which accent the vertical lin finished at the top by a wood south sides are party walls.	into two bays each containing former. ly placed in a deep reveal and flanked nounted by a wide bank of tall, narrow ne. The bays are articulated by slend den parapet capped with a boxed cornid In the rear, there are three window	w transom windows, der brick piers and ce. The north and
arched header lintels and an	entry per storer one bas, and	has Tamia Horr 11.0
dealt in dry goods, but did of this general configuratio not showing on the preceding to date from the 1928 rebuil This vernacular structure wo	uld not detract from the establishmen	ommercial building Fire Insurance Map, ng. however. ap ears t of an historic
	area of hi _C h quality 19th and early 2	buildings.
	OUTBUILDINGS	further on the west
Toward the west of this buil by a brick alley.	ding is a gravel parking area bounded	I TOTOTET OU DIE MESC
	g Permit:10-10-28, Louis Fox, \$2,000,	46. PREPARED BY
45. SOURCES OF INFORMATION Buildin		Susan Ide Symington
	38 and 1897.	
Rebuild";Sanborn Maps of 188	TED TO: OFFICE OF HISTORIC PRESERVATION	47. ORGANIZATION Landmarks Commission 48. DATE 49. REVISION DATE(S)



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM


BN-175-017-030	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) 310, Maxine's Bookstore; 312, Pete	Fickey
2. COUNTY <u>Buchanan</u> 3. LOCATION OF City Hall NEGATIVES	5. OTHER NAME(S)	1
3 SPECIFIC LEGAL LOCATION TOWNSHIPRANGESECTION IF CITY OR TOWN, STREET ADDRESS 310-12 S. 6th St. 7 CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri 8. DESCRIPTION OF LOCATION Original Town	IG. THEMATIC CATEGORY Architecture 17. DATE(S) OR PERIOD 1898 18. STYLE OR DESIGN Vernacular 19. ARCHITECT OR ENGINEER 20. CONTRACTOR OR BUILDER	28. NO. CF STORIES 1 29. BASEMENT? YES() NO() 30. FOUNDATION MATERIAL Brick 31. WALL CONSTRUCTION Brick 32. ROOF TYPE AND MATERIAL Flat
Block 58 Lot 9	21. ORIGINAL USE, IF APPARENT <u>Commercial</u> 22. PRESENT USE Commercial 23. OWNERSHIP PUBLIC() PRIVATE(X) 24. OWNER'S NAME AND ADDRESS IF KNOWN Bernard Eveloff	33. NO. OF BAYS FRONT 2 SIDE - 34. WALL TREATMENT Running & Common Bond 35. PLAN SHAPE Rectangular 36. CHANGES ADDITION(); (EXPLAIN IN NO. 42) ALTERED() MOVED()
H. CN NATIONAL YES () 12. IS IT YE	712 Penn Tower Blvd. Kansas City, Mo.64111 25. OPEN TO PUBLIC? PRE() 26. LOCAL CONTACT PERSON OR ORGANIZATION (S) 26. LOCAL CONTACT PERSON OR ORGANIZATION (S) 27. OTHER SURVEYS IN WHICH INCLUDED (S) (Y)	37. CONDITION INTERIOR EXTERIOR_Fair 38. PRESERVATION UNDERWAY? NO(X) 39. ENDANGERED? YES() BY WHAT? NO(X) 40. VISIBLE FROM PUBLIC ROAD? NO(X)
of running bond. The entries display windows, all surmounte the flat roof is lined with ro hond. The former party wall of	by two mirrored wooden storefronts so are in the center of each bay and fla d by transoms and flush with the face unded dentils. The side and rear wa n the south is uninterrupted by fene	anked by plateglass ade. The parapet of lls are of common stration; the rear
wall has an entry centered beh 43. HISTORY AND SIGNIFICANCE This double storefront buildir name of Miss Mary Owen, who wa the price listed on the permit This modest. utilitarian comme	ind each storefront and flanked by so with flush lintels of double header ag was constructed in 1898. The buil as not listed as having a profession	egmentally arched rows. ding permit is in the in the City Directory; m the establishment
44. DESCRIPTION OF ENVIRONMENT AND Q This level lot is bounded on t the rear. There is a gravel o	the west by an alley and has a grassy car park on the south.	area for parking in
Store, \$1,400; City Directory.	D TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	46. PREPARED BY Susan Ide Symington 47. ORGANIZATION Landmarks Commission 48. DATE 49. REVISION DATE(S) 8/85



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

NO. 4. F BN-125-017-031	PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
COUNTY	St. Joe Mattress Company	
SPECIFIC LEGAL LOCATION TOWNSHIPRANGESECTION IF CITY OR TOWN, STREET ADDRESS 318-20 S. 6th St.	16. THEMATIC CATEGORY Architecture 17. Date(s) or period 1899	28. NO. CF STORIES 2 29. BASEMENT? YES(X) NO() 30. FOUNDATION MATERIAL
CITY OR TOWN OF RURAL, VICINITY Saint Joseph, Missouri	18. STYLE OR ATTS Classicism	Brick 31. WALL CONSTRUCTION
DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick 32. ROOF TYPE AND MATERIAL
Original Town Block 58	20. CONTRACTOR OR BUILDER	Flat 33. NO. OF BAYS FRONT O SIDE -
Lot 11	21. ORIGINAL USE, IF APPARENT Commercial	34. WALL TREATMENT Running & Common Bonds
	22. PRESENT USE Commercial 23. Ownership Public(PRIVATE(X	35. PLAN SHAPE Rectangular 36. CHANGES ADDITION () 36. (EXPLAIN IN
CCORDINATES UTM	24. OWNER'S NAME AND ADDRESS IF KNOWN Johnny and Margaret Swartz	37. CONDITION INTERIOR EXTERIOR
LONG SITE() STRUCTURE(BUILDING(_Y) OBJECT(UNDERWAY ? NO (X)
CN NATIONAL YES () 12. IS IT YES (39. ENDANGERED? YES() BY WHAT? NO(X)
. PART OF ESTAB. YES () 4. DISTRICT YES () HIST. DISTRICT? NO () POTENTIAL? NO (40. VISIBLE FROM YES (X) PUBLIC ROAD ? NO ()
NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND
covers the spandrel between the label lintels of the second sto arches, accented by keystones a continuously to form a rhythmic raised brick piers. In the rea 3. HISTORY AND SIGNIFICANCE lintels fo This commercial structure was b	sed in the center of the plategla first and second stories of the ry of this facade are formed by r and springing from Doric pilasters arcade broken in the center and r there are two segmentally arche rmed by double header rows. wilt in 1899; the building permit	front facade. The maised brick round a. These lintels spring framed on either end by ad entries with flush for \$6,500 was in the
real estate. Although the original cornice h second story window treatment r	ent banker and businessman who wa mas been removed and the spandrel remains intact and renders the bui tial historic district in this are mercial structures.	obscured; the fine ilding a strongly
A. DESCRIPTION OF ENVIRONMENT AND OUTBI There are gravel parking areas property is bounded on the west	on the north and west sides of the	ne building. The

45. SOURCES OF INFORMATION Building Perm	it:1899, Thomas Tootle, Store,	46. PREPARED BY	
\$6,500;1897 and 1911 Sanborn Insu	rance Maps:Old St. Jo, 1979,	Susan Ide Symington	SE
	S & Togan	47. ORGANIZATION	CTION
RETURN THIS FORM WHEN COMPLETED TO:		Landmarks Commission 48. DATE 49. REVISION DATE(S)	Ö Z
IF ACDITIONAL SPACE IS NEEDED, ATTACH Separate sheet(s) to this form	P.O. BOX 176 JEFFERSON CITY, MISSOURI 63102 PH. 314-751-4096	8/85	1



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

IF ACDITIONAL SPACE IS NEEDED, ATTACH Separate sheet(s) to this form

وبيري والمتحد فالمتحد المتحد والمتحد و			
BN-AS-017-032	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		r. No
2. COUNTY			, o
Buchanan	5. OTHER NAME(S)		
3. LOCATION OF City Hall NEGATIVES	_		
3 SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY	28. NO. OF STORIES 2	Ņ
TOWNSHIP RANGE SECTION	Architecture	29. BASEMENT ? YES (X) NO ()	COL
322-24 S. 6th St.	17. DATE(S) OR PERIOD c. 1878	30. FOUNDATION MATERIAL	COUNTY
7. CITY OR TOWN IF RURAL, VICINITY	18. STYLE OR DESIGN	Brick	
Saint Joseph, Missouri	Queen Anne	31. WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick 32. ROOF TYPE AND MATERIAL	
Original Town Block 58	20. CONTRACTOR OR BUILDER	Hip;Asphalt Shingle	
Lot 12		33. NO. OF BAYS BAYS FRONT SIDE	.
	21. ORIGINAL USE IF APPARENT Commercial and Residential	34. WALL TREATMENT Common	אר
	22. PRESENT USE	and Running Bonds	SEN
	Vacant	35. PLAN SHAPE Irregular	PRESENT LOCAL NARE(S)
	23. OWNERSHIP PUBLIC() PRIVATE(X)	(EXPLAIN IN	
	24. OWNER'S NAME AND ADDRESS	NO. 42) ALTERED () MOVED ()	
	IF KNOWN Sanford Davies	37. CONDITION	Anie
9. CCORDINATES UTM	1702 Jules	INTERIOR Fair	
LAT Long	St. Joseph. Mo. 64501	/	
IO. SITE () STRUCTU			
	CT() 28. LOCAL CONTACT PERSON OR ORGANIZATION		916:1
	YES (Tandmarks Commission	BY WHAT? NO (T	AIIC
13 PART OF ESTAR YES () 14 DISTRICT Y		40. VISIBLE FROM YES (X)	DESIGNATION(S
HIST. DISTRICT ? NO (X) POTENTIAL ?	NO()	PUBLIC ROAD ? NO()	
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD	
		0' and 40'	
where the original resident: the windows are capped by se Eastlake motifs. The commen windows off the street have stretchers.	back cornice set off by fascia. The lal entries are located are set back. egmentally arched label lintels with rcial entry is located on the chamfer segmentally arched flush lintels cre	These entries and keystones etched with red corner. The	
lake window treatment which historic district in the Sou quality 19th and early 20th William Striblen, a druggis	the Queen Anne style retains its unu would contribute significantly to th ath Central Business District which of Century commercial buildings. t whose residence and business was lo this property in 1878 and probably b me.	ne establishment of an contains many high pocated across the street	
44. DESCRIPTION OF ENVIRONMENT AND O This corner property is leve	outbuildings el and bounded on the west by an alle	y.	
45. SOURCES OF INFORMATION		46. PREPARED BY	
Abstrac	t; City Directory; Water Permit: 1885;	Susan Ide Symington	Į
William Striblen; Building a		47. ORGANIZATION	
RETURN THIS FORM WHEN COMPLET	ED TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176	Landmarks Commission 48. DATE 49. REVISION DATE(S)	I
IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	JEFFERSON CITY, MISSOURI 65102 PH 314-751-4096	8/85	

JEFFERSON CITY, MISSOURI PH. 314-751-4096



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

	SENT LOCAL NAME/CO OD OCCUPATION/OD	
201-26 (017 027	sent local name(s) or designation(s)	
2. COUNTY Wa		
Buchanan 5. OTH 3. LOCATION OF City Hall NEGATIVES	HER NAME(S)	
3 SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	IG. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 1
402-4 S. 6th St.	17. DATE(S) OR PERIOD 1899,1915 and 1978	29. BASEMENT? YES(X) NO() 30. FOUNDATION MATERIAL Brick
Saint Joseph, Missouri	18. STYLE OR DESIGN Contemporary Vernacular	31. WALL CONSTRUCTION
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick 32. ROOF TYPE AND MATERIAL
Original Town Block 57	20. CONTRACTOR OR BUILDER	Flat 33. NO. OF BAYS
Lots 7 and 8	21. ORIGINAL USE, IF APPARENT Commercial	FRONT 4 SIDE 34. WALL TREATMENT Brick & Wood Siding
	22. PRESENT USE Restaurant and Bar	Brick & Wood Siding 35. PLAN SHAPEIrregular
	23. OWNERSHIP PUBLIC() PRIVATE(X)	36. CHANGES ADDITION () (EXPLAIN IN NO, 42) ALTERED (X)
9 CCORDINATES UTM	24. OWNER'S NAME AND ADDRESS IF KNOWN Vilas M. Oglesby	MOVED() 37. CONDITION INTERIOR
LAT LONG	25. OPEN TO PUBLIC 2 YES (X)	EXTERIOR GOOD
IO. SITE() STRUCTURE(), BUILDING(X) OBJECT()	NO() 26. LOCAL CONTACT PERSON OR ORGANIZATION	UNDERWAY ? NO (X)
$\begin{array}{c c} \text{II. CN NATIONAL} & \text{YES ()} & \text{I2. IS } \text{IT} & \text{YES (X)} \\ \hline \text{REGISTER ?} & \text{NO (X)} & \text{ELIGIBLE ?} & \text{NO ()} \end{array}$	Landmarks Commission 27. OTHER SURVEYS IN WHICH INCLUDED	BY WHAT? NO(X)
I3. PART OF ESTAB. YES () I4. DISTRICT YES (X) HIST. DISTRICT ? NO (X) POTENTIAL ? NO ()		40. VISIBLE FROM YES (X) PUBLIC ROAD ? NO ()
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD
42. FURTHER DESCRIPTION OF IMPORTANT FEATUR The original storefronts have be by wooden siding. The parapet i brick walls are apparent on the bond. The northern building ext segmentally arched label lintels its lot to the alley on the west	en sheathed in stucco and the wiss ornamented by a wood shingle h north and west facades, and consends halfway into its lot and hat of raised headers. The souther	nood. The original structed in common as two windows with
 43. HISTORY AND SIGNIFICANCE Behind this facade of stucco and commercial buildings. The one of for Mrs. Mary A. Owens as a busi constructed in 1899 for Charles reported in 1978 and repairs wer added the present facade. The b contribute to the establishment 19th and 20th Century, high qual 	n the corner to the north was conness for \$3,000. The building of Nowland as a store for \$1,000. The made in that year by Tura V. I buildings with their present join of an historic district in this	onstructed in 1915 on the south was Fire damage was Fanning who probably nt facade would not
44. DESCRIPTION OF ENVIRONMENT AND OUTBUIL This property is located on a co parking area in the rear is in p	orner and is bounded on the west	
45. SOURCES OF INFORMATION Building Per Bus., 33,000; L.8, Chas. Howland, St RETURN THIS FORM WHEN COMPLETED TO IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	ore, 1,000;1978, Fire Repair, Tura	AS5. PREPARED BY a Susan Ide Symington 47. ORGANIZATION Landmarks Commission 48. DATE 49. REVISION DATE(S) 8/85



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

i, NO.	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
BN-AS-017-024	A RADERY EDGLE MARE(S) OR DESIGNATION(S)	
2. COUNTY Buchanan	5. OTHER NAME(S)	
3. LOCATION OF City Hall	Thomas J. Cunningham Grocery Stor	e and Residence
3 SPECIFIC LEGAL LOCATION	I IG. THEMATIC CATEGORY	28. NO. OF STORIES 2
TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS	Architecture	29. BASEMENT? YES (
410-12 S. 6th St.	17. DATE(S) OR PERIOD 1902	NO() 30. FOUNDATION MATERIAL
CITY OR TOWN IF RURAL, VICINITY	18. STYLE OR DESIGN	Brick
Saint Joseph, Missouri	Belectic	31. WALL CONSTRUCTION
3. DESCRIPTION OF LOCATION	TS ARCHIECT ON ENGINEER	32. ROOF TYPE AND MATERIAL
Original Town	20. CONTRACTOR OR BUILDER	Flat
Block 57	21. ORIGINAL USE, IF APPARENT	FRONT 3 SIDE 5
Lot 9	<u>Commercial and Residential</u>	34. WALL TREATMENT Common Bond
	22. PRESENT USE Storage	35. PLAN SHAPE Rectangular
		36. CHANGES ADDITION ()
	PRIVATE (X	NO. 42) MOVED ()
	IF KNOWN Kathleen K. Fiquet	37. CONDITION
9 CCORDINATES UTM	2820 Lovers' Lane St. Joseph, Mo. 64506	
LAT Long	25. OPEN TO PUBLIC 2 YES (38. PRESERVATION YES ()
	URE()	
	ECT() 28. LOCAL CONTACT PERSON OR ORGANIZATION YES(D) Tandmarks Commission	BY WHAT ? NO ()
REGISTER ? NO (X) ELIGIBLE ?	NO() 27. OTHER SURVEYS IN WHICH INCLUDED	Neglect
3. PART OF ESTAB. YES () 14. DISTRICT HIST. DISTRICT ? NO () POTENTIAL ?	YES (X)	40. VISIBLE FROM YES (X) PUBLIC ROAD ? NO ()
5. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND
		OR AND HON ROAD
modillions.of the Beaux Art coursed material and has la single window flanked by tw placed entries set in deep fronts are off center to th lateral facades are of brick and Significance The building permit for thi	by a pressed metal cornice which is a style. The second story of this fa- bel lintels of triangularly placed me reveals framed by plateglass and tra- ne north to accommodate an entry to the	the name of Thomas J.
This turn-of-the-century do	suble storefront retains much of its school and would contribute signific ot in this area of high quality 19th	antly to the establish-
44. DESCRIPTION OF ENVIRONMENT AND The property is bound on the the south side of the build	outBUILDINGS ne west by a gravel alley lined with ding is an open storage yard enclosed	railroad tracks. On by a chainlink fence.
1902; Bus. Repairs, \$1,200,1	g Permit:T.J.Cunningham,Store,\$1,800, 905; City Directory;1897 & 1911 Sanbo Maps	47. ORGANIZATION
	TED TO: OFFICE OF HISTORIC PRESERVATION	Landmarks Commission 48. DATE 49. REVISION DATE(S)
IF ACDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	8/85



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

i. NO. 4. Pl			
BN- 45-07-035	RESENT LOCAL NAME(S) OR DESIGNATION(S)		NO
2. COUNTY			
	THER NAME(S) Harry Parisoff Grocery Store at b	ath 120-24 South 6th St	reet
VEGATIVES OID, JEAT	arry Parison Grocery Store at b		
3 SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	Architecture	28. NO. OF STORIES 2	<u>8</u>
IF CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	NO()	COUNTY
420-24 M. 6th St.	1902 and 1925	30. FOUNDATION MATERIAL Brick	YTI
Z CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri	18. STYLE OR DESIGN Beaux Arts/ Vernacular	31. WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick	
		32. ROOF TYPE AND MATERIAL	
Criginal Town	20. CONTRACTOR OR BUILDER	33. NO. OF BAYS	4
Block 57 Lots 10, 11 and 12	21. ORIGINAL USE, IF APPARENT Commercial	FRONT 6 SIDE 8	PR
1005 10, 11 and 12	22. PRESENT USE	34. WALL TREATMENT Running & Common Bond	PRESENT
	Commercial	35. PLAN SHAPE Rectangula	
	23. OWNERSHIP PUBLIC() PRIVATE(X)	(EXPLAIN IN	-0CA
	24. OWNER'S NAME AND ADDRESS	NO. 42) ALTERED ()	LOCAL NAME (S)
	IF KNOWN Olin Cookman	37. CONDITION	AME(
9. CCORDINATES UTM	2508 Duncan St. Joseph, Mo.64507	INTERIOR GOOD	
LONG	25. OPEN TO PUBLIC? YES(X)	38. PRESERVATION YES ()	OR
IO. SITE () STRUCTURE (UNDERWAY ? NO (X)	DESI
BUILDING (X) OBJECT (Landmanka Commission	39. ENDANGERED? YES() BY WHAT? NO(X)	DESIGNATION(S
REGISTER ? NO (X) ELIGIBLE ? NO () 27 OTHER SHRVEYS IN WHICH INCLUDED		TION
13. PART OF ESTAB. YES () 14. DISTRICT YES (X HIST. DISTRICT ? NO (X) POTENTIAL ? NO (3	40. VISIBLE FROM YES (X) PUBLIC ROAD ? NO()	(S)
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND	
		FRONTAGE ON ROAD O' and 60'	
42. FURTHER DESCRIPTION OF IMPORTANT FEATU			ÿ
The corner building with Beaux A	rts detail was constructed first.	The front facade of	OTHER
it is dominated by a modillion 1	ined pediment superimposed on the	e parapet of the flat	Ê
roof. Centered beneath the pedi	ment is a tripartite window on th deeply recessed in the center.	Raised brick coursing	NA
articulates the two s ories and	runs around the south facade which	ch has rectilinear win-	ME(S)
dows with raised brick lintels.	The newer facade has little orna	amentation except for	
Jayarson Of raised brick stringcou	rsing emphasizing the parapet and	two stories.	
The corner building was construct Bartlett Brothers, the price lis	ted in 1902 by the real estate in ted on the building permit was \$3	2.500. The grocer.	
Harry Parisoff. was listed as co	nducting business here as early a	as 1909. The building	
to the north was built in 1925 b	y Harry Parisoff, as an apparent	addition to the	
preceding one. The price given	on the building permit was \$9,000	0.	
This pair of buildings with its	compatible Beaux Arts detailing, establishment of an historic dis	trict in this area of	Ĩ
high quality 19th and early 20th	Century commercial structures.		
44. DESCRIPTION OF ENVIRONMENT AND OUTPUT			3
This corner property is level ar	nd is bounded on the west by a gr	avel alley lined with	KANGE
tracks. There is a gravel parki	ng area in the rear.		
45 SOURCES OF		46. PREPARED BY	<u> </u>
	mits:Bartlett Bros., 1902, \$2,500,	Susan Ide Symington	۲ ۲
Store; Harry Parisoff, 1925. Store		47. ORGANIZATION Landmarks Commission	SECTION
RETURN THIS FORM WHEN COMPLETED T	0: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176	48. DATE 49. REVISION DATE(S)	
IF ACDITIONAL SPACE IS NEEDED, ATTACH Separate sheet(s) to this form	JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	8/85	
	FR. 314-731-4030		



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

NO. 4. PR	ESENT LOCAL NAME(S) OR DESIGNATION(S)	
	oty's Bar and Grill	
	HER NAME(S) • & T. Burnett Loan Office; Loui	s Winter Saloon
SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS	16. THEMATIC CATEGORY Architecture 17. DATE(S) OR PERIOD	28. NO. OF STORIES 2 29. BASEMENT? YES (X) NO ()
302-6 Edmond CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri	1897 18. STYLE OR DESIGN Vernacular	30. FOUNDATION MATERIAL Brick 31. Wall construction
DESCRIPTION OF LOCATION Original Down Block 39	19. ARCHITECT OR ENGINEER 20. CONTRACTOR OR BUILDER	Brick 32. ROOF TYPE AND MATERIAL
Lot 6	21. ORIGINAL USE, IF APPARENT Commercial and Residential	33. NO. OF BAYS FRONT 9 SIDE 3 34. WALL TREATMENT Funning Fond
	22. PRESENT USE Commercial 23. OWNERSHIP PUBLIC() PRIVATE(X)	35. PLAN SHAPE <u>ectangular</u> 36. CHANGES ADDITION () (EXPLAIN IN ALTERED ())
CCORDINATES UTM	24. OWNER'S NAME AND ADDRESS IF KNOWN Donald Valdepena 302 Edmond St. St. Joseph, Mo.64501	ALTERED () NO. 42) ALTERED () MOVED () 37. CONDITION INTERIOR EXTERIOR GOOD
LONG O. SITE() STRUCTURE(BUILDING(Y) OBJECT()	25. OPEN TO PUBLIC ? YES(X) NO()	38. PRESERVATION YES() UNDERWAY? NO(X)
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	Landmarks Commission 27. OTHER SURVEYS IN WHICH INCLUDED	39. ENDANGERED? YES() BY WHAT? NO(X) 40. VISIBLE FROM YES(X) PUBLIC ROAD? NO() 41. DISTANCE FROM AND FRONTAGE ON ROAD O' and O5'
street facades. Raised brick c on the main facade on the north maised 'wric't label. The origin be intact as suggested by a sle period. The east and south fac "". HISTORY AND SIGNIFICANCE This commercial structure was b name of Charles and Thomas Burn	erscored by pressed metal dentil oursing runs beneath this. The have flush lintels of radiating al storefront is largely boarded nder column supporting the corne ades were formerly party walls a uilt in 1897. One of the buildi ett, who had a loan office at 30	second story windows whic's capped by a over, but might still r entry typical of this nd are now sheathed in stucco. ng permits was in the 04-6 Edmond and lived
the name of G.W. Norris at a co This commercial block retains i original second story window tr corner entry, all of which woul <u>district</u> in this area of high o	permit was \$1,850. The permit f st of \$700. Louis Winter had a ts Beaux Arts Classicism inspire eatment, and remnants of the ori d contribute strongly to the est uality 19th and 20th Century com	saloon here in 1099. ed cornice molding. ginal storefronts with ablishment of an historic mercial structures.
44. DESCRIPTION OF ENVIRONMENT. AND OUTBUI This corner property is surrour	ded by vacant lots on the east a	ana south.
*5. SOURCES OF INFORMATION Building Per \$700;8-12-97.C.T.Burnett,Store,	\$1,850;Gity Directory.	46. PREPARED BY Susan Ide Symington 47. ORGANIZATION
RETURN THIS FORM WHEN COMPLETED TO IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	D: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	Landmarks Commission 48. DATE 49. REVISION DATE(S) 8/85



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

I. NO.	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
BN-HS-017-037	Block's Super Discount Store, Inc.	
2. COUNTY	,,,,,,,	
Buchanan	5. OTHER NAME(S)	
3. LOCATION OF City Hall	Buffalo Saloon	
VEGATIVES OF OUT	Bullato Satuon	
3 SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY	28. NO. OF STORIES
TOWNSHIP RANGE SECTION	Architecture	29. BASEMENT ? YES (X)
F CITY OR TOWN, STREET ADDRESS	17. DATE(S) OR PERIOD 1954-1955; Core c. 1854	NO()
402-414 Edmond	1954 - 1955; Core c. 1854	30. FOUNDATION MATERIAL Concrete & Brick
7. CITY OR TOWN IF RURAL , VICINITY	18. STYLE OR DESIGN	Concrete & Brick
Saint Joseph, Missouri	Vernacular	31. WALL CONSTRUCTION
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick
		32. ROOF TYPE AND MATERIAL
Original Town	20. CONTRACTOR OR BUILDER	<u> Flat </u>
Block 58		33. NO. OF BAYS FRONT 12 SIDE 4
Lot 6	21. ORIGINAL USE, 15 APPARENT Tavern and Commercial	
		34. WALL TREATMENT Common Bond
	22. PRESENT USE Commercial	35. PLAN SHAPE Rectangular
	23. OWNERSHIP PUBLIC ()	36. CHANGES ADDITION ()
	23. OWNERSHIP PUBLIC() PRIVATE(X)	(EXPLAIN IN
	24. OWNER'S NAME AND ADDRESS	NO. 42) ALTERED (-7 MOVED ()
	IF KNOWN Leon Block	37. CONDITION
9 COORDINATES UTM	402 Edmond	INTERIOR
LAT	St. Joseph, Mo.64501	EXTERIOR GOOD
LONG	25. OPEN TO PUBLIC 2 YES (X)	38. PRESERVATION YES ()
IO. SITE () STRUC		UNDERWAY ? NO (X)
BUILDING (X) OB	JECT () 28. LOCAL CONTACT PERSON OR ORGANIZATION	39. ENDANGERED ? YES ()
IL CN NATIONAL YES () 12. IS IT	YES() Jandmanks Commission	BY WHAT? NO(X)
REGISTER ? NO (X) ELIGIBLE ?	NO (X) 27. OTHER SURVEYS IN WHICH INCLUDED	
I3. PART OF ESTAB. YES () 14. DISTRICT HIST. DISTRICT? NO (X) POTENTIAL	YES(X)	40. VISIBLE FROM YES (X)
	<u>(NO())</u>	PUBLIC ROAD ? NO ()
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD
		FRONTAGE ON ROAD
42. FURTHER DESCRIPTION OF IMPORTANT		
		acand story are reati-
~ ~	of is unadorned. The windows on the s	
linear with concrete sills		there is a series of
plateglass storefront wind	ows divided into bays by brick piers a	nd capped by a row of
stretchers on end. The ma	in entry is deeply recessed in the wes	tern bay of the north
facade. The 412 Edmond se	ction of the building complex, formerl	y the Builalo Saloon,
is similarly treated on th	e first story and sheathed in stucco a	.bove.
43. HISTORY AND SIGNIFICANCE		1
There have been commercial	buildings on this site since 1883, the	most famous of which
was the Buffale Saloon at	112 Edmond, reputed to have been establ	isned in 1054 and
anomated into the 19401s	(Please see the photo and caption att	ached.) Its facauc
in home the all a alterned in	$\pm h_0$ 1951-55 reconstruction OI $\mu V = 12$	Edillonu, nowever,
	amontally around lintels can be see 1	
remnants of the tavern's s	lack sufficient architectural interes	t to contribute to the
east. The present lacades	ic district in this area of high quali	ty 19th and early 20th
establishment of an histor	ic district in this area of high qual-	
Century commercial buildin 44. DESCRIPTION OF ENVIRONMENT AND	gs	
This corner property is bo	outBuildings und on the east by an alley. There is	s a parking lot one-
half block in size to the	east of this complex.	i
Hall block in size to the	Cable of one completent	
45. SOURCES OF INFORMATION Buildi	ng Permits:Mr.& Mrs. Meier Block, Alt.	46. PREPARED BY
Business.1954.\$8.000:1955.	\$20,000;1883 Sanborn Map; St. Jo Newspr	AZ ORGANIZATION
		Landmarks Commission
WEIGHT INS FORM WHEN COMPLE	TED TO: OFFICE OF HISTORIC PRESERVATION	48. DATE 49. REVISION DATE(S)
IF ADDITIONAL SPACE IS NEEDED ATTACH		8/85

IF ACDITIONAL SPACE IS NEEDED, ATTACH Separate sheet(s) to this form

4

JEFFERSON CITY, MISSOURI 65102 8/85 PH. 314-751-4096

ł



THE ST. JOSEPH NEWS-PRESS Centennial Edition, Sunday, July 25, 1943 A Tavern Continuously Since 1854



In the year 1854 Fred Stephfen and George Bode founded the old Buffalo saloon at 412 Edmond street. It was called the Buffalo because Stephfen came from Buffalo, N. Y. Not long after, a tired wagon party pulled in from the West with a big buffalo head on a pole. The party had killed the animal where Denver, Colo., now stands, and the head was presented to the saloon where it can be seen to this day, on the east wall. Originally a one-story building, the Buffalo was given two more stories late in the '60s or early in the '70s. Many interesting characters have frequented the place and many fancy drinks have been sold there. It was especially loved by the old-time Germans.

ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

BN AS-017-028	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		I. NO
2. COUNTY Buchanan	5. OTHER NAME(S)		,-
3. LOCATION OF City Hall NEGATIVES			
3 SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	Architecture	28. NO. OF STORIES 2	<u>دن</u>
IF CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	29. BASEMENT? YES (X) NO ()	COUNTY
502-4 Edmond	c. 1876	30. FOUNDATION MATERIAL	NTY
Z CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri	18. STYLE OR DESIGN Italianate	Brick 31. WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	- Brick	
Original Town	20. CONTRACTOR OR BUILDER	32. ROOF TYPE AND MATERIAL	
Block 59		33. NO. OF BAYS	.
W. 40' of Lots 4,5 and 6	21. ORIGINAL USE, JF APPARENT Commercial	FRONT 6 SIDE 6	PRE
•	22. PRESENT USE	35. PLAN SHAPE Rectangula	PRESENT
	Commercial 23. OWNERSHIP PUBLIC(5
· · · · · · · · · · · · · · · · · · ·) (EXPLAIN IN NO. 42) ALTERED ()	LOCAL NAME(S)
	24. OWNER'S NAME AND ADDRESS IF KNOWN William H. Wright	MOVED () 37. CONDITION	NAR
9. COORDINATES UTM		INTERIORGOOd	E(S)
LAT LONG		EXTERIOR	0R
IO. SITE () STRUCTI	25. OPEN TO PUBLIC ? YES (NO (
	ECT () 28. LOCAL CONTACT PERSON OR ORGANIZATION		SIGNA
II. ON NATIONAL YES () 12. IS IT A REGISTER ? NO (X) ELIGIBLE ?	(ES() <u>Landmarks</u> Commission NO() 27. OTHER SURVEYS IN WHICH INCLUDED	- · NO (- ·)	DESIGNATION
I3. PART OF ESTAB. YES () 14. DISTRICT POTENTIAL?	YES (X)	40. VISIBLE FROM YES (X) PUBLIC ROAD ? NO ()	-
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD O' and 40'	
raised brick quoining. The by raised brick panels. The segmentally arched label lin plateglass, are later additi storefront is probably true 43. HISTORY AND SIGNIFICANCE 2 The second story of this h	of this double storefront building parapet of the flat roof is ornament windows on the second story are sur itels accented by keystones. The sto ons; however, the corner entry arran to the original as both sides of the story are f high quality Italianate commercial build icantly to the establishment of an high	ed on the front facade mounted by raised brick prefronts, largely of gement on the west corner on the second inished. ilding is well intact	
the Central Business Distric	st.	ſ	ι, Δ
property on which this build	built in 1876 when Ernest Wenz acquire ling stands. Mr. Wenz was a grocer w a rather than here. He owned the pro-	hose business establish	5, TOWNSHIP
44. DESCRIPTION OF ENVIRONMENT AND This corner property slopes side of the building.	outBuildings toward the south. A narrow alley ru	ins along the south	RANUE
45. SOURCES OF INFORMATION Abstrac Ernest Wenz; 1883, 1888, 1897	t; City Directory;Water Permit:1908, & 1911 Sanborn Maps.	46. PREPARED BY Susan Ide Symington 47. Organization	
	ED TO: OFFICE OF HISTORIC PRESERVATION	Landmarks Commission	
IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	48. DATE 49. REVISION DATE(S) 8/85	



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

COUNTY	Stanton and Co. Jewelers	
Buchanan	5. OTHER NAME(S)	
LOCATION OF City Hall		
SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY	28. NO. OF STORIES 2
TOWNSHIP RANGE SECTION		29. BASEMENT ? YES (X)
506-508 Edmond	17. DATE(S) OR PERIOD 1920	NO() 30. FOUNDATION MATERIAL
CITY OR TOWN IF RURAL , VICINITY	IB. STYLE OR DESIGN	Brick
Saint Joseph, Missouri	Vernacular	31. WALL CONSTRUCTION
DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick 32. ROOF TYPE AND MATERIAL
Original Town Block 59	20. CONTRACTOR OR BUILDER	Flat
29 E 20F W	21. ORIGINAL USE IF APPARENT	33. NO. OF BAYS FRONT 2 SIDE
60F 4 to 6 E 20F W	Commercial	34. WALL TREATMENT
80F 4 to 6	22. PRESENT USE	Running bond 35. PLAN SHAPERectangular
	Commercial 23. OWNERSHIP PUBLIC	
	PRIVATE	(EXPLAIN IN ALTERED ()
	24. OWNER'S NAME AND ADDRESS IF KNOWN Harry Heiten	MOVED () 37. CONDITION
COORDINATES UTM	508 Edmond	INTERIOR
LAT	St. Joseph, Mo.64	501 EXTERIOR
LONG O. SITE () STRU		S(X) 38. PRESERVATION YES () () UNDERWAY? NO (X)
	OBJECT () 26. LOCAL CONTACT PERSON OR ORGANIZ	ATION 39. ENDANGERED ? YES ()
I. CN NATIONAL YES () 12. IS IT REGISTER ? NO (X) ELIGIBLE	YES(X) Landman's Commission	(X) ON ? TAHW YE
3. PART OF ESTAB. YES () 14. DISTRICT HIST. DISTRICT ? NO (χ) POTENTIA	$\frac{1}{1}$ YO() 27. OTHER SURVEYS IN WHICH INCLUDED TYES(X)	40. VISIBLE FROM YES (X)
	AL? NO()	PUBLIC ROAD ? NO ()
5. NAME OF ESTABLISHED DISTRICT	1	41. DISTANCE FROM AND FRONTAGE ON ROAD O' and 45'
		0' and 45'
2. FURTHER DESCRIPTION OF IMPORTAN	NT FEATURES	oursing accented by
The parapet of the flat ro vertically placed stretche	oof is underscored by raised brick c ers giving a dentilling effect. The	bays of the storeironts
The parapet of the flat ro vertically placed stretche each contain three rectili	oof is underscored by raised brick c ers giving a dentilling effect. The inear windows with a row of flush st	bays of the storefronts retchers above and a
The parapet of the flat re vertically placed stretche each contain three rectilis rectangle of headers below	oof is underscored by raised brick c ers giving a dentilling effect. The inear windows with a row of flush st w in the spandrel, and a storefront	bays of the storefronts retchers above and a of plateglass with
The parapet of the flat ro vertically placed stretche each contain three rectiling rectangle of headers below diagonal reveal and transp	oof is underscored by raised brick c ers giving a dentilling effect. The inear windows with a row of flush st w in the spandrel, and a storefront oms above. The two bays are further	bays of the storefronts retchers above and a of plateglass with defined by pilasters
The parapet of the flat revertically placed stretches each contain three rectiling rectangle of headers below diagonal reveal and transc corbelled on the bottom.	oof is underscored by raised brick c ers giving a dentilling effect. The inear windows with a row of flush st w in the spandrel, and a storefront oms above. The two bays are further The entry to the second story is se	bays of the storefronts retchers above and a of plateglass with defined by pilasters
The parapet of the flat ro vertically placed stretche each contain three rectiling rectangle of headers below diagonal reveal and transpondent corbelled on the bottom.	oof is underscored by raised brick c ers giving a dentilling effect. The inear windows with a row of flush st w in the spandrel, and a storefront oms above. The two bays are further The entry to the second story is se extreme west end of the facade.	bays of the storefronts retchers above and a of plateglass with defined by pilasters t in a blind reveal to
The parapet of the flat ro vertically placed stretche each contain three rectiling rectangle of headers below diagonal reveal and transce corbelled on the bottom. 43. HISTORY AND SIGNIFICANCE the Corporation This double storefront but	oof is underscored by raised brick c ers giving a dentilling effect. The inear windows with a row of flush st w in the spandrel, and a storefront oms above. The two bays are further The entry to the second story is se extreme west end of the facade. ilding was constructed in 1920 by th	bays of the storefronts retchers above and a of plateglass with defined by pilasters t in a blind reveal to e United Cigar Store for
The parapet of the flat re vertically placed stretche each contain three rectiling rectangle of headers below diagonal reveal and transform corbelled on the bottom. *3. HISTORY AND SIGNIFICANCE the of This double storefront but \$1.000. It retains its on	oof is underscored by raised brick c ers giving a dentilling effect. The inear windows with a row of flush st w in the spandrel, and a storefront oms above. The two bays are further The entry to the second story is se extreme west end of the facade. ilding was constructed in 1920 by th riginal raised and patterned brickwo	bays of the storefronts retchers above and a of plateglass with defined by pilasters t in a blind reveal to e United Cigar Store for rk and forms an integral
The parapet of the flat re vertically placed stretche each contain three rectiling rectangle of headers below diagonal reveal and transform corbelled on the bottom. *3. HISTORY AND SIGNIFICANCE the of This double storefront but \$1.000. It retains its on	oof is underscored by raised brick c ers giving a dentilling effect. The inear windows with a row of flush st w in the spandrel, and a storefront oms above. The two bays are further The entry to the second story is se extreme west end of the facade. ilding was constructed in 1920 by th riginal raised and patterned brickwo of low, brick commercial buildings of	bays of the storefronts retchers above and a of plateglass with defined by pilasters t in a blind reveal to e United Cigar Store for rk and forms an integral
The parapet of the flat ro vertically placed stretche each contain three rectiling rectangle of headers below diagonal reveal and transfor corbelled on the bottom.	oof is underscored by raised brick c ers giving a dentilling effect. The inear windows with a row of flush st w in the spandrel, and a storefront oms above. The two bays are further The entry to the second story is se extreme west end of the facade. ilding was constructed in 1920 by th riginal raised and patterned brickwo of low, brick commercial buildings of	bays of the storefronts retchers above and a of plateglass with defined by pilasters t in a blind reveal to e United Cigar Store for rk and forms an integral
The parapet of the flat ro vertically placed stretche each contain three rectiling rectangle of headers below diagonal reveal and transfor corbelled on the bottom.	oof is underscored by raised brick c ers giving a dentilling effect. The inear windows with a row of flush st w in the spandrel, and a storefront oms above. The two bays are further The entry to the second story is se extreme west end of the facade. ilding was constructed in 1920 by th riginal raised and patterned brickwo of low, brick commercial buildings of	bays of the storefronts retchers above and a of plateglass with defined by pilasters t in a blind reveal to e United Cigar Store for rk and forms an integral
The parapet of the flat re vertically placed stretche each contain three rectiling rectangle of headers below diagonal reveal and transfer corbelled on the bottom. HISTORY AND SIGNIFICANCE the of This double storefront but \$1,000. It retains its of part of a fine grouping of Centuries south of the centuries	oof is underscored by raised brick c ers giving a dentilling effect. The inear windows with a row of flush st w in the spandrel, and a storefront oms above. The two bays are further The entry to the second story is se extreme west end of the facade. ilding was constructed in 1920 by th riginal raised and patterned brickwo of low, brick commercial buildings of ntral business district.	bays of the storefronts retchers above and a of plateglass with defined by pilasters t in a blind reveal to e United Cigar Store for rk and forms an integral
The parapet of the flat re vertically placed stretche each contain three rectilis rectangle of headers below diagonal reveal and transc corbelled on the bottom.	oof is underscored by raised brick c ers giving a dentilling effect. The inear windows with a row of flush st w in the spandrel, and a storefront oms above. The two bays are further The entry to the second story is se extreme west end of the facade. ilding was constructed in 1920 by th riginal raised and patterned brickwo of low, brick commercial buildings of ntral business district.	bays of the storefronts retchers above and a of plateglass with defined by pilasters t in a blind reveal to e United Cigar Store for rk and forms an integral the 19th and 20th
The parapet of the flat ro vertically placed stretche each contain three rectilis rectangle of headers below diagonal reveal and transc corbelled on the bottom.	oof is underscored by raised brick c ers giving a dentilling effect. The inear windows with a row of flush st w in the spandrel, and a storefront oms above. The two bays are further The entry to the second story is se extreme west end of the facade. ilding was constructed in 1920 by th riginal raised and patterned brickwo of low, brick commercial buildings of ntral business district.	bays of the storefronts retchers above and a of plateglass with defined by pilasters t in a blind reveal to e United Cigar Store for rk and forms an integral the 19th and 20th
The parapet of the flat re vertically placed stretche each contain three rectilis rectangle of headers below diagonal reveal and transe corbelled on the bottom.	oof is underscored by raised brick c ers giving a dentilling effect. The inear windows with a row of flush st w in the spandrel, and a storefront oms above. The two bays are further The entry to the second story is se extreme west end of the facade. ilding was constructed in 1920 by th riginal raised and patterned brickwo of low, brick commercial buildings of ntral business district.	bays of the storefronts retchers above and a of plateglass with defined by pilasters t in a blind reveal to e United Cigar Store for rk and forms an integral the 19th and 20th
The parapet of the flat re vertically placed stretche each contain three rectilis rectangle of headers below diagonal reveal and transe corbelled on the bottom.	oof is underscored by raised brick c ers giving a dentilling effect. The inear windows with a row of flush st w in the spandrel, and a storefront oms above. The two bays are further The entry to the second story is se extreme west end of the facade. ilding was constructed in 1920 by th riginal raised and patterned brickwo of low, brick commercial buildings of ntral business district.	bays of the storefronts retchers above and a of plateglass with defined by pilasters t in a blind reveal to e United Cigar Store for rk and forms an integral the 19th and 20th erty.
The parapet of the flat re vertically placed stretche each contain three rectilis rectangle of headers below diagonal reveal and transe corbelled on the bottom.	oof is underscored by raised brick c ers giving a dentilling effect. The inear windows with a row of flush st w in the spandrel, and a storefront oms above. The two bays are further The entry to the second story is se extreme west end of the facade. ilding was constructed in 1920 by th riginal raised and patterned brickwo of low, brick commercial buildings of ntral business district.	bays of the storefronts retchers above and a of plateglass with defined by pilasters t in a blind reveal to e United Cigar Store for rk and forms an integral the 19th and 20th

IF ADDITIONAL SPACE IS NEEDED, ATTACH Separate sheet(s) to this form

2

JEFFERSON CITY, MISSOURI 65102 8/85 PH. 314-751-4096

l



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

2

NO. BNU-AS-017-040	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S) Carol Ann's Cafe; Junction Arcad	le
county Buchanan	5. OTHER NAME(S)	
LOCATION OF City Hall VEGATIVES	J. OTHER NAME(S)	
SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	Architecture	28. NO. OF STORIES 2 29. BASEMENT? YES (X)
510-12 Edmond	17. DATE(S) OR PERIOD 1917	30. FOUNDATION MATERIAL
CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri	1917 18. STYLE OR DESIGN Beaux Arts	Brick 31. WALL CONSTRUCTION
DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick
Original Town	20. CONTRACTOR OR BUILDER	32. ROOF TYPE AND MATERIAL
"lock 59 E. 20' and V. 100' of	21. ORIGINAL USE 1'F APPARENT	33. NO. OF BAYS FRONT 2 SIDE -
Lots h to 6	22. PRESENT USE	
		35. PLAN SHAPE Rectangula
	PRIVAT 24. OWNER'S NAME AND ADDRESS IF KNOWNVILLIAM & Carol Day	NO. 42)
COORDINATES UTM	IF KNOWNWilliam & Carol Dav 2015 James	
LAT	St. Joseph, 10. 645 25. OPEN TO PUBLIC 2 YE	501 EXTERIOR Fair S(X) 38. PRESERVATION YES ()
	CTURE()	O() UNDERWAY? NO(X)
CN NATIONAL YES () 12. IS IT	YES(X) Landmarks Commission	BY WHAT ? NO (X)
A PART OF ESTAR YES () 14 DISTRICT	TOT 7 27. OTHER SURVEYS IN WHICH INCLUDED	40. VISIBLE FROM YES (X)
5. NAME OF ESTABLISHED DISTRICT	- <u>NO()</u>	41 DISTANCE FROM AND
		FOONTAGE ON FROAD and 45
modillions and a dentilate cornice line is further as metrical front facade has matching tri-partite winds centered entry set in a de ^{43.} HISTORY AND SIGNIFICANCE This double storefront wa its original Beaux Arts C	oof is lined by a pressed metal boxe ed fascia of the Beaux Arts Classica ccentuated by raised brick coursing been altered on the second story by ow surmounted by a transom. The sto eep plateglass reveal, have differing s constructed in 1917 by George Bod lassical Revival cornice and would n the fine grouping of 19th and 20t ntral business district.	al Revival style. The . The originally sym- y the enclosing of a orefronts, each with a glass and corrugated sheathing. e for \$1,600. It retains be a contributing member
44. DESCRIPTION OF ENVIRONMENT AND	OUTBUILDINGS	
	the rear or south side of the prop	perty.
45. SOURCES OF INFORMATION Build	ing permit, 6-25-17. George Bode,	46. PREPARED BY
\$1,600, Business.		Susan Ide Symington
RETURN THIS FORM WHEN COMPL	ETED TO: OFFICE OF HISTORIC PRESERVATIO	N Landmarks Commission
IF ADDITIONAL SPACE IS NEEDED, ATTACH	P.O. BOX 176 Jefferson City, Missouri 651	48. DATE 49. REVISION DATE(S) 02 8/85



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

BN-A3-017-041	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		, NO
2. COUNTY <u>Buchanan</u> 3. LOCATION OF City Hall NEGATIVES	5. OTHER NAME(S)		
3 SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS 514 Fdmond 7 CITY OR TOWN IF RURAL, VICINITY	IG. THEMATIC CATEGORY Architecture 17. DATE(S) OR PERIOD 1913 and 1978 18. STYLE OR DESIGN Vernacular	28. NO. OF STORIES 2 29. BASEMENT? YES(X) NO() 30. FOUNDATION MATERIAL Brick and Conrete	2. COUNTY
Saint Joseph, Missouri 8. DESCRIPTION OF LOCATION Original Town	Vernacular 19. Architect or Engineer 20. Contractor or Builder	31. WALL CONSTRUCTION Brick & Concrete Block 32. ROOF TYPE AND MATERIAL Flat	5
Block 59 E. 20' of Lots 4,5 and 6	21. ORIGINAL USE, IF APPARENT Commercial 22. PRESENT USE Vacant commercial space 23. OWNERSHIP PUBLIC(PRIVATE(X 24. OWNER'S NAME AND ADDRESS	33. NO. OF BAYS FRONT 1 SIDE 34. WALL TREATMENT Metal, Tile, Brick & Concrete 35. PLAN SHAPERectangular 36. CHANGES ADDITION()	4. PRESENT LOCAL NAME(S)
9. CCORDINATES UTM LAT LONG 10. SITE() STRUG	24. OWNER'S NAME AND ADDRESS IF KNOWN Louis Silverglat 3029 Duncan <u>St. Joseph, Mo.</u> 25. OPEN TO PUBLIC? YES(NO(X	37. CONDITION INTERIOR EXTERIOR GOOd 38. PRESERVATION YES ()	QH H
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	YES (X)	 39. ENDANGERED? YES() BY WHAT? NO(X) 40. VISIBLE FROM YES(X) PUBLIC ROAD? NO() 41. DISTANCE FROM AND ERONTAGE ON ROAD O' and 25 	DESIGNATION(S)
front facade has been she tiles framing the plateg deep reveal with an assyn is a large concrete bloc	rick structure is visible from the all eathed in corrugated metal on the seco lass storefront on the ground story. metrically placed narrow display case	nd story and small The entry is set in a	
appearance was acquired Company in 1978. As is.	e was built in 1913 for George Bode for by extensive remodeling undertaken by this commercial building would not con district in the largely 19th and earl l business district.	the Walters Construction Atribute to the esta-	1
44 DESCRIPTION OF ENVIRONMENT AND There is a small concret south sides of the prope	e parking area in the rear. Alleys ru	ans along the east and	
Business;4-26-78,Walters	ing Permits:5-22-13,George Bode,\$3,400 Construction Co.,\$6,000, Repairs. ETED TO: OFFICE OF HISTORIC PRESERVATION), 46. PREPARED BY Susan Ide Symington 47. ORGANIZATION Landmarks Commission 48. DATE 49. REVISION DATE(S)	

IF ADDITIONAL SPACE IS NEEDED, ATTACH Separate sheet(s) to this form

4

JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

	PRESENT LOCAL NAME(S) OR DESIGNATION(S) ster's Fabrics		
2. COUNTY Buchanan 5.	OTHER NAME(S) assachusetts Mutual Life Insurance	Co.	
3 SPECIFIC LEGAL LOCATION TOWNSHIPRANGESECTION IF CITY OR TOWN, STREET ADDRESS 524 Edmond 7 CITY OR TOWN IF RURAL, VICINITY Saint JOSEPH, Missouri 8. DESCRIPTION OF LOCATION Original Town Block 59 Lots 7 and 8	PRIVATE(X) 24. OWNER'S NAME AND ADDRESS	28. NO. OF STORIES 1 29. BASEMENT ? YES() NO() 30. FOUNDATION MATERIAL Brick 31. WALL CONSTRUCTION Brick 32. ROOF TYPE AND MATERIAL Flat 33. NO. OF BAYS FRONT 1 SIDE 1 34. WALL TREATMENT Running Bond 35. PLAN SHAPER C tangular 36. CHANGES (EXPLAIN IN NO. 42) MOVED()	
9 CCORDINATES UTM LAT LONG 10. SITE () STRUCTURE (BUILDING (X) OBJECT (11. CN NATIONAL YES () 12. IS IT YES (REGISTER ? NO (X) ELIGIBLE ? NO (13. PART OF ESTAB. YES () 14. DISTRICT YES (POTENTIAL ? NO (Y)) 26. LOCAL CONTACT PERSON OR ORGANIZATION X) <u>Landmarics Commission</u>) 27. OTHER SURVEYS IN WHICH INCLUDED X)	37. CONDITION INTERIOR EXTERIOR GOOD 38. PRESERVATION UNDERWAY ? 39. ENDANGERED ? 39. ENDANGERED ? 39. WHAT ? NO (X) 40. VISIBLE FROM PUBLIC ROAD ? YO (X)	
5. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD O' and 95'	

42. FURTHER DESCRIPTION OF IMPORTANT FEATURES

The parapet of the flat roof is outlined by rectangular panels of raised brick corresponding to implied bays below of yellow brick framed by darker brick panels. These bays are blind except for a secondary entry on the northwest corner and the main entry and display window area on the northeast corner, which has been bevelled. This corner entry has two double doors and display windows of plateglass and is sheltered by a metal eapopy.

43. HISTORY AND SIGNIFICANCE

The building permit for this structure was taken out by Massachusetts Mutual Life Insurance in 1939 for \$20,000. The Moderne styling of the building is unusual for this area, however, it would not contribute significantly to the architectural integrity of the surrounding historic area composed largely of 19th and early 20th Century commercial structures.

TOW

HIP

RANGE

44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS This corner property slopes south toward a large asphalt covered parking lot. An alley runs along the west side of the building.

45. SOURCES OF INFO Insurance Co.,		rmit, 5-10-39, Mass. Mutual Life	46 PREPARED BY Susan Ide Symington 47 ORGANIZATION
		DE OFFICE OF HISTORIC PRESERVATION	Landmarks Commission 48. DATE (49. REVISION DATE(5)
IF ACDITIONAL SPACE IS SEPARATE SHEET(S) TO	NEEDED, ATTACH This form	JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	8/85



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

BN-45-017-043 3	PRESENT LOCAL NAME(S) OR DESIGNATION(S) t. Joseph Central Branch Ry.		i.
Buchanan 5. 3. LOCATION OF City Hall K NEGATIVES	OTHER NAME(S) ansas City & Council Bluffs Pailros	ad Office & Freight Depot	
3 SPECIFIC LEGAL LOCATION TOWNSHIPRANGESECTION IF CITY OR TOWN, STREET ADDRESS 302-l4 Sylvanie 7 CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri 8. DESCRIPTION OF LOCATION	IG. THEMATIC CATEGORY Architecture 17. date(s) or period 1897 18. style or design BCLECTIC 19. architect or engineer	28. NO. OF STORIES 22 29. BASEMENT? YES (X) NO () 30. FOUNDATION MATERIAL Brick 31. WALL CONSTRUCTION Brick	
Original Town Block 37 Lots 7 to 12	20. CONTRACTOR OR BUILDER 21. ORIGINAL USE, IF APPARENT	32. ROOF TYPE AND MATERIAL Hip;Asphalt Shingle 33. NO. OF BAYS FRONT 5 SIDE 3	
	Commercial 22. PRESENT USE COMMERCIAL; For Sale 23. OWNERSHIP PUBLIC() PRIVATE(X)	34. WALL TREATMENT Common Bond 35. PLAN SHAPE Rectangular 36. CHANGES ADDITION () (EXPLAIN IN ALTERED () NO. 42) ALTERED ()	
9. CCORDINATES UTM	24. OWNER'S NAME AND ADDRESS IF KNOWN St. Joseph Central Branch Ry C/o St. Louis; Mo. 63103	MOVED ()	
IONG SITE () STRUCTURE		UNDERWAY ? NO(X)	ļ
$\begin{array}{c c} & \text{BUILDING}(\chi) & \text{OBJECT} \\ \hline \text{IL CN NATIONAL YES () I2. IS IT YES} \\ \hline \text{REGISTER ? NO (X)} & \text{ELIGIBLE ? NO} \end{array}$	(X) Landmarks Commission	39. ENDANGERED? YES() BY WHAT? NO(X)	
3. PART OF ESTAB. YES () 14. DISTRICT YES HIST. DISTRICT? NO (X) POTENTIAL? NO		40. VISIBLE FROM YES (X) PUBLIC ROAD ? NO()	
IS. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD 201 and 5001	j

The building is capped by a bell-cast hipped roof is broken by triangularly shaped "eye-brow" dormers; they are symmetrically placed one facing north, one facing south, two east and two west. There is also a brick chimney near the northwest corner. The bays are defined by raised brick piers running uninterruptedly from the first through the second story. The windows are rectilinear and placed singly or grouped in threes. <u>A</u> one-story brick warehouse sheathed in corrugated metal runs south to the end of the

2

43. HISTORY AND SIGNIFICANCE This structure was built in 1897 as the Kansas City and Council Bluffs Railroad General Office and Freight Depot. The price listed on the Building Permit was \$2,200. This building has the massing and roof line and detail of the contemporary Shingle Style, and the decorative restraint and deep soffit of the Prarie Style. Its Eclectic styling would contribute strongly to the establishment of an historic district in this area of high quality 19th and early 20th Century commercial buildings.

A OFSCRIPTION OF CREWTRONT ALONG the test side of the building. There is cobblestone parking along the east side for the entire length of the block.

		4
45. SOURCES OF INFORMATION Building Permit: 11-27-97, K.C. & C.B., \$2,200,	46. PREPARED BY	
Offices: City Directory.	Susan Ide Symington	
	47. ORGANIZATION	
RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION	Landmarks Commission	
P.O. BOX 176	48. DATE 49. REVISION DATE(S)	
IF ACDITIONAL SPACE IS NEEDED, ATTACH JEFFERSON CITY, MISSOURI 65102 SEPARATE SHEET(S) TO THIS FORM PH 314-751-4096	8/85	ł
PH. 314-751-4096	• •	-

5. TOWNSHIP

RANGE



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

NO.	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
3N-AS-017-044	Sunshine Electronic Display Corpor	ration
COUNTY		
Buchanan LOCATION OF City Hall MEGATIVES	5. OTHER NAME(S)	
SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	IG. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 1 29. BASEMENT? YES()
F CITY OR TOWN, STREET ADDRESS	17. DATE(S) OR PERIOD 1981	NO (X)
Saint Joseph, Missouri	18. STYLE OR DESIGN Vernacular	- Concrete 31. Wall CONSTRUCTION
DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Corrugated Metal 32. ROOF TYPE AND MATERIAL
Original Town Block 58	20. CONTRACTOR OR BUILDER Walters Construction Co.	Gable: Metal 33. NO. OF BAYS
Lots 1 and 2	21. ORIGINAL USE, IF APPARENT Commercial	FRONT 1 SIDE 1 34. WALL TREATMENT
	22. PRESENT USE Manufacturing	Corrugated Metal 35. PLAN SHAPERectangular
	23. OWNERSHIP PUBLIC (PRIVATE (X) (EXPLAIN IN ALTERED ()
	24. OWNER'S NAME AND ADDRESS IF KNOWN Meyer Chalkin	MOVED () 37. CONDITION
CCORDINATES UTM	20 W. 14 Ave. Kansas City, Mo.64116	
LONG O. SITE () STRUCTUR) UNDERWAY ? NO (X)
. CN NATIONAL YES () 12. IS IT YE	() 26. LOCAL CONTACT PERSON OR ORGANIZATION S() Landmarks Commission	N 39. ENDANGERED? YES() BY WHAT? NO(X)
REGISTER ? NO (X) ELIGIBLE ? 3. PART OF ESTAB. YES () 14. DISTRICT YE HIST. DISTRICT ? NO (Y)	O(X) 27, OTHER SURVEYS IN WHICH INCLUDED S())	40. VISIBLE FROM YES (X) PUBLIC ROAD ? NO ()
5. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON BOAD 15 and 1504
2. FURTHER DESCRIPTION OF IMPORTANT F		
short concrete bloc't base. garage doors on the west and near the southwest corner. The the same facade, and windows are sheltered by a cantilever 43. HISTORY AND SIGNIFICANCE This corrugated metal commerce Construction Co. for \$184,000. It is an intrusion in this ar	ial building was erected in 1981 by	the south facade ne in the middle of de of plateglass and y the Walters h and early 20th
There are concrete parking at The property is bounded on the	reas on the north, west and south s ne east by a brick alley.	ides of the structure.
45. SOURCES OF INFORMATION Buildin, Co., \$184,000, Erect Commercia	g Permit,4-27-81,Walters Constructi al Duilding.	on46. PREPARED BY Susan Ide Symington 47. Organization
RETURN THIS FORM WHEN COMPLETE	D TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102	Landmarks Commission 40. DATE 49. REVISION DATE(S) 8/85



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

ويود ومرجوع والمراجع المنافقة المتقال المتعاقبة ويرجون والمتقار والمتقار			
i. NO. 4. P	RESENT LOCAL NAME(S) OR DESIGNATION(S)		-
BN-AS-017-045	Aitchison-Richmond Supply Co.		NO
2. COUNTY			
	THER NAME(S) Krumme and Berry; Krumme and Hiner		
3. LOCATION OF City Hall NEGATIVES	Arunne and berry; Arunne and Arner		
3 SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY	28. NO. CF STORIES	Ņ
TOWNSHIP RANGE SECTION	Architecture	29. BASEMENT? YES ()	ŝ
	17. DATE(S) OR PERIOD	NO()	COUNTY
502 Sylvanie	1924 to 1934	30. FOUNDATION MATERIAL	T
Z CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri	18. STYLE OR DESIGN	Concrete	
	Vernacular	31. WALL CONSTRUCTION Brick - Yellow	
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	32. ROOF TYPE AND MATERIAL	
Original Town	20. CONTRACTOR OR BUILDER	Flat & Gable; Asphalt	
Block 57	20. CONTRACTOR OR BUILDER	33 NO. OF BAYS	
Lots $3.4.5$ and 6	21. ORIGINAL USE, IF APPARENT	FRONT 11 SIDE 4	ס
	Service Station	34. WALL TREATMENT	RES
	22. PRESENT USE Commercial	<u>Running Bond</u>	Ë N
		35. PLAN SHAPE Irregular	
	23. OWNERSHIP PUBLIC() PRIVATE(X)	36. CHANGES ADDITION (X) (EXPLAIN IN	ŝ
		NO. 42) ALTERED ()	ŕ
	24. OWNER'S NAME AND ADDRESS EState	MOVED () 37. CONDITION	AVE:
9 COORDINATES UTM	- 2528 N. 26th St.		PRESENT LOCAL NAME(S)
LAT	St. Joseph, Mo. 64506	EXTERIOROOD	
LONG	25. OPEN TO PUBLIC 2 YES (X)	38. PRESERVATION YES ()	07 7
IO. SITE () STRUCTURE () NO()	UNDERWAY ? NO (X)	DESIGNATION(S
BUILDING (X) OBJECT () 26. LOCAL CONTACT PERSON OR ORGANIZATION		16:
II. CN NATIONAL YES () 12. IS IT YES (REGISTER ? NO () ELIGIBLE ? NO ()) Landmarks Commission	BY WHAT? NO(X)	AT
NO()]) 27. OTHER SURVEYS IN WHICH INCLUDED		NO
I3. PART OF ESTAB. YES () 14. DISTRICT YES (HIST. DISTRICT? NO (X) POTENTIAL? NO (40 VISIBLE FROM YES (X) PUBLIC ROAD ? NO ()	(S)
15. NAME OF ESTABLISHED DISTRICT		41 DISTANCE FROM AND	
13. NAME OF ESTABLISHED DISTRICT		PRONTAGE ON ROAD	
		40 and 140	5
42. FURTHER DESCRIPTION OF IMPORTANT FEAT	ures ction of this building complex app	pears to be the part	
	projecting multipartite bay, rour		
	tile roofing. This bay also has a	•	1
	ulus. On the west, there is a gar		ĺ
	beneath a wide gable on the east s		ŧ
prers. The marn work area is	veneaur a wrue gabre on one east		1

3

5. TOWNSHIP

44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS This corner property is bounded on the east by an alley lined with abandoned railroad track. There is a large concrete parking area on the north side of the building.

the additions have a Moderne style feel with severe yellow brick surfaces broken only 43 by statised brick chiers running to top of unornamented parapets and glass block windows.

The original part of this complex was built as a service station garage by Krumme and Berry in 1924. There w re subsequent additions in 1927 and 1928, and a major one in 1933. Three more smaller additions were made in 1934, 1935 and 1939. The

Though this structure is not architecturally significant in itself, its scale, use and building material would contribute to the establishment of an historic district in this area of high quality 19th and early 20th Century commercial structures.

business name changed to Krumme and Hiner around 1936.

Thilding Down	sita including 1021. Varming and	Lie and and BY
45. SOURCES OF INFORMATION Building Perr		
Berry, Garage, 1,500;1934, Trumme	and Berry, Addition, 31,000,	Susan Ide Symington
	.	47. ORGANIZATION
RETURN THIS FORM WHEN COMPLETED TO:	OFFICE OF HISTORIC PRESERVATION	Landmarks Commission
The second	P.O. BOX 176	48. DATE 49. REVISION DATE(S)
SEPARATE SUCCE IS NEEDED, ATTACH	JEFFERSON CITY, MISSOURI 65102	8/85
SEPARATE SHEET(S) TO THIS FORM	PH. 314-751-4096	

RANGE SECTION



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

BN-A5-917-046	SENT LOCAL NAME(S) OR DESIGNATION(S)	en &	. NO
2. COUNTY			.0
	HER NAME(S)	4	
3. LOCATION OF City Hall Un	ited States Weather Bureau		
S SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	IG. THEMATIC CATEGORY	28. NO. OF STORIES 2	Ń
IF CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	29. BASEMENT? YES (X) NO ()	COUNTY
520 N. 5th St.	1909	30. FOUNDATION MATERIAL Brick	۲۲
z city or town IF RURAL, VICINITY Saint Joseph, Missouri	18. STYLE OR DESIGN Beaux Arts	31. WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick	
Robidoux's Addition	20. CONTRACTOR OR BUILDER	32. ROOF TYPE AND MATERIAL lustraded	
Block 2 Lots 5 and 6	21. ORIGINAL USE, IF APPARENT	33. NO. OF BAYS FRONT 3 SIDE 3	. + ₽
•	U.S. Weather Bureau	34. WALL TREATMENT	RESI
	22. PRESENT USE Apartments	Running Bond 35. PLAN SHAPE Rectangular	PRESENT LOCAL NAME(S)
	23. OWNERSHIP PUBLIC()		100
	PRIVATE(X)	(EXPLAIN IN NO. 42) ALTERED ()	AL AL
	24. OWNER'S NAME AND ADDRESS	MOVED()	NAN
9 COORDINATES UTM	Samuel Magers	37. CONDITION	1E (S
LAT		EXTERIOR Excellent) OR
LONG	25. OPEN TO PUBLIC ? YES()	38. PRESERVATION YES () UNDERWAY ? NO (X)	
IO. SITE () STRUCTURE ()		no (A/	ESI
BUILDING (X) OBJECT ()	26. LOCAL CONTACT PERSON OR ORGANIZATION Landmarks Commission	39. ENDANGERED? YES() BY WHAT? NO(X)	DESIGNATION(S)
REGISTER ? NO (X) ELIGIBLE ? NO ()	27. OTHER SURVEYS IN WHICH INCLUDED		101
HIST. DISTRICT ? NO (X)	1972 Historical Inventory Johnson, Johnson & Roy	40. VISIBLE FROM YES(X) PUBLIC ROAD ? NO()	(S)
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD 40 and 80	
 42. FURTHER DESCRIPTION OF IMPORTANT FEATUR This stalwart brick structure is crowned by an elaborate diadem of and stringcoursing. The balustra proportions, which bears the init the blank panel centered beneath porch with boxed cornice and fast 43. HISTORY AND SIGNIFICANCE This building was constructed in building permit listed the price 	finished on all corners by raise a balustraded boxed cornice und ade is broken in the front by a c tials of the U.S. Weather Bureau, it, accentuate the main entry st tia on brick piers. There is a s 1909 as the United States Weath	derlined by modillions cartouche of mannerist . This cartouche and heltered by a deep similar entry porch on he south. er Bureau. The	5. OTHER NAME(S)
1954 and the building was then c	onverted into apartments.		s.
This well preserved and outstand	ing example of the Beaux Arts sc	hool of design is of	TOW
landmark calibre and would contr district in the Robidoux Hill ar		nt of an historic	TOWNSHIP
44. DESCRIPTION OF ENVIRONMENT AND OUTBUIL	0.NC2		2
The building is sited on top of a weather bureau. A low, concre north and east sides. There is	a bluff with good visability to te-sheathed retaining wall support	the west- an asset for rts the bank on the	RANGE
45. SOURCES OF INFORMATION Building Per	mit:7-2-09.U.S. Government Weath	TE PREPARED BY	<u> </u>
Bureau, \$15,440; Architecture of S	t. Joseph, Albrecht Museum, 1974.	Susan Ide Symington	SECTION
RETURN THIS FORM WHEN COMPLETED TO	: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176	Landmarks Commission 48. DATE 49. REVISION DATE(S)	, ion
IF ADDITIONAL SPACE IS NEEDED, ATTACH Separate sheet(s) to this form	JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	8/85	



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

Image: Introduction of intermediately below by rectangular is one of this flat roof is flat		PRESENT LOCAL NAME(S) OR DESIGNATION(S)		
Buchanan 5. OTHER NAME(S) 3. LOLATON OF CIty Ball Henry Curtin's Grocery YESTAVES Henry Curtin's Grocery 28. ADSEMENT? 28. ADSEMENT? YESTAVES Architecture 28. ADSEMENT? YESTAVES Vernacular 10. THEMAL, VICINITY 28. ADSEMENT? YESTAVES 201 H. Gth St. 17. DATE(S) CR PERIOD 30. FOUNDATION MATERIAL DICAR Saint JOSEPH, Missouri IS. ARCHITECT OR ENGINEER 31. WALL CONSTRUCTION IS. ARCHITECT OR ENGINEER S. OCONTRACTOR OF BUILDER 31. WALL CONSTRUCTION B. DESCRIPTION OF LOCATION IS. ARCHITECT OR ENGINEER S. DESCRIPTION OF LOCATION IS. ARCHITECT OR ENGINEER S. OCONTIACTOR IS. ARCHITECT OR ENGINEER S. DESCRIPTION OF LOCATION IS. ARCHITECT OR ENGINEER S. DESCRIPTION OF LOCATION<	BN-175-017-047	Vivian's Dress Shop		NO,
Todatives 16. THEMATIC CATEGORY 28. NO. CF. STORES 10. THEMATIC CATEGORY 28. NO. CF. STORES 11. NOTICE 12. AASEMENT? NO(X) PCITY OR TOWN, STREET ADDRESS 10. DATE(S) OR PERIOD 30. FOUNDATION MATERIAL NO(X) NO(X) 201 N. 6 th St. 1933 30. FOUNDATION MATERIAL NO(X) NO(X) 2. CY OR TOWN IF RURAL, VICINITY 18. STYLE OR DESIGN 30. FOUNDATION MATERIAL NO(X) 3. DESCRIPTION OF LOCATION 19. ARCHITECT OR ENGINEER 30. FOUNDATION MATERIAL NO(X) B. DESCRIPTION OF LOCATION 19. ARCHITECT OR ENGINEER 31. WALL CONSTRUCTION REICK B. DESCRIPTION OF LOCATION 19. ARCHITECT OR ENGINEER 33. NO. OF BAYS REICK PGe'S Addition 20. CONTRACTOR OR BUILDER 33. NO. OF BAYS REUDING (N) ALTREATMENT 21. ØBGMAHOLSEN 22. ORENTAL PAGE 23. OWNERSINE PUBLICI (N) SCHANDES ADDITION (N) 22. ORDINATES UTM 23. OWNER'S NAME AND ADDRESS 35. CHANCHSES ADDITION (N) 23. OWNER'S NAME AND ADDRESS 16. STRUCTURE (N) 26. LOCAL CONTACT PERSON OR ORGANIZATION NO(2) 37. CONDITION (N) 30. SECONDANGERED ?		OTHER NAME(S)		
TOWNSHIP RANCE SECTION Architecture Provide Street Provide Street <th< td=""><td>3. LOCATION OF City Hall NEGATIVES</td><td>Henry Curtin's Grocery</td><td></td><td></td></th<>	3. LOCATION OF City Hall NEGATIVES	Henry Curtin's Grocery		
2. CTY OR TOWN IF RURAL, VICINITY IB. STYLE OR DESIGN The Dick 3. Int. JOSEDA, Missouri IV Pernacular 31. Wall CONSTRUCTION B. DESCRIPTION OF LOCATION IP. ARCHITECT OR ENGINEER S2. ROOF TYPE AND MATERIAL Fige's Addition IP. ARCHITECT OR BUILDER S3. No. OF BAYS Lots 214 and 25 IP. CONTRACTOR OR BUILDER S3. No. OF BAYS Vest 25' IP. CONTRACTOR OR BUILDER S3. No. OF BAYS 20. CONTRACTOR OR BUILDER S3. No. OF BAYS 21. CBUMH&CHIE1 IF APPARENT S4. WALL TREATMENT 22. PRESENT USE CONTINETOLIAL 23. OWNERSHIP PUBLIC() 24. OWNER'S NAME AND ADDRESS AND() 10. STRE() STRUCTURE() BUILDING (x) OBJECT() 28. LOCAL CONTACT PERSON OR ORGANIZATION 39. ENDANGERED? 13. NATIONAL YES(S) IPATAT? No() AND (x) 14. ONATIONAL YES(S) IPATAT? No() AND (x) 15. PLAT YES() IPATAT? No() ANO() 16. ONG STE() STRUCTURE() IPATAT? NO() ANO() 10. ON STRU				
2. CTY OR TOWN IF RURAL, VICINITY IB. STYLE OR DESIGN The Dick 3. Int. JOSEDA, Missouri IV Pernacular 31. Wall CONSTRUCTION B. DESCRIPTION OF LOCATION IP. ARCHITECT OR ENGINEER S2. ROOF TYPE AND MATERIAL Fige's Addition IP. ARCHITECT OR BUILDER S3. No. OF BAYS Lots 214 and 25 IP. CONTRACTOR OR BUILDER S3. No. OF BAYS Vest 25' IP. CONTRACTOR OR BUILDER S3. No. OF BAYS 20. CONTRACTOR OR BUILDER S3. No. OF BAYS 21. CBUMH&CHIE1 IF APPARENT S4. WALL TREATMENT 22. PRESENT USE CONTINETOLIAL 23. OWNERSHIP PUBLIC() 24. OWNER'S NAME AND ADDRESS AND() 10. STRE() STRUCTURE() BUILDING (x) OBJECT() 28. LOCAL CONTACT PERSON OR ORGANIZATION 39. ENDANGERED? 13. NATIONAL YES(S) IPATAT? No() AND (x) 14. ONATIONAL YES(S) IPATAT? No() AND (x) 15. PLAT YES() IPATAT? No() ANO() 16. ONG STE() STRUCTURE() IPATAT? NO() ANO() 10. ON STRU	_ · ·			OUN
Saint Joseph, Missouri Vernacular S. Wall CONSTRUCTION 8. DESCRIPTION OF LOCATION 19. ARCHITECT OR ENGINEER S. MALL CONSTRUCTION Ege's Addition 20. CONTRACTOR OR BUILDER S. ROOF TYPE AND MATERIAL Lots 21, and 25 20. CONTRACTOR OR BUILDER S. NO. OF BAYS West 25' 21. @BMH@tclifi' APPARENT S. WALL TREATMENT 22. ORDERSHIP PSECT S. WALL TREATMENT 23. OWNERSHIP PUBLIC() S. CANNEES ADDITON() 23. OWNERSHIP PUBLIC() S. CONDITION MOVED() 24. OWNER'S NAME AND ADDRESS S. PRESENTION (S. ORDERANT ?) MOVED() 25. OPEN TO PUBLIC? NO() S. PRESENTION (S. ORDERANT ?) MOVED() 26. COCADINATES UTM LAT INTERIOR MOVED() 20. OPEN TO PUBLIC? NO() S. PRESENTION (S. ORDERANT?) MO() MOVED() 37. CONDITION INTERIOR OO (X. ON) MAT? MO()				77
B: DESERVIOU OF ECLATION ID: ANOMICED OF ENDIDER S: Roof TYPE AND MATERIAL Fige's Addition Lots 21, and 25 West 25' 20: CONTRACTOR OR BUILDER 33: No. OF BAYS FRONT 1 SIDE 1 20: CONTRACTOR OR BUILDER 33: No. OF BAYS FRONT 1 SIDE 1 20: CONTRACTOR OR BUILDER 21: CONDUCTORE (L) 22: PRESENT USE 23: OWNERSHIP PUBLIC() 24: OWNER'S NAME AND ADDRESS 37: CONDITION 10: SITE() SI		Vernacular		
"Age 's Addition Lots 2l; and 25 West 25' "West 25' "Contractor of sulloer 2: OBGUMALS 25 ' "Structure" 2: OBGUMALS 25' "Structure" "Structure" Structure" Struct" Struct" </td <td>8. DESCRIPTION OF LOCATION</td> <td>IS. ARCHITECT OR ENGINEER</td> <td></td> <td></td>	8. DESCRIPTION OF LOCATION	IS. ARCHITECT OR ENGINEER		
Lots 21, and 25 33. No. OF BAYS West 25' 21. CRIGHAL USE IF APPARENT 22. PRESENT USE COMMERCIAL 34. WALL TREATMENT Running 30nd 23. NO. OF BAYS 4. WALL TREATMENT Running 30nd 22. PRESENT USE COMMERCIAL 23. OWNERSHIP PUBLIC() 35. PLAN SHAPE RECTAINENT Running 30nd 23. OWNER'S NAME AND ADDRESS 16 9. COORDINATES LONG 24. OWNER'S NAME AND ADDRESS 17. CONDITION LAT LONG 25. OPEN TO PUBLIC? 10. SITE () STRUCTURE() 25. OPEN TO PUBLIC? 10. SITE () STRUCTURE() 26. LOCAL CONTACT PERSON OR ORGANIZATION MO() 10. 11. CN NATIONAL LAT LONG 21. OPEN TO PUBLIC? 22. OPEN TO PUBLIC? 23. OPEN TO PUBLIC? 24. OWNER'S NAME AND ADDRESS 35. PLAN SHAPE (PECTAINGUT 25. OPEN TO PUBLIC? 26. LOCAL CONTACT PERSON OR ORGANIZATION HIST DISTRIC? 27. OTHER SURVEYS IN WHICH INCLUDED 39. ENDANGERED? YES() 39. WHAT ?	Ecels Addition	20. CONTRACTOR OR BUILDER	Flat	
West 25' 21. OBUMAL CVE1 IF APPARENT 34. WALL TREATMENT 22. PRESENT USE COMMERCIAL 33. PLAN SHAPE Tectangular Running Bond 22. PRESENT USE COMMERCIAL 33. PLAN SHAPE Tectangular Running Bond 23. OWNERSHIP PUBLIC() 34. WALL TREATMENT 34. WALL TREATMENT Running Bond 23. OWNERSHIP PUBLIC() 24. OWNER'S NAME AND ADDRESS 35. CLANSES 10. SITE() 9. COORDINATES UTM LAT 25. OPEN TO PUBLIC? 10. SITE() 9. UTM 26. LOCAL CONTACT PERSON OR ORGANIZATION 10. SITE() 9. UNDERWAY? NO() 11. ON NATIONAL YES(X) 12. NAME OF ESTABL YES() 14. DISTRICT YES() 13. PART OF ESTABL YES() 14. DISTRICT YES() 13. PART OF ESTABLISHED DISTRICT 27. OTHER SURVEYS IN WHICH INCLUDED 40. VISIBLE FROM AND FRONTAGE PM RADD O' and LO' 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES The parapet of this flat roof is lined with a row of headers. The facade is of common bond and is ornamented immediately below by rectangular spandrel panels articulated by				.*
23. OWNERSHIP PUBLIC () PRIVATE(X) 36. CHANGES (EXPLAIN IN LAT LONG ADDITION () (EXPLAIN IN ALTERED () NO(42) 9 CCORDINATES UTM LAT 24. OWNER'S NAME AND ADDRESS 37. CONDITION INTERIOR MOVED () 9 CCORDINATES UTM LAT 25. OPEN TO PUBLIC? YES(X) NO() 38. PRESERVATION UNDERWAY? 96 () 10. SITE () BUILDING (x) OBJECT () OBJECT () 26. LOCAL CONTACT PERSON OR ORGANIZATION REGISTER ? 39. ENDANGERED? NO() YES () BY WHAT ? NO (x) 10. SITE () BUILDING (x) OBJECT () OBJECT () 26. LOCAL CONTACT PERSON OR ORGANIZATION REGISTER ? 39. ENDANGERED? NO (x) YES () BY WHAT ? NO (x) 13. PART OF ESTAB. YES () HIST. DISTRICT ? NO (x) POTENTIAL ? NO () POTENTIAL ? NO (x) 27. OTHER SURVEYS IN WHICH INCLUDED 39. ENDANGERED? PUBLIC ROAD ? YES (X) NO (x) 13. NAME OF ESTABLISHED DISTRICT POTENTIAL ? NO () IST. NAME OF ESTABLISHED DISTRICT 27. OTHER SURVEYS IN WHICH INCLUDED 40. VISIBLE FROM AND FROMTAGE ON ROAD O' and 40' 90 AND () 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES The parapet of this flat roof is lined with a row of headers. The facade is of common bond and is ornamented immediately below by rectangular spandrel panels articulated by 9.		21. Countercisti if apparent		PRE
23. OWNERSHIP PUBLIC () PRIVATE(X) 36. CHANGES (EXPLAIN IN LAT LONG ADDITION () (EXPLAIN IN ALTERED () NO(42) 9 CCORDINATES UTM LAT 24. OWNER'S NAME AND ADDRESS 37. CONDITION INTERIOR MOVED () 9 CCORDINATES UTM LAT 25. OPEN TO PUBLIC? YES(X) NO() 38. PRESERVATION UNDERWAY? 96 () 10. SITE () BUILDING (x) OBJECT () OBJECT () 26. LOCAL CONTACT PERSON OR ORGANIZATION REGISTER ? 39. ENDANGERED? NO() YES () BY WHAT ? NO (x) 10. SITE () BUILDING (x) OBJECT () OBJECT () 26. LOCAL CONTACT PERSON OR ORGANIZATION REGISTER ? 39. ENDANGERED? NO (x) YES () BY WHAT ? NO (x) 13. PART OF ESTAB. YES () HIST. DISTRICT ? NO (x) POTENTIAL ? NO () POTENTIAL ? NO (x) 27. OTHER SURVEYS IN WHICH INCLUDED 39. ENDANGERED? PUBLIC ROAD ? YES (X) NO (x) 13. NAME OF ESTABLISHED DISTRICT POTENTIAL ? NO () IST. NAME OF ESTABLISHED DISTRICT 27. OTHER SURVEYS IN WHICH INCLUDED 40. VISIBLE FROM AND FROMTAGE ON ROAD O' and 40' 90 AND () 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES The parapet of this flat roof is lined with a row of headers. The facade is of common bond and is ornamented immediately below by rectangular spandrel panels articulated by 9.		22. PRESENT USE		SEN
24. OWNER'S NAME AND ADDRESS INC. 127 MOVED() 9 CCORDINATES UTM LAT IF KNOWN INTERIOR LONG SITE() STRUCTURE() BUILDING(X) OBJECT() 25. OPEN TO PUBLIC? YES(X) BUILDING(X) OBJECT() 26. LOCAL CONTACT PERSON OR ORGANIZATION 39. ENDANGERED? YES() II. CN NATIONAL YES(X) 12. IS IT YES() 26. LOCAL CONTACT PERSON OR ORGANIZATION 39. ENDANGERED? YES() II. CN NATIONAL YES(X) 12. IS IT YES() 27. OTHER SURVEYS IN WHICH INCLUDED 39. ENDANGERED? NO(X) 13. PART OF ESTABLISHED DISTRICT YES() 27. OTHER SURVEYS IN WHICH INCLUDED 40. VISIBLE FROM YES(X) 13. PART OF ESTABLISHED DISTRICT YES() 27. OTHER SURVEYS IN WHICH INCLUDED 40. VISIBLE FROM AND FROMTAGE ON ROAD 13. NAME OF ESTABLISHED DISTRICT POTENTIAL? NO() 11. DISTANCE FROM AND FROMTAGE ON ROAD 11. DISTANCE FROM AND FROMTAGE ON ROAD 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES The parapet of this flat roof is lined with a row of headers. The facade is of common bond and is ornamented immediately below by rectangular spandrel panels articulated by 90. <td></td> <td></td> <td></td> <td></td>				
24. OWNER'S NAME AND ADDRESS INC. 127 MOVED() 9 CCORDINATES UTM LAT IF KNOWN INTERIOR LONG SITE() STRUCTURE() BUILDING(X) OBJECT() 25. OPEN TO PUBLIC? YES(X) BUILDING(X) OBJECT() 26. LOCAL CONTACT PERSON OR ORGANIZATION 39. ENDANGERED? YES() II. CN NATIONAL YES(X) 12. IS IT YES() 26. LOCAL CONTACT PERSON OR ORGANIZATION 39. ENDANGERED? YES() II. CN NATIONAL YES(X) 12. IS IT YES() 27. OTHER SURVEYS IN WHICH INCLUDED 39. ENDANGERED? NO(X) 13. PART OF ESTABLISHED DISTRICT YES() 27. OTHER SURVEYS IN WHICH INCLUDED 40. VISIBLE FROM YES(X) 13. PART OF ESTABLISHED DISTRICT YES() 27. OTHER SURVEYS IN WHICH INCLUDED 40. VISIBLE FROM AND FROMTAGE ON ROAD 13. NAME OF ESTABLISHED DISTRICT POTENTIAL? NO() 11. DISTANCE FROM AND FROMTAGE ON ROAD 11. DISTANCE FROM AND FROMTAGE ON ROAD 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES The parapet of this flat roof is lined with a row of headers. The facade is of common bond and is ornamented immediately below by rectangular spandrel panels articulated by 90. <td></td> <td></td> <td>(EXPLAIN IN</td> <td>DCAL</td>			(EXPLAIN IN	DCAL
LAT EXTERIOR GOOd 9 LONG SITE() STRUCTURE() 25. OPEN TO PUBLIC? YES(X) 38. PRESERVATION UNDERWAY? YES() 10. SITE() STRUCTURE() 26. LOCAL CONTACT PERSON OR ORGANIZATION Landmarks Commission 39. ENDANGERED? BY WHAT ? YES() 30. (x) 39. ENDANGERED? BY WHAT ? YES(X) 39. ENDANGERED? BY WHAT ? YES(X) 30. (x) 39. ENDANGERED? BY WHAT ? YES(X) 39. ENDANGERED? BY WHAT ? YES(X) 30. (x) 39. ENDANGERED? YES(X) 30. (x) 39. ENDANGERED? YES(X) 39. ENDANGERED? YES(X) 39. ENDANGERED? YES(X) 30. (x) 39. ENDANGERED? YES(X) 39. ENDANGERED? YES(X) 39. ENDANGERED? YES(X) 39. ENDANGERED? YES(X) 39. ENDANGERED? YES(X) <td></td> <td></td> <td>NU. 421</td> <td></td>			NU. 421	
LAT EXTERIOR GOOd 9 LONG SITE() STRUCTURE() 25. OPEN TO PUBLIC? YES(X) 38. PRESERVATION UNDERWAY? YES() 10. SITE() STRUCTURE() 26. LOCAL CONTACT PERSON OR ORGANIZATION Landmarks Commission 39. ENDANGERED? BY WHAT ? YES() 30. (x) 39. ENDANGERED? BY WHAT ? YES(X) 39. ENDANGERED? BY WHAT ? YES(X) 30. (x) 39. ENDANGERED? BY WHAT ? YES(X) 39. ENDANGERED? BY WHAT ? YES(X) 30. (x) 39. ENDANGERED? YES(X) 30. (x) 39. ENDANGERED? YES(X) 39. ENDANGERED? YES(X) 39. ENDANGERED? YES(X) 30. (x) 39. ENDANGERED? YES(X) 39. ENDANGERED? YES(X) 39. ENDANGERED? YES(X) 39. ENDANGERED? YES(X) 39. ENDANGERED? YES(X) <td></td> <td>IF KNOWN</td> <td></td> <td>ME (</td>		IF KNOWN		ME (
LONG 25. OPEN TO PUBLIC? YES(X) NO(1) 38. PRESERVATION YES(1) UNDERWAY? YES(1) NO(1) 10. SITE() STRUCTURE() 0BJECT() 25. OPEN TO PUBLIC? YES(X) NO(1) 38. PRESERVATION YES(1) YES(1) 11. CN NATIONAL YES(X) 0BJECT() 26. LOCAL CONTACT PERSON OR ORGANIZATION REGISTER? 39. ENDANGERED? YES(1) 11. CN NATIONAL YES(X) 12. IS IT YES() ELIGIBLE? NO(1) Local contact PERSON OR ORGANIZATION BY WHAT? 39. ENDANGERED? YES(1) 13. PART OF ESTAB. YES() 14. DISTRICT YES() POTENTIAL? NO(1) 27. OTHER SURVEYS IN WHICH INCLUDED 40. VISIBLE FROM YES(X) 15. NAME OF ESTABLISHED DISTRICT POTENTIAL? NO(1) 10. DISTRICT FROM AND FRONTAGE ON ROAD O' and 40' 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES The parapet of this flat roof is lined with a row of headers. The facade is of common bond and is ornamented immediately below by rectangular spandrel panels articulated by 90.			Cash	
HIST. DISTRICT? NO(X) POTENTIAL? NO() 15. NAME OF ESTABLISHED DISTRICT 41. DISTANCE FROM AND FRONTAGE ON ROAD O' and 40' 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 9 The parapet of this flat roof is lined with a row of headers. The facade is of common bond and is ornamented immediately below by rectangular spandrel panels articulated by 9	LONG	25. OPEN TO PUBLIC ? YES(X)	38. PRESERVATION YES ()	
HIST. DISTRICT? NO(X) POTENTIAL? NO() 15. NAME OF ESTABLISHED DISTRICT 41. DISTANCE FROM AND FRONTAGE ON ROAD O' and 40' 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 9 The parapet of this flat roof is lined with a row of headers. The facade is of common bond and is ornamented immediately below by rectangular spandrel panels articulated by 9				DESI
HIST. DISTRICT? NO(X) POTENTIAL? NO() 15. NAME OF ESTABLISHED DISTRICT 41. DISTANCE FROM AND FRONTAGE ON ROAD O' and 40' 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 9 The parapet of this flat roof is lined with a row of headers. The facade is of common bond and is ornamented immediately below by rectangular spandrel panels articulated by 9			BY WHAT 2	SHAT
HIST. DISTRICT? NO(X) POTENTIAL? NO() 15. NAME OF ESTABLISHED DISTRICT 41. DISTANCE FROM AND FRONTAGE ON ROAD O' and 40' 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES 9 The parapet of this flat roof is lined with a row of headers. The facade is of common bond and is ornamented immediately below by rectangular spandrel panels articulated by 9				FION
42. FURTHER DESCRIPTION OF IMPORTANT FEATURES The parapet of this flat roof is lined with a row of headers. The facade is of common bond and is ornamented immediately below by rectangular spandrel panels articulated by	I3. PART OF ESTAB. YES () 14. DISTRICT YES HIST. DISTRICT? NO (X) POTENTIAL? NO	() ()		(5)
42. FURTHER DESCRIPTION OF IMPORTANT FEATURES The parapet of this flat roof is lined with a row of headers. The facade is of common bond and is ornamented immediately below by rectangular spandrel panels articulated by	15. NAME OF ESTABLISHED DISTRICT			
The parapet of this flat roof is lined with a row of headers. The facade is of common bond and is ornamented immediately below by rectangular spandrel panels articulated by	-		or and 40	
	42. FURTHER DESCRIPTION OF IMPORTANT FE	ATURES		
	The parapet of this flat roof	is lined with a row of headers. Th	e facade is of common	ОТН
headers, as well. The entry is set in a deep reveal on the chamfered southwest corner. Plateglass display windows flank the entry perpendicular to each other. There is a				ER
Frategrass dispray windows Frank the entry perpendicular to each other. There is a				NAN
simple auxiliary entry on the northwest corner.			CONCT & THETE TO C	AE (S)

4

43. HISTORY AND SIGNIFICANCE

This structure was built in 1933 as a grocery store for Henry P. Curtin who lived in an apartment at 601 Hall. This building is a commercial intrusion in an area of highest quality Victorian residential architecture. Its inclusion in an estalished historic district would be important to the overall planning process.

S. TOWNSHIP

RANGE

44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS This corner property slopes toward the west.

45. SOURCES OF INFORMATION Building Permit: 4-11-33, Henry P. Curtin, Business, 31,000; City Directory.	46. PREPARED BY Susan Ide Symington
RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATI	47. ORGANIZATION CN Landmarks Commission
P.O. BOX 176	48. DATE 49. REVISION DATE(S)



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
3N-HS-017- 48	The Benton Club	
Ruchanan	5. OTHER NAME(S)	
LOCATION OF City Hall	George Olds Residence	
SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	IG. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 2 29. BASEMENT? YES (X.
O2 N. 7th St.	17. DATE(S) OR PERIOD c. 1878	NO (30, FOUNDATION MATERIAL
Saint Joseph, Missouri	18. STYLE OR DESIGN Italianate	31. WALL CONSTRUCTION
DESCRIPTION OF LOCATION	I9. ARCHITECT OR ENGINEER	32. ROOF TYPE AND MATERIAL
Smith's Addition	20. CONTRACTOR OR BUILDER	33. NO. OF BAYS FRONT SIDE
Block 15 Lots 7 and 8	22. PRESENT USE	34. WALL TREATMENT
	Club	35. PLAN SHAPE Irregular
	23. OWNERSHIP PUBLIC() PRIVATE(X)	(EXPLAIN IN ALTERED (
	24. OWNER'S NAME AND ADDRESS IF KNOWN	MOVED (37. CONDITION
D. COORDINATES UTM LAT	The Benton Club	INTERIORGOOD
LONG O. SITE () STRUCTU		38. PRESERVATION YES (UNDERWAY ? NO (X
	T() 28. LOCAL CONTACT PERSON OR ORGANIZATION S(X) <u>Landmarks Commission</u> 10() 27. Other surveys in which included	39. ENDANGERED? YES (BY WHAT? NO (X
3. PART OF ESTAB. YES () 14. DISTRICT Y HIST. DISTRICT ? NO (χ) POTENTIAL ?		40. VISIBLE FROM YES (X PUBLIC ROAD ? NO (
5. NAME OF ESTABLISHED DISTRICT	Johnson, Johnson & Roy	41 DISTANCE FROM AND FRONTAGE ON ROAD 70' and 120'

tripartite, on the east facade. All three sections have retilinear windows. The east side is dominated by a full length entry porch supported by Doric Columns which was 43. HISTORY AND SIGNIFICANCE 1 added at the turn-of-the-century.

George Olds, General Freight Agent for the Kansas City, St. Joseph & Council Bluffs Railroad was first listed as residing at this address in 1879. In 1887, Mr. Olds sold this property containing three attached houses to the Benton Club, formed by St. Joseph s prominent professionals and businessmen that year. Please see the attachment for an 1889 view of the Club.

44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS This corner property is sited on a low bank supported on the east and south by a coursed stone retaining wall, and is bounded on the west by an alley.


		1
45. SOURCES OF INFORMATION Abstract; City Directory; 1888, 1897, 1911 and	46. PREPARED BY	
1956 Sanborn Maps; Old St. Jo, Sheridan Logan, 1979; Bldg. Permits: B.C.	Susan Ide Symington	SE
1888. Add \$5.000:1900. Repairs \$2.500:1902. Add \$500	47. ORGANIZATION	5
	Landmarks Commission	Ŷ
P.O. BOX 176 P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 SEPARATE SHEET(S) TO THIS FORM PH. 314-751-4096	48. DATE 49. REVISION DATE(S)	

ME(S) OR DE

5. TOWNSHIP

RANGE





9. COORDINATES UTM	The Benton Club	37. CONDITION INTERIOR EXTERIORGOOD
LONG 10. SITE () . ST	25. OPEN TO PUBLIC ? YES(NO()) 38. PRESERVATION YES () UNDERWAY ? NO (X)
BUILDING (X) II. CN NATIONAL YES () 12. IS IT REGISTER ? NO (V) ELIGIB	OBJECT() 26. LOCAL CONTACT PERSON OR ORGANIZATIO YES(X) <u>Landmarks Commission</u> E? NO() 27. OTHER SURVEYS IN WHICH INCLUDED	DN 39. ENDANGERED? YES() BY WHAT? NO(X)
13. PART OF ESTAB. YES () 14. DISTRI HIST. DISTRICT ? NO () POTEN	T YES ()	40. VISIBLE FROM YES(X) PUBLIC ROAD ? NO()
15. NAME OF ESTABLISHED DISTRICT	Johnson, Johnson & Roy	41. DISTANCE FROM AND FRONTAGE ON ROAD 70' and 120'

ME(S) POR 2

TOWNSHIP

SECTION

42. FURTHER DESCRIPTION OF IMPORTANT FEATURES

A low hipped roof caps the three attached brick houses which form the Benton Club. The cornices are bracketed, and more elaborately so on the more ornately decorated southern section. This southern section is also outlined by stone quoining, has stone curvilinear lintels and watertable, and has two two-story projecting bays, one square and on tripartite, on the east facade. All three sections have retilinear windows. The east side is dominated by a full length entry porch supported by Doric Columns which was added at the turn-of-the-century.

43. HISTORY AND SIGNIFICANCE 1

George Olds. General Freight Agent for the Kansas City, St. Joseph & Council Bluffs Railroad was first listed as residing at this address in 1879. In 1887, Mr. Olds sold this property containing three attached houses to the Benton Club. formed by St. Joseph s prominent professionals and businessmen that year. Please see the attachment for an 1889 view of the Club.

44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS This corner property is sited on a low bank supported on the east and south by a coursed stone retaining wall, and is bounded on the west by an alley.

45. SOURCES OF INFORMATION Abstract; Cit;	Directory: 1888, 1897, 1911 and	46. PREPARED BY
1956 Sanborn Maps; Old St. Jo, Sher:	idan Logan, 1979:Bldg. Permits:B.	C. Susan Ide Symington
1888. Add. \$5.000:1900. Repairs. \$2.	500.1902 Add \$500	47. ORGANIZATION
RETURN THIS FORM WHEN COMPLETED TO	OFFICE OF HISTORIC PRESERVATION	Landmarks Commission 48. DATE 49. REVISION DATE(S)
IF ADDITIONAL SPACE IS NEEDED, ATTACH Separate Sheet(S) to this form	P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	8/85

ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

1. NO. <u>BIN-AS-017-049</u> 2. COUNTY	ESENT LOCAL NAME(S) OR DESIGNATION(S)	
Buchanan 5. or 3. LOCATION OF City Hall NEGATIVES	HER NAME(S)	
specific legal location townshipRangesection if city or town, street address 416-18 N. 7th St. city or town if rural, vicinity Saint Joseph, Missouri a. description of location Smith's First Addition	 IG. THEMATIC CATEGORY Architecture IT. DATE(S) OR PERIOD 1975; Core 1927 IB. STYLE OR DESIGN Vernacular IP. ARCHITECT OR ENGINEER 	28. NO. OF STORIES 3 29. BASEMENT? YES(X) NO() 30. FOUNDATION MATERIAL Brick 31. WALL CONSTRUCTION Brick 32. ROOF TYPE AND MATERIAL Tat
Block 15 S. 50' of Lot 6	20. CONTRACTOR OR BUILDER 21. ORIGINAL USE, IF APPARENT Residential 22. PRESENT USE Doctor's Office & Apartments 23. OWNERSHIP PUBLIC() PRIVATE(X) 24. OWNER'S NAME AND ADDRESS IF KNOWN Charles C. Archibald	36. CHANGES ADDITION ()
CCORDINATES UTM LAT LONG 0. SITE () STRUCTURE ()	R.R.3, Box 227 St. Joseph, Mo.64505 25. OPEN TO PUBLIC? YES(X) NO(X)	
$ \begin{array}{c c} BUILDING(\chi) & OBJECT() \\ CN \text{ NATIONAL} & YES() \\ REGISTER ? & NO(X) \\ \end{array} $	26. LOCAL CONTACT PERSON OR ORGANIZATION Landmanks Commission 27. Other surveys in which included	AT A WHAT? NO (X)
B. PART OF ESTAB. YES () I4. DISTRICT YES () HIST. DISTRICT? NO (χ) POTENTIAL? NO (X) D. NAME OF ESTABLISHED DISTRICT	1972 Historical Inventory Johnson, Johnson & Roy	40. VISIBLE FROM YES(X) PUBLIC ROAD? NO() 41. DISTANCE FROM AND FRONTAGE ON ROAD 30 and 50

The top two stories of the front facade cantilever over the ground floor and rest on slender supports. The cantilevered section has rhythmic raised brick patterning. The parapet of the flat roof is unadorned. The rectilinear window treatment has vertically placed stretcher lintels and a slightly projecting row of headers at the sill line. In the rear of the building, there is an open, four-car garage.

1 43. HISTORY AND SIGNIFICANCE

The core of this structure was built in 1927; the lateral fenestration is from this period, although the segmental arches have been squared. A major renovation was undertaken in 1975 which has given the building the appearance of a contemporary one. This new appearance is incompatible with the establishment of an historic district of 19th and early 20th Century buildings in this area.

44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS This level lot is bounded on the west by an alley.

45. SOURCES OF INFORMATION Building Permits: 9-8-27, Mr. and Mrs. Waldo Goff, Res., \$4,000;9-11-75, Charles Archibald. Add., \$70,000.	46. PREPARED BY Susan Ide Symington 47. Organization
RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176 IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM PH. 314-751-4096	Landmarks Commission 48. DATE 49. REVISION DATE(S) 8/85

SECTION



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

BN-HS-017-050 county Buchanan Specific Legal Location township Range section township Section township township section township township	IG. THEMATIC CATEGORY Architecture 17. DATE(S) OR PERIOD Major Remodeling Core. Pre-1868; Post 1911 18. STYLE OR DESIGN Beaux Arts 19. ARCHITECT OR ENGINEER	28. NO. CF STORIES 2 29. BASEMENT ? YES (4 NO () 30. FOUNDATION MATERIAL BRICK
LOCATION OF City Hall SPECIFIC LEGAL LOCATION TOWNSHIPRANGESECTION IF CITY OR TOWN, STREET ADDRESS 22 N. 7th St. CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri DESCRIPTION OF LOCATION	16. THEMATIC CATEGORY Architecture 17. DATE(S) OR PERIOD Major Remodeling Core.Pre-1868; Post 1911 18. STYLE OR DESIGN Beaux Arts	29. BASEMENT ? YES (4 NO ()
TOWNSHIPRANGESECTION IF CITY OR TOWN, STREET ADDRESS 22 N. 7th St. CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri DESCRIPTION OF LOCATION	Architecture 17. DATE(S) OR PERIOD Major Remodeling Core.Pre-1868; Post 1911 18. STYLE OR DESIGN Beaux Arts	29. BASEMENT ? YES (4 NO ()
PERFORMENT OF LOCATION	17. DATE(S) OR PERIOD Major Remodeling Core.Pre-1868; Post 1911 18. STYLE OR DESIGN Beaux Arts	NO()
Saint Joseph, Missouri Description of Location	Core.Pre-1868; Post 1911 18. STYLE OR DESIGN Beaux Arts	
Saint Joseph, Missouri DESCRIPTION OF LOCATION	18. STYLE OR DESIGN Beaux Arts	
DESCRIPTION OF LOCATION		BILCK 31. WALL CONSTRUCTION
	a a Anomitedi on Endmeen	Brick
mith's Addition		32. ROOF TYPE AND MATERIAL
	20. CONTRACTOR OR BUILDER	Hip:Asphalt Shingle
lock 15	21. OBIGINAL USE I APPARENT Residential	FRONT 7 SIDE 3
ot 5 and	Kestdential	Common Bond
. 10' of Lot 6	22. PRESENT USE Doctor's Office	35. PLAN SHAPE Irregular
	23. OWNERSHIP PUBLIC()	36. CHANGES ADDITION (X
	PRIVATE (X)	NO, 42)
	24. OWNER'S NAME AND ADDRESS IF KNOWN Edward B eheler	MOVED () 37. CONDITION
COORDINATES UTM		INTERIOR
LAT		EXTERIOR Excellent
LONG SITE () STRUCTURE (25. OPEN TO PUBLIC P YES()) NO(X)	
BUILDING (X) OBJECT () 26. LOCAL CONTACT PERSON OR ORGANIZATION	
CN NATIONAL YES () 12. IS IT YES () REGISTER ? NO (X) ELIGIBLE ? NO (BY WHAT ? NO (20
PART OF ESTAB YES () 14. DISTRICT YES (x 1972 Historical Inventory	40. VISIBLE FROM YES (X)
HIST. DISTRICT ? NO () POTENTIAL ? NO (Johnson, Johnson & Roy	PUBLIC ROAD ? NO ()
NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND ERONTAGE ON ROAD
by modillions. In addition to on the front entry which is set and sidelights, and sheltered by boric columns resting on plinth tangular lintels Adamsesque in HISTORY AND SIGNIFICANCE 2 The rectangular core of this bu of the city. The configuration sortheast and northwest corners and 1911. The four corner pavi and window treatment, and modil Sanborn Map. This Beaux Arts building forms: west, a high quality. Turn-of-t	r the four, two-story corner pavi- the modillions, Classical motifs in a deep round arched reveal, fi y a shallow porch with a boxed cor- s. The rectilinear windows are style. The pavillion windows are ones on the body- ilding with a hipped roof appeare of this structure as rectangular , remained the same on the Sanbor llions and Beaux Arts Classicism lions along the soffit first appe with its two Beaux Arts styled ne he- Century grouping on the south	are extensively used ramed by a fanlight rnice and fascia on apped by notched, rec- shorter than the elong of the building. d here on an 1868 map with notches in the m Maps of 1888, 1897 displayed in the entry ared on the 1956 dighbors to the north- side of the Hall Street
		46. PREPARED BY
5. SOURCES OF INFORMATION 1868 Map of Sanborn Maps; City Directory; W	the City;1888,1897,1911 and 1956 Mater Permit.	Susan Ide Symington
	O: OFFICE OF HISTORIC PRESERVATION	47. ORGANIZATION Landmarks Commission
ADDITIONAL SPACE IS NEEDED, ATTACH	P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102	48. DATE 49. REVISION DATE(S)



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

BN-175-017-051	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		T. NO
2. COUNTY	5. OTHER NAME(S)	9	
Buchanan 3. LOCATION OF City Hall	S. OTHER NAME(S)	~	
3 SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 2	Ņ
if city or town, street address 644-46 N. 9th St.	17. DATE(S) OR PERIOD C.1880	29. BASEMENT ? YES (X) NO() 30. FOUNDATION MATERIAL	
Z CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri	18. STYLE OR DESIGN Vernacular Remodeling	Brick	
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Stucco Sheathing	
Ghio's Addition	20. CONTRACTOR OR BUILDER	32. ROOF TYPE AND MATERIAL Hip: Asphalt Shingle	
Block 1 Lot 1	21. ORIGINAL USE, IF APPARENT	33. NO. OF BAYS FRONT 6 SIDE 3	4. PH
	22. PRESENT USE	34. WALL TREATMENT Stucco Sheathing	PHESEN
	Apartments 23. OWNERSHIP PUBLIC()		LOCAL
·	PRIVATE (X) 24. OWNER'S NAME AND ADDRESS IF KNOWN William Manville	(EXPLAIN IN NO. 42) ALTERED () MOVED ()	
9. CCORDINATES UTM	IF KNOWN William Manville 802 Hall	37. CONDITION INTERIOR	NARE (S)
	St. Joseph, Mo.64501 25. OPEN TO PUBLIC 2 YES()	EXTERIOR Good	
IO. SITE () STRUCTUR BUILDING () OBJEC	E()NO(X)	UNDERWAY ? NO (T)	ole an
II. CN NATIONAL YES () 12. IS IT YE	s(I) Landmarks Commission	39. ENDANGERED? YES() BY WHAT? NO(X)	DESIGNATION(S)
I3. PART OF ESTAB. YES () 14. DISTRICT YE HIST. DISTRICT ? NO () POTENTIAL ? N	O() 27. OTHER SURVEYS IN WHICH INCLUDED	40. VISIBLE FROM YES (X) PUBLIC ROAD ? NO ()	(c) nc
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD 10' and 50'	
that is centered over the pa duplex, however, it was grea facade had two tripartite pr entries on either side. The porch present today; and the 43. HISTORY AND SIGNIFICANCE Ninth Street was still ungra	n on the east side by a gable with of ired front entries. This building with thy altered during 1922 and 1923. (ojecting bays in the center flanked bays were removed and replaced by f flanking entryways were enclosed and t facade. In the rear, there is a ded in 1868 as shown on a map of the 1880 when a water permit was taken of	was constructed as a Originally, the front by deeply recessed the two story balustrad nd brought flush with two story frame porch. at year. The duplex	
The name on the permit was A built as an investment. The Italianate roofline and	.E. Howe who did not reside here, so massing, as well as the handsome dow a strongly contributing member of a	o it was most likely uble balustraded front	
44. DESCRIPTION OF ENVIRONMENT AND OF This building is sited on a supported by a rock-faced st	low bank terraced below a much steep	per area to the north	
1922, F.E. Saltzman, Alt., \$1,00	mit:1880, A.E. Howe; Building Permits: 00;1923, J.A.Foster, Rem. \$1,500; City D TO: OFFICE OF HISTORIC PRESERVATION	Susan Ide Symington	
RETURN THIS FORM WHEN COMPLETE IF ACDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	D TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	48. DATE 49. REVISION DATE(S) 8/85	



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

1. NO. BN-AS-017-052 2. COUNTY	4. PRESENT LOCAL NAME(S) CR DESIGNATION(S)	Entered	1. NO.
	5. OTHER NAME(S)		
3 SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS 700-2 N. 9th St. 7 CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri 8. DESCRIPTION OF LOCATION Cor. Lot 1 Block1	IG. THEMATIC CATEGORY Architecture I7. DATE(S) OR PERIOD c. 1883 IB. STYLE OR DESIGN Victorian Eclectic I9. ARCHITECT OR ENGINEER	28. NO. OF STORIES 2 29. BASEMENT? YES(X) NO() 30. FOUNDATION MATERIAL Brick 31. WALL CONSTRUCTION Brick 32. ROOF TYPE AND MATERIAL	2. COUNTY
Ghio's Addition Th N alg W of 9th St. 50 pnt 6 ft th W47 pnt 7 ft th S 50 pnt 6 ft to nl of Lot 1, Blk 1 Ghio's Addition th E 47 pnt 7 ft to beg. County 15	PRIVATE (X)	Parapet 33. NO. OF BAYS FRONT 4 SIDE 4 34. WALL TREATMENT Sheathed In Stucco 35. PLAN SHAPE Trregular 36. CHANGES ADDITION() (EXPLAIN IN NO, 42) ALTERED() MOVED() MOVED()	4. PRESENT LOCAL NAME(S)
	T() 28. LOCAL CONTACT PERSON OR ORGANIZATION S(*) <u>Tandmarks Commission</u> O() 27. Other surveys in which included	37. CONDITION INTERIOR EXTERIOR Good 38. PRESERVATION UNDERWAY ? NO (1)	VAME(S) OR DESIGNATION(S)
segmentally arched lintels, w stone ornamented with Eastlak brick coursing beneath both w bay and placed perpendicularl are segmentally arched and tr ^{43.} HISTORY AND SIGNIFICANCE Ninth St. was still ungraded was most likely constructed of property by Fred Priebe. Mr. of J.H. Robison. Neither Pri This building retains its ori	EATURES pred by corbelling. The rectilinear which are raised on the front facade to motifs. The two stories are article indow levels. The main entries are by to each other under a simple frame reated similarly to the window linted in 1868 as shown on a map of that yn which are a sookkeeper for the while the nor Robison resided here. Sinal cornice, window treatment and artibuting member of a potential ann	and accented by key- culated by raised recessed in the south e porch. These entries ls. ear. This building taken out on this olesale hardware compar- massing which would	
44. DESCRIPTION OF ENVIRONMENT AND OU This building is sited on a b retaining wall. The property	ank supported on the south and east	by a coursed stone	
and 1888; City Directory.	mit:1883, Fred Priebe; Maps of 1868 D TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	46. PREPARED BY <u>Susan Ide Symington</u> 47. ORGANIZATION Landmarks Commission 48. DATE 49. REVISION DATE(S) 8/85	SECTION



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

	SURVET TORM	المتحدين والمتحدين والمتحدين والمتحكم والمترك والمتحدين والمحدوم والمحدود والمحدود المتحد	
1. NO. <u>BN-AS-017-053</u> 2. COUNTY	SENT LOCAL NAME(S) OR DESIGNATION(S)	erte	I. NO,
Buchanan 5. or	HER NAME(S)		
NEGATIVES TILLY HALL Th	omas M. Haynes Residence		!
a specific LEGAL LOCATION TOWNSHIPRANGESECTION if city or town, street address 601-3 Hall Street 7 city or town if RURAL, VICINITY Saint Joseph, Missouri 8. DESCRIPTION OF LOCATION	 16. THEMATIC CATEGORY Architecture 17. DATE(S) OR PERIOD Core:c.1868;Addition 1883 18. STYLE OR DESIGN Eclectic 19. ARCHITECT OR ENGINEER 	28. NO. CF STORIES 2 29. BASEMENT? YES (X) NO() 30. FOUNDATION MATERIAL Brick 31. WALL CONSTRUCTION Brick 32. ROOF TYPE AND MATERIAL	2. COUNTY
Ege's First Addition W. 75' of Lots 21 through 25	20. CONTRACTOR OR BUILDER 21. ORIGINAL USE, IF APPARENT Residence	Hip & Flat; Asphalt 33. NO. OF BAYS FRONT 5 SIDE 34. WALL TREATMENT DUMPING BOND	4. PRES
	PRIVATE(x) 24. OWNER'S NAME AND ADDRESS IF KNOWN Jerry R. White	MOVED () 37. CONDITION	PRESENT LOCAL NAME(S)
9 COORDINATES UTM LAT LONG 10. SITE() STRUCTURE() BUILDING(X) OBJECT()	601 Hall St. <u>St. Joseph, Mo. 64501</u> 25. OPEN TO PUBLIC? NO(<u>x</u>) 26. LOCAL CONTACT PERSON OR ORGANIZATION		OR
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	Landmarks Commission 27. OTHER SURVEYS IN WHICH INCLUDED 1972 Historical Inventory Johnson, Johnson & Roy	AV WHAT ? NO (X) 40. VISIBLE FROM YES(X) PUBLIC ROAD ? NO () 41. DISTANCE FROM AND FRONTAGE ON ROAD 25' and 55'	DESIGNATION(S)
Falsed brick as is the stringcourd HISTORY AND SIGNIFICANCE 2 601 Hall, on the west side of the map. This hipped roof still exist	tages. The older section on the arched lintels formed by radiating on Anne style decorative feature as with sunburst motifs tucked un bade. The eastern section's from the segmentally arched label linter sing articulating the first and the property, appeared with a low he ts behind the Queen Anne gable to an, was first listed at this add 1883 when he applied for a water ith the two story tripartite bay	ng brick. The front es: a turned column nder the wide gable int facade is dominated els are created by second stories. ipped roof on the 1868 reatment on the south ress in 1869. He permit, which might was added.	S. TOWNSHIP

44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS
 The property is on a low bank supported on the south and west street sides by a rock-faced stone retaining wall. A 20th Century commercial building is on the corner itself.
 In the rear yard, there is a three car garage with frame construction and a gabled roof.
 45. SOURCES OF INFORMATION 1883 Water Permit, T. M. Haynes; City Directory;
 Building Permit; J. White, Garage, 1979, \$1,200; 1868 Map.

RANGE

SECTION

			47. URGANIZATION
RETURN THIS FORM	WHEN COMPLETED TO:	OFFICE OF HISTORIC PRESERVATION	Landmarks Commission
		P.O. BOX 176	48. DATE 49. REVISION DATE(S)
IF ADDITIONAL SPACE IS SEPARATE SHEET(S) TO	NEEDED, ATTACH	JEFFERSON CITY, MISSOURI 65102	8/85
511221(3) 10	THIS FORM	PH. 314-751-4096	• •



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

	يصيحا بمعادي فتراك المتحدين فأعا				
1. NO. 	4. PRESENT LOCAL	NAME(S) OR DESIGNA	TION(S)	÷, 6	
Buchanan	5. OTHER NAME(S)		×	1
3. LOCATION OF City Hall VEGATIVES		. Logan House;	Winslow J	Judson House	7
3 SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION _		CATEGORY tecture		28. NO. CF STORIES	2 YES (X)
F CITY OR TOWN, STREET ADDRESS 605 Hall St.	17. DATE(S) c.1858	OR PERIOD		30. FOUNDATION MAT	NO ()
z city or town IF RURAL, VICINITY Saint Joseph, Missouri	18. STYLE C	OR DESIGN		31. WALL CONSTRUCT	
8. DESCRIPTION OF LOCATION		CT OR ENGINEER		Frame	
Ege's First Addition	20. CONTRA	CTOR OR BUILDER		32. ROOF TYPE AND Hip; Asphalt	shingle
Lots 21 to 25 E. 100'	21. ORIGINAL	USE, IF APPARENT		33. NO. OF BAYS FRONT SI	DE
	Resid	ence		34. WALL TREATMENT Asbestos Si	ding
	22. PRESEN Apart	r use ments		35. PLAN SHAPE IT	
	23. OWNERSH	11P	PUBLIC() PRIVATE(X)	(EXPLAIN IN	DDITION ()
		NAME AND ADDRES		NO. 42)	MOVED ()
9 COORDINATES UTM		2918 Faraon	,	INTERIOR	
LAT Long		St. Joseph,		EXTERIOR Fa	
IO. SITE () STRUCT			YES() NO(XX)	38. PRESERVATION UNDERWAY ?	YES() NO(X)
IL CN NATIONAL YES () 12. IS IT		CONTACT PERSON OR rks Commission		39. ENDANGERED? BY WHAT?	YES() NO(X)
IS PART OF ESTABLINES () LA DISTRICT	S(X) 1072	SURVEYS IN WHICH Historical Inv		40. VISIBLE FROM	YES(X)
HIST. DISTRICT ? NO (X) POTENTIAL?		ion, Johnson &		PUBLIC ROAD ?	NO ()
				41. DISTANCE FROM FRONTAGE ON RC 30' and 90	DAD
^{42.} FURTHER DESCRIPTION OF IMPORTANT The second story is "U" shap east and west of the front a windows are rectilinear, pai More elaborate window treatm bay on the west and the elab hatched balustrade and scree added during the 1880; s. Ph 43. MISTORY AND SIGNIFICANCE 2 This house was probably built	d and capped ection and on ed on the from int might be prate front en also orname ase note the	the north end ont facade, an underneath the ntry porches w nted by curvil building perm	s of the t d framed b asbestos ith turned inear trac its cited	op of the "U". y simple mould siding. The p columns, cros ery, were prob below.	The ings. olygonal s- ably
in 1858 the year he bought t During the War while Dr. Log the Buchanan Life and General co-founder of the Benton Clu Although architectural detail high wuality Queen Anne entry to the National Register Hall	n was away, h Insurance Co , Winslow Jud ing is probab porches and Street Histo	his uncle Willi b., resided her lson, lived her oly obscured by original massion pric District of	iam Sublet re. The pr re from 18 7 the artis ing, would directly es	te, a bookkeepe rominent attorn 79. ficial siding, contribute st ast.	the trongly
44. DESCRIPTION OF ENVIRONMENT AND The building is sited on a b retaining wall, and is bound building in common bond with	nk supported on the eas a gabled roo	on the south t by an alley. f and segmenta	and east b In the r lly arch l	y a rock-faced ear, there is intels, repute	d to be
45. SOURCES OF INFORMATION Water Pe W.Judson; Additions, 1887, \$500	1888,\$950,18	89, \$900; Abstrac	t;City	SUSAN Ide Symi 47. ORGANIZATION	ngton
RETURN THIS FORM WHEN COMPLET IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	P.O. BOX Jefferso	F HISTORIC PRESE 176 IN CITY, MISSOUR 751-4096		48. DATE 49. REVISIO 8/85	ission N DATE(S)



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

2

	PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
<u>BN-AS-017-055</u> 2. COUNTY <u>Buchanan</u> 5.	OTHER NAME(S)	
	Scottish Rites Catheral; Masonic Te	emple
3 SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	IG. THEMATIC CATEGORY	28. NO. OF STORIES 3
F CITY OR TOWN, STREET ADDRESS 601-9 Robidoux	17. CATE(S) OR PEBIOD 1916 and 1969	NO() 30. FOUNDATION MATERIAL
7. CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri	18. STYLE OR DESIGN Beaux Arts; International Style	Concrete 31. WALL CONSTRUCTION
8. DESCRIPTION OF LOCATION	IS. ARCHITECT OR ENGINEER	Brick 32. Roof type and material Flat
Young's Addition Lots 1-4	20. CONTRACTOR OR BUILDER	33. NO. OF BAYS
	21. ORIGINAL USE INStitution	FRONT 4 SIDE - 34. WALL TREATMENT Running Bond
	22. PRESENT USE Private Institution	35. PLAN SHAPE Irregular
	23. OWNERSHIP PUBLIC() PRIVATE(X)	
	24. OWNER'S NAME AND ADDRESS IF KNOWN St. Joseph Scottish	MOVED ()
9. COORDINATES UTM LAT	Rite Cathedral Association	INTERIOR
LONG 10. SITE () STRUCTURE (25. OPEN TO PUBLIC ? YES() NO(X)	38. PRESERVATION YES () UNDERWAY ? NO (X)
BUILDING (X) OBJECT () 28. LOCAL CONTACT PERSON OR ORGANIZATION	39. ENDANGERED? YES() BY WHAT? NO(X)
REGISTER ? NO (X) ELIGIBLE ? NO (X)) 27. OTHER SURVEYS IN WHICH INCLUDED	40. VISIBLE FROM YES (X)
HIST. DISTRICT ? NO (x) POTENTIAL ? NO (Johnson, Johnson & Roy	PUBLIC ROAD ? NO ()
		FRONTAGE ON BOAD 0' and 145'
Beaux Arts Classicism. The f rusticated ground story of br pulled together by engaged Do crowned by a superimposed ped a low profile in being setbac 43. Settory AND SIGNIFICANCE	It facade of the Vasonic Temple is acade is organized by a monumental wick is treated as a plinth; the ne pric columns in entasis which support liment framing the Vasonic emblem. We from the street and standing only shape and has many series of ribbor	Doric order. The ext two stories are ort a wide entablature The new addition takes Ly one story high. This h-windows.
The Fasonic Temple was built	in 1916 as a companion piece to the	ne Scottish Rite
designed by the prominent and make way for the present Scot The Fasonic Temple is an exce contribute strongly to the es Hill area of high quality 194	ct to it on the corner in 1906. The chitect E.J. Eckel and was demolish ttish Rites Cathedral building erect cellent example of Beaux Arts Class stablishment of an historic district th and early 20th Century resident:	ned in 1969 to oted the same year. icism and would ot in the Robidoux ial structures. The
44. DESCRIPTION OF ENVIRONMENT AND OUT	patible architecturally with the source of t	bounded on the east by
45. SOURCES OF INFORMATION		46. PREPARED BY Susan Ide Symington 47. Organization
RETURN THIS FORM WHEN COMPLETED IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	Landmarks Commission 48. Date 49. Revision Date(s) 8/85



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

E NO.	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		
BN-45-017-056			NO
	5. OTHER NAME(S)		
3. LOCATION OF City Hall NEGATIVES	The Charleston		1
8 SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORY	28. NO. OF STORIES 山子 29. BASEMENT? YES (文)	2. C
IF CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	NO ()	COUNT
611-13 Robidoux		30. FOUNDATION MATERIAL Brick	TT
Saint Joseph, Missouri	18. STYLE OR DESIGN Beaux Arts Classicism	31. WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick	
Young's Addition	20. CONTRACTOR OR BUILDER	32. ROOF TYPE AND MATERIAL Flat	ļ
Lot 5	20. CONTRACTOR ON BUILDER	33. NO. OF BAYS	<u>.</u>
	21. ORIGINAL USE, IF APPARENT Apartments	FRONT 3 SIDE 13	PR
•	22. PRESENT USE	Punning & Common Bond	PRESENT
	Apartments	35. PLAN SHAPE Sectangula	
	23. OWNERSHIP PUBLIC() PRIVATE()	(EXPLAIN IN ALTERED ()	LOCAL
	24. OWNER'S NAME AND ADDRESS	NO. 42) ALTERED () MOVED ()	
	IF KNOWN	37. CONDITION	NARE(S)
9. COORDINATES UTM		EXTERIOR Excellent	
LONG	25. OPEN TO PUBLIC ? YES()	38. PRESERVATION YES ()	07
IO. SITE () STRUCTUR		UNDERWAY ? NO (X)	DESIGNATION(S)
IL ON NATIONAL YES () 12. IS IT YE	T() 26. LOCAL CONTACT PERSON OR ORGANIZATION S(X) Landmarks Commission	39. ENDANGERED? YES() BY WHAT? NO(X)	SHAT
	O() 27. OTHER SURVEYS IN WHICH INCLUDED		ION
I3. PART OF ESTAB. YES () I4. DISTRICT YE HIST. DISTRICT ? NO (X) POTENTIAL ? N	(x) 1972 Historical Inventory Johnson, Johnson & Poy	40. VISIBLE FROM YES(X) PUBLIC ROAD ? NO()	(S)
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND	İ
Harrison and the second se		10' and 50'	
42. FURTHER DESCRIPTION OF IMPORTANT F	EATURES		
The front facade is dominated	by a monumental colonnade. fluted a	nd in the Corinthian	OTHER
Order, beginning from the fir	st story which serves as the plinth.	The colonnade is	Ę
capped by dentilated boxed co	rnice and is interrupted by balustra front entry has sidelights and is f	lanked by paired	NAN
windows this arrangement is	repeated on all the upper floor porc	hes. The lateral	
windows, this arrangement is	concrete sills and flush lintels of	vertically placed	
43. HISTORY AND SIGNIFICANCE		stretchers.	l
This apartment building was c	onstructed in 1919 for Dr. Charles (eiger, a physician,	ł
whis well preserved example of contribute significantly to t	f Beaux Arts Classicism adapted to r he establishment of an historic dist	rict annex to the	
Hall Street area.			
			5
			[
44. DESCRIPTION OF ENVIRONMENT AND O	oward the south. The property is be	unded on the west by	
The property slopes steeply t an alley and on the east by a	large parking lot		
an arrey and on one east by a	. Targe parking 100.		ł
45. SOURCES OF INFORMATION Railding	Permit:7-21-19. Dr. Charles Geiger,	46. PREPARED BY	1-
Apartments, \$60,000.	Termine' at 'N' The Architer Coulor's	Susan Ide Symington	
	D TO: OFFICE OF HISTORIC PRESERVATION	47. ORGANIZATION Landmarks Commission	
•	P.O. BOX 176	48. DATE 49. REVISION DATE(S)	
IF ADDITIONAL SPACE IS NEEDED, ATTACH Separate sheet(s) to this form	JEFFERSON CITY, MISSOURI 65102 Ph. 314-751-4096	8/85	I



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

BN-AS-017-057	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
2. COUNTY		
Buchanan 3. LOCATION OF City Hall	5. OTHER NAME(S) Michael Dunn Residence	
3 SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY	28. NO. OF STORIES
TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS	Architecture	29. BASEMENT ? YES (X) NO ()
513-15 N. 3rd St.	c. 1853	30. FOUNDATION MATERIAL
Saint Joseph, Missouri	18. STYLE OR DESIGN	31. WALL CONSTRUCTION
8. DESCRIPTION OF LOCATION	IS. ARCHITECT OR ENGINEER	Brick 32. ROOF TYPE AND MATERIAL
Robidoux's Addition	20. CONTRACTOR OR BUILDER	Gable;Asphalt
Block 3	21. ORIGINAL USE, IF APPARENT	33. NO. OF BAYS FRONT 4 SIDE -
Lot 2		34. WALL TREATMENT
	22. Restatuse	35. PLAN SHAPE Rectangular
	23. OWNERSHIP PUBLIC () PRIVATE (X)	36. CHANGES ADDITION () (EXPLAIN IN NO. 42) ALTERED ()
	24. OWNER'S NAME AND ADDRESS	NO. 427 MOVED ()
9. COORDINATES UTM	IF KNOWN Edgar & Gerald Sollar	INTERIOR
LAT LONG		EXTERIOR
IO. SITE () STRUCT	25. OPEN TO PUBLIC ? YES() JRE() NO(X)	38. PRESERVATION YES () UNDERWAY ? NO ()
	ECT() 28. LOCAL CONTACT PERSON OR ORGANIZATION (ES(X) Tandmarks Commission	39. ENDANGERED? YES() BY WHAT? NO(X)
REGISTER ? NO (X) ELIGIBLE ?	NO() 27. OTHER SURVEYS IN WHICH INCLUDED	
I3. PART OF ESTAB. YES () I4. DISTRICT HIST. DISTRICT? NO () POTENTIAL?	$\frac{1972 \text{ Historical Inventory}}{1972 \text{ Historical Inventory}}$	40. VISIBLE FROM YES(X) PUBLIC ROAD ? NO()
15 NAME OF ESTABLISHED DISTRICT	Johnson, Johnson & Roy	41. DISTANCE FROM AND FRONTAGE ON ROAD 151 and 40 1
is a frame addition on the of Map shows this building as a in the center bays of the fr been boarded over. The wind a band of wide moulding.	rough the gabled roof set parallel to east with a gabled roof. The 1883 Sanbo a duplex, which is still apparent in t ront facade. The northern entry of th dows are rectilinear, and on the front	orn Fire Insurance the paired entrances nese two, however, has
The property was held by Jos	ing is well intact and among the older seph Robidoux until 1853 when Michael listed at this address in the first Ci	Dunn, a cooper,
44. DESCRIPTION OF ENVIRONMENT AND This lot is enclosed by a w the fencing is of chainlink	outBUILDINGS coden composite fence on all sides ex . There are grassy vacant lots on the	cept the west where e north and south.
	-	
45. SOURCES OF INFORMATION ADSTRA	ct; City Directory; 1883 Sanborn Map.	46. PREPARED BY Susan Ide Symington 47. Organization
RETURN THIS FORM WHEN COMPLET	ED TO: OFFICE OF HISTORIC PRESERVATION	Landmarks Commission 48. DATE 49. REVISION DATE(S)
IF ADDITIONAL SPACE IS NEEDED, ATTACH Separate Sheet(s) to this form	JEFFERSON CITY, MISSOURI 65102 Ph. 314-751-4096	8/85



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

i. NO.	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		-
BN-AS-017-058			NO.
2. COUNTY			,
Ruchanan	5. OTHER NAME(S)	1	
3. LOCATION OF City Hall	Villiam F. Poyer Grocery		
3 SPECIFIC LEGAL LOCATION	IG. THEMATIC CATEGORY	28. NO. CF STORIES	Ņ
TOWNSHIP RANGE SECTION F CITY OR TOWN, STREET ADDRESS	Architecture	29. BASEMENT ? YES ()	COUN
504-8 N. 4th St.	17. DATE(S) OR PERIOD	NO()	L N D
7. CITY OR TOWN IF RURAL, VICINITY	<u> </u>	30. FOUNDATION MATERIAL	Y
Saint Joseph, Missouri	18. STYLE OR DESIGN Vernacular	31. WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Drick	
		32. ROOF TYPE AND MATERIAL	
Original Town	20. CONTRACTOR OR BUILDER	<u> </u>	
Block 45		33. NO. OF BAYS FRONT 3 SIDE -	.*
Lot 4	21. ORIGINAL USE, IF APPARENT Commercial	34. WALL TREATMENT	PRESENT
	22. PRESENT USE	Common Bond	SEN
	Vacant	35. PLAN SHAPRectangular	
		36. CHANGES ADDITION (32.)	LOC/
	PRIVATE(X)	NO. 42) ALTERED ()	ŕ
	24. OWNER'S NAME AND ADDRESS IF KNOWN George Dupin	MOVED () 37. CONDITION	NARE(S)
9 CCORDINATES UTM	1919 Savannah Ave.		E(S)
LAT	St. Joseph. No.	EXTERIOR GOOD	OR
LONG	25. OPEN TO PUBLIC ? YES ()	38. PRESERVATION YES () UNDERWAY ? NO (Y)	
IO. SITE () STRUCTU			E SI
	CT() 26. LOCAL CONTACT PERSON OR ORGANIZATION	DY WHAT D	GNA
	ES() <u>Landmarks Commission</u> NO(XO 27, OTHER SURVEYS IN WHICH INCLUDED		TIO
13 PART OF ESTAR YES () 14 DISTRICT)	(FR())	40. VISIBLE FROM YES (X)	DESIGNATION(S)
HIST. DISTRICT ? NO (X) POTENTIAL ?	NO (X)	PUBLIC ROAD ? NO ()	
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON BOAD O and 40	
		() and 40	
42. FURTHER DESCRIPTION OF IMPORTANT			
This simple brick structure	was constructed in common bond and ha	as rectilinear windows	OTHER
with header sills that proje	ect slightly. The flat roof has a par	rapet lined by raised	2
brick. The lateral facades	are nearly blind. The front facade !	has two large display	2
windows flanking the main er	ntry set in a shallow reveal. A shee	-roofed canopy runs	
along the front facade.			10
43. HISTORY AND SIGNIFICANCE	1938 as a grocery store for William	". Bover. The building	
This structure was suitt in	3700. An addition to the store was m	ade in 1940 for a	
permit price of \$300.	appol. An addition to she boold had h		<u>ل</u>
This building would not con	tribute to the establishment of an hi	storic district in the	ç
Pohidoux Hill area as it is	inconsistent in style, period, use a	nd proportion.	1
44. DESCRIPTION OF ENVIRONMENT AND	area to the north of the building.	The building site	
slopes away dramatically to		1	i
stopes away dramaticarry to			
	D	46 PREPARED BY	
	g Permits:W.F.Boyer, 8-1-38, Store, \$700	Susan Ide Symington	
W.F. Boyer, 3-19-40, Store Ad	a., 200; CIty Directories.	47. ORGANIZATION	6
RETURN THIS FORM WHEN COMPLET	ED TO: OFFICE OF HISTORIC PRESERVATION	Landmarks Commission	ě
IF ADDITIONAL SPACE IS NEEDED ATTACH	P.O. BOX 176 Jefferson City, Missouri 65102	48. DATE 49. REVISION DATE(S)	
SEPARATE SHEET (S) TO THIS FORM	PH. 314-751-4096		



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

BN-HS-017-054	RESENT LOCAL NAME(S) OR DESIGNATION(S)	X	I. NO
3. LOCATION OF City Hall	THER NAME(S) Tiram K. Judd Residence	K	
3 SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS	IC THEMATIC CATEGORY Architecture 17. DATE(S) OR PERIOD	28. NO. OF STORIES 2 29. BASEMENT ? YES (X) NO ()	2. COUNTY
510 N. 4th St. 7 CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri 8. DESCRIPTION OF LOCATION	c.1871 18. style or design Italianate 19. architect or engineer	30. FOUNDATION MATERIAL Brick 31. WALL CONSTRUCTION Brick	TY
Robidoux's Addition Block 3	20. CONTRACTOR OR BUILDER	32. ROOF TYPE AND MATERIAL Hip; Asphalt 33. No. of Bays FRONT 3 SIDE 3	<u>4</u>
Lot 8 .	21. ORIGINAL USE, IF APPARENT <u>Residence</u> 22. PRESENT USE Vacant Residential, 2 Units 23. OWNERSHIP PUBLIC()	34. WALL TREATMENT Running Bond 35. PLAN SHAPE Irregular	PRESENT LOCAL NAME(S)
9 COORDINATES UTM	PRIVATE(X) 24. OWNER'S NAME AND ADDRESS IF KNOWN BQS Development Co. 1621 Crescent Dr. St. Joseph, Mo.	(EXPLAIN IN ALTERED () NO. 42) MOVED () 37. CONDITION INTERIOR EXTERIOR POOT	
LONG 10. SITE () STRUCTURE (BUILDING () OBJECT (25. OPEN TO PUBLIC ? YES() NO(X)	38. PRESERVATION YES () UNDERWAY ? NO (X)	OR DESIG
II. CN NATIONAL REGISTER ? YES () NO (X) I2. IS IT ELIGIBLE ? YES () ELIGIBLE ? I3. PART OF ESTAB. HIST. DISTRICT ? YES () NO (X) I4. DISTRICT YES (X POTENTIAL ? NO (NO (X) I5. NAME OF ESTABLISHED DISTRICT	27. OTHER SURVEYS IN WHICH INCLUDED	BY WHAT? NO() 40. VISIBLE FROM YES(X) PUBLIC ROAD? NO() 41. DISTANCE FROM AND FRONTAGE ON ROAD 15 and 40	DESIGNATION(S)
to demarcate the bays. The from capped by similarly arched label The lintels on the north facade a and formed by radiating stretches tripartite, two-story bay. The s	cornice lined by paired.ornately of t and south facades have segmenta lintels of raised brick, accented are segmentally arched also; howe rs. On the south side, there is front porch with Ionic columns wa	lly arched windows d by unadorned keystone ver, they are flush a deeply projecting s constructed in 1907.	5. OTHER NAME(S)
Hiram K. Judd was first listed a was a partner of Hundley, Judd a furs and straw goods. This well intact and high qualit	t this address in the 1871 City D nd Company, wholesale dealers in y Italianate house wouldcontribut al district in the Robidoux Hill	boots, nats, caps, se significantly to	5. TOWNSHIP
the west boundary.	mpings Ils away dramatically toward an a rmit.7-17-07.J.J. Bedding, Porch.		RANGE
45. SOURCES OF INFORMATION Water Permi Ownership List C. 1890, H,K, Jud RETURN THIS FORM WHEN COMPLETED T IF ACDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	t.1900,Hiram K. Judd;Buchanan Co. d; City Directories.	46. PREPARED BY Susan Ide Symington 47. ORGANIZATION Landmarks Commission 48. DATE 49. REVISION DATE(S) 8/85	SECTION



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

	ويستفاده وموروب بمريز والأنقاص بيبات والموري بالمتحوين فتعتبهما بالتكافر بمكو أتناف الموار		
- 1	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	0	
BN-AS-017-060		erand	NO,
	5. OTHER NAME(S)		
3. LOCATION OF City Hall	Frederick W. Dumke Duplex		l
3 SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY	28. NO. OF STORIES 2	Ņ
TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS	Architecture	29. BASEMENT ? YES (X)	်
511-13 N. 4th St.	17. DATE(S) OR PERIOD 1886	NO() 30. FOUNDATION MATERIAL	COUNTY
z city or town IF RURAL, VICINITY Saint Joseph, Missouri	18. STYLE OR DESIGN	Brick	
8. DESCRIPTION OF LOCATION	Victorian Electic	31. WALL CONSTRUCTION Brick	Į
Robidoux's Addition		32. ROOF TYPE AND MATERIAL Hip: Asphalt Shingle	i i
Hobidoux'S Addition	20. CONTRACTOR OR BUILDER	33. NO. OF BAYS	
Block 2	21. ORIGINAL USE, IF APPARENT Duplex	FRONT 4 SIDE 5	
T - 1 4	22. PRESENT USE	34. WALL TREATMENT Brick & Stucco	PRESENT
Lot 1	8 Apartments	35. PLAN SHAPE Rectangula	
	23. OWNERSHIP PUBLIC() PRIVATE(X)	36. CHANGES ADDITION () (EXPLAIN IN NO. 42) ALTERED ()	LOCAL
	24. OWNER'S NAME AND ADDRESS	NO. 42) ALTERED () MOVED ()	N
	Thomas Travernicht	37. CONDITION	NAME (S)
9 CCORDINATES UTM LAT	momas fravernient	EXTERIOR Fair	s) OR
LONG	25. OPEN TO PUBLIC ? YES()	38. PRESERVATION YES () UNDERWAY ?	•
IO. SITE () STRUCTUR BUILDING (T) OBJEC		39. ENDANGERED? YES()	DESIGNATION(S)
	s(X) Landmarks Commission	BY WHAT ? NO (X)	HAT
IS. PART OF ESTAB. YES () 14. DISTRICT YE	2() 27. OTHER SURVEYS IN WHICH INCLUDED	40. VISIBLE FROM YES (X)	ION (
HIST. DISTRICT? NO (X) POTENTIAL? N	s(X) 1972 Historical Inventory Johnson, Johnson & Roy	PUBLIC ROAD ? NO()	, s
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD	
		20' and 40'	
42. FURTHER DESCRIPTION OF IMPORTANT F	EATURES .mage symmetry centered on two entri	es maired and recessed	9. G
	simple frame porch with no turned me		OTHER
	nd are further emphasized by gablett		
	ine of the low pitched hipped roof.		
articulated by raised brick of	oursing which is placed vertically	and on edge along the	
the first and second story li	ntel lines. The lintels, segmental	ly arched on the first	STO: -1
	t story, are constructed of brick st.		
This duplex was built as the	residence of Frederick W. Dumke of f beer. Mr. Dumke lived at 511 N. 4	Jumke and Hund, th St The configurat	
	two lateral bays flanking a recessed		
	the 1888 Sanborn map. Although st		
	structure retains a high degree of		
	te greatly to the establishment of a		
in the Robidoux Hill area.			L
44. DESCRIPTION OF ENVIRONMENT AND OU			
The structure is located on a	a high bank supported by a coursed,	rock-faced stone	MANGE
retaining wall on the west s	ide. A vacant lot lies south to the	corner.	
45. SOURCES OF WEREN		46. PREPARED BY	·
45. SOURCES OF INFORMATION Water Per Directories.	mit, F.W. Dumke, 1886; City	Susan Ide Symington	, v
		47. ORGANIZATION Landmarks Commission	SECTION
•	TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176	48. DATE 49. REVISION DATE(S)	1 2
IF ACDITIONAL SPACE IS NEEDED, ATTACH Separate Sheet(s) to this form	JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	8/85	l



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

IF ACDITIONAL SPACE IS NEEDED, ATTACH Separate sheet(s) to this form

BN-AS-017-0301	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	er.	- NO
2. COUNTY		en xent	0
Buchanan 3. LOCATION OF City Hall NEGATIVES	5. OTHER NAME(S) Charles C. Scott Residence	¢.	
3 SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	IG. THEMATIC CATEGORY	28. NO. CF STORIES 2 29. BASEMENT ? YES (X)	2. 0
IF CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	NO()	COUNTY
514 N. 4th St. 7 CITY OR TOWN IF RURAL, VICINITY	LIB STYLE OR DESIGN	30. FOUNDATION MATERIAL Brick	7
Saint Joseph, Missouri	Italianate	31. WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick 32. ROOF TYPE AND MATERIAL	
Robidoux's Addition	20. CONTRACTOR OR BUILDER	Hip;Asphalt Shingle	
Block 3	21 ORIGINAL LISE IE APPARENT	33. NO. OF BAYS FRONT 3 SIDE 3	÷
Lot 7	21. ORIGINAL USE, IF APPARENT Residence	34. WALL TREATMENT Running Bond	PRESENT
	22. PRESENT USE Boarded, Vacant Apartments	35. PLAN SHAPE Rectangular	. ENJ
	23. OWNERSHIP PUBLIC()	36. CHANGES ADDITION ()	ļ
	PRIVATE (X)	(EXPLAIN IN NO. 42) ALTERED () MOVED ()	
	IF KNOWN B.Q.S.Development Co.	37. CONDITION	ĺ
9. COORDINATES UTM	1621 Crescent Dr.		Í
	St. Joseph, Mo. 25. OPEN TO PUBLIC? YES()	38. PRESERVATION YES ()	
IO. SITE () STRUCTU BUILDING (_Y) OBJE		UNDERWAY ? NO (X)	ļ
H. CN NATIONAL YES () 12. IS IT Y	CT() 26. LOCAL CONTACT PERSON OR ORGANIZATION ES() Landmarks Commission	39. ENDANGERED? YES (X) BY WHAT? NO()	[
	NO() 27. OTHER SURVEYS IN WHICH INCLUDED	Abandonment	ļ
13. PART OF ESTAB. YES () 14. DISTRICT Y HIST. DISTRICT? NO (X) POTENTIAL?	NO() Johnson, Johnson & Roy	40. VISIBLE FROM YES(X) PUBLIC ROAD ? NO()	[
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD	
		15' and 40'	
segmentally arched label lim lintels on the east are also other sides are flush, segment facade is organized by two s <u>phasize the entry on the nor</u> 43. HISTORY AND SIGNIFICANCE 2 Charles C. Scott, proprietor address as early as 1870. The contribute significantly to the	xed cornice lined with dentils and but tels of raised brick on the south and joined by raised brick stringcoursin ntally arched and formed by radiating lightly projecting square bays two s th and paired windows on the south. bracketed porch in the southwes of the Gazette Job Printing Office, nis well intact and high quality Ital the establishment of an historical di entury residential buildings.	i east facades. Those ng. The lintels on the g stretchers. The from tories high, which em- There is an original t corner. was listed at this ianate house would	
	mouth leptacutet garrange.		NSHIP
	toward the west. The property is b	ounded on the west by	RANGE
45. SOURCES OF INFORMATION Abstrac	t;City Directory;1883 Sanborn Map.	46. PREPARED BY Susan Ide Symington 47. Organization	SECTION
RETURN THIS FORM WHEN COMPLET	ED TO: OFFICE OF HISTORIC PRESERVATION	Landmarks Commission	
IF ACDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 PH 314-751-4096	48. DATE 49. REVISION DATE(S)	

PH. 314-751-4096



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

BN-AS-OM-OUZ	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	Intere of
COUNTY		and (
Buchanan	5. OTHER NAME(S)	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
LOCATION OF City Hall	Edmund Jacques Eckel Residence	
SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY	28. NO. OF STORIES 2
TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS		29. BASEMENT ? YES (X)
515 N. 4th St.	17. DATE(S) OR PERIOD	NO() 30. FOUNDATION MATERIAL
CITY OR TOWN IF RURAL, VICINITY	1885 IB. STYLE OR DESIGN	Brick
Saint Joseph, Missouri	Victorian Eclectic	31. WALL CONSTRUCTION
DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER E.J. ECKEL	Brick 32. ROOF TYPE AND MATERIAL
Debilourt - Addition	20. CONTRACTOR OR BUILDER	Hip:Asphalt Shingle
Robidoux's Addition Block 2		33. NO. OF BAYS
Lot 2	21. ORIGINAL USE, IF APPARENT Residential	FRONT 2 SIDE 3
•		34. WALL TREATMENT Running Bond
	22. PRESENT USE Vacant Apartments	35. PLAN SHAPE IFTEGUIAT
	23. OWNERSHIP PUBLIC ()	36. CHANGES ADDITION ()
		(EXPLAIN IN NO. 42) ALTERED () MOVED ()
	24. OWNER'S NAME AND ADDRESS IF KNOWN $B \cdot Q \cdot S \cdot Development$ Co.	37. CONDITION
CCORDINATES UTM	P.O. Box 14	
	St. Joseph, Mo.64502	EXTERIOR Deterioratin
LONG 	25. OPEN TO PUBLIC ? YES() RUCTURE() NO(X)	
	OBJECT () 28. LOCAL CONTACT PERSON OR ORGANIZATION	39. ENDANGERED? YES(X)
CN NATIONAL YES (X) 12. IS IT REGISTER ? NO () ELIGIBLE	YES() Landmarks Commission	BY WHAT ? NO()
NO ()	101 7 27. OTHER SURVEYS IN WHICH INCLUDED	Neglect 40. VISIBLE FROM YES(X)
PART OF ESTAB. YES () 14. DISTRIC	TYES() 1972 Historical Inventory	= +U, VI3(BLC FRUM TES(-)
HIST. DISTRICT ? NO (X) POTENTI		PUBLIC ROAD ? NO ()
HIST. DISTRICT ? NO (X) POTENTI	Johnson, Johnson & Roy	PUBLIC ROAD ? NO ()
HIST. DISTRICT ? NO (\mathbf{X}) POTENTI	TAL? NO() Johnson, Johnson & Roy	PUBLIC ROAD ? NO() 41. DISTANCE FROM AND FRONTAGE ON ROAD 25 and 40
POTENTI NAME OF ESTABLISHED DISTRICT Potential NAME OF ESTABLISHED DISTRICT Present of the stablished District Present of the stable of the stable of the window tops of the label lintels of stone ab inside of the top and hav support the deeply projec This building was construe St. Joseph architect trais already listed on the Nat This structure is among S and would be a key member	ANT FEATURES about the boxed cornice. The first two s and coursing of bricks placed verticall; and second stories. On the from bove the front door and windows are carve the scroll motifs at the lintel stops. The sting front porch. acted as the residence of Edmund Jacques ined at the Beaux Arts School in Paris. tional Register of Historic Places. St. Joseph's most significant architectur r of the establishment of an historic di	PUBLIC ROAD? AL DISTANCE FROM AND FRONTAGE ON ROAD 25' and 40' nd north, and is under- tories are defined by y on end at the height t and south facades the ed curvilinearly on the runcated Doric columns Eckel, the prominent The residence is rally and historically.
HIST. DISTRICT? NO (X) POTENTI 3. NAME OF ESTABLISHED DISTRICT 2. FURTHER DESCRIPTION OF IMPORTA The hipped roof is broken scored by corbelling bene a raised brick watertable of the window tops of the label lintels of stone ab inside of the top and hav support the deeply projec This building was constru St. Joseph architect trai already listed on the Nat This structure is among S and would be a key member Hill area of high quality 44. DESCRIPTION OF ENVIRONMENT AM	Johnson, Johnson & Roy Johnson, Johnson & Roy ANT FEATURES h by hipped dormers facing south, west an each the boxed cornice. The first two s e and coursing of bricks placed vertically of first and second stories. On the from bove the front door and windows are carve re scroll motifs at the lintel stops. The sting front porch. acted as the residence of Edmund Jacques ined at the Beaux Arts School in Paris. tional Register of Historic Places. St. Joseph's most significant architecture	PUBLIC ROAD ? NO() 41. DISTANCE FROM AND FRONTAGE ON ROAD 25' and 40' nd north, and is under- tories are defined by y on end at the height t and south facades the ed curvilinearly on the runcated Doric columns Eckel, the prominent The residence is rally and historically, strict in the Robidoux
HIST DISTRICT? NO (X) POTENTI NAME OF ESTABLISHED DISTRICT 2. FURTHER DESCRIPTION OF IMPORT The hipped roof is broken scored by corbelling bene a raised brick watertable of the window tops of the label lintels of stone ab inside of the top and hav support the deeply projec This building was constru St. Joseph architect trai already listed on the Nat This structure is among S and would be a key member Hill area of high quality DAL DESCRIPTION OF ENVIRONMENT AN The building is sited on stone retaining wall; the	Johnson, Johnson & Roy Johnson, Johnson & Roy ANT FEATURES a by hipped dormers facing south, west an eath the boxed cornice. The first two s e and coursing of bricks placed verticall; o first and second stories. On the from bove the front door and windows are carve re scroll motifs at the lintel stops. The sting front porch. Acted as the residence of Edmund Jacques ined at the Beaux Arts School in Paris. St. Joseph's most significant architectur r of the establishment of an historic di y 19th and early 20th Century buildings.	PUBLIC ROAD ? NO() 41. DISTANCE FROM AND FRONTAGE ON ROAD 25' and 40' and north, and is under- tories are defined by y on end at the height t and south facades the ed curvilinearly on the runcated Doric columns Eckel, the prominent The residence is rally and historically. strict in the Robidoux Coursed, rock-faced on the north. 46. PREPARED BY
NAME OF ESTABLISHED DISTRICT NAME OF ESTABLISHED DISTRICT 2. FURTHER DESCRIPTION OF IMPORT The hipped roof is broken scored by corbelling bene a raised brick watertable of the window tops of the label lintels of stone ab inside of the top and hav support the deeply projec This building was constru St. Joseph architect trai already listed on the Nat This structure is among S and would be a key member Hill area of high quality 4. DESCRIPTION OF ENVIRONMENT AN The building is sited on stone retaining wall; the Sanborn Fire Insurance Ma	Johnson, Johnson & Roy Johnson, Johnson & Roy ANT FEATURES h by hipped dormers facing south, west and be and coursing of bricks placed vertically of first and second stories. On the from bove the front door and windows are carve re scroll motifs at the lintel stops. The sting front porch. acted as the residence of Edmund Jacques ined at the Beaux Arts School in Paris. tional Register of Historic Places. St. Joseph's most significant architectur r of the establishment of an historic di y 19th and early 20th Century buildings. NO OUTBUILDINGS a high bank supported on the west by a ere is a similarly supported vacant lot r Permit:1885,E.J.Eckel;1883 and 1888 aps; City Directories;Building Permits;	PUBLIC ROAD ? NO() 41. DISTANCE FROM AND FRONTAGE ON ROAD 25' and 40' and north, and is under- tories are defined by y on end at the height t and south facades the ed curvilinearly on the runcated Doric columns Eckel, the prominent The residence is relly and historically. strict in the Robidoux Coursed, rock-faced on the north. 46. PREPARED BY Susan Ide Symington
NAME OF ESTABLISHED DISTRICT NAME OF ESTABLISHED DISTRICT Portential Portenti	Johnson, Johnson & Roy Johnson, Johnson & Roy ANT FEATURES a by hipped dormers facing south, west an each the boxed cornice. The first two s e and coursing of bricks placed verticall; of first and second stories. On the from bove the front door and windows are carve re scroll motifs at the lintel stops. The sting front porch. Acted as the residence of Edmund Jacques ined at the Beaux Arts School in Paris. tional Register of Historic Places. St. Joseph's most significant architectur r of the establishment of an historic di y 19th and early 20th Century buildings. NO OUTBUILDINGS a high bank supported on the west by a ere is a similarly supported vacant lot r Permit:1885, E.J.Eckel;1883 and 1888	PUBLIC ROAD ? NO() 41. DISTANCE FROM AND FRONTAGE ON ROAD 25' and 40' and north, and is under- tories are defined by y on end at the height t and south facades the ed curvilinearly on the runcated Doric columns Eckel, the prominent The residence is rally and historically. strict in the Robidoux Coursed, rock-faced on the north. 46. PREPARED BY

IF ACDITIONAL SPACE IS NEEDED, ATTACH Separate sheet(s) to this form

1

1

JEFFERSON CITY, MISSOURI 65102 8/85 PH. 314-751-4096



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

	RESENT LOCAL NAME(S) OR DESIGNATION(S)		
BN-A-017-063	en e	E C	NO
2. COUNTY Buchanan 5. C	THER NAME(S)	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	
3. LOCATION OF City Hall		` G >	
3 SPECIFIC LEGAL LOCATION	IS. THEMATIC CATEGORY	28. NO. OF STORIES 2	Ņ
TOWNSHIP RANGE SECTION F City or town, street address	Architecture	29. BASEMENT? YES (^X) NO ()	coc
518 N. 4th St.	17. DATE(S) OR PERIOD	30. FOUNDATION MATERIAL	COUNTY
Z CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri	ie. style or design Queen Anne	Brick 31. WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION	IS. ARCHITECT OR ENGINEER	Brick	
		32. ROOF, TYPE AND MATERIAL	
Robidoux's Addition	20. CONTRACTOR OR BUILDER	33. NO. OF BAYS	4
Block 3	21. ORIGINAL USE, IF APPARENT Residence	FRONT 4 SIDE 2	פ
Lot 6		34. WALL TREATMENT Brick & Stucco	PESE
	22. PRESENT USE 2 Vacant Apartments	35. PLAN SHAPE Irregular	PRESENT LOCAL NAME(S)
	23. OWNERSHIP PUBLIC()		
· · ·	PRIVATE(X)	(EXPLAIN IN NO. 42) ALTERED (X)	٩
	24. OWNER'S NAME AND ADDRESS IF KNOWN BQS Development	MOVED ()	NAN
9. COORDINATES UTM	$\mathbf{P}_{\bullet}0_{\bullet}$ Box 1_{4}^{\dagger}	INTERIOR	E(S)
LAT	St. Joseph. Mo.	EXTERIOR POOT	OR R
	25. OPEN TO PUBLIC? YES() NO(X)	LINDE PWAY 2	2
IO. SITE() STRUCTURE(BUILDING(X) OBJECT(DESIGNATION(S)
IL CN NATIONAL YES () 12. IS IT YES (X		() ON STAHW YE	HAT
REGISTER ? NO (X) ELIGIBLE ? NO () 27. OTHER SURVEYS IN WHICH INCLUDED	Neglect	101
I3. PART OF ESTAB. YES () 14. DISTRICT YES (HIST. DISTRICT? NO () POTENTIAL? NO (40. VISIBLE FROM YES(X) PUBLIC ROAD ? NO()	ં
15. NAME OF ESTABLISHED DISTRICT	Johnson, Johnson & Poy	41. DISTANCE FROM AND	ł
		FRONTAGE ON ROAD	
story bay with chamfered corner each other in the far recessed northern bay has a shedroof car facade is corbelled and gives are segmentally arched label or 43 endistory The label or	ont facade is dominated by a deep s. The main entries are set performed south bay. The entry in the more hopy with trifoil ornamentation. The impression of dentilling. The hes adjoined by coursing textured segmental as well; however. they a	dendicularly next to e shallowly recessed The cornice on this e lintels on the front by bricks placed on the flush and formed by while header rows.	5. OTHER NAME(S)
This building was apparently c	onstructed in 1886 when Hiram Luck	ett took out a water	
nermit on this property. This	is supported by the buildings ab	sence on the 1003	
Sanborn map and its appearance well on the Buchanan County ow	on the one of 1888. Hiram Lucke hership list c. 1890; however, the at another address and did not 1	tt's name appears as e city directories	5. TOWNSHIP
him. Although altered from a single	family residence to a duplex. th	is building retains	1
- much original detail which wou	<u>ld contribute to the establishmen</u>	t of an historic	
44. DESCRIPTION OF ENVIRONMENT AND OUTBU The property falls away dramat side. There is a concrete blo north is a vacant corner lot.	ically toward the west where an a a contract in the pobido	ux Hill area on that Iley bounds on that d west sides. To the	KANGE
	4000 The Institution of the	46. PREPARED BY	
45. SOURCES OF INFORMATION Mater Permi	888 Sanborn Taps; City Directories	Susan Ide Symington	, se
		47. ORGANIZATION Landmarks Commission	SECTION
RETURN THIS FORM WHEN COMPLETED 1	P.O. BOX 176	48. DATE 49. REVISION DATE(S)	1 3
IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	8/85	l



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

BN-17-017-064	PRESENT LOCAL NAME(S) OR DESIGNATION(S)	teres -	I. NO
2. COUNTY	•	eyn	
Buchanan 5.	OTHER NAME(S)	- 0-	
3. LOCATION OF City Hall	Batsell and Sons		
3 SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	Architecture	28. NO. CF STORIES 2	2 C
F CITY OR TOWN, STREET ADDRESS	17. gate(s) or period and 1912	NO() 30. EOUNDATION MATERIAL	COUNTY
Z CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri	is. Style or design Vernacular	Brick 31. Wall construction	
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick 32. RODE TYPE AND MATERIAL	
Robidoux's Addition	20. CONTRACTOR OR BUILDER	33 NO OF BAYS	
Block 13	21. ORIGINAL USEI IF APPARENT	FRONT & SIDE >	. PRI
Lots 1 and 2	22. PRESENT USE	34. WALL TREATMENT	ESEN
	Commercial 23. OWNERSHIP PUBLIC()	35. PLAN SHAPE Rectangular 36. CHANGES ADDITION (X)	
· · ·	PRIVATE (X)	-4 NO. 42)	A L N
	24. OWNER'S NAME AND ADDRESS IF KNOWN John C. Michel, Et al 709 N. 13th St.	12. 37. CONDITION INTERIOR	PRESENT LOCAL NAME(S)
9 COORDINATES UTM LAT	St. Joseph. Mo. 64501		5) OR
LONG IO. SITE () STRUCTURE (25. OPEN TO PUBLIC? YES	38. PRESERVATION YES ()	
BUILDING (X) OBJECT () 28. LOCAL CONTACT PERSON OR ORGANIZATION	39. ENDANGERED? YES() BY WHAT? NO(X)	01634
H. CN NATIONAL YES () 12. IS IT YES (REGISTER ? NO (X) ELIGIBLE ? NO (X) 27. OTHER SURVEYS IN WHICH INCLUDED		DESIGNATION
I3. PART OF ESTAB. YES () I4. DISTRICT YES (HIST. DISTRICT? NO () POTENTIAL? NO (40. VISIBLE FROM YES(X) PUBLIC ROAD ? NO()	101
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON BOAD	
suggest a symmetry not altbget wide segmentally arched window These windows are off center t Attached o the north end of t upper story.	ightly raised in the center of the her born out below. This facade is s with flush double header lintels o the north to accommodate an entr he building is a sne-story garage	s on the second story. ry bay on the south bay. with a decomposing	
were subsequent additions, however, the main one which appears to have formed the			
face of the structure here today was constructed in 1920. The building permit was in the name of Batsell and Sons for the cost of \$5,000.			
Although the struc ure is late	er in period and incompatible in u the establishment of an historic ality 19th and early 20th Century	district in the	
44. DESCRIPTION OF ENVIRONMENT AND OUT	BUILDINGS he north and west. A concrete par lding at the beginning of an unded	king area runs along	
45. SOURCES OF INFORMATIONBuilding Pe Shop;Geo. Uhl, 1912, Bus., \$1,000	ermits:Batsell & Grote,6-15-09.830 D;L.H.Batsell & Sons,1920.85.000.B	47. ORGANIZATION	
RETURN THIS FORM WHEN COMPLETED IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	Landmarks Commission 48. DATE 49. REVISION DATE(S) 8/85	-



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

BN-AS-017-065	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	en la	No
2. COUNTY		enter and a second	,-
Buchanan 3. LOCATION OF City Hall	5. OTHER NAME(S) Walter J. Sanders Residence	` 4 ~	
YEGATIVES		·	
3 SPECIFIC LEGAL LOCATION ~ TOWNSHIP RANGE SECTION	Architecture	28. NO. OF STORIES 29. BASEMENT? YES (20	2. 00
611 N. 4th St.	17. DATE(S) OR PERIOD	NO() 30, EOUNDATION MATERIAL	COUNTY
7 CITY OR TOWN IF RURAL, VICINITY	c, 1882 IB. STYLE OR DESIGN Queen Anne	30. FOUNDATION MATERIAL	-
Saint Joseph, Missouri		31. WALL CONSTRUCTION Brick	
8. DESCRIPTION OF LOCATION	I9. ARCHITECT OR ENGINEER	32. ROOF TYPE AND MATERIAL	
Robidoux's Addition	20. CONTRACTOR OR BUILDER	Hip;Asphalt Shingle	L
Block 13	21. ORIGINAL USE, IF APPARENT	33. NO. OF BAYS FRONT 2 SIDE 4	א. ס
Lot 3	Residence	34. WALL TREATMENT COMMON	PRESENT LOCAL NAME(S)
	22. PRESENT USE	and Running Bonds 35. PLAN SHAPEIrregular	
ц.	Residence 23. Ownership Public()		۲ ₀
	PRIVATE (3	(EXPLAIN IN NO. 42) ALTERED ()	C A L
	24. OWNER'S NAME AND ADDRESS IF KNOWN FLOYD E, Ball	MOVED ()	NAM
9. COORDINATES UTM	1006 Randolph	INTERIOR	E(S)
LAT	St. Joseph, Mo.	EXTERIOR GOOD	PR PR
LONG 10. SITE () STRUCTU	25. OPEN TO PUBLIC ? YES()		
	T() 28. LOCAL CONTACT PERSON OR ORGANIZATION	39. ENDANGERED ? YES ()	DESIGNATION(S
	ES(J Landmarks Commission	BY WHAT? NO(X)	ATIO
A PART OF FETAR MER () 14 DISTRICT M	1972 Historical Inventory	40. VISIBLE FROM YES (X))N(S
HIST DISTRICT ? NO (X) POTENTIAL ?	Johnson, Johnson & Roy	PUBLIC ROAD ? NO ()	ļ
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND EDINIAGE DO ROAD	l
	1		5
42. FURTHER DESCRIPTION OF IMPORTANT	cornice and segmentally arched window	ws is the predominant	9
decorative feature of this Qu	een Anne cottage. The hipped roof	is underscored by a	OTHER
fascia from which recently by	ackets have been removed. The lint	els above the windows	
and front entry are segmental	lly arched and formed by radiating s	tretchers. The brick	NAME (S)
of the front facade 18 laid	in common bond and that of the sides octing square bays on the eastern se	ctions of the north	(S)
bond. There are deeply proje	an	d south facades.	1
	oved brackets, this Queen Anne cotta	ge is largely intact	
and would contribute strongly	y to the establishment of an histori	c district in the	
	uality 19th and early 20th Century b		
	1882 when Walter J. Sanders, the so		
W.P. Sanders and Son stove a	nd tenware business, was first liste	a at this address.	
44. DESCRIPTION OF ENVIRONMENT AND C	UTBUILDINGS	nomete black retaining	n Andrea
The house is sited on a stee	p bank supported on the west by a co oursed, rock-faced stone retaining w	all.	
wall and on the north by a c	oursed, rock-raced stone retaining "	₩	
45. SOURCES OF INFORMATION Abstract	;City Directory;1883 Sanborn Map;	46. PREPARED BY	┢
Buchanan County Ownership Li		Susan Ide Symington	
RETURN THIS FORM WHEN COMPLETE	D TO: OFFICE OF HISTORIC PRESERVATION	Landmarks Commission	and the second
F ADDITIONAL SPACE IS NEEDED ATTACH	P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102	48. DATE 49. REVISION DATE(S)	
SEPARATE SHEET(S) TO THIS FORM	PH. 314-751-4096		L

PH. 314-751-4096



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

i. NO.	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		
BN-AS-017-046		ente lef.	NO
2. COUNTY Dishanan	5. OTHER NAME(S)		1
Buchanan 3. LOCATION OF City Hall	W. M. Whimple Residence	- + ·	
VEGATIVES			
3 SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	Architecture	28. NO. OF STORIES 1 29. BASEMENT ? YES (X)	<u>א</u> 0
F CITY OR TOWN, STREET ADDRESS			COUNTY
613 N. 4th St.	17. DATE(S) OR PERIOD c.1885(Exterior); Pre-1883(Cor	30. FOUNDATION MATERIAL	F
Saint Joseph, Missouri	18. STYLE OR DESIGN Queen Anne	Brick 31. WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Frame	
		32. ROOF TYPE, AND, MATERIAL Gable; Asphalt Shingle	
Robidoux's Addition	20. CONTRACTOR OR BUILDER	33. NO. OF BAYS	
Block 13	21. DRIGINAL USE, IF APPARENT Residence	FRONT 2 SIDE 4	יי. ס
Lot 4	Residence	34. WALL TREATMENT Artificial Siding	PRESENT
	22. PRESENT USE Apartments	35. PLAN SHAPE Irregular	. ENT
	23. OWNERSHIP PUBLIC()		5
	PRIVATE(X)	(EXPLAIN IN NO. 42) ALTERED (X)	LOCAL
	24. OWNER'S NAME AND ADDRESS IF KNOWN Lee Triplett	MOVED () 37. CONDITION	NAN
9 CCORDINATES UTM	2008 Jones		NAME (S)
LAT	St. Joseph, Mo.	EXTERIOR Good	0R
	25. OPEN TO PUBLIC ? YES() NO(X)	38. PRESERVATION YES () UNDERWAY ? NO (T)	
IO. SITE () STRUCTUR BUILDING (T) OBJEC		39. ENDANGERED? YES()	DESIGNATION(S)
IL CN NATIONAL YES () 12. IS IT YE	s(X) Landmarks Commission	BY WHAT ? NO (T)	AT
	10 () 27. OTHER SURVEYS IN WHICH INCLUDED	40. VISIBLE FROM YES (X)	1011
I3. PART OF ESTAB. YES () 14. DISTRICT YE HIST. DISTRICT ? NO () POTENTIAL ?	$\frac{1972 \text{ Historical Inventory}}{\text{Johnson, Johnson & Roy}}$	40. VISIBLE FROM YES(X) PUBLIC ROAD ? NO()	্য
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND	l i
		20' and 40'	
 ^{42.} FURTHER DESCRIPTION OF IMPORTANT FEATURES The windows are rectilinear and framed by simple mouldings. More elaborate window treatment may lie beneath the siding. The Queen Anne style effect was created by the addition of:a tripartite bay on the front facade capped by an oversized gable end set on large brackets; deeply recessed front entries placed perpendicularly beneath a cantilevered end of the main gable of the roof; and a deeply projecting square bay on the southeast side of the structure, also, capped by a gabled roof. ^{43.} HISTORY AND SIGNIFICANCE A rectangular dwelling was on this site as early as 1883. The present structure, similarly sited, appears to be a major alteration of the existing structure which transformed it into the Queen Anne style with the creation of projecting bays and deep entry recess. This transformation took place before 1888, and most likely was undertaken by W.M. Whimple of Whimple and Gilpin, a book and stationery store, who was first listed at this address in 1885. 			
-would contribute to the esta	blishment of an historic district in	the Robidoux Hill area	!
^{44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS There is a steep Rock-faced stone retaining wall to the east. The building is sited on a low bank. A 19th Century wrought iron fence runs along the west part of the property.}			
45. SOURCES OF INFORMATION Water Permit: 1894, W.H. Whimple; City Directory; PREPARED BY			
1883 and 1888 Sanborn Fire I		Susan Ide Symington	
	D TO: OFFICE OF HISTORIC PRESERVATION	Landmarks Commission	
IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	48. DATE 49. REVISION DATE(S) 8/85	



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

BN-AS-017-067	PRESENT LOCAL NAME(S) OR DESIGNATION(S)		I. NO
2. COUNTY		en real	, o
	OTHER NAME(S)		
3. LOCATION OF City Hall		, ,	
3 SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY	28. NO. OF STORIES 2	N
TOWNSHIP RANGE SECTION	Architecture	29. BASEMENT? YES (X)	8
IF CITY OR TOWN, STREET ADDRESS	17. DATE(S) OR PERIOD	NO()	COUNT
615-17 N. 4th St.	c.1882	30. FOUNDATION MATERIAL	۲۲
Saint Joseph, Missouri	18. STYLE OR DESIGN Italianate	Brick 31. WALL CONSTRUCTION	
B. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick	
	20. CONTRACTOR OR BUILDER	32. ROOF TYPE AND MATERIAL Flat	
Robidoux's Addition	20. CONTRACTOR OR BUILDER	33 NO OF BAYS	
Block 13	21. ORIGINAL USE, IF APPARENT	FRONT 6 SIDE 2	פ
Lot 5	Duplex	34. WALL TREATMENT	PRESEN
	22. PRESENT USE	Running Bond	E
	Duplex 23. OWNERSHIP PUBLIC (35. PLAN SHAPE Rectangular	
	23. UWNERSHIP POBLICI PRIVATE(X	(EXPLAIN IN	
		NO. 42) ALTERED ()	
	24. OWNER'S NAME AND ADDRESS	37. CONDITION	
9. CCORDINATES UTM		INTERIOR Fair	
LAT	Oregon, Mo. 64473	EXTERIOR POLL	
LONG IO. SITE () STRUCTURE (25. OPEN TO PUBLIC ? YES (
BUILDING (x) OBJECT (· · · · · · · · · · · · · · · · · · ·	
II. CN NATIONAL YES () 12. IS IT YES (REGISTER ? NO (T) ELIGIBLE ? NO (BY WHAT ? NO()	
HO (-)] 10(En other sonvers in inner incrosed		
I3. PART OF ESTAB. YES () 14. DISTRICT YES (HIST. DISTRICT? NO () POTENTIAL? NO (Johnson, Johnson, & Roy	40. VISIBLE FROM YES (X) PUBLIC ROAD ? NO ()	
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND	
		FTSNTAGEndon409AD	
treatment. The front facade i the center bays emphasized by on this facade are segmentally raised brick, are accented by have segmental label lintels o <u>cornice along the front is box</u> ^{43.} HISTORY AND SIGNIFICANCE 2 This richly ornamented and wel	of the Italianate style has rich a s organized in mirror image with coupled round arched linkels above arched. All of these window sur- brick keystones, and have lug sill nly. A corbelled cornice runs are ed and lined with paired brackets dressing of the foundation on the l preserved Italianate duplex was er, Dr. John F. Heinz, a physician	the entries paired in e. The other lintels rounds are formed by ls. The lateral window ound the building; the <u>There is an ashlar</u> front facade. probably built as	NAME(S)
investment property by the own	er, Dr. John F. Heinz, a physician	611. N 1th St shout	ر. س
the year he moved in, 1883.	t in the now demolished building,	OIL IN LUI DUS COULS	TOWNSHIP
and lear no motor the 1003.			NS ⁴
			5
44. DESCRIPTION OF ENVIRONMENT AND OUT The duplex is sited on a low to retaining wall.	ank supported on the west by a co	ursed, ashlar block	RANGE
	and 1880 John T. Hoing Dough #4		
4992 Contern Monstern Darmit	Permit:1889, John F. Heinz, Porch, \$1	Susan Tde Symington	
1003 Sandorn Map; Water Permit:	1894, Dr. J. Heinz; Abstract; City Di	47. UNGANIZATION	SECTION
RETURN THIS FORM WHEN COMPLETED	TO: OFFICE OF HISTORIC PRESERVATION	Landmarks Commission	
IF ACDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	48. DATE 49. REVISION DATE(S) 8/85	



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		
FN-25-017-668		SI	
2. COUNTY			
	5. OTHER NAME(S)	Enter and	
3. LOCATION OF City Hall	Dennis Mullen Residence	·	
8 SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY	28. NO. CF STORIES	
TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS	Architecture	29. BASEMENT ? YES () NO ()	
619-21 N. 4th St.	IT. DATE(S) OR PERIOD	29. BASEMENT ? YES (-) NO() 30. FOUNDATION MATERIAL	
7. CITY OR TOWN IF RURAL, VICINITY		Brick	
Saint Joseph, Missouri	Vernacular	31. WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Frame	
		32. ROOF TYPE AND MATERIAL	
Robidoux's Addition	20. CONTRACTOR OR BUILDER	Gable;Asphalt Shingle	
Block 13		33. NO. OF BAYS FRONT 4 SIDE 4	
Lot 6	21. ORIGINAL USE, IF APPARENT Duplex (1883)	34. WALL TREATMENT Asphalt Shingle	
How o	22. PRESENT USE	Asphalt Shingle	
	Daplex	1 35. PLAN SHAPE NEG VALLAULAL	
	23. OWNERSHIP PUBLIC()		
	PRIVATE(X)		
	24. OWNER'S NAME AND ADDRESS	MOVED () 37. CONDITION INTERIOR	
	IF KNOWN Chester Ott	37. CONDITION INTERIOR	
9. COORDINATES UTM	R.R.1 Oregon, Mo. 64473	Puor	
LONG	25. OPEN TO PUBLIC ? YES()		
IO. SITE () STRUCTUR		UNDERWAY ? NO (30)	
BUILDING (X) OBJEC		39. ENDANGERED? YES(X) BY WHAT 2	
	S(X) <u>Landmarks Commission</u> D() 27. OTHER SURVEYS IN WHICH INCLUDED	Neglect NO()	
I3. PART OF ESTAB. YES () 14. DISTRICT YE HIST. DISTRICT ? NO () POTENTIAL ? N		40. VISIBLE FROM YES (X) PUBLIC ROAD ? NO ()	
15. NAME OF ESTABLISHED DISTRICT	Johnson, Johnson & Roy	41. DISTANCE FROM AND	
		FRONTAGE ON ROAD	
		10 0000	
42. FURTHER DESCRIPTION OF IMPORTANT F	eatures there and of the main gable set pera	llel to N. Lth St.	
There is an end chimney at either end of the main gable set parallel to N. 4th St. The gabled roof is broken also by two gabled dormers on the east and a wide gable			
The gabled root is broken at	ont facade. There are two windows a	www.trically placed	
in this wide make on the set	cond story directly above the two fr	ont entries of the	
dupler in the center two have	s. These entries have transons and	are sheltered by a	
wide front norch with a him	d roof. The windows are rectilines	r and have peaked lintels	
43. HISTORY AND SIGNIFICANCE 2			
S. HISTORY AND SIGNIFICANCE Z	saddress in 1859 as a "teamster" an	d in 187), as a "contracto	
Dennis Mullen was listed at the	perty in 1858, and as a long time re	sident here. was most	
Mr. Mullen purchased the prop	lding. Joseph Robidoux sold this p	roperty to a prominent	
likely the builder of the builder	Alexander Kemp, whose profession w	ms not listed in the	
lawyer, James Craig in 1054.	Alexander Acap, whose procession -	ld it to Mullen in 1858.	
Directory, bought the property from Craig the same year, then sold it to Mullen in 1858. One would not expect men like Mr. Craig or Mr. Kemp to live here because the area was			
Une would not expect men like	lding was shown as a duplex on the 1	883 Sanborn Map	
settled by labors. This but.	terne and mount on a capton on one		
44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS This lot slopes dramatically toward the west, is located on the corner, is supported			
This let slopes dramatically	toward the west, is located on the	corner, 1s supported	
on the west by a coursed stone retaining wall, and enclosed in the rear by chainlink.			
48 COURCES	;1883 Sanborn Map (Duplex shown);	46. PREPARED BY	
	1100 Demogra Larb (Dahrer miner)	Susan Ide Symington	
Abstract; City Directory.		47. ORGANIZATION	
RETURN THIS FORM WHEN COMPLETE	TO: OFFICE OF HISTORIC PRESERVATION	Landmarks Commission	
	P.O. BOX 176	48. DATE 49. REVISION DATE(S)	

IF ACDITIONAL SPACE IS NEEDED, ATTACH Separate sheet(s) to this form P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 8/85 PH. 314-751-4096

I



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

BN-AS-017-069	ESENT LOCAL NAME(S) OR DESIGNATION(S)	en x
	HER NAME(S) C. Kuchle Residence	en te
a specific legal location township Rangesection if city or town, street address 703 N. 4th St.	16. THEMATIC CATEGORY Architecture 17. DATE(S) OR PERIOD 1888	28. NO. OF STORIES 2 29. BASEMENT ? YES (X) NO () 30. FOUNDATION MATERIAL Brick
2 CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri 8. DESCRIPTION OF LOCATION Robidoux's Addition	18. STYLE OR DESIGN Queen Anne 19. architect or engineer	31. WALL CONSTRUCTION Brick 32. ROOF TYPE AND MATERIAL Hip; Asphalt
Block 16 Lot 1	20. CONTRACTOR OR BUILDER 21. ORIGINAL USE, IF APPARENT <u>Residence</u> 22. present USE Residential	33. NO. OF BAYS FRONT 2 SIDE 14 34. WALL TREATMENT Running Bond 35. PLAN SHAPELIFEGULAR
	23. OWNERSHIP PUBLIC() PRIVATE(X) 24. OWNER'S NAME AND ADDRESS IF KNOWN Billy L. Banks	36. CHANGES ADDITION () (EXPLAIN IN NO. 42) ALTERED () MOVED () 37. CONDITION INTERIOR
9 CCORDINATES UTM LAT LONG 0. SITE () STRUCTURE ()	9	EXTERIOR GOOD 38. PRESERVATION YES () UNDERWAY ? NO (X)
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	Landmarks Commission 27. OTHER SURVEYS IN WHICH INCLUDED 1972 Historical Inventory	39. ENDANGERED? YES() BY WHAT? NO(X) 40. VISIBLE FROM YES(X) PUBLIC ROAD ? NO(
HIST DISTRICT? NO (x) FOTENTIAL? NO()	Johnson, Johnson & Roy	41. DISTANCE FROM AND FRONTAGE ON ROAD 15' and 30'

The characteristically irregular Queen Anne style massing is achieved by a deeply project two-story, penta-partite bay on the south facade and a slightly projecting square bay on the southern half of the front facade. The two stories are articulated by raised brick coursing. The boxed cornice is underscored by corbelling. The lintels on the two street sides are rectilinear label lintels moulded curvilinearly on the underside. The other lintels are segmentally arched. flush and formed by two rows of radiatint '3 HISTORY AND SIGNIFICANCE headers. This building was constructed in 1888 for F.C. Yuehle. Mr. Kuehle was a merchant tailor who lived in his shop before moving here. The building retains the original window treatment and cornice ornamentation, and would contribute strongly to the establishment of an historic district in the Pobidoux Hill area of high quality 19th and early 20th Century residential buildings.

2

44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS. This corner lot slopes dramatically toward the west. In the rear, there is a frame garage on concrete block base with a gabled roof.

45. SOURCES OF INFORMATION Building Permits: 1888, F.C. Fuehle. Bes. 34.000 46. PREPARED BY Kitchen, \$500; City Directories; 1883 & 1888 Sanborn Paps; 1881 Histor Susan Ide Symington

	C. Clt Transcolo	
RETURN THIS FORM WHEN COMPLETED T	O: OFFICE OF HISTORIC PRESERVATION	Landmarks Commission
1	P.O. BOX 176	48. DATE 49. REVISION DATE(S)
IF ACDITIONAL SPACE IS NEEDED, ATTACH Separate sheet(s) to this form	JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	8/85

ΰ.

RANGE

SECTION



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

BN-45-07-070	PRESENT LOCAL NAME(S) OR DESIGNATION(S)	×.	1. NO.
2. COUNTY Buchanan 5. 1 3. LOCATION OF City Hall NEGATIVES	OTHER NAME(S)	ter af	
B SPECIFIC LEGAL LOCATION TOWNSHIPRANGESECTION IF CITY OR TOWN, STREET ADDRESS 705-7 N. 4th St. 7 CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri 8. DESCRIPTION OF LOCATION	16. THEMATIC CATEGORY Architecture 17. date(s) or period Between 1889 and 1896 18. Style or design Queen Anne 19. Architect or engineer 20. CONTRACTOR OR BUILDER	28. NO. OF STORIES 2 29. BASEMENT? YES (X) NO() 30. FOUNDATION MATERIAL Brick 31. WALL CONSTRUCTION Brick 32. ROOF TYPE AND MATERIAL Hip;Asphalt Shingle	
Robidoux's Addition Block 16 Lot 2	21. ORIGINAL USE, IF APPARENT Duplex 22. PRESENT USE Apartments 23. Ownership PUBLIC() PRIVATEC 24. OWNER'S NAME AND ADDRESS		4. PRESENT LUCAL N
9 COORDINATES UTM LAT LONG	^{IF KNOWN} Francis R. Ross 809 N. 25th St,Apt.21 <u>St. Joseph,Mo</u>	37. CONDITION C INTERIOR EXTERIOR	
IO. SITE () STRUCTURE (BUILDING (X) OBJECT (II. CN NATIONAL YES () 12. IS IT YES (REGISTER ? NO (X) ELIGIBLE ? NO ()) 28. LOCAL CONTACT PERSON OR ORGANIZATION x) Landmarks Commission) UNDERWAY ? NO ()	
IS PART OF ESTAB. YES () HIST. DISTRICT ? NO () POTENTIAL ? NO () IS NAME OF ESTABLISHED DISTRICT	Y)	40. VISIBLE FROM YES(X) PUBLIC ROAD? NO() 41. DISTANCE FROM AND FRONTAGE ON ROAD 15' and 45'	2007)
is dominated by two, two-story paired doorways. These entries lintels with raised brick label	CORES cornice underscored by corbellin tripartite bays flanking the cent and windows on the facade have s s and keystones. The lateral win meaders. In the rear, there is a	ng. The front facade cered entry bay with segmentally arched ndows have flush segment	t. i

43. HISTORY AND SIGNIFICANCE 2

The 1885 water permit for this property is in the name of F.C. Kuehl, a "merchant tailor" who built 703 N. 4th, directly south, as his residence in 1888. This building did not appear on the 1888 Sanborn Map and was shown completely built on the 1897 map. It was built as a duplex and perhaps as rental property. Although the front porch has been greatly altered, the building retains its original Queen Anne massing, window and surface treatment, and profile, and would contribute greatly to the establishment of an historic district in the Robidoux Hill area. 44. DESCRIPTION OF ENVIRONMENT AND OUTPUN DINGS

The second from of environment and outbolldings	
This lot slopes steeply toward the west and is bounded on the east by an alley.	A low
This for stopes steeping toward the west and is bounded on the case of an arrow	
retaining wall runs along the west and north.	1

45. SOURCES OF INFORMATIONC.1890 Buchanan Co. Ownership List; Water Per 1885, F.C. Kuehl; City Directory; 1888 and 1897 Sanborn Maps.	Susan Ide Symington 47. ORGANIZATION
PO BOX 176	Landmarks Commission 48. DATE 49. REVISION DATE(S)
IF ACDITIONAL SPACE IS NEEDED, ATTACH JEFFERSON CITY, MISSOURI 65102 SEPARATE SHEET(S) TO THIS FORM PH. 314-751-4096	8/85

15. TOWNSHIP

RANGE



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

BN-85-017-071	PRESENT LOCAL NAME(S) OR DESIGNATION(S)		I. NO,
2. COUNTY Buchanan 3. LOCATION OF City Hall NEGATIVES	other NAME(S) Samuel A. Wheeler Residence		
3 SPECIFIC LEGAL LOCATION TOWNSHIPRANGESECTION IF CITY OR TOWN, STREET ADDRESS 711 N. 4th St. 7. CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri 8. DESCRIPTION OF LOCATION	16. THEMATIC CATEGORY Architecture 17. DATE(S) OR PERIOD c. 1859 18. STYLE OR DESIGN Vernacular 19. Architect OR ENGINEER	28. NO. CF STORIES 1 29. BASEMENT? YES() NO() 30. FOUNDATION MATERIAL 31. WALL CONSTRUCTION Frame 32. ROOF TYPE AND MATERIAL Gable; Asphalt Shing	2. COUNTY
Robidoux's Addition Block 16 Lot 3	20. CONTRACTOR OR BUILDER 21. ORIGINAL USE, IF APPARENT Residence 22. PRESENT USE Residence 23. OWNERSHIP PUBLIC() PRIVATE(X) 24. OWNER'S NAME AND ADDRESS IF KNOWN Ray Siever	33. NO. OF BAYS FRONT 2 SIDE 2 34. WALL TREATMENT Artificial Siding 35. PLAN SHAPE Rectangula 36. CHANGES (EXPLAIN IN NO. 42) ADDITION () : ALTERED (X) MOVED () 37. CONDITION	4. PRESENT LOCAL NAME(S)
9. CCORDINATES UTM LAT LONG 10. SITE () STRUCTURE BUILDING (X) OBJECT 11. CN NATIONAL YES () 12. IS IT YES REGISTER ? NO (X) ELIGIBLE ? NO 13. PART OF ESTAB. YES () 14. DISTRICT YES HIST. DISTRICT ? NO (X) 15. NAME OF ESTABLISHED DISTRICT	() 26. LOCAL CONTACT PERSON OR ORGANIZATION () <u>Landmarks Commission</u> () 27. OTHER SURVEYS IN WHICH INCLUDED (X)	INTERIOR EXTERIOR BY WHAY? 39. ENDANGERED? BY WHAT? 40. VISIBLE FROM PUBLIC ROAD? 40. VISIBLE FROM PUBLIC ROAD? 41. DISTANCE FROM AND CONTACT FROM AND CONTACT FROM AND CONTACT FROM AND CONTACT FROM AND	(S) OR DESIGNATION(S)
42. FURTHER DESCRIPTION OF IMPORTANT FE. The original architectural fea: 1966 according to the building	tures are sheathed in siding applied		S. OTHER

The original architectural features are sheathed in siding applied to the house in 1966 according to the building permit. On the 1883 Sanborn Insurance Map, the entry was set under the wide gable end on the south end, which is now incorporated in the main front facade. There is a one story gabled extension in the rear. The windows are rectilinear and simply framed.

È.

٤

43. HISTORY AND SIGNIFICANCE 3

The core of this building dates back to 1859 when Samuel A. Wheeler, a brickmaker, acquired the property and was first listed at this address in the City Directory. Unfortunately, its architectural merit has been obscured by siding.

44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS In the rear, there is a single car garage of cinder block wit	h a shed roof. The lot	RANGE
slopes toward the north and is supported on the west by a lou concrete block. An alley bounds the property on the east. 45. SOURCES OF INFORMATION Building Permit: 1966, Siding, \$950;1883 San Map: Abstract; City Directory; 1868 Map.	born 46. prepared by Susan Ide Symington 47. organization	SECTIO
RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATIO P.O. BOX 176 IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM PH. 314-751-4096	48. DATE 49. REVISION DATE(5)	rion



I. NO.	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		-
BN-175-017-072	5. OTHER NAME(S)		NO
Buchanan	5. OTHER NAME(S)	τ.C	
3. LOCATION OF City Hall			
8 SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY	28. NO. OF STORIES 1	Ń
TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS	Architecture	29. BASEMENT ? YES (X) NO ()	COL
713 N. 4th St.	17. DATE(S) OR PERIOD Core: pre-1868;Front 1922	30, FOUNDATION MATERIAL	COUNTY
7. CITY OR TOWN IF RURAL, VICINITY	IB. STYLE OR DESIGN	Brick	-
Saint Joseph, Missouri	Vernacular	31. WALL CONSTRUCTION Brick	
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	32. ROOF TYPE AND MATERIAL	
	20. CONTRACTOR OR BUILDER	Gable and Flat	
Robidoux's Addition		33. NO. OF BAYS FRONT 3 SIDE 5	<u>,</u>
Block 16	21. ORIGINAL USE, IF APPARENT Residence	34. WALL TREATMENT	PRE
Lot 4	22. PRESENT USE	Running Bond	SEN
	Residence	35. PLAN SHAPE "T" Shaped	7
	23. OWNERSHIP PUBLIC () PRIVATE (X)	36. CHANGES ADDITION ()	PRESENT LOCAL NAME(S)
	24. OWNER'S NAME AND ADDRESS	NO. 42) ALTERED (X) MOVED ()	z
	IF KNOWN	37. CONDITION	ANIE
9. COORDINATES UTM	James L. Haynes	INTERIOR GOOD	(S)
LAT Long	25. OPEN TO PUBLIC 2 YES ()	EXTERIOR GOOD 38. PRESERVATION YES ()	NO
IO. SITE () STRUCTU		UNDERWAY ? NO (X)	DES
	CT () 28. LOCAL CONTACT PERSON OR ORGANIZATION	39. ENDANGERED? YES()	SIGN.
	es(x) <u>Landmarks Commission</u>	BY WHAT? NO(X)	ATIC
13 PART OF ESTAR YES () 14 DISTRICT Y	ES(X)	40. VISIBLE FROM YES (X)	DESIGNATION(S
HIST DISTRICT ? NO (X) POTENTIAL ?	NO ()	PUBLIC ROAD ? NO ()	Ŭ
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD 24 and 40	
gabled roof body of the build and has the same configuration	FEATURES ipped roof porch of the more recent ing. The body of the building is con n of the building as shown on the 188 the south side. The windows are rea	nstructed of brick 83 Sanborn Map, which	5. OTHER NAME(S)
43. HISTORY AND SIGNIFICANCE 3			
the 1868 map of St. Joseph.	structure may be the one that appea The present front facade that masks	the body of the	<u>.</u>
tectural integrity of the bui	built 1922. Due to this later front lding has been lessen; however, the	building is compatible	. TOWNSHIP
in use, scale and building ma residences in the Robidoux Hi	terial with many of the predominantl 11 area.	y 19th Century	SHIP P
			л
44. DESCRIPTION OF ENVIRONMENT AND O This property slopes west and enclosed by chainlink fencing	is bounded on the east by an alley.	The yards are	RANGE
45. SOURCES OF INFORMATION WATER PE	ermit:1910,H.L.Hartzell;Bldg.Permit:	46. PREPARED BY	
1922, R. Scott, Porch, \$25; Buchar	aan Co. Ownership List c.1890,M.S.Far		SECTION
RETURN THIS FORM WHEN COMPLET	D TO: OFFICE OF HISTORIC PRESERVATION	Landmarks Commission	FION
IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	48. DATE 49. REVISION DATE(S) 8/85	



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

BN-AD-017-073	PRESENT LOCAL NAME(S) OR DESIGNATION(S)		. NO
2. COUNTY	. OTHER NAME(S)	7× ad	Ģ
3. LOCATION OF City Hall NEGATIVES		¯ 4 ∕	
3 SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORY	28. NO. CF STORIES 2 29. BASEMENT ? YES (X)	2. C
721 1. 4th St.	17. DATE(S) OR PERIOD	NO () 30. FOUNDATION MATERIAL	COUNTY
7. CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri	18. STYLE OR DESIGN Vernacualr	Brick 31. WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Frame 32. ROOF TYPE AND MATERIAL Hip; Asphalt Shingle	
Robidoux's Addition Block 16	20. CONTRACTOR OR BUILDER	33. NO. OF BAYS	<u>م</u> .
Lot 6	21. ORIGINAL USE, IF APPARENT Duplex	FRONT 4 SIDE 3 34. WALL TREATMENT. Ashestos Siding	PRES
	22. present use Residence	35. PLAN SHAPE Trregular	PRESENT LOCAL NAME(S)
	23. OWNERSHIP PUBLIC(PRIVATE(X		OCAL
	24. OWNER'S NAME AND ADDRESS IF KNOWN Jrs. Charlene Butcher	MOVED()	NAME
9. CCORDINATES UTM		INTERIOR	(S) OR
LONG IO. SITE () STRUCTURE	25. OPEN TO PUBLIC? YES(() NO(X		
	() 26. LOCAL CONTACT PERSON OR ORGANIZATION (X) Landmarks Commission	39. ENDANGERED ? YES() BY WHAT ? NO(X)	DESIGNATION (S
REGISTER ? NO (X) ELIGIBLE ? NO	(x) 1072 Historical Inventory	40. VISIBLE FROM YES (X)	ION(S
HIST. DISTRICT ? NO (X) POTENTIAL ? NO	Johnson, Johnson & Roy	PUBLIC ROAD ? NO () 41. DISTANCE FROM AND	
		FRONTAGE ON ROAD 20' and 40'	
north and south facades. Als projecting square bays. On t peaked lintel which faces th windows in the center bays wi an entry in the south bay on din the northern bay which wot significance This structure was originally	raned by simple molding which has o, on these two lateral facades the he northern bay there is a partial the street. The four bays of the fr th single windows on either side of the first floor. The other duplex the have fulfilled the implied symmetry built as a duplex in 1887 by Phil the Company, who resided next door a	ere are two-story ly covered entry with a ont facade have paired n the second story and entry was most likely etry of the facade. lip Slattery, a buyer fo	VAME(S)
north bay of the front facade of the architectural interest is not architecturally outsta	and perhaps-another entry to the fo e, are sheathed in asbestos siding t of this structure. In its presen anding in itself. however, it would district in the Robidoux Hill area	which obscures much t state, the building contribute to the	5. TOWNSHIP
44. DESCRIPTION OF ENVIRONMENT AND OU This corner property slopes	toward the north and west and is su ing wall about three feet bich.	pported on these sides	RANGE
Dwelling. \$1,300;1883 & 1888 \$		46. PREPARED BY Susan Ide Symington 47. ORGANIZATION	SECTION
RETURN THIS FORM WHEN COMPLETED IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	Landmarks Commission 40. DATE 49. REVISION DATE(S) 8/85	Ň



BN-HS-017-74	. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	"n tared	. NO
2. COUNTY		" Cered	, P
	OTHER NAME(S)		
3. LOCATION OF City Hall NEGATIVES	Jonathan M. Bassett, J Lewis M. Smith Residen		
8 SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY	28. NO. OF STORIES	Ņ
TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS	Architecture	29. BASEMENT ? YES (x) NO ()	COUNTY
	17. DATE(S) OR PERIOD Additions	30. FOUNDATION MATERIAL	UN T
503 N. 5th St.	Core c.1861: 1889 & c.1907	Brick	· ~
Saint Joseph, Missouri	Eclectic	31. WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick 32. ROOF TYPE AND MATERIAL	
	20. CONTRACTOR OR BUILDER	Gable:Asphalt Shingle	ļ
Original Town		33. NO. OF BAYS	÷
Block 65	21. ORIGINAL USE, IF APPARENT	FRONT 5 SIDE 3	PR
Lots 1 and 2	Residence	34. WALL TREATMENT Running Bond	PRESENT
	22. PRESENT USE Apartments	35. PLAN SHAPE Irregular	TN
	23. OWNERSHIP PUBLIC()		LOCAL NAME(S)
· · ·	PRIVATE(X)		ې ۲
	24. OWNER'S NAME AND ADDRESS	MOVED ()	N N
	Donald R. Haage	37. CONDITION INTERIOR	HE (
9. COORDINATES UTM	Donard It. Hooge	EXTERIOR Excellent	
LONG	25. OPEN TO PUBLIC ? YES()	38. PRESERVATION YES ()	0R
IO. SITE () STRUCTURE	NO(_)		DESIGNATION(S
BUILDING (X) OBJECT			GNA
	(1 <u>Landmarks Commission</u>		TIO
I3. PART OF ESTAB. YES () 14. DISTRICT YES HIST. DISTRICT ? NO () POTENTIAL ? NO		40. VISIBLE FROM YES (X) PUBLIC ROAD 2 NO ()	N(S)
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	Johnson, Johnson & Roy	41. DISTANCE FROM AND	
		FRONTAGE ON BOAD 10' and 85'	
The present design is dominate stories high, an entry canopy of pressed metal, and a turned or west facade, and wraps arou by the Colonial Revival third 43. HISTORY AND SIGNIFICANCE 1	f the 1861 core is visible on the e d by Queen Anne additions of a poly with a segmentally arched pediment column, open frame porch which rea nd the south facade. The Eclectic story added around the Turn-of-the-	gonal entry bay two on console brackets ches across the front appearance is promoted Century.	3. OTHER HAME(3)
the founder of St. Joseph. A	large part of the core of this bui	lding was constructed	
for Mayor and attorney Jonatha	n M. Bassett, circa 1861, and desig	med by W. Angelo	1
Powell. This building had a h	ipped roof with centered cupola and	l a long porch along	
the south side. The present e	ntry bay and western porch were add	led in 1889 by John	
Townsend, a prominent dry good	s merchant. The third story was pr	obably added in 1907	1
	s M. Smith, also President of the C	.D. Smith Co., applied	
for a substantial building per 44. DESCRIPTION OF ENVIRONMENT AND OU			1
This corner property 18 terrac	ed steeply toward the east and is a	supported on the south	
by a large composite retaining	wall. A carriage house of brick i	n common bond, with a	i i
hip and gable roof setting off	a cupola, has been converted into	apartments.	1
45. SOURCES OF INFORMATION 1868 Adve	ertizement for Angelo Powell;City	46. PREPARED BY	
Directory:1888.1897 & 1911 San	born Maps; Bldg. Permits: 1889, J. Town	Sugan Ide Symington	, e
	DET TO: OFFICE OF HISTORIC PRESERVATION	47. ORGANIZATION Landmarks Commission	SECTION
IF ADDITIONAL SPACE IS NEEDED ATTACH	DTO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102	48. DATE 49. REVISION DATE(S)	
SEPARATE SHEET(S) TO THIS FORM	PH. 314-751-4096		




ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

COUNTY Buchanan LOCATION OF City Hall SPECIFIC LEGAL LOCATION TOWNSHIPRANGESECTION IF CITY OR TOWN, STREET ADDRESS 508 N. 5th St. CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri Description of Location Driginal Town Block 46 Lots 3 and 4	5. OTHER NAME(S) Samuel Lockwood House; John Donova 16. THEMATIC CATEGORY Architecture 17. DATE(S) OR PERIOD Additions Core, c. 1868;1895 and 1901 18. STYLE OR DESIGN Queen Anne 19. ARCHITECT OR ENGINEER 20. CONTRACTOR OR BUILDER 21. ORIGINAL USE, IF APPARENT Residence 22. PRESENT USE Apartments 23. OWNERSHIP PUBLIC(PRIVATE(X)	28. NO. OF STORIES $2\frac{1}{2}$ 29. BASEMENT? YES (X) NO() 30. FOUNDATION MATERIAL Brick 31. WALL CONSTRUCTION Brick 32. ROOF TYPE AND MATERIAL Hip; Asphalt Shingle 33. NO. OF BAYS FRONT 3 SIDE 4 34. WALL TREATMENT RUNNING BOND 35. PLAN SHAPEIrregular 36. CHANGES ADDITION(X)
LOCATION OF City Hall SPECIFIC LEGAL LOCATION TOWNSHIPRANGESECTION IF CITY OR TOWN, STREET ADDRESS 508 N. 5th St. CITY OR TOWN IF RURAL, VICINITY Saint JOSeph, Missouri Description of Location Driginal Town Block 46	Samuel Lockwood House; John Donova I6. THEMATIC CATEGORY Architecture I7. DATE(S) OR PERIOD Additions Core, c. 1868;1895 and 1901 I8. STYLE OR DESIGN Queen Anne I9. ARCHITECT OR ENGINEER 20. CONTRACTOR OR BUILDER 21. ORIGINAL USE, IF APPARENT Residence 22. PRESENT USE Apartments 23. OWNERSHIP PUBLIC(28. NO. OF STORIES $2\frac{1}{2}$ 29. BASEMENT? YES (X) NO() 30. FOUNDATION MATERIAL Brick 31. WALL CONSTRUCTION Brick 32. ROOF TYPE AND MATERIAL Hip; Asphalt Shingle 33. NO. OF BAYS FRONT 3 SIDE 4 34. WALL TREATMENT RUNNING BOND 35. PLAN SHAPEIrregular 36. CHANGES ADDITION(X)
Township RANGE SECTION IF CITY OR TOWN, STREET ADDRESS 508 N. 5th St. CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri Description of Location Driginal Town Block 46	Architecture 17. DATE(S) OR PERIOD Additions Core, c. 1868;1895 and 1901 18. STYLE OR DESIGN Queen Anne 19. ARCHITECT OR ENGINEER 20. CONTRACTOR OR BUILDER 21. ORIGINAL USE, IF APPARENT Residence 22. PRESENT USE Apartments 23. OWNERSHIP	29. BASEMENT? NO() 30. FOUNDATION MATERIAL Brick 31. WALL CONSTRUCTION Brick 32. ROOF TYPE AND MATERIAL Hip;Asphalt Shingle 33. NO. OF BAYS FRONT 3 SIDE 4 34. WALL TREATMENT Running Bond 35. PLAN SHAPE Irregular 36. CHANGES ADDITION(X)
508 N. 5th St. CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri Description of Location Driginal Town Block 46	Core, c. 1868;1895 and 1901 18. STYLE OR DESIGN Queen Anne 19. ARCHITECT OR ENGINEER 20. CONTRACTOR OR BUILDER 21. ORIGINAL USE, IF APPARENT Residence 22. PRESENT USE Apartments 23. OWNERSHIP PUBLIC(PRIVATE(X)	NO() 30. FOUNDATION MATERIAL Brick 31. WALL CONSTRUCTION Brick 32. ROOF TYPE AND MATERIAL Hip;Asphalt Shingle 33. NO. OF BAYS FRONT 3 SIDE 4 34. WALL TREATMENT Running Bond 35. PLAN SHAPEIrregular 36. CHANGES ADDITION(X)
CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri Description of Location Original Town Block 46	 18. STYLE OR DESIGN Queen Anne 19. Architect or engineer 20. contractor or builder 21. original use, if apparent Residence 22. present use Apartments 23. ownership Public(31. WALL CONSTRUCTION Brick 32. ROOF TYPE AND MATERIAL Hip;Asphalt Shingle 33. NO. OF BAYS FRONT 3 SIDE 4 34. WALL TREATMENT Running Bond 35. PLAN SHAPEIrregular 36. CHANGES ADDITION(X)
)riginal Town Block 46 .	 19. ARCHITECT OR ENGINEER 20. CONTRACTOR OR BUILDER 21. ORIGINAL USE, IF APPARENT Residence 22. PRESENT USE Apartments 23. OWNERSHIP PUBLIC (PRIVATE (X) 	32. ROOF TYPE AND MATERIAL <u>Hip;Asphalt Shingle</u> 33. NO. OF BAYS FRONT 3 SIDE 4 34. WALL TREATMENT <u>Running Bond</u> 35. PLAN SHAPEIrregular 36. CHANGES ADDITION(X)
Block 46	21. ORIGINAL USE, IF APPARENT Residence 22. present USE <u>Apartments</u> 23. Ownership Public(private(X	33. NO. OF BAYS FRONT 3 SIDE 4 34. WALL TREATMENT Running Bond 35. PLAN SHAPEIrregular 36. CHANGES ADDITION (X)
Block 46	Residence 22. PRESENT USE Apartments 23. OWNERSHIP PUBLIC (PRIVATE (X)	34. WALL TREATMENT Running Bond 35. PLAN SHAPEIrregular 36. CHANGES ADDITION (X) (EXPLAIN IN
ots 3 and 4	22. PRESENT USE <u>Apartments</u> 23. Ownership Public (PRIVATE (X	35. PLAN SHAPE Irregular 36. CHANGES ADDITION (X)
· · · · · · · · · · · · · · · · · · ·	23. OWNERSHIP PUBLIC (PRIVATE (X	36. CHANGES ADDITION (X)
		NO. 42) ALTERED ()
	24. OWNER'S NAME AND ADDRESS IF KNOWNDonald R. Haage	37. CONDITION
CCORDINATES UTM	503 N. 5th St. <u>St. Joseph, Mo. 64501</u>	EXTERIOR Excellent
LONG SITE () STRUCTUR) UNDERWAY ? NO (X)
	DT() 26. LOCAL CONTACT PERSON OR ORGANIZATION (x) <u>Landmarks Commission</u> (0() 27. other surveys in which included	39. ENDANGERED? YES() BY WHAT? NO (X)
HIST. DISTRICT ? NO () 14. DISTRICT YE	Johnson, Johnson & Roy	40. VISIBLE FROM YES (X) PUBLIC ROAD ? NO ()
A NAME OF ESTABLISHED DISTRICT	1972 Historical Inventory	41. DISTANCE FROM AND FRONTAGE ON ROAD 20 and 80
1895 and 1901. The steeply p turret, in the southwest corn peaked gabled dormers, one of are on the south facade. One story hay. The front porch i ^{43.} HISTORY AND SIGNIFICANCE This fin Samuel Lockwood, founder of L enterprise, was first listed shown on a map of the city as maps show that the body of th south where the projecting ba Jr., President of the German in 1895 of the front porch an Tikely the carriage house	building is a result of the major itched hipped roof is broken on the er by a round turret with conical r which is centered on the front fac of these southern dormers surmount <u>s lined by dentils and supported by</u> e example of the Queen Anne style i ockwood, Englehart & Co. a successf at this address in 1868, the same y "T" shaped with a gabled roof. Th be building was in place, however, by is now. The subsequent owner, th American Bank and Manager of the St ad southern bay and in 1901 of the n	north by a square oof, and by elaborately ade and three of which s a polygonal two- <u>Doric columns.</u> s of National Register ca ul hat and millinery ear the building was e 1883 and 1888 Sanborn there wasa porch on the e prominent John Donovan, ockyards, made additions
This corner property is on a supported on the south and ea	עדפטוובטואס ט high bank that falls away to the so ist by stone and concrete retaining	walls. The carriage
h ouse in the rear has six apa ^{5. SOURCES OF INFORMATION} Water Pe John Donovan,Jr.,1895,Repairs	rtments. rmit:1880,Samuel Lockwood;Bldg.Perm s,\$3,000;1901.Res.,\$2,000;1881 Histo	46. PREPARED BY Susan Ide Symington

F ACDITIC	NAL SPACE	E IS	NEED	FO	ATTAC	ы
CEDADATE.	CUCCELON				~ ~ ~	
SEPARATE	SHEET(S)		TLIC	500	214	
			1 1 1 3			

JEFFERSON CITY, MISSOURI 65102 8/85 PH. 314-751-4096





ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

i. NO.	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		-
EN 113-017-076		entere	NO
2. COUNTY Buchanan	5. OTHER NAME(S)		1
3. LOCATION OF City Hall	Richard E. Turner Residence		l
NEGATIVES			
B SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	Architecture	28. NO. OF STORIES 2	N.
IF CITY OR TOWN, STREET ADDRESS	17. DATE(S) OR PERIOD Remodelings	29. BASEMENT ? YES (X) NO()	COUNT
515 N. 5th St.	Core c. 1868; 1889 and 1891	30. FOUNDATION MATERIAL	
7. CITY OR TOWN IF RURAL, VICINITY	18. STYLE OR DESIGN	Brick	ļ
Saint Joseph, Missouri	Queen Anne	31. WALL CONSTRUCTION	1
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER L.J. L.K. I. C. HERCEL DELOS LUNC	32. ROOF TYPE AND MALERIAL	l
	20. CONTRACTOR OR BUILDER	^{32. BOOF} IVPE AND MALERALE	
Robidoux's Addition		33. NO. OF BAYS FRONT 4 SIDE 4	÷
Block 1 Lots 2 and. 3	21. ORIGINAL USE, IF APPARENT	34. WALL TREATMENT	PRES
Lots 2 and. 5	22. PRESENT USE	Running Bond	SEN
	Apartments	35. PLAN SHAPE Trregular	
	23. OWNERSHIP PUBLIC() PRIVATE(X)	36. CHANGES ADDITION (T) (EXPLAIN IN	LOCAL
	24. OWNER'S NAME AND ADDRESS	NO. 42) ALTERED () MOVED ()	1
	IF KNOWN Don Haage	37. CONDITION	NARE (S)
9 CCORDINATES UTM	503 N. 5th St.	INTERIOR Excellent	f
LAT Long	St. Joseph, Mo.64501 25. OPEN TO PUBLIC? YES()	7	Ş.
IO. SITE () STRUCTU		38. PRESERVATION YES () UNDERWAY ? NO (X)	DE
	CT () 26. LOCAL CONTACT PERSON OR ORGANIZATION	39. ENDANGERED ? YES ()	5167
IL CN NATIONAL YES () 12. IS IT Y REGISTER ? NO (X) ELIGIBLE?	ES(X) Landmarks Commission	BY WHAT? NO (X)	DESIGNATION(S)
I PART OF ESTAR YES () 14 DISTRICT)	VO() 27. OTHER SURVEYS IN WHICH INCLUDED	40, VISIBLE FROM YES (X)	011(5
HIST. DISTRICT ? NO (X) POTENTIAL ?	NO() 19/2 Historical Inventory	PUBLIC ROAD ? NO ()	
15. NAME OF ESTABLISHED DISTRICT	Johnson, Johnson & Roy	41. DISTANCE FROM AND FRONTAGE, ON ROAD	
		10 and 70 ROAD]
a steeply pitched hipped roo in the northwest corner, gab gable flanked by finials on	ing is in the Queen Anne style with if f broken by a $2\frac{1}{2}$ story rounded turred led dormers on the north and south, a the west or front side. There is a d	; with a conical roof and an elaborate, steppe leeply projecting $2\frac{1}{2}$ st	
rounded bay on the southwest	corner. The front facade is richly	textured with rough	1
surfaced brick above the sec	ond story and a terracotta spandrel w		1
43. HISTORY AND SIGNIFICANCE		at the cornice lin	
This landmark calibre buildi	ng gained its Queen Anne profile duri tire aspect of the north, west and so	uth facadas was altere	
OI 1009 and 1091 when the en	northwest furret, front porch and so	outhern bays were added	F-
On the east or rear side. th	e original Italianate core is still	visible. This early	
structure was shown on a man	of 1868, the same year Richard E. To	urner was first listed	
at this address. Mr. Turner	was a partner of Turner, Frazer and	Co. and served as	
president of Merchants Bank here through 1898.	and the Street Railway Co. Mr. Turne	er continued to live	
	ing is a low ashlar retaining Wall.	In the near there is	
Along the front of the build	o a brick alley. The rear bank is s	innorted by railroad	
ties.	O & DIICK ALLEY. THE LEGT VALUE TO D		
		46. PREPARED BY	·
4900 AND AT CO. 4004 AND	Permits:R.E.Turner, 1887, Porch, \$250;		
1009, Ada., \$1,500;1091, Add.,	2,000; Maps of 1868, 1888 and 1897; City	147. URGANIZATION	
RETURN THIS FORM WHEN COMPLET	ED TO: OFFICE OF AISTCRIC PRESERVATION	Landmarks Commission 48. DATE 49. REVISION DATE(S)	-
IF ACDITIONAL SPACE IS NEEDED, ATTACH Separate Sheet(S) to this form	P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 PH 314-731-4096	8/85	1



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

i. NO.	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		
BN-A1-017-077	Children Court	1	NO
2. COUNTY			
Buchanan 3. LOCATION OF City Hall	5. OTHER NAME(S)	-1 Today	
VEGATIVES	John S. Lemon House;Moose Lodge;Ea	gies Lodge	
3 SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY	28. NO. OF STORIES 2	Ņ
TOWNSHIP RANGE SECTION	Architecture	29. BASEMENT? YÉS (X)	COUNTY
517 N. 5th St.	IT. DATE(S) OR PERIOD	NO()	L N U
7. CITY OR TOWN IF RURAL, VICINITY	<u>c.1871; Addition 1889</u>	30. FOUNDATION MATERIAL Brick	`
Saint Joseph, Missouri	18. style or design Second Empire	31. WALL CONSTRUCTION	i
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick	
		32. ROOF TYPE AND MATERIAL	
	20. CONTRACTOR OR BUILDER	Mansard	
		33. NO. OF BAYS FRONT 3 SIDE 3	.
Robidoux's Addition	21. ORIGINAL USE, IF APPARENT	34. WALL TREATMENT	PRE
Block 1	Residence 22. PRESENT USE	Running Bond	SEL
Lots 4 and 5	Apartments	35. PLAN SHAPE Irregular	1
	23. OWNERSHIP PUBLIC()	36. CHANGES ADDITION (X)	
•	PRIVATE(X)	(EXPLAIN IN NO. 42) ALTERED ()	A L
	24. OWNER'S NAME AND ADDRESS	MOVED ()	N
	IF KNOWN Donald R. Haage	37. CONDITION	PRESENT LOCAL NAME(S)
9. COORDINATES UTM LAT	503 N. 5th St.	EXTERIOR Excellent	
LONG	St. Joseph, Mo.64501 25. OPEN TO PUBLIC? YES()		оя Я
IO. SITE () STRUCTU		38. PRESERVATION YES () UNDERWAY ? NO (X)	DE
	T () 28. LOCAL CONTACT PERSON OR ORGANIZATION	39. ENDANGERED? YES()	DESIGNATION (S)
II. CN NATIONAL YES () 12. IS IT Y	(X) Landmarks Commission	BY WHAT ? NO (X)	AT
	O() 27. OTHER SURVEYS IN WHICH INCLUDED		No
	es(^x) No() Johnson, Johnson & Roy	40. VISIBLE FROM YES (X) PUBLIC ROAD 2 NO ()	(S)
	1972 Historical Inventory		ĺ
15. NAME OF ESTABLISHED DISTRICT	1972 MISCOLICAL Inventory	41. DISTANCE FROM AND FRONTAGE ON ROAD	
		10' and 80'	
42. FURTHER DESCRIPTION OF IMPORTANT	FEATURES		5.
The original front section of	the building is a textbook example	of the Second Empire	OTHER
style with its Mansard roof,	segmental and rounded arched lintels	and windows, cresting	ģ
	and rope molding. The rear extensi		2
	· · · · · · · · · · · · · · · · · · ·		- À
boxed cornice. On the south,	section and also has a Mansard roof there is a $2\frac{1}{2}$ story polygonal bay.	On the north, there a	re 🖥
three projecting bays: one is	$2\frac{1}{2}$ stories , square and contains th	e landing;another	
	he front is tripartite, one story an		
This rare, outstanding and we	ell preserved example of the Second H	Empire style is of	1
landmark calibre. The build	ng did not appear on the 1868 map, a	and was probably built	
in 1871 the year before John	S. Lemon was listed at this address.	Mr. Lemon was a	3
prominent banker associated y	with Thomas E. Tootle in Merchants Ba	ank and the Tootle,	5. I C MII STIF
	was a long time resident here and ad		
extension.including elaborate	e dining room, in 1889 at a cost list	ed as \$11,000.	1
	glass landing windows on the north.		ł
	UTBUILDINGS		MANUE
This corner property slopes	coward the east, is supported on the	west and north by a	
low concrete block retaining	wall, and is bounded on the east by	an alley.	
45. SOURCES OF INFORMATION CITY Di	rectory;Building Permit: John S. Lemo	46. PREPARED BY	<u> </u>
1880 Rec \$11 000 Architectu	re of St. Joseph, 1974, Albrecht Art	47. ORGANIZATION	
RETURN THIS FORM WHEN COMPLET	D TO: OFFICE OF HISTORIC PRESERVATION	Landmarks Commission	SECTION
·	P.O. BOX 176	48. DATE 49. REVISION DATE(S)	
IF ADDITIONAL SPACE IS NEEDED, ATTACH Separate sheet(s) to this form	JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	8/85	I
	PH. 314-731-4030		



i. NO.	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		-
BN-H-017-078	Z	The company of the co	NO
2. COUNTY Buchanan	5. OTHER NAME(S)	- Cert	
3. LOCATION OF City Hall	Alexander A. Comstock House; Josep	h J. Jennings House	
3 SPECIFIC LEGAL LOCATION	Architecture	28. NO. OF STORIES 23	N
IF CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	29. BASEMENT ? YÊS (X) NO ()	COUNTY
602-4 N. 5th St.	c. 1856	30. FOUNDATION MATERIAL	NTY
Z CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri	18. STYLE OR DESIGN Vernacular	31. WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION	19, ARCHITECT OR ENGINEER	Brick	
	20. CONTRACTOR OR BUILDER	Gable:Asphalt	
Robidoux's Addition		33. NO. OF BAYS	.
Block 13	21. ORIGINAL USE, IF APPARENT	FRONT 3 SIDE 6	PRE
Lots 9 through 12	22. PRESENT USE		PRESEN
	Apartments	35. PLAN SHAPE Trregular	.*
	23. OWNERSHIP PUBLIC() PRIVATE(T)		
	24. OWNER'S NAME AND ADDRESS	NO. 42) ALTERED ()	
	IF KNOWNAlvin L. Wright	37. CONDITION	
9. COORDINATES UTM	3201 Easton Road		
LAT LONG	St. Joseph, Mo. 25. OPEN TO PUBLIC? YES()	38. PRESERVATION YES ()	
IO. SITE () STRUCTUR	E()	UNDERWAY ? NO (X)	
BUILDING (X) OBJEC	() 28. LOCAL CONTACT PERSON OR ORGANIZATION S(X) Landman's Commission	39. ENDANGERED? YES() BY WHAT? NO(X)	
	O() 27. OTHER SURVEYS IN WHICH INCLUDED		
I3. PART OF ESTAB. YES () 14. DISTRICT YE HIST. DISTRICT ? NO (X) POTENTIAL ? N	3(x)1972 Historical Inventory0()Johnson, Johnson & Roy	40. VISIBLE FROM YES (X) PUBLIC ROAD ? NO ()	
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD 40° and 80°	
 42. FURTHER DESCRIPTION OF IMPORTANT FEATURES The building is now dominated by a two story porch supported by Doric columns which stretches across the front of the building and wraps around both corners. The columns might have been added in 1904. (Please see building permit.) The lintels are segmental arched and flush on the body of the building. On the two and a half story polygonal bay on the south, the segmentally arched lintels have raised brick labels and are accent by keystones. The gabled roof appeared on an 1868 map of the city; the southern bay is a later addition. 43. HISTORY AND SIGNIFICANCE 1 a later addition. This landmark calibre building was the residence of Alexander Adams Comstock, a merchant whose daughter, Julia, married poet Eugene Field. The wedding reception took place here on October 16th, 1873. Mr. Comstock was first listed at this address in 1869. The house may have been built by Joseph B. Jennings of J.B. Jennings & Co., a grocery business, who acquired the property in 1856. 			
44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS In the rear there is a large building that was apparently constructed as a stable in 1892 and has since been converted into apartments. Abstract:			RANGE
45. SOURCES OF INFORMATIONOId St. Jo, Sheridan A. Logan, 1979; 1883, 1888 46. PREPARED BY			_
and 1897 Sanborn Maps; Bldg. Permits: 1892, Hax Bros. Stable, \$450;190 Jusan Ide Symington Porch, \$400, Mrs. Frank Weigel; City Directory Organization RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION			SECTION
RETURN THIS FORM WHEN COMPLETE IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	D TO: OFFICE OF HISTORIC PRÉSERVATION P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	48. DATE 49. REVISION CATE(S)	Ĭ





OFFICE OF HISTORIC PRESERVATION MISSOURI

1

	ENTORY SURVEY FORM		
4. P <u>DN-HS-017-079</u> 2. COUNTY	RESENT LOCAL NAME(S) OR DESIGNATION(S)	- X	I NO
	other Name(s) Nelson J. Riley Residence	tere 6	
B SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS	16. THEMATIC CATEGORY Architecture 17. DATE(S) OR PERIOD 1882	28. NO. OF STORIES 23 29. BASEMENT ? YES (*) NO ()	2. COUNTY
605 N. 5th St. 7. CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri	18. STYLE OR DESIGN Stick Style	30. FOUNDATION MATERIAL Brick 31. Wall construction	7
8. DESCRIPTION OF LOCATION	IS. ARCHITECT OR ENGINEER	32. ROOF TYPE AND MATERIAL	2
Robidoux's Addition	20. CONTRACTOR OR BUILDER	Composite; Slate & Asy	halt
Block 14 Lots 1 and 2	21. ORIGINAL USE, IF APPARENT	FRONT 3 SIDE 3	. PRES
	22. PRESENT USE Apartments	Running 35. PLAN SHAPE Irregular	SENT
		36. CHANGES ADDITION ()	PRESENT LOCAL NAME(S)
	24. OWNER'S NAME AND ADDRESS IF KNOWN WM. & Laura Ball	MOVED ()	NAME
9. COORDINATES UTM LAT	2929 Briarpark, Suite Houston, Tx.77042		(S) OR
LONG IO. SITE () STRUCTURE (25. OPEN TO PUBLIC ? YES()	38. PRESERVATION YES () UNDERWAY ? NO (X)	
BUILDING (X) OBJECT () 28. LOCAL CONTACT PERSON OR ORGANIZATION	39. ENDANGERED? YES() BY WHAT? NO(20)	DESIGNATION (S
REGISTER ? NO (X) ELIGIBLE ? NO () 27. OTHER SURVEYS IN WHICH INCLUDED	40. VISIBLE FROM YES (X)	.10N(S)
HIST. DISTRICT ? NO (X) POTENTIAL ? NO (15. NAME OF ESTABLISHED DISTRICT	Historical Inventory	PUBLIC ROAD ? NO() 41. DISTANCE FROM AND FRONTAGE ON ROAD 201 and 801	
wood, many of which suggest expo which is rare in St. Joseph. Ex- of the two story projecting squa of this facade. Window treatment brick. The massing, on the other deeply on the south and dominate this building was constructed in was a partner in Condon, Riley a	y brick building, the decorative is osed wooden members characteristic camples of this last characterists are bay facing west and the wooden ht, in general, is simple with flus or hand, is richly variegated with a mansard section on the west and h 1882 as the residence of Nelson and Company, manufacturers of cras	c of the Stick Style ic are the half-timberi n braces on entry persh h lintels of radiating h another bay projection d brick, and a composit a hipped one on the J. Riley. Mr. Riley ckers and confectionery	HER NAME(S)
of the buothers who manufactured in St. Joseph. By 1894, the build In recent years this fine example and Minton fireplace tiles; how exterior and is of landmark cal: 44. DESCRIPTION OF ENVIRONMENT AND OUTBUT This corner property slopes tow	uildings ard the east where a large gabled	and had a sales office otel"(please see attach s fine stained glass l integrity on the carriage house of	
brick with segmental openings is alley.	s located. The property is bound	ed on the east by an	

45. SOURCES OF INFORMATION Water Permit: 1882, J.N. Riley; City Directory, PREPARED BY Buchanan Co. Ownship List c. 1890 Kary Studebaker; Architecture of J. Organization St. Joseph, Albrecht Museum; 1974; 1806 Samborn Map. SECTION RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176 Landmarks Commission 48. DATE 49. REVISION DATE(S) IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096 İ.

UNITED COMMERCIAL TRAVELERS SOUVENIR.

THE ARLINGTON,

ARLINGTON HOTEL

1894

Strictly a First-Class

...Family Hotel ...

613 North Fifth St.


MARIE SWENSON

* * *



ters for Receptions and Parties .*

Most Desirable Location in st



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		
BN - 175-017-080			NO.
Buchanan	5. OTHER NAME(S)		
3. LOCATION OF City Hall			
3 SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	IG THEMATIC CATEGORY	28. NO. OF STORIES 1	2. C
F CITY OR TOWN, STREET ADDRESS	17. DATE(S) OR PERIOD 1957	NO (<u>X</u>) .	COUNTY
7 CITY OF TOWN IF RURAL, VICINITY Saint Joseph, Missouri	18. STYLE OR DESIGN Vernacular	30. FOUNDATION MATERIAL CONCRETE 31. WALL CONSTRUCTION	-
8. DESCRIPTION OF LOCATION	I9. ARCHITECT OR ENGINEER	Frame	
Robidoux's Addition	20. CONTRACTOR. OR BUILDER Cash Whitman, Inc.	32. ROOF IYPE AND MALERIAL Gable; Asphalt	
Block 14	21. ORIGINAL USE, IF APPARENT	33. NO. OF BAYS FRONT 4 SIDE 2	4. PR
Lots 3 and 4	Residence 22. PRESENT USE Residence	Artificial Siding	PRESENT
	23. OWNERSHIP PUBLIC ()	35. PLAN SHAPE Pectangular 36. CHANGES ADDITION ()	
	PRIVATE(X) 24. OWNER'S NAME AND ADDRESS		LOCAL N
	IF KNOWN Frank Galvan	37. CONDITION	NAME (S)
9. CCORDINATES UTM Lat	R.R.4,P.0.Box 256 St. Joseph, Mo	EXTERIOR GOOD	S) OR
LONG IO. SITE () STRUCTUR	25. OPEN TO PUBLIC? YES()	38. PRESERVATION YES () UNDERWAY ? NO (X)	
BUILDING (X) OBJEC	S() Tendmanles Commission	39. ENDANGERED? YES() BY WHAT? NO(X)	DESIGNATION(S
REGISTER ? NO (X) ELIGIBLE ?			TION(
13. PART OF ESTAB. YES () 14. DISTRICT YE HIST. DISTRICT ? NO (χ) POTENTIAL ? N	s(x) o(_)	40. VISIBLE FROM YES(X) PUBLIC ROAD ? NO()	S)
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD 25' and 75'	
42. FURTHER DESCRIPTION OF IMPORTANT F	EATURES		5.
Antoine, contiguous propertic capped by a low gable roof so and framed by simple molding tri-partite window on the no:	duplicate of 504 Antoine and the mines es built at the same time. The house et parallel to N. 5th Street. The w . The fenestration is varied on the rth side. Vertical wood plank siding photo was taken (between July and b	se is one-story and windows are rectilinear e front facade by a ng has been a dded to	OTHER NAME(S)
	tive houses built within the Robidor	ux Hill survey area in	
1957 by builder, Cash Whitma and profile to the architect	n. Though noncontributing in period ural integrity of the surrounding h		5. T
three buildings are conpatib	le in their residential use and sca	le.	5. TOWNSHIP
44. DESCRIPTION OF ENVIRONMENT AND OL The house is located on a hi stairway. In the rear there to the east runs a stone pav	gh bank supported by an ashlar block is a high concrete block retaining ed alley.	k retaining wall and wall, behind which	RANGE
	permit, August 15, 1957, Cash	46. PREPARED BY Susan Ide Symington	
Whitman, Inc., Residence, \$7		Landmarks Commission	SECTION
RETURN THIS FORM WHEN COMPLETE	D TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176	48. DATE 49. REVISION DATE(S)	N

IF ACDITIONAL SPACE IS NEEDED, ATTACH Separate sheet(s) to this form

4

"ION

P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 8/85 PH. 314-751-4096



BN - AS- COTACT	PRESENT LOCAL NAME(S) OR DESIGNATION(S)	Cutared	- NO
2. COUNTY		end	,o
	OTHER NAME(S)		
	John Donovan, Sr. Residence; John 1	D. Richardson Residence	
8 SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORY Architecture	28. NO. CF STORIES 2	N
F CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	29. BASEMENT ? YES () NO ()	cou
624 N. 5th St.	c.1870	30. FOUNDATION MATERIAL	COUNTY
7. CITY OR TOWN IF RURAL , VICINITY	18. STYLE OR DESIGN	Brick	
Saint Joseph, Missouri	Victorian Eclectic	31. WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION	I9. ARCHITECT OR ENGINEER	Brick 32. Roof TYPE, AND MATERIAL Hip: Asphalt Shingle	
Robidoux's Addition	20. CONTRACTOR OR BUILDER	33. NO. OF BAYS	
Block 13	21. DRIGINAL USE, IF APPARENT	FRONT 5 SIDE 3	. ד
Lots 7 and 8	21. ARIGINAL USE, IF APPARENT	34. WALL TREATMENT. Running Bond	RES
	22. PRESENT USE Apartments	35. PLAN SHAPE Irregular	PRESENT
	23. OWNERSHIP PUBLIC (LOCAL
	PRIVATE(X	(EXPLAIN IN NO, 42) ALTERED ()	CAL
	24. OWNER'S NAME AND ADDRESS IF KNOWN WILLIAM H. MANVILLE	MOVED()	NN
	802 Hall	37. CONDITION	NARE(S)
9 COORDINATES UTM	St. Joseph, Mo.64501	EXTERIOR Good	
LONG	25. OPEN TO PUBLIC 2 YES		OR
IO. SITE () STRUCTURE (BUILDING () OBJECT () UNDERWAY? NO(X)	DESIC
H. CN NATIONAL YES () 12. IS IT YES (I Landmarks Commission	BY WHAT ? NO (X)	DESIGNATION(S
NO (A)) 27. OTHER SURVEYS IN WHICH INCLUDED		ION
13. PART OF ESTAB. YES () 14. DISTRICT YES (HIST. DISTRICT ? NO (X) POTENTIAL? NO (Image: 1972 Historical Inventory Johnson, Johnson & Roy	40. VISIBLE FROM YES(X) PUBLIC ROAD ? NO()	(S)
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND ERONTAGE ON ROAD	
42. FURTHER DESCRIPTION OF IMPORTANT FEA		the portheast corner	9. 0
The front facade remodeled in	the 1880's has a square oriel on t	with Doric columns	OTHER
and a square bay on the second	story resting on the front porch le is lined with modillions. The	rest of the cornice	20
is undergoared by carved and p	aired brackets. The stories are o	defined by raised brick	NAM
atringcoursing which also comp	ects the raised brick, segmentally	w arched label lintels	ME (S)
accepted by keystones on the e	ast and north. There is a 2 stor	v tripartite bay on the	5)
43. HISTORY AND SIGNIFICANCE 1		south.	
John Donovan. Sr. an attorney	y in the real estate partnership of	of Donovan and Saxton.	
was first listed at this addres	in 1871. The Italianate core	of this house was	l
built about this time as the bu	ailding did not appear on an 1868	map. Donovan was	, m
in partnership during the 1890	s with his son. John Donovan. Jr.	. who served as Preside	nt J
of the German American Bank and	Manager of the St. Joseph Stocky	ards. John D. Richards	on, ž
who owned the successful Richard	tion bry Goods Co. and was Preside	nt of Burnes National	Ę
Bank, married Mr. Donovan's day	ighter, Alie, in 1897 and lived in	n this house until his	
death in 1924. The Queen Anne s	tyle additions on the east side an	opeared between 1883 and	1888.
44. DESCRIPTION OF ENVIRONMENT AND OUTE			RANGE
	eeply northwest toward a brick ca retaining wall runs along the eas		IGE
45. SOURCES OF INFORMATION Water Perm	it:1880,John Donovan,Sr.,Building	46. PREPARED BY	
Permit:1900, John D. Richardson	Barn,\$1,000;1883,1888,1897 Sanbo	nSusan Ide Symington	SEC
Mans: City Directory;01d St. J.	, Sheridan A. Logan, 1976. TO: OFFICE OF HISTORIC PRESERVATION	Landmarks Commission	SECTION
IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	48. DATE 49. REVISION DATE(S)	



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

1. NO. P.W AS-017-082	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		i. No
2. COUNTY <u>Buchanan</u> 3. LOCATION OF City Hall	5. OTHER NAME(S) Edward S. Schramm Residence	· Cerp	Ģ
<pre>vegatives of ty hall s specific legal location townshipRangesection if city or town, street address 702 N. 5th St. z city or town if rural, vicinity Saint Joseph, Missouri s. description of location Robidoux's Addition Block 16 Lot 12</pre>	16. THEMATIC CATEGORY Architecture 17. DATE(S) OR PERIOD 1894 18. STYLE OR DESIGN Late Queen Anne 19. ARCHITECT OR ENGINEER 20. CONTRACTOR OR BUILDER 21. ORIGINAL USE, IF APPARENT RESERT USE	28. NO. OF STORIES 15 29. BASEMENT? YES(X) NO() 30. FOUNDATION MATERIAL Brick 31. WALL CONSTRUCTION Brick 32. ROOF TYPE AND MATERIAL Hip; Asphalt Shingle 33. NO. OF BAYS FRONT 2 SIDE 3 34. WALL TREATMENT Running Bond	2. COUNTY 4. PRESEN
	26. LOCAL CONTACT PERSON OR ORGANIZATION 15. (3) Tandmarks Commission 10. (1) 27. OTHER SURVEYS IN WHICH INCLUDED 1972 1972	(EXPLAIN IN ALTERED () NO. 42) MOVED () 37. CONDITION INTERIOR EXTERIOR GOOD 38. PRESERVATION YES (X) UNDERWAPAINTING NO ()	PRESENT LOCAL NAME(S) OR DESIGNATION(S)
42. FURTHER DESCRIPTION OF IMPORTANT FEATURES The irregularity of massing, fenestration, roof shapes, and surface treatment here is a hallmark of the Queen Anne style. The steeply pitched hipped roof is broken by large 1½-story bays capped by gables with returns on the south and east. There is a gabled dormer facing north. On the S.W. cosner is a 1-story oriel that doesn't break the hippe roof line. The front entry porch is chamfered on the S.E. corner, which leads to the front entry set asymmetrically in the east bay, perpendicular to Fifth Street. 43. HISTORY AND SIGNIFICANCE This house was constructed as the residence of Edward Schramm, the Secretary of the			
was \$3,000. This high quality and well in strongly to the establishment fine 19th and turn-of-the Cen	upany, in 1894; the cost listed on the stact example of the late Queen Anne of an historical district in the Ro stury residences.	style would contribute	
This lot slopes dramatically railway ties. The property i	west and is supported at its base by s bounded on the west by an alley.		
Res.,\$3,000; City Directories	g permit: 4-27-94,Fannie Morse Schraf 5. ED TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	Susan Ide Symington 47. ORGANIZATION Landmarks Commission 48. DATE 49. REVISION DATE(S) 8/85	SECTION



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

2

i. NO. 4	. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		-
BN-175-017-083	ų	en Xerro	NO
2. COUNTY		4Xe	
	. OTHER NAME(S)	°D	l I
3. LOCATION OF City Hall VEGATIVES	Richard Melson Residence		
3 SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORY	28. NO. OF STORIES 2	Ņ
F CITY OR TOWN, STREET ADDRESS	Architecture	29. BASEMENT? YES(X) NO()	Coc
704 N. 5th St.	1898	30, FOUNDATION MATERIAL	UNTY
Z CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri	18. STYLE OR DESIGN	Brick	
8. DESCRIPTION OF LOCATION	Late Queen Anne	31. WALL CONSTRUCTION Brick	
		32. ROOF TYPE AND MATERIAL	l l
Robidoux's Addition	20. CONTRACTOR OR BUILDER J.W. Trickett	<u>Hip:Asphalt Shingle</u>	
Block 16 Lot 11		33. NO. OF BAYS FRONT 2 SIDE 3	↑
	21. ORIGINAL USE, IF APPARENT	34. WALL TREATMENT	РЯЕ
	22. PRESENT USE	Running Bond	ESENT
	Apartments	35. PLAN SHAPE Irregular	
	23. OWNERSHIP PUBLIC() PRIVATE(X)	(EXPLAIN IN	LUCAL
		NO. 42) ALTERED () MOVED ()	
	24. OWNER'S NAME AND ADDRESS IF KNOWN HOWARD E. Templeton	37. CONDITION	NARE (S)
9. COORDINATES UTM	Box 239	INTERIOR	(3)
LAT Long	Gower, Mo. 64454		Q X
IO. SITE () STRUCTURE	25. OPEN TO PUBLIC ? YES() NO(X)		
BUILDING (X) OBJECT		39. ENDANGERED ? YES ()	SIGN
	(X) Landmarks Commission	(X) ON STAHW YE	A
IS PART OF FETAR YES () 14 DISTRICT YES	() 27. OTHER SURVEYS IN WHICH INCLUDED (x) 1972 Historical Inventory	40. VISIBLE FROM YES (X)	DESIGNATION(S)
HIST. DISTRICT ? NO (x) POTENTIAL ? NO	() Johnson, Johnson & Roy	PUBLIC ROAD ? NO()	<u> ۳</u>
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE, ON ROAD	İ
		10 and 40	
42. FURTHER DESCRIPTION OF IMPORTANT FE	ATURES	d in wooden shingle	
The hipped root is broken on th	e east and south by gables sheathed ndow grouping, and projecting on la	arge brackets over	
the brick facade below. On the	north facade, there is a deep two-	-story polygonal bay	9
tucked beneath the hip of the	ain roof. The fenestration is qui	te varied. On the	3
front facade there are two oblo	ng oculi placed to emphasize the he	orizontal on the first	
and second stories, Also, on t	his facade on the first story is a	tripartite rectilinear	
Window and on the second story-	there are paired windows.		
This building was constructed i	n 1898 as the residence of Richard	Nelson, of the Nelson) F
	a stenographer for the Nave and Mo		
resided here as well. The buil	ding permit is in the name of $J_{\bullet}W_{\bullet}$	Trickett, a contractor	ŧ.
and listed the price of \$2,500.			ł
	ple of the late Queen Anne style wo corical district in the Pobidoux Hi		1
and turn-of-the Century resider		II area or inne 1901	
·	·		<u>}</u>
44. DESCRIPTION OF ENVIRONMENT AND OUT	lly toward the west and is bounded	on that side by an	ł
alley. There are no outbuildir	lgs.	- · · · ·	1
- -	•		
45. SOURCES OF INFORMATION Building	Permit:11-7-98, J.W. Trickett, \$2.50	46. PREPARED BY	1
Res.;City Directories.	· · · · · · · · · · · · · · · · · · ·	Susan Ide Symington	1
		47. ORGANIZATION Landmarks Commission	
	TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176	48. DATE 49. REVISION DATE(S)	
IF ADDITIONAL SPACE IS NEEDED, ATTACH Separate sheet(s) to this form	JEFFERSON CITY, MISSOURI 65102 Ph. 314-751-4096	8/85	l

CTIO



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

2

BN-A5-017.084	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	ered	1. NO.
2. COUNTY Buchanan 3. LOCATION OF City Hall	5. OTHER NAME(S) Oscar Schram Residence	-red	
NEGATIVES	Oscar Schram Residence		
3 SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORY	28. NO. CF STORIES 1号 29. BASEMENT? YES(X)	א <u>י</u> ס
F CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	NO()	COUNTY
710 N. 5th St.	1904	30. FOUNDATION MATERIAL Brick	TY
z city or town of RURAL, VICINITY Saint Joseph, Missouri	ib. style or design Vernacular	31. WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick 32. ROOF TYPE AND MATERIAL	
Robidoux's Addition	20. CONTRACTOR OR BUILDER	Composite:Asphalt 33. NO. OF BAYS	
Block 16	21. ORIGINAL USE, IF APPARENT	FRONT 3 SIDE 4	יי. פ
Lot 10	Residence	34. WALL TREATMENT Running Bond	RESI
	22. PRESENT USE Residence	35. PLAN SHAPE Trregular	ENT
		36. CHANGES ADDITION ()	4. PRESENT LOCAL NAME(S)
	PRIVATE(X)	(EXPLAIN IN NO. 42) ALTERED ()	Ň
	24. OWNER'S NAME AND ADDRESS IF KNOWN Mary Sherman	MOVED()	NAN
9 CCORDINATES UTM	4422 Haverill Ct.		E(S)
LAT	St. Joseph, Mo.	EXTERIOR GOOD	OR
LONG	25. OPEN TO PUBLIC ? YES()	38. PRESERVATION YES () UNDERWAY ? NO (Y)	
IO. SITE () STRUCTUR BUILDING (X) OBJEC	RE() NO(X) T() 28. LOCAL CONTACT PERSON OR ORGANIZATION	39. ENDANGERED? YES()	ESIG
	s(X) Landmarks Commission	AT ON STATE YES	DESIGNATION (S
13. PART OF ESTAB. YES () 14. DISTRICT YI	s(X)	40. VISIBLE FROM YES (X) PUBLIC ROAD 2 NO ()	N(S)
HIST. DISTRICT ? NO (x) POTENTIAL ?		41. DISTANCE FROM AND	
		FRONTAGE ON BOAD	
a large gable stretches over brick piers. The front entry transom. A wide window on th story is articulated by a rai simply treated with no lintel	EATURES ection is broken by hipped dormers f the front section to cantilever over is deeply recessed in the south bay e main front facade has a leaded gla sed brick water table. The windows s and slightly projecting concrete s	and surmounted by a ss transom. The first are rectilinear and	J. OTHER A.
of 67! His profession was no given on the building permit This high quality vernacular	b nid k residence would contribute str in the Robidoux Will area of fine 19	ongly to the establish	
44. DESCRIPTION OF ENVIRONMENT AND O This property slopes dramatic north. An alley runs along t	urguildings cally north and west. There is a lar the west side of the lot.	ge open yard to the	
45. SOURCES OF INFORMATION Building	r Permit:9-9-04. Oscar Schram, \$1.500	46. PREPARED BY	-
Res.; City Directories; Sanbo	orn Insurance Maps of 1897 and 1911.	Susan Ide Symington	
RETURN THIS FORM WHEN COMPLETE	D TO: OFFICE OF HISTORIC PRESERVATION	Landmarks Commission 48. DATE 49. REVISION DATE(S)	
IF ACDITIONAL SPACE IS NEEDED, ATTACH Separate sheet(s) to this form	JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	8/85	



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

2

1. NO. 4.	PRESENT LOCAL NAME(S) OR DESIGNATION(S)		-
UN A- 017-055	-2	r te	NO.
2. COUNTY Ruchanan 5.	OTHER NAME(S)	- <u>-</u> (c)	
3. LOCATION OF City Hall	Samuel H. Justice Residence		
NEGATIVES			
8 SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY	28. NO. OF STORIES 22	Ņ
TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS	Architecture	29. BASEMENT ? YES (X)	6
719 N. 5th St.	IT. DATE(S) OR PERIOD	NO(_)	COUNTY
	1892	30. FOUNDATION MATERIAL	7
Z CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri	18. STYLE OR DESIGN Late Queen Anne	31. WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick	
		32. ROOF TYPE AND MATERIAL	
Robidoux's Addition	20. CONTRACTOR OR BUILDER	Composite;Asphalt	
Block 15		33. NO. OF BAYS	4 .
Lots 5 and 6	21. ORIGINAL USE, IF APPARENT Residential	34. WALL TREATMENT	РН
•		Common Bond	SE
	22. PRESENT USE Residential	35. PLAN SHAPE Irregular	PRESENT LOCAL NAME(S)
	23. OWNERSHIP PUBLIC		
	PRIVATE		AL
	24. OWNER'S NAME AND ADDRESS , et Al		2
	Robidoux Center		125
9. CCORDINATES UTM	American National Ban	INTERIOR	(5)
LAT LONG		EXTERIOR	Ş
	25. OPEN TO PUBLIC? YES(
IO. SITE () STRUCTURE (BUILDING () OBJECT (DESIGNATION(S
H. CN NATIONAL YES () [12. IS IT YES (N 39. ENDANGERED? YES() BY WHAT? NO(X)	5TA
REGISTER ? NO (X) ELIGIBLE? NO			ī
		40. VISIBLE FROM YES (X)	c) IN
I3. PART OF ESTAB. YES () I4. DISTRICT YES (HIST. DISTRICT ? NO (X) POTENTIAL? NO		PUBLIC ROAD ? NO ()	÷
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND	
		FRONTAGE ON ROAD 15' and 80'	
the boxed cornice, the rear se and surmounted by flush lintel There are three entries on the south bay. The front porch, c south and has a wide fascia w ^{43.} HISTORY AND SIGNIFICANCE This house was constructed in	apped by a wide gable end with box ction of the roof is hipped. The s that are splayed and formed by r front facade, one of which is dee onstructed in 1911, wraps around hich rests on Doric columns. 1892 as the residence of Samuel H Company. The cost listed on the	windows are rectilinear radiating stretchers. eply recessed in the the front facade to the Justice, Secretary	
the housing the section of the secti	d to own the house until 1911 when	n the current front	-
\$1,800. Mr. Justice continue porch was added.	IT TO AMIT THE HOUSE HISTY 1211 MUCH		
Dorch was added. Whis wall maintained avouals a	of late Queen Anne building would	contribute strongly to	
the establishment of an histor	tic district in the Robidoux Hill	area of high quality	
19th and early 20th Century re	sidential buildings.		
1) we also could come converge to			
44. DESCRIPTION OF ENVIRONMENT AND OUT	BUIL DINGS		1
This corner property slopes du a coursed concrete retaining v	camatically north and is supported	only on the west by	
	Permit:1892, S.H. Justice, \$1,800,	46. PREPARED BY	
		Susan Ide Symington	
Res.;1907, Samuel Justice, Porch	TO BIODICT CA DILOC COLA.	47. ORGANIZATION	
RETURN THIS FORM WHEN COMPLETED	TO: OFFICE OF HISTORIC PRESERVATION	Landmarks Commission	
•	P.O. BOX 176	48. DATE 49. REVISION DATE(S)	
IF ADDITIONAL SPACE IS NEEDED, ATTACH Separate Sheet(s) to this form	JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	8/85	

5. TOWNSHIP



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

2. COUNTY		intered.	NO,
Buchanan		- 4×	
3. LOCATION OF City Hall NEGATIVES	James W. Hartigan Residence		
3 SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORY	28. NO. OF STORIES 23	s.
F CITY OR TOWN, STREET ADDRESS	Architecture	29. BASEMENT? YES (X) NO()	COUNTY
724 N. 5th St.	1889	30. FOUNDATION MATERIAL	NTY
Z CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri	IB. STYLE OR DESIGN Queen Anne	JELCK 31. WALL CONSTRUCTION	
B. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick	
	20. CONTRACTOR OR BUILDER	32. ROOF TYPE AND MATERIAL Hip:Asphalt Shingle	
Robidoux's Addition Block 16	20. CONTRACTOR OR BUILDER	33. NO. OF BAYS	4 .
Lots 7 and 8	21. ORIGINAL USE, IF APPARENT	FRONT 4 SIDE 4	PRI
	Residence	Running Bond	ESEN
	22. PRESENT USE Residence	35. PLAN SHAPE Irregular	
	23. OWNERSHIP PUBLIC() PRIVATE(X)	(FYPLAIN IN	PRESENT LOCAL NARE(S)
	24. OWNER'S NAME AND ADDRESS	NO. 42) ALTERED ()	
	IF KNOWN Kenneth E. Harris	37. CONDITION	Arae
9 CCORDINATES UTM		INTERIOR	
LAT LONG	25. OPEN TO PUBLIC ? YES()		
IO. SITE () STRUCTU			
	CT () 26. LOCAL CONTACT PERSON OR ORGANIZATION	AY WHAT 2	DESIGNATION(S
PEGISTER 2	ES(*) <u>Landmarks Commission</u> NO() 27. OTHER SURVEYS IN WHICH INCLUDED		
13. PART OF ESTAB. YES () 14. DISTRICT Y	1972 Historical Inventory	40. VISIBLE FROM YES (X)	112
HIST DISTRICT 2 NO () POIENTIAL ?			
HIST. DISTRICT? NO (X) POTENTIAL?	Johnson, Johnson & Roy	PUBLIC ROAD ? NO ()	
15. NAME OF ESTABLISHED DISTRICT	Johnson, Johnson & Roy	41. DISTANCE FROM AND FRONTAGE ON ROAD 151 and 80	
 15. NAME OF ESTABLISHED DISTRICT 42. FURTHER DESCRIPTION OF IMPORTANT As characteristic of the Quee and surface texture are richl broken by a hipped dormer on east, and a rounded two and a on the first story have stain over paired landing windows. along the tops of the windows. along the tops of the windows. This house was constructed i meat market. The half block surrounding area because a b This well intact and outstar 	Johnson, Johnson & Roy FEATURES on Anne style, the massing, fenestration by variegated on this building. The the south, a gable end capping a two a half story turret on the northeast ned glass transoms; also, there is a The watertable is of finished stone s toward the front on the first and (n 1889 as the residence of James W. c on which this house sits was develo luff was located here. adding example of the Queen Anne style ant of an historic district in the Ro	41. DISTANCE FROM AND FRONTAGE ON ROAD 15' and 80' tion, window treatment, steeply pitch roof is o story square bay on th corner. The windows stained glass fanlight and the coursing runn second stories are of Tock-faced stone. Hartigan who owned a ped later than the would contribute in a	
 15. NAME OF ESTABLISHED DISTRICT 42. FURTHER DESCRIPTION OF IMPORTANT As characteristic of the Quee and surface texture are richl broken by a hipped dormer on east, and a rounded two and a on the first story have stain over paired landing windows. Along the tops of the windows. Along the tops of the windows. This house was constructed i meat market. The half block surrounding area because a b This well intact and outstar major way to the establishme high quality 19th and early 44. DESCRIPTION OF ENVIRONMENT AND This corner property slopes On the western part of the 1 side and back wards a steep 	Johnson, Johnson & Roy Johnson, Johnson & Roy FEATURES an Anne style, the massing, fenestrat ly variegated on this building. The the south, a gable end capping a two a half story turret on the northeast ned glass transoms; also, there is a The watertable is of finished stone s toward the front on the first and n 1889 as the residence of James W. c on which this house sits was develo luff was located here. ading example of the Queen Anne style ant of an historic district in the Ro 20th Century structures.	41. DISTANCE FROM AND FRONTAGE ON ROAD 15' and 80' tion, window treatment, steeply pitch roof is o story aquare bay on the corner. The windows stained glass fanlight and the coursing runn second stories are of TOCK-faced stone. Hartigan who owned a oped later than the a would contribute in a bidoux Hill area of the west by an alley. turned columns. The ear, there is a brick 18' shingled in wood.	
 15. NAME OF ESTABLISHED DISTRICT 42. FURTHER DESCRIPTION OF IMPORTANT As characteristic of the Quee and surface texture are richl broken by a hipped dormer on east, and a rounded two and a on the first story have stain over paired landing windows. Along the tops of the windows. Along the tops of the windows. Along the tops of the windows. This house was constructed i meat market. The half block surrounding area because a b This well intact and outstar major way to the establishme high quality 19th and early AL DESCRIPTION OF ENVIRONMENT AND This corner property slopes On the western part of the 1 side and back yards are encl corner with a steep 45. SOURCES OF INFORMATION Building 	Johnson, Johnson & Roy Johnson, Johnson & Roy FEATURES an Anne style, the massing, fenestrat ly variegated on this building. The the south, a gable end capping a two a half story turret on the northeast ned glass transoms; also, there is a The watertable is of finished stone s toward the front on the first and n 1889 as the residence of James W. c on which this house sits was develo luff was located here. ading example of the Queen Anne style ent of an historic district in the Ro 20th Century structures. DUTBUILDINGS dramatically north and is bounded on arge south yard there is gazebo with osed by chainlink fencing. In the ro v Ditched Rable Tool. The gable end r Permit: 1889. James W. Hartigan.Res.	41. DISTANCE FROM AND FRONTAGE ON ROAD 15' and 80' tion, window treatment, steeply pitch roof is o story aquare bay on the corner. The windows stained glass fanlight and the coursing runn scond_stories are of TOCK-faced stone. Hartigan who owned a oped later than the a would contribute in a bidoux Hill area of the west by an alley. turned columns. The ear, there is a brick 146. PREPARED BY	
 15. NAME OF ESTABLISHED DISTRICT 42. FURTHER DESCRIPTION OF IMPORTANT As characteristic of the Quee and surface texture are richl broken by a hipped dormer on east, and a rounded two and a on the first story have stain over paired landing windows. Along the tops of the window of the tops of the window. This house was constructed i meat market. The half block surrounding area because a b This well intact and outstar major way to the establishme high quality 19th and early 44. DESCRIPTION OF ENVIRONMENT AND This corner property slopes On the western part of the 1 side, and back yards are encl corriage for information Building \$6,500; City Directory; Build 	Johnson, Johnson & Roy Johnson, Johnson & Roy FEATURES an Anne style, the massing, fenestrat ly variegated on this building. The the south, a gable end capping a two a half story turret on the northeast ned glass transoms; also, there is a The watertable is of finished stone s toward the front on the first and n 1889 as the residence of James W. c on which this house sits was develo luff was located here. ading example of the Queen Anne style ant of an historic district in the Ro 20th Century structures.	41. DISTANCE FROM AND FRONTAGE ON ROAD 15' and 80' tion, window treatment, steeply pitch roof is o story aquare bay on the corner. The windows stained glass fanlight and the coursing runn scond_stories are of TOCK-faced stone. Hartigan who owned a oped later than the a would contribute in a bidoux Hill area of the west by an alley. turned columns. The ear, there is a brick 146. PREPARED BY	

RETURN THIS FORM WHEN COMPLET	TED TO: OFFICE OF HISTORIC PRESERVATION	Landmarks Commission
IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	F. U. DUA 11 U	48. DATE 49. REVISION DATE(S) 8/85



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

3

i. NO. 4.	PRESENT LOCAL NAME(S) OR DESIGNATION(S)			
BN-17-5-017-687			NO	
2. COUNTY Buchanan 5.	OTHER NAME(S)	<i>(e [)</i>		
3. LOCATION OF City Hall VEGATIVES		` <i>a</i> ⁄		
3 SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY	28. NO. OF STORIES 2	Ņ	
TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS	Architecture	29. BASEMENT ? YES (X) NO ()	COUNTY	
514-16 N. 6th St.	1906	30. FOUNDATION MATERIAL Brick	T	
Saint Joseph, Missouri	IB. STYLE OR DESIGN Vernacular	31. WALL CONSTRUCTION		
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick		
Robidoux's Addition	20. CONTRACTOR OR BUILDER	32. ROOF TYPE AND MATERIAL Hip:Asphalt Shingle		
Block 1		33. NO. OF BAYS FRONT 3 SIDE 7	4.	
Lot 9	^{21.} Sesidential, ^A Duplex	34. WALL TREATMENT	PRE	
	22. PRESENT USE Residential, Duplex	Punning Bond	PRESENT	
	23. OWNERSHIP PUBLIC (35. PLAN SHAPE		
	PRIVATE (X	NO. 42)	LOCAL	
	24. OWNER'S NAME AND ADDRESS IF KNOWN	MOVED ()	NAME(S)	
9. COORDINATES UTM	Mrs. Mary D. Moore	INTERIOR	(S)	
LAT LONG	514 N. 6th St. 25. OPEN TO PUBLIC? YES(EXTERIOR GOOD	OR	
IO. SITE () STRUCTURE (DES	
BUILDING (X) OBJECT (N 39. ENDANGERED? YES() BY WHAT? NO(X)	DESIGNATION(S)	
) 27. OTHER SURVEYS IN WHICH INCLUDED		NOLL	
I3. PART OF ESTAB. YES () I4. DISTRICT YES (HIST. DISTRICT ? NO () POTENTIAL ? NO ()		40. VISIBLE FROM YES(X) PUBLIC ROAD ? NO()	(5)	
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD 20 and 40		
		20. and 40.		
42. FURTHER DESCRIPTION OF IMPORTANT FEATURES The lower half of the front facade is symmetrical with a two-story tripartite bay in the center flanked by two segmentally arched entries setting beneath hipped roof porches with wide fascias. The bay is the same as the one on the south facade; both are capped by a boxed cornice and have half-timbered spandrels. The top half of the front facade has a brick gable off-center to the north with a frame sleeping porch on the southeast corner. The windows are segmentally arched flush lintels formed by 43radstating double header rows in the rear section.				
resided next door to the west	n 1906 for Bernhard Newburger, a m at 518 N. 6th St. The cost liste	ed on the building	e.	
permit was \$6,000. This building has fine brickwork and much original detailing which would help it contribute to the establishment of an historic district in the Robidoux Hill area of high quality 19th and early 20th Century residential buildings.				
on the west by an alley. $\Lambda \perp$	ow retaining wall of concrete in t bank on which the building is sit	the form of coursed		
45. SOURCES OF INFORMATION Building P	ermit:B. Newburger.1906. 36,000,	46. PREPARED BY		
Res.; City Directory.		Susan Ide Symington 47. ORGANIZATION	SECT	
RETURN THIS FORM WHEN COMPLETED	TO: OFFICE OF HISTORIC PRESERVATION	Landmarks Commission 48. DATE 49. REVISION DATE(S)		
IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	F ADDITIONAL SPACE IS AUCTORE ATTACH IEFEERSON CITY MISSOURI SELOO 8/85			

ē



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

	PRESENT LOCAL NAME(S) OR DESIGNATION(S)		-
BN-AS-017-058	ezz	ter d	NO,
2. COUNTY Buchanan	5. OTHER NAME(S)	er d	
3. LOCATION OF City Hall VEGATIVES	Frederick Bearman House	~~ q	
8 SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORY Architecture	28. NO. OF STORIES 2 29. BASEMENT? YES (X)	<u></u> 2
if city or town, street address 518 N. 6th St.	17. DATE(S) OR PERIOD C.1884	23. BASEMENT POINT NO()	COUNT
7. CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri	18. STYLE OR DESIGN	Brick	~
8. DESCRIPTION OF LOCATION	Italianate 19. architect or engineer	31. WALL CONSTRUCTION	
Robidoux's Addition	20. CONTRACTOR OR BUILDER	32.ROOF TYPE AND MATERIAL Hip; Asphalt	
Block 1	21. ORIGINAL USE, IF APPARENT	33. NO. OF BAYS FRONT SIDE	د. ⊽
Lot 8 .	Residence 22. PRESENT USE	34. WALL TREATMENT Brick	PRESENT
	Residence	35. PLAN SHAPE Irregular	L _
	23. OWNERSHIP PUBLIC() PRIVATE(X)	36. CHANGES ADDITION () (EXPLAIN IN ALTERED ()	LOCAL
	24. OWNER'S NAME AND ADDRESS	MOVED()	
	IF KNOW Eugene P. Moore	37. CONDITION	NARE (S)
9 CCORDINATES UTM LAT	514 N. 6th St. <u>St. Joseph, Mo. 64501</u>	EXTERIOR Good	
LONG	25. OPEN TO PUBLIC? YES()	38. PRESERVATION YES ()	
$\begin{array}{ccc} \text{IO.} & \text{SITE}(\) & \text{STRUCTURI}\\ & & \text{BUILDING}\left(\ \mathbf{\chi} \right) & \text{OBJECT} \end{array}$			DESIG
	(x) <u>Landmarks Commission</u>	BY WHAT ? NO (X)	DESIGRATION(S)
		40. VISIBLE FROM YES (X) PUBLIC ROAD ? NO ())fi(S)
15. NAME OF ESTABLISHED DISTRICT	Johnson, Johnson & Roy 1972 Historical Inventory	41. DISTANCE FROM AND FRONTAGE ON ROAD 10' and 40'	ĺ
		io and 40	
42. FURTHER DESCRIPTION OF IMPORTANT FEATURES The low hipped roof has a boxed cornice. The uniformly sized windows are segmentally arched and capped by raised brick label lintels which are accented by keystones on the front or east facade. The front entry is similarly capped and is surmounted also by a transom. There is a deeply projecting square bay on the south. The low brick wall of the entry porch was probably a 1969 addition. In the rear, there is a two story extension added in 1892. 43. HISTORY AND SIGNIFICANCE 2			
The water permit for this property was in the name of Frederick Bearman who was first listed at this address in 1885. Mr. Bearman's profession was not listed in the City Directory. The large rear extension was added in 1892 by Bernhard Newburger, a millinery merchant.			
Despite the more recent changes of the front porch, this good example of the Italianate style retains its original profile and window treatment and would contribute signifi- cantly to the establishment of an historic district in the Robidoux Hill area.			•
44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS The property is bounded on the west by an alley and is supported on the east by a low rock-faced stone retaining wall.			•
45. SOURCES OF INFORMATION Water Per	mit:1886,F. Bearman; 1897 & 1911	46. PREPARED BY Susan Ide Symington	<u> </u>
Sanborn Maps; City Directory; B	<pre>Idg.Permit:1892,B.Newburger,\$1,400,</pre>	47. ORGANIZATION	
RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATIONES Landmarks Commission P.O. BOX 176 IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM PH. 314-751-4096			

.



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

i. NO. 14. i	PESENT LOCAL MANS(C) OD DECLEMENT	
BA)-A:-017-089	PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
2. COUNTY	E	n fer f
	DTHER NAME(S)	
3. LOCATION OF City Hall	Joseph A. Inslee House	
3 SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY	28. NO. OF STORIES 2
TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS	Architecture	29. BASEMENT ? YES (T)
524 N. 6th St.	17. DATE(S) OR PERIOD c. 1867	NO() 30. FOUNDATION MATERIAL
CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri	18. STYLE OR DESIGN	Stone
8. DESCRIPTION OF LOCATION	Greek Revival	31. WALL CONSTRUCTION
	13. ARCHIECT OR ENGINEER	32 ROOF TYPE AND MATERIAL Hip; Asphalt Shingle
Robidoux's Addition	20. CONTRACTOR OR BUILDER	
Block 1	21. ORIGINAL USE IF APPARENT	33. NO. OF BAYS
Lots 6 and 7		34. WALL TREATMENT and Running Bonds
	22. PRESENT USE Apartments	35. PLAN SHAPE Irregular
	23. OWNERSHIP PUBLIC()	
· · · ·		
	24. OWNER'S NAME AND ADDRESS IF KNOWN Jerry R. White	MOVED()
9. CCORDINATES UTM	601 Hall	37. CONDITION
LAT LONG	St. Joseph, Mo.64501	EXTERIOR Good
IO. SITE () STRUCTURE (25. OPEN TO PUBLIC ? YES()	38. PRESERVATION YES () UNDERWAY ? NO (X)
BUILDING (X) OBJECT (LOCAL CONTACT FERSON ON ORGANIZATION	39. ENDANGERED? YES()
H. CN NATIONAL YES () 12. IS IT YES (REGISTER ? NO (X) ELIGIBLE ? NO (BY WHAT? NO (X)
13. PART OF ESTAB. YES () 14. DISTRICT YES (1972 Wistomian Tryentowy	40. VISIBLE FROM YES (X)
HIST. DISTRICT ? NO (x) POTENTIAL ? NO (15. NAME OF ESTABLISHED DISTRICT	Johnson, Johnson & Roy	PUBLIC ROAD ? NO ()
· · · · · · · · · · · · · · · · · · ·		41. DISTANCE FROM AND FRONTAGE ON ROAD 15 and 85
bond on the front facade and com are capped on the front facade is the sides are flush and made of and framed by sidelights and a to the southern bay. The more rece southern entrance southern entrance southern entrance southern entrance southern entrance southern entrance significance 2 This property changed hands many and 1867, the first year Joseph this address in the City Directo In spite of the addition of an is Greek Revival style with its well significantly to the establishme of high quality 19th and early 2 A4. DESCRIPTION OF ENVIRONMENT AND OUTBU This corner property slopes tows	cornice lined with fascia. The k mon bond on the sides. The narrow by slightly peaked lintels with mo stone. The main front entry is a gransom. There is another front entry added front porch wraps arou times between 1854, the year Jos A. Inslee, a merchant and auction	by rectilinear windows olding; the lintels on set in a panelled reveal entry setback deeply in and the front to this seph Robidoux sold it, heer, was listed at bod example of the try, would contribute a Robidoux Hill area s.
	f. An alley runs along the west.	
45. SOURCES OF INFORMATION Abstract; Ci	ty Directory; this building	46. PREPARED BY Susan Ide Symington
appears on the 1060 lilustrated	Map of St. Joseph.	47. ORGANIZATION
RETURN THIS FORM WHEN COMPLETED TO	D: OFFICE OF HISTORIC PRESERVATION	Landmarks Commission

IF ADDITIONAL SPACE IS NEEDED, ATTACH Separate Sheet(s) to this form

JEFFERSON CITY, MISSOURI 65102 8/85 PH. 314-751-4096



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

2

BN As -017-070 Cartion of 2. county Buchanan 5. OTHER NAME(S) 3. LOCATION OF City Hall 5. OTHER NAME(S) 3. LOCATION OF City Hall 16. THEMATIC CATEGORY Architecture 17. DATE(S) OR PERIOD CO2 N. 6th St. 17. DATE(S) OR PERIOD C. 1887 18. STYLE OR DESIGN Township IF RURAL, VICINITY Saint JOSeph, Missouri 19. ARCHITECT OR ENGINEER 8. DESCRIPTION OF LOCATION 19. ARCHITECT OR ENGINEER Robidoux's Addition 19. ARCHITECT OR BUILDER Block 14 21. ORIGINAL USE, IF APPARENT Lot 12, S. 30' 22. PRESENT USE Apartments 23. OWNERSHIP PUBLIC() PRIVATE(I) 24. OWNER'S NAME AND ADDRESS	28. NO. OF STORIES 2 29. BASEMENT? YES (20 NO () 30. FOUNDATION MATERIAL Brick 31. WALL CONSTRUCTION Brick 32. ROOF TYPE AND MATERIAL Flat 33. NO. OF BAYS FRONT 3 SIDE 3 34. WALL TREATMENT Running & Common Bond 35. PLAN SHAPERectangular
3. LOCATIVES 3. SPECIFIC LEGAL LOCATION TOWNSHIPRANGESECTIONArchitecture IF GITY OR TOWN, STREET ADDRESS 602 N. 6th St. 7. CITY OR TOWN IF RURAL, VICINITY Saint JOSEPH, Missouri 8. DESCRIPTION OF LOCATION IB. STYLE OR DESIGN Ttalianate 19. ARCHITECT OR ENGINEER 20. CONTRACTOR OR BUILDER 21. ORIGINAL USE, IF APPARENT Robidoux's Addition Block 14 Lot 12, S. 30' 22. PRESENT USE Apartments 23. OWNERSHIP PUBLIC() PRIVATE(Z) 24. OWNER'S NAME AND ADDRESS	28. NO. OF STORIES 2 29. BASEMENT? YES (20 NO () 30. FOUNDATION MATERIAL Brick 31. WALL CONSTRUCTION Brick 32. ROOF TYPE AND MATERIAL Flat 33. NO. OF BAYS FRONT 3 SIDE 3 34. WALL TREATMENT Running & Common Bond 35. PLAN SHAPERectangular 36. CHANGES ADDITION () (EXPLAIN IN NO. 42) ALTERED () MOVED () 37. CONDITION
3. LOCATIVES 3. SPECIFIC LEGAL LOCATION TOWNSHIPRANGESECTIONArchitecture IF GITY OR TOWN, STREET ADDRESS 602 N. 6th St. 7. CITY OR TOWN IF RURAL, VICINITY Saint JOSEPH, Missouri 8. DESCRIPTION OF LOCATION IB. STYLE OR DESIGN Ttalianate 19. ARCHITECT OR ENGINEER 20. CONTRACTOR OR BUILDER 21. ORIGINAL USE, IF APPARENT Robidoux's Addition Block 14 Lot 12, S. 30' 22. PRESENT USE Apartments 23. OWNERSHIP PUBLIC() PRIVATE(Z) 24. OWNER'S NAME AND ADDRESS	28. NO. OF STORIES 2 29. BASEMENT? YES (20 NO () 30. FOUNDATION MATERIAL Brick 31. WALL CONSTRUCTION Brick 32. ROOF TYPE AND MATERIAL Flat 33. NO. OF BAYS FRONT 3 SIDE 3 34. WALL TREATMENT Running & Common Bond 35. PLAN SHAPERectangular 36. CHANGES ADDITION () (EXPLAIN IN NO. 42) ALTERED () MOVED () 37. CONDITION
TOWNSHIP RANGE SECTION Architecture IF CITY OR TOWN, STREET ADDRESS 17. DATE(S) OR PERIOD C. 1887 602 N. 6th St. C. 1887 7. CITY OR TOWN IF RURAL, VICINITY IB. STYLE OR DESIGN Saint Joseph, Missouri Ttalianate 8. DESCRIPTION OF LOCATION I9. ARCHITECT OR ENGINEER Robidour's Addition I9. ARCHITECT OR BUILDER Block 14 20. CONTRACTOR OR BUILDER Lot 12, S. 30' 22. PRESENT USE Apartments 23. OWNERSHIP PUBLIC() PRIVATE(Z) 24. OWNER'S NAME AND ADDRESS	29. BASEMENT? NO() 30. FOUNDATION MATERIAL Brick 31. WALL CONSTRUCTION Brick 32. ROOF TYPE AND MATERIAL Flat 33. NO. OF BAYS FRONT 3 SIDE 3 34. WALL TREATMENT Running & Common Bond 35. PLAN SHAPERectangular 36. CHANGES ADDITION() (EXPLAIN IN ALTERED()) NO. 42) MOVED() 37. CONDITION
IF CITY OR TOWN, STREET ADDRESS I7. DATE(S) OR PERIOD 602 N. 6th St. C. 1887 7. CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri I8. STYLE OR DESIGN 8. DESCRIPTION OF LOCATION I9. ARCHITECT OR ENGINEER Robidoux's Addition I9. ARCHITECT OR BUILDER Block 14 20. CONTRACTOR OR BUILDER Lot 12, S. 30' 22. PRESENT USE Apartments 23. OWNERSHIP PUBLIC() PRIVATE(I) 24. OWNER'S NAME AND ADDRESS	NO() 30. FOUNDATION MATERIAL Brick 31. WALL CONSTRUCTION Brick 32. ROOF TYPE AND MATERIAL Flat 33. NO. OF BAYS FRONT 3 SIDE 3 34. WALL TREATMENT Running & Common Bond 35. PLAN SHAPERectangular 36. CHANGES ADDITION() (EXPLAIN IN ALTERED()) NO. 42) MOVED() 37. CONDITION
602 N. 6th St. c. 1887 Z. CITY OR TOWN IF RURAL, VICINITY Saint JOSEPH, Missouri 18. STYLE OR DESIGN Ttalianate B. DESCRIPTION OF LOCATION 19. ARCHITECT OR ENGINEER Robidoux's Addition Block 14 20. CONTRACTOR OR BUILDER Lot 12, S. 30' 21. ORIGINAL USE, IF APPARENT Residence 22. PRESENT USE Apartments 23. OWNERSHIP PUBLIC() PRIVATE(I) 24. OWNER'S NAME AND ADDRESS	30. FOUNDATION MATERIAL Brick 31. WALL CONSTRUCTION Brick 32. ROOF TYPE AND MATERIAL Flat 33. NO. OF BAYS FRONT 3 SIDE 3 34. WALL TREATMENT Running & Common Bond 35. PLAN SHAPERectangular 36. CHANGES ADDITION () (EXPLAIN IN ALTERED ()) NO. 42) MOVED () 37. CONDITION
7. CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri 18. STYLE OR DESIGN Ttalianate 8. DESCRIPTION OF LOCATION 19. ARCHITECT OR ENGINEER Robidoux's Addition Block 14 Lot 12, S. 30' 20. CONTRACTOR OR BUILDER 21. ORIGINAL USE, IF APPARENT Residence 22. PRESENT USE Apartments 23. OWNERSHIP PUBLIC() PRIVATE(I) 24. OWNER'S NAME AND ADDRESS	31. WALL CONSTRUCTION Brick 32. ROOF TYPE AND MATERIAL Flat 33. NO. OF BAYS FRONT 3 SIDE 3 34. WALL TREATMENT Running & Common Bond 35. PLAN SHAPERectangular 36. CHANGES ADDITION () (EXPLAIN IN NO. 42) ALTERED () MOVED () 37. CONDITION
B. DESCRIPTION OF LOCATION II. ARCHITECT OR ENGINEER Robidoux's Addition II. ARCHITECT OR BUILDER Block 14 20. CONTRACTOR OR BUILDER Lot 12, S. 30' 21. ORIGINAL USE, IF APPARENT Residence 22. PRESENT USE Apartments 23. OWNERSHIP PUBLIC() PRIVATE(I) 24. OWNER'S NAME AND ADDRESS	Brick 32. ROOF TYPE AND MATERIAL Flat 33. NO. OF BAYS FRONT 3 SIDE 3 34. WALL TREATMENT Running & Common Bond 35. PLAN SHAPERectangular 36. CHANGES ADDITION () (EXPLAIN IN NO. 42) ALTERED () MOVED () 37. CONDITION
Robidoux's Addition Block 14 Lot 12, S. 30' 22. PRESENT USE Apartments 23. OWNERSHIP PUBLIC() PRIVATE(X) 24. OWNER'S NAME AND ADDRESS	32. ROOF TYPE AND MATERIAL Flat 33. NO. OF BAYS FRONT 3 SIDE 3 34. WALL TREATMENT Running & Common Bond 35. PLAN SHAPERectangular 36. CHANGES ADDITION () (EXPLAIN IN NO. 42) ALTERED () MOVED () 37. CONDITION
Robidour's Addition Block 14 Lot 12, S. 30' 21. ORIGINAL USE, IF APPARENT Residence 22. PRESENT USE Apartments 23. OWNERSHIP PUBLIC() PRIVATE(I) 24. OWNER'S NAME AND ADDRESS	33. NO. OF BAYS FRONT 3 SIDE 3 34. WALL TREATMENT Running & Common Bond 35. PLAN SHAPERectangular 36. CHANGES ADDITION() (EXPLAIN IN NO. 42) ALTERED() MOVED() 37. CONDITION
Block 14 Lot 12, S. 30' 21. ORIGINAL USE, IF APPARENT Residence 22. PRESENT USE Apartments 23. OWNERSHIP PUBLIC() PRIVATE(I) 24. OWNER'S NAME AND ADDRESS	FRONT 3 SIDE 3 34. WALL TREATMENT Running & Common Bond 35. PLAN SHAPERectangular 36. CHANGES ADDITION() (EXPLAIN IN NO. 42) ALTERED() MOVED() 37. CONDITION
Lot 12, S. 30' Residence 22. present use <u>Apartments</u> 23. Ownership PUBLIC() PRIVATE(I) 24. Owner's Name and Address	Running & Common Bond 35. PLAN SHAPERectangular 36. CHANGES ADDITION() (EXPLAIN IN NO. 42) ALTERED() MOVED() MOVED()
Apartments 23. Ownership Public() PRIVATE(I) 24. Owner's Name and Address	35. PLAN SHAPE Rectangular 36. CHANGES ADDITION() (EXPLAIN IN ALTERED()) NO. 42) MOVED() 37. CONDITION
23. OWNERSHIP PUBLIC () PRIVATE(I) 24. OWNER'S NAME AND ADDRESS	36. CHANGES ADDITION () (EXPLAIN IN ALTERED () NO. 42) MOVED () 37. CONDITION
PRIVATE(I) 24. OWNER'S NAME AND ADDRESS	(EXPLAIN IN NO. 42) ALTERED() MOVED() 37. CONDITION
	MOVED () 37. CONDITION
IF KNOWN Donald Bachali	
9. CCORDINATES UTM 2612 Doniphan Ave. Lat St. Joseph. Mo.	EXTERIOR Cood
LONG 25. OPEN TO PUBLIC? YES()	38. PRESERVATION YES ()
IO. SITE () STRUCTURE () NO(\mathbf{x}) BUILDING (\mathbf{x}) OBJECT () 26. LOCAL CONTACT PERSON OR ORGANIZATION	39. ENDANGERED? YES()
H CN NATIONAL YES () LIZ IS IT YES (T) Tondmonted Commingsion	BY WHAT ? NO (X)
REGISTER ? NO (X) ELIGIBLE ? NO() 27. OTHER SURVEYS IN WHICH INCLUDED	X
13. PART OF ESTAB. YES () 14. DISTRICT YES (X) HIST. DISTRICT? NO (X) POTENTIAL? NO () 14. DISTRICT YES (X) POTENTIAL? NO () 14. DISTRICT YES (X) POTENTIAL? NO () 14. DISTRICT YES (X) POTENTIAL? NO () 14. DISTRICT YES (X)	40. VISIBLE FROM YES(X) PUBLIC ROAD ? NO()
Johnson, Johnson & Roy	41. DISTANCE FROM AND FRONTAGE ON ROAD
	10' and 30'
^{42.} FURTHER DESCRIPTION OF IMPORTANT FEATURES The more elaborate front facade is laid in running bond in contra- used on the other sides. The parapet of the flat roof on the from The windows on the front facade are framed by segmentally arched by keystones, and lug sills, both created by raised brick. The windows less elaborate south side are capped by segmentally arched label other windows have flush segmentally arched lintels a radiating br withs turned columna yeas added in 1900. This building and its near twin, 608 N. 6th St., were both listed County Ownership List circa 1890 in the name of Ruth A. Allen. The this property was taken out by Samuel A. Allen, a "carpenter" and in 1887, the same year the water permit was requested for 608 N. Neither Samuel Allen nor Manning were listed as living at these as the properties might have been built speculatively. Both building 1888 Sanborn Map and would contribute significantly to the establ. district in the Robidoux Hill area because of their Italianate wing 44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS This corner property slopes southeast and is bounded on the west is stone. In the rear there is a concrete car-park. The back yard : link.	nt has a boxed cornice label lintels accented indows on the somewhat lintels only. The rick. The front porch in the Buchanan the water permit for perhaps her husband 6th by W.H. Manning. ddresses, suggesting ugs appeared on the ishment of an historic ndow treatment. by an alley paved with
45. SOURCES OF INFORMATION Water Permit: 1887, S.A.Allen; Buchanan Co. Own ship List c. 1890; City Directory; 1888 Sanborn Map; Bldg. Permit: Thomas Allen. Porch. \$100,1900; RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176 IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM PH. 314-751-4096	46. ARED BY Susan Ide Symington 47. ORGANIZATION Landmarks Commission 48. DATE 49. REVISION DATE(S) 8/85



BN-AS-017-091	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		I. NO
2. COUNTY			, o
Buchanan 3. LOCATION OF City Hall MEGATIVES	5. OTHER NAME(S) George Merlatt Residence		
3 SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY	28. NO. OF STORIES	Ņ
TOWNSHIPRANGESECTION IF CITY OR TOWN, STREET ADDRESS	Architecture	29. BASEMENT ? YES () NO ()	COUNTY
604-6 N. 6th St.	c. 1855 IB. STYLE OR DESIGN	30. FOUNDATION MATERIAL STONE	TY
Saint Joseph, Missouri	Vernacular	31. WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION	IS. ARCHITECT OR ENGINEER	32. ROOF TYPE AND MATERIAL Gable; A spinalt Shing	le
Robidoux's Addition	20. CONTRACTOR OR BUILDER	33. NO. OF BAYS	
Block 14	21. RESIGNAL USE, IF APPARENT	FRONT 4 SIDE -	PHE
S. 20' of Lot 11 and N. 10' of Lot 12	22. PRESENT USE Apartments	34. WALL TREATMENT Stucco 35. PLAN SHAPE Rectangular	PHESENT
No TO OI DOUTE	23. OWNERSHIP PUBLIC()	36. CHANGES ADDITION ()	LUCAL
	PRIVATE (X) 24. OWNER'S NAME AND ADDRESS IF KNOWN RICHARD SPARKS	(EXPLAIN IN NO. 42) ALTERED (X) MOVED ()	
9. COORDINATES UTM	IF KNOWN Richard Sparks 26 N. Carriage Dr.	37. CONDITION	NARE (S)
LAT LONG	St. Joseph, Mo.64506	EXTERIOR Good) OR
IO. SITE () STRUCTU	Z5. OPEN TO PUBLIC ? YES() JRE() NO(X)	38. PRESERVATION YES () UNDERWAY ? NO (X)	
	CT () 28. LOCAL CONTACT PERSON OR ORGANIZATION ES(X) Landmarks Commission	39. ENDANGERED? YES() BY WHAT? NO(X)	DESIGNATION(S)
REGISTER ? NO (30 ELIGIBLE ? 13. PART OF ESTAB. YES () 14. DISTRICT ()	NO() 27. OTHER SURVEYS IN WHICH INCLUDED	40. VISIBLE FROM YES (X)	1011
HIST. DISTRICT ? NO (x) POTENTIAL ?	$\frac{NO(1)}{1}$ Johnson, Johnson & Roy	PUBLIC ROAD ? NO ()	5)
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD 10 and 35	
to the street. There are two symmetric four windows of th a duplex from as early as 18 of entries suggests an alter are two more gabled dormers ^{43.} HISTORY AND SIGNIFICANCE 1 This building is among the of the original profile remains ment of an historic district residential buildings of high Joseph Robidoux sold the prof	FEATURES reaks through the steeply pitched gal to gabled dormers symmetrically placed as second story of the front facade. 888. However, the asymmetry of the fr ration of the original first story. () and a one story frame extension with dest in the city. And in spite of the intact and would contribute substant in the Robidoux Hill area of 19th and a quality. perty to George Merlatt, a policeman, ress in the first City Directory of 1	i above the equally The building has been irst story double set On the west side, there a shed roof. he stucco sheathing, ially to the establish- d early 20th Century in 1855. Mr. Merlatt	
there are two sheds: one of with a shed roof.	corrugated metal with a gambrel roof	n alley. In the rear ; and another of frame	
40. SUURCES OF INFORMATION 1888 Sar	aborn Map; Abstract; City Directory.	Susan Ide Symington	
RETURN THIS FORM WHEN COMPLET	ED TO: OFFICE OF HISTORIC PRESERVATION	Landmarks Commission 48. DATE 49. REVISION DATE(S)	
IF ADDITIONAL SPACE IS NEEDED, ATTACH Separate Sheet(s) to this form	P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	8/85	




ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

i. NO.	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		.
BN-175-017-092	los		NO.
2. COUNTY	5. OTHER NAME(S)	<i>ρ</i>	
Buchanan 3. LOCATION OF City Hall	5. OTHER NAME(S)	9	
NEGATIVES			
3 SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	Architecture	28. NO. OF STORIES 2 29. BASEMENT? YES (X)	? ?
F CITY OR TOWN, STREET ADDRESS	17. DATE(S), OR PERIOD C. 1887	NO()	
608 N. 6th St.		30. FOUNDATION MATERIAL Brick	-
Saint Joseph, Missouri	18. STYLE OR DESIGN Italianate	31. WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick	
		32. ROOF TYPE AND MATERIAL	
Robidoux's Addition	20. CONTRACTOR OR BUILDER	33. NO. OF BAYS	
Block 14 N. 20' of Lot 11	21. ORIGINAL USE, IF APPARENT	FRONT 3 SIDE 3	
N. 20 OI LOC II	Residential	Running & Common Bond	
	22. PRESENT USE Residential	35. PLAN SHAPERectangular	
	23. OWNERSHIP PUBLIC ()		
	PRIVATE (X) 24. OWNER'S NAME AND ADDRESS	NO. 42) ALTERED () MOVED ()	
	IF KNOWN Derrel Smith	37. CONDITION	
9 CCORDINATES UTM	R.R.2		
LAT	Oregon, Mo.	EXTERIOR Good	
IO. SITE () STRUCTU	25. OPEN TO PUBLIC? YES() RE() NO(X)	38. PRESERVATION YES () UNDERWAY ? NO (X)	
	CT () 28. LOCAL CONTACT PERSON OR ORGANIZATION		
	ES(X) Landmarks Commission	NO (X)	
A PART OF FETAD MES () 14 DISTRICT M	(S(I) 1072 Wistomical Inventory	40. VISIBLE FROM YES (X)	
HIST. DISTRICT ? NO (x) POTENTIAL?	NO() Johnson, Johnson & Roy	PUBLIC ROAD ? NO ()	
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD 10' and 30'	
		10' and 30'	
The front facade is laid in a label lintels accented by key front entry is similarly fram sheltered by shallow canopy and have flush lintels of rad 43. HISTORY AND SIGNIFICANCE This building and its near to County Ownership List circa	win, 602 N. 6th St., were both listed 1890 in the name of Ruth A. Allen. T	y segmentally arched by raised brick. The ed transom, and are of common bond in the Buchanan the water permit for	
this property was taken out	by W.H. Manning, who was not listed i	in the City Directory,	
in 1887, the same year the w	ater permit was requested for 602 N.	6th by Samuel A. Allen	ų.
As Allen and Manning were no	t listed as living at these addresses	the 1888 Carborn Man	
might have been built specul	atively. Both buildings appeared on cantly to the establishment of an his	toric district in the	1
- Robidony Hill area because o	f their Italianate vindow treatment.		
	toward the east and is bound on the w	est by an alley. In	
This narrow property slopes	arport incorporating turned columns f	rom the 19th Century.	
The backyard is enclosed by	a vooden and vire fence.		
	rmit:1887, W.H.Manning;City Directory	46. PREPARED BY	<u> </u>
1888 Sanborn Insurance Map; E		Susan Ide Symington	1
	ED TO: OFFICE OF HISTORIC PRESERVATION	47. ORGANIZATION Landmarks Commission	
IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	48. DATE 49. REVISION DATE(S) 8/85	




ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		
BN-AS-017-093	e.		NO
2. COUNTY Buchanan	5. OTHER NAME(S)	· e D	
3. LOCATION OF City Hall	John B. Snelson Residence	-1	
8 SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORY	28. NO. OF STORIES	2
IF CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	29. BASEMENT? YES () NO ()	COUNTY
612 N. 6th St.	c. 1867	30. FOUNDATION MATERIAL	YTY
Saint Joseph, Missouri	18. STYLE OR DESIGN Vernacular- Greek Revival	Brick 31. WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	32, ROOF TYPE AND MATERIAL	
Robidoux's Addition	20. CONTRACTOR OR BUILDER	32 ROOF TYPE AND MATERIAL Hip;Asphalt Shingle	
Block 14	21. ORIGINAL USE, IF APPARENT	33. NO. OF BAYS FRONT 3 SIDE 2	ר. ק
Lot 10	21. ORIGINAL USE, IF APPARENT Residence	34. WALL TREATMENT	RES
	22. PRESENT USE Residence	35. PLAN SHAPE Rectangula	PRESENT LOCAL
	23. OWNERSHIP PUBLIC()	36. CHANGES ADDITION ()	LOC
· · · · ·	PRIVATE (X)	(EXPLAIN IN NO. 42) ALTERED () MOVED ()	
	24. OWNER'S NAME AND ADDRESS IF KNOWN	37. CONDITION	2
9 CCORDINATES UTM	Clara A. Moedinger	INTERIOR	
LAT LONG	25. OPEN TO PUBLIC 2 YES()	EXTERIOR GOOD	
IO. SITE () STRUCTUR			ł
$\frac{\text{BUILDING}(\chi)}{\text{II. CN NATIONAL YES () [12. IS IT YE}}$	T() 28. LOCAL CONTACT PERSON OR ORGANIZATION S(X) Landmarks Commission	39. ENDANGERED? YES() BY WHAT? NO(X)	
REGISTER ? NO (X) ELIGIBLE ?	O() 27. OTHER SURVEYS IN WHICH INCLUDED		1
13. PART OF ESTAB. YES () 14. DISTRICT YE HIST. DISTRICT ? NO (X) POTENTIAL ? N	S(X)1972 Historical InventoryO()Johnson, Johnson & Roy	40. VISIBLE FROM YES (X) PUBLIC ROAD ? NO ()	
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD 10 and 40	
with a hipped roof. The entry a more recent canopy. The ent	lecorative expression of this simple y is framed by sidelights and a tran ry and windows have curvilinear lab- ls are uninterrupted except for a por	el lintels notched on t	p. z
43. HISTORY AND SIGNIFICANCE 2			
John B. Snelson, a physician,	purchased this property from Edmond	Robidoux, who lived	ļ
on the adjacent property at S year of purchase in 1866.	ixth and Antoine. This house was p	CONSOLA DATLE BEAMING AND	
The Greek Rivival entry and u	nusual curvilinear window treatment	would contribute	TOW
strongly to the establishment	of an historic district in the Robi Oth century residential buildings.	idoux Hill area of	5. TOWNSHIP
stone retaining wall. The re	w bank supported on the east by an u ar yard is perched higher and enclose ne paved alley runs along the west.	uncoursed, rock-faced sed by a combination	RANGE
45. SOURCES OF INFORMATION		46. PREPARED BY	
Water Permit: 1887, Susan F.Nel	son;1868 Map; Abstract;City Director	Susan Ide Symington	SECTION
RETURN THIS FORM WHEN COMPLETE	D TO: OFFICE OF HISTORIC PRESERVATION	Landmarks Commission	FION
IF ADDITIONAL SPACE IS NEEDED, ATTACH Separate sheet(s) to this form	P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 Ph. 314-751-4096	8/85	1



NO.	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		
EN-AS-017-094			
2. COUNTY Buchanan	5. OTHER NAME(S)	ère f	
B. LOCATION OF City Hall VEGATIVES	Joseph V. Brady House	e de	
SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	Architecture	28. NO. OF STORIES 2	
IF CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	29. BASEMENT? YES (X) NO ()	
616 N. 6th St.	c.1872	30. FOUNDATION MATERIAL	
CITY OR TOWN IF RURAL, VICINITY	18. STYLE OR DESIGN	Brick	
Saint Joseph, Missouri	Second Empire	31. WALL CONSTRUCTION	
I. DESCRIPTION OF LOCATION	IS, ARCHITECT OR ENGINEER	32. ROOF TYPE AND MATERIAL	
	20. CONTRACTOR OR BUILDER	Mansard;Asphalt Shin	;le
Rebidoux's Addition		33. NO. OF BAYS FRONT 3 SIDE 4	
Block 14 Lot 9	21. ORIGINAL USE, IF APPARENT Residential	34. WALL TREATMENT	
	22. PRESENT USE	Asphalt Shingle	
	Residential	35. PLAN SHAPE Irregular	
	23. OWNERSHIP PUBLIC ((EYDIAIN IN	1
	PRIVATE (X	NO. 42) ALTERED () MOVED ()	
	24. OWNER'S NAME AND ADDRESS ON	37. CONDITION	
COORDINATES UTM	413 Lee St.	INTERIOR	
LAT	Blue Springs, Mo.	EXTERIOR	
LONG D. SITE () STRUCTU	25. OPEN TO PUBLIC? YES() 38. PRESERVATION YES () UNDERWAY ? NO ()	
	CT() 26. LOCAL CONTACT PERSON OR ORGANIZATION		
. CN NATIONAL YES () 12. IS IT Y	ES(X) Landmarks Commission	BY WHAT ? NO (X)	
	NO() 27. OTHER SURVEYS IN WHICH INCLUDED		
AU ()		40. VISIBLE FROM YES (X)	
NO (Σ) 13. PART OF ESTAB. YES () 14. DISTRICT Y HIST. DISTRICT? NO (Σ) 15. NAME OF ESTABLISHED DISTRICT	Image: Second Structure 1972 Historical Inventory Johnson, Johnson & Roy	40. VISIBLE FROM YES (X) PUBLIC ROAD? NO() 41. DISTANCE FROM AND FRONTAGE ON ROAD 15' and 40'	
PART OF ESTAB. YES () 14. DISTRICT Y HIST. DISTRICT? NO (\underline{x}) POTENTIAL? 3. NAME OF ESTABLISHED DISTRICT 2. FURTHER DESCRIPTION OF IMPORTANT The main design interest of creates a chamfered corner at The rectilinear windows are (the front section of the buil brackets. The rear two stor; cornice.	(ES(X)) 1972 Historical Inventory	40. VISIBLE FROM YES(X) PUBLIC ROAD? NO() 41. DISTANCE FROM AND FRONTAGE ON ROAD 15' and 40' br pavillion which with a gabled window. ng. The cornice along dentils and wooden	
B. PART OF ESTAB. YES() I4. DISTRICT Y HIST. DISTRICT? NO (χ) POTENTIAL? 5. NAME OF ESTABLISHED DISTRICT 72. FURTHER DESCRIPTION OF IMPORTANT The main design interest of creates a chamfered corner at The rectilinear windows are (the front section of the bui) brackets. The rear two stor; cornice. 43. HISTORY AND SIGNIFICANCE 2 A modest atructure was shown	(ES(X)) 1972 Historical Inventory Johnson, Johnson & Roy FEATURES this building is the northeast corner nd reaches beyond the mansard roof w elongated and framed by simple moldi lding is boxed and lined by enlarged y section is capped by a hipped roof here on the 1868 map of the city.	40. VISIBLE FROM YES(X) PUBLIC ROAD? NO() 41. DISTANCE FROM AND FRONTAGE ON ROAD 15' and 40' or pavillion which with a gabled window. ng. The cornice along 1 dentils and wooden with no decorative This larger building	
NO(\mathbf{X}) 3. PART OF ESTAB. YES() 14. DISTRICT Y HIST. DISTRICT? NO(\mathbf{X}) 5. NAME OF ESTABLISHED DISTRICT 5. NAME OF ESTABLISHED DISTRICT 52. FURTHER DESCRIPTION OF IMPORTANT The main design interest of creates a chamfered corner at The rectilinear windows are of the front section of the build brackets. The rear two story cornice. 43. HISTORY AND SIGNIFICANCE 2 A modest structure was shown was fully constructed by 188 was constructed probably by	^{(ES(X)} 1972 Historical Inventory Johnson, Johnson & Roy ^{FEATURES} this building is the northeast corner nd reaches beyond the mansard roof w elongated and framed by simple moldi lding is boxed and lined by enlarged y section is capped by a hipped roof here on the 1868 map of the city. 8 as shown on the Sanborn Map of tha Joseph V. Brady around 1873, the fir	40. VISIBLE FROM YES(X) PUBLIC ROAD? NO() 41. DISTANCE FROM AND FRONTAGE ON ROAD 15' and 40' or pavillion which with a gabled window. ng. The cornice along 1 dentils and wooden with no decorative This larger building t year. The house est year this long	
NO(\mathbf{X}) A PART OF ESTAB. YES() 14. DISTRICT Y HIST. DISTRICT? NO(\mathbf{X}) A NAME OF ESTABLISHED DISTRICT 2. FURTHER DESCRIPTION OF IMPORTANT The main design interest of creates a chamfered corner and The rectilinear windows are of the front section of the build brackets. The rear two story cornice. 3. HISTORY AND SIGNIFICANCE 2 A modest structure was shown was fully constructed by 188 was constructed probably by time resident here was liste	(ES(X) 1972 Historical Inventory Johnson, Johnson & Roy FEATURES this building is the northeast corner and reaches beyond the mansard roof w elongated and framed by simple moldi lding is boxed and lined by enlarged y section is capped by a hipped roof here on the 1868 map of the city. 8 as shown on the Sanborn Map of tha Joseph V. Brady around 1873, the fir d at this address. Mr. Brady became	40. VISIBLE FROM YES(X) PUBLIC ROAD? NO() 41. DISTANCE FROM AND FRONTAGE ON ROAD 15' and 40' or pavillion which with a gabled window. ng. The cornice along 1 dentils and wooden with no decorative This larger building at year. The house st year this long a partner for Nave,	
PART OF ESTAB. YES() 14. DISTRICT Y HIST. DISTRICT? NO(χ) NAME OF ESTABLISHED DISTRICT POTENTIAL? NAME OF ESTABLISHED DISTRICT The main design interest of creates a chamfered corner at The rectilinear windows are the front section of the buil brackets. The rear two stor; cornice. No(χ) HISTORY AND SIGNIFICANCE 2 A modest structure was shown was fully constructed by 188 was constructed probably by time resident here was liste McCord & Co., wholesale groc	^{(ES(X)} 1972 Historical Inventory Johnson, Johnson & Roy ^{FEATURES} this building is the northeast corner nd reaches beyond the mansard roof w elongated and framed by simple moldi lding is boxed and lined by enlarged y section is capped by a hipped roof here on the 1868 map of the city. 8 as shown on the Sanborn Map of tha Joseph V. Brady around 1873, the fir	40. VISIBLE FROM YES(X) PUBLIC ROAD? NO() 41. DISTANCE FROM AND FRONTAGE ON ROAD 15' and 40' or pavillion which with a gabled window. ng. The cornice along 1 dentils and wooden with no decorative This larger building at year. The house st year this long a partner for Nave,	
A PART OF ESTAB. YES() 14. DISTRICT Y HIST. DISTRICT? NO(X) POTENTIAL? A NAME OF ESTABLISHED DISTRICT A NAME OF ESTABLISHED DISTRICT POTENTIAL? A NAME OF ESTABLISHED DISTRICT The main design interest of creates a chamfered corner and The rectilinear windows are of the front section of the buil brackets. The rear two story cornice. A modest structure was shown was fully constructed by 188 was constructed probably by time resident here was liste McCord & Co., wholesale groc iobhers in teas and cigars.	(ES(X)) (S)(1	40. VISIBLE FROM YES(X) PUBLIC ROAD? NO() 41. DISTANCE FROM AND FRONTAGE ON ROAD 15' and 40' ar pavillion which with a gabled window. ng. The cornice along 1 dentils and wooden with no decorative This larger building t year. The house est year this long a partner for Nave, o form J.V. Brady & Co.,	1
A PART OF ESTAB. YES() 14. DISTRICT Y HIST. DISTRICT? NO(X) POTENTIAL? A NAME OF ESTABLISHED DISTRICT 2. FURTHER DESCRIPTION OF IMPORTANT The main design interest of creates a chamfered corner at The rectilinear windows are of the front section of the buil brackets. The rear two stor; cornice. 3. HISTORY AND SIGNIFICANCE 2 A modest structure was shown was fully constructed by 188 was constructed probably by time resident here was liste McCord & Co., wholesale groc jobbers in teas and cigars.	(ES(X)) (S)(X	40. VISIBLE FROM YES(X) PUBLIC ROAD? NO() 41. DISTANCE FROM AND FRONTAGE ON ROAD 15' and 40' or pavillion which with a gabled window. ng. The cornice along 1 dentils and wooden with no decorative This larger building a partner for Nave, form J.V. Brady & Co., the establishment of an	1
A PART OF ESTAB. YES() 14. DISTRICT Y HIST. DISTRICT? NO(X) POTENTIAL? 2. FURTHER DESCRIPTION OF IMPORTANT The main design interest of creates a chamfered corner at The rectilinear windows are of the front section of the buil brackets. The rear two stor; cornice. 33. HISTORY AND SIGNIFICANCE 2 A modest structure was shown was fully constructed by 188 was constructed probably by time resident here was liste McCord & Co., wholesale groc jobbers in teas and cigars. This unusual Second Empire p historic district in the Rob	1972 Historical Inventory Johnson, Johnson & Roy FEATURES this building is the northeast corner and reaches beyond the mansard roof w elongated and framed by simple moldi lding is boxed and lined by enlarged y section is capped by a hipped roof here on the 1868 map of the city. 8 as shown on the Sanborn Map of tha Joseph V. Brady around 1873, the fir d at this address. Mr. Brady became ers, in 1873, and retired in 1880 to rofile would contribute strongly to idour Hill area of 10th and early 20 Department of a stor	40. VISIBLE FROM YES(X) PUBLIC ROAD? NO() 41. DISTANCE FROM AND FRONTAGE ON ROAD 15' and 40' or pavillion which dith a gabled window. ng. The cornice along dentils and wooden with no decorative This larger building tyear. The house est year this long a partner for Nave, form J.V. Brady & Co., the establishment of an oth Century residential coursed stone retaining	
A part of ESTAB. YES() 14. DISTRICT Y HIST. DISTRICT? NO(X) POTENTIAL? 3. NAME OF ESTABLISHED DISTRICT 2. FURTHER DESCRIPTION OF IMPORTANT The main design interest of creates a chamfered corner at The rectilinear windows are of the front section of the buil brackets. The rear two stor; cornice. 33. HISTORY AND SIGNIFICANCE 2 A modest structure was shown was fully constructed by 188 was constructed probably by time resident here was liste McCord & Co., wholesale groc jobbers in teas and cigars. This unusual Second Empire p historic district in the Rob 44. DESCRIPTION OF ENVIRONMENT AND The building is sited on a history wall. In the rear there is along the west side of the p	1972 Historical Inventory Johnson, Johnson & Roy FEATURES this building is the northeast corner and reaches beyond the mansard roof w elongated and framed by simple moldi lding is boxed and lined by enlarged y section is capped by a hipped roof here on the 1868 map of the city. 8 as shown on the Sanborn Map of tha Joseph V. Brady around 1873, the fir d at this address. Mr. Brady became ers, in 1873, and retired in 1880 to rofile would contribute strongly to idoux Hill area of 10th and early 20 pulse bank supported on the east by a a gravel carpark opening onto a stor property.	40. VISIBLE FROM YES(X) PUBLIC ROAD? NO() 41. DISTANCE FROM AND FRONTAGE ON ROAD 15' and 40' or pavillion which dith a gabled window. ng. The cornice along dentils and wooden with no decorative This larger building tyear. The house est year this long a partner for Nave, form J.V. Brady & Co., the establishment of an oth Century residential coursed stone retaining	
NO(2) PART OF ESTAB. YES() 14. DISTRICT Y HIST. DISTRICT? NO(X) NAME OF ESTABLISHED DISTRICT POTENTIAL? NAME OF ESTABLISHED DISTRICT Premain design interest of creates a chamfered corner and The rectilinear windows are of the front section of the build brackets. The rear two story cornice. A. HISTORY AND SIGNIFICANCE 2 A modest structure was shown was fully constructed by 188 was constructed probably by time resident here was liste McCord & Co., wholesale groc jobbers in teas and cigars. This unusual Second Empire p historic district in the Rob A. DESCRIPTION OF ENVIRONMENT AND H wall. In the rear there is along the west side of the p 45. SOURCES OF INFORMATIONWATER PE	1972 Historical Inventory Johnson, Johnson & Roy FEATURES this building is the northeast corner and reaches beyond the mansard roof w elongated and framed by simple moldi lding is boxed and lined by enlarged y section is capped by a hipped roof here on the 1868 map of the city. 8 as shown on the Sanborn Map of tha Joseph V. Brady around 1873, the fir d at this address. Mr. Brady became ers, in 1873, and retired in 1880 to rofile would contribute strongly to idour Hill area of 10th and early 20 Department of a stor	40. VISIBLE FROM YES(X) PUBLIC ROAD? NO() 41. DISTANCE FROM AND FRONTAGE ON ROAD 15' and 40' or pavillion which with a gabled window. ng. The cornice along 1 dentils and wooden with no decorative This larger building t year. The house est year this long a partner for Nave, o form J.V. Brady & Co., the establishment of an oth Century residential coursed stone retaining he paved alley running	
NO(2) PART OF ESTAB. YES() 14. DISTRICT Y HIST. DISTRICT? NO(X) NAME OF ESTABLISHED DISTRICT POTENTIAL? NAME OF ESTABLISHED DISTRICT Premain design interest of creates a chamfered corner at The rectilinear windows are of the front section of the build brackets. The rear two story cornice. A modest structure was shown was fully constructed by 188 was constructed probably by time resident here was liste McCord & Co., wholesale groc jobbers in teas and cigars. This unusual Second Empire p historic district in the Rob 44. DESCRIPTION OF ENVIRONMENT AND The building is sited on a history wall. In the rear there is along the west side of the p 45. SOURCES OF INFORMATIONWATER PE 1881 History of St. Joseph.	1972 Historical Inventory Johnson, Johnson & Roy FEATURES this building is the northeast corner and reaches beyond the mansard roof w elongated and framed by simple moldi lding is boxed and lined by enlarged y section is capped by a hipped roof here on the 1868 map of the city. 8 as shown on the Sanborn Map of tha Joseph V. Brady around 1873, the fir d at this address. Mr. Brady became ers, in 1873, and retired in 1880 to rofile would contribute strongly to idoux Hill area of 10th and early 20 pulse bank supported on the east by a a gravel carpark opening onto a stor property.	40. VISIBLE FROM YES(X) PUBLIC ROAD? NO() 41. DISTANCE FROM AND FRONTAGE ON ROAD 15' and 40' or pavillion which with a gabled window. ng. The cornice along 1 dentils and wooden with no decorative This larger building t year. The house est year this long a partner for Nave, o form J.V. Brady & Co., the establishment of an oth Century residential coursed stone retaining he paved alley running	



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

	PRESENT LOCAL NAME(S) OR DESIGNATION(S) Park Floral -Ch (er o
	DTHER NAME(S) A.E. McKinney Residence; Marius S.	1
B SPECIFIC LEGAL LOCATION TOWNSHIPRANGESECTION IF CITY OR TOWN, STREET ADDRESS 624 N. 6th St. CITY OR TOWN IF RURAL, VICINITY Saint JOSEDH, Missouri B. DESCRIPTION OF LOCATION Robidoux's Addition Block 14 Lots 7 and 8	16. THEMATIC CATEGORY Architecture 17. DATE(S) OR PERIOD c.1887 18. STYLE OR DESIGN Victorian Eclectic 19. ARCHITECT OR ENGINEER 20. CONTRACTOR OR BUILDER 21. ORIGINAL USE APPARENT RESIDENT USE COMMERCIAL 22. PRESENT USE COMMERCIAL 23. OWNERSHIP PUBLIC() PRIVATE(X) 24. OWNER'S NAME AND ADDRESS IF KNOWNCATOL AND JUM BUNGE	28. NO. OF STORIES 24 29. BASEMENT ? YES (X) NO() 30. FOUNDATION MATERIAL Brick 31. WALL CONSTRUCTION Brick 32. ROOF TYPE AND MATERIAL Hip:Slate 33. NO. OF BAYS FRONT 5 SIDE 5 34. WALL TREATMENT RUNNING BOND 35. PLAN SHAPE 36. CHANGES (EXPLAIN IN NO. 42) 37. CONDITION
9 COORDINATES UTM LAT LONG 10. SITE() STRUCTURE(1024 Felix St. Joseph, Mo.64501 25. OPEN TO PUBLIC? YES(X NO()	INTERIOR EXTERIOR Excellent 38. PRESERVATION YES (X) UNDERWAY ? NO ()
$\begin{array}{c c c c c c c c c c c c c c c c c c c $) 27. OTHER SURVEYS IN WHICH INCLUDED	39. ENDANGERED? YES() BY WHAT? NO(X) 40. VISIBLE FROM YES(X) PUBLIC ROAD? NO() 41. DISTANCE FROM AND FRONTAGE ON FROAD 20 and 75

42. FURTHER DESCRIPTION OF IMPORTANT FEATURES

1

The steeply pitched hipped roof is broken by: a three and a half story turret in the northeast corner; a curvilinear gabled dormer and curvilinear gable capping a two and a half story square projecting bay facing east; and on the north a tall chimney which dissects a deeply projecting tripartite bay two stories high. Most of the windows are surmounted by varying widths of fanlights, which until recently were filled with stained glass. There is a raised brick coursing along the first story window level. Between the vindows of the first and second stories there are spandrels of raised brick patterni. This landmark callbre building was fully constructed by 1000, as shown on the Sanborn Insurance Map of that year. 1888 was also the year Albert E. McKinney of McKinney, Hundley and Walker, was first listed at this address in the City Directory. The property transferred to Marius S. Norman in 1892. Mr. Norman was in partnership with C.W. Noyes in dry goods and shoe businesses, and lived here through 1915 when the large front porch was apparently added. Please see attachment which shows the residence before the current porch was added.

44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS. This corner property slopes toward the east and is bounded on the west by an alley. In the rear, there is a brick carriage house laid in common bond, with a hipped roof.

	AL AROTA TO MANAGE Demok #1.00	46 PREPARED BY	
45. SOURCES OF INFORMATION Building Perm	178:100/,A.E. MCAINNey, Porchystor	Sugar Ido Simington	ۍ ا
1915, M. Norman, Res, \$800;1888,1897 Architecture of St. Joseph, Albrec	& 1911 Sanborn Maps;City Direct	47. ORGANIZATION	SECTI
RETURN THIS FORM WHEN COMPLETED TO:	OFFICE OF HISTORIC PRESERVATION	48. DATE 49. REVISION DATE(S)	ion
IF ACDITIONAL SPACE IS NEEDED, ATTACH Separate Sheet(s) to this form	JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	8/85	

OTHER



The steeply pitched hipped roof is broken by: a three and a half story turnet in the northeast corner; a curvalinear gabled dormer and curvalinear gable capping a two and a half story square projecting bay facing east; and on the north a two story tripartite bey which projects deeply tripartite bay twossotries high. Most of the windows are surmounted by varying widths of familights, which until recently were filled with staine class. There is a raised brick coursing along the first story window level. Between the windows of the first and second stories there are shardrels of raised brick raised This landmark calibre building was fully constructed in 1000, as shown on the Sandorfirm from the year. 1888 was also the year Albert E. McKinney of Moset Rundley and Walker, was first listed at this address in the City Directory. The moperty transferred to Marius S. Norman in 1892. Mr. Norman vas in partnership with front porch was apparently added. Please see attachment which above the large front porch was apparently added. Please see attachment which above the large front porch was apparently added. Please see attachment which shows the residence is form the current porch was added.

This corner property slopes toward the east and is bounded on the west by an alloy. In the rear, there is a brick carriage house laid in common bond, with a hipped roof.

915. M. Norman, Yes., \$800;1888,1897 & 1911 Sanborn Maps;City Directory, 1921 rohitecture of St. Joseph, micrecht Museum, 1974.



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

3

44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS

1. NO. BN-AS-017-096 2. COUNTY	A. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	er Cerrol	t. NO,
	John McDonald Residence; Mrs. J.M.		
3 SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS 702 N. 6tb St.	16. THEMATIC CATEGORY Architecture 17. date(s) or period	28. NO. OF STORIES 27 29. BASEMENT? YES (X) NO () 30. FOUNDATION MATERIAL BRICK	2. COUNTY
Saint Joseph, Missouri	IB. STYLE OR DESIGN Late Queen Anne	31. WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Frame 32. ROOF TYPE AND MATERIAL Hip: Asphalt Saingle	
Robidoux's Addition Block 15	20. CONTRACTOR OR BUILDER	33. NO. OF BAYS	⊢
Lots 11 and 12	21. ORIGINAL USE, IF APPARENT Residence	FRONT 2 SIDE 3 34. WALL TREATMENT Wooden Shingle	PRE
•	22. PRESENT USE Apartments	35. PLAN SHAPEIrregular	. SENT
	23. OWNERSHIP PUBLIC() PRIVATE(X) 24. OWNER'S NAME AND ADDRESS	36. CHANGES (EXPLAIN IN NO, 42) MOVED ()	PRESENT LUCAL NAME(S)
9. CCORDINATES UTM	Edyth Gann	37. CONDITION INTERIOR EXTERIOR	WRE(3) OR
IO. SITE () STRUCTURI	25. OPEN TO PUBLIC? YES() E() NO(20)	38. PRESERVATION YES () UNDERWAY ? NO (X)	
	() 28. LOCAL CONTACT PERSON OR ORGANIZATION 5(3) <u>Landman¹CS Commission</u> 2() 27. OTHER SURVEYS IN WHICH INCLUDED	39. ENDANGERED ? YES() BY WHAT ? NO(X)	DESIGNATION(S)
13. PART OF ESTAB. YES () 14. DISTRICT YES HIST. DISTRICT ? NO () POTENTIAL ? NO	1972 Historical Inventory	40. VISIBLE FROM YES(X) PUBLIC ROAD ? NO()	(c) u
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD 20 and 80	Í
gabled dormer capping a deep The roofline is underscored a by a simple moulding. The fr the south side and has a hip which is open and has a shed ^{43.} HISTORY AND SIGNIFICANCE The core of this house proba J.M. Bassett was first listen map. In 1883, John I. McDom enterprise, moved in to this the building in 1889: the bu	hipped dormers facing north, east and by projecting, two-story square bay by a fascia. The windows are rectil cont porch, probably added in 1911, w ped roof. There is another porch or roof; it first appeared on the 1897 likely part of the 1889 bly dates back to 1876 the year the d at this address. The house did no ald of R.L. McDonald & Co., a major house. Mr. McDonald undertook sub- ilding permit listed a cost of \$1,00 extension and the back porch. The	on the south facade. Linear and surmounted wraps part way around a the southwest corner <u>.map, and was most</u> addition. widow of attorney ot appear on the 1868 wholesale dry goods stantial renovation of 00 for an "addition,"	

This corner property slopes toward the east and is supported on a rock-faced stone retaining wall. An alley bounds the property rear, the yard is enclosed by a wooden and chainlink fence and t	on the west. In the
	46. PREPARED BY Susan Ide Symington 47. ORGANIZATION Landmarks Commission
Camborn Fire Insurance Maps: City Directories. RETURN THIS FORM WHEN COMPLETED TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176 P.O. BOX 176 SEPARATE SHEET(S) TO THIS FORM DEFERSON CITY, MISSOURI 65102 PH. 314-751-4096	Landmarks Commission

RANGE

Carter.

the building in 1889; the building permit listed a cost of \$1,000 for an "addition," which included a large north extension and the back porch. The south bay and main body of the house were extant on the 1888 map. The wrap-around porch was built after 1897, most likely in 1911 when an unspecified building permit was taken out by C.M.



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

BN-145-017-097	4. PRESENT LOCAL NAME(S) CR DESIGNATION(S)	۲. د	
2. COUNTY <u>Bichanan</u> 3. LOCATION OF City Hall VEGATIVES	5. OTHER NAME(S) Dennis Mallen Residence	er f	
SPECIFIC LEGAL LOCATION TOWNSHIPRANGESECTION IF CITY OR TOWN, STREET ADDRESS 712 N. 6th St.	IG. THEMATIC CATEGORY Architecture 17. DATE(S) OR PERIOD C.1877	28. NO. CF STORIES 1 29. BASEMENT? YES (X) NO() 30. FOUNDATION MATERIAL	
CITY OF TOWN IF RURAL, VICINITY Saint Joseph, Missouri	IB. STYLE OR DESIGN Vernacular	Brick Br. Brick BI. WALL CONSTRUCTION Frame	
Robidoux's Addition Block 15 Lot 10	20. CONTRACTOR OR BUILDER 21. ORIGINAL USE, IF APPARENT Residential	32. ROOF TYPE AND MATERIAL Gable; Asphalt Shingle 33. NO. OF BAYS FRONT 5 SIDE 3 34. WALL TREATMENT Artificial Siding	-
	22. PRESENT USE Residential 23. OWNERSHIP PUBLIC() PRIVATE(X) 24. OWNER'S NAME AND ADDRESS IF KNOWN	35. PLAN SHAPE Trregular 36. CHANGES ADDITION ()	
GCORDINATES UTM LAT LONG	25. OPEN TO PUBLIC? YES()	INTERIOR EXTERIOR 38. PRESERVATION YES ()	
	CTURE() BJECT() 28. LOCAL CONTACT PERSON OR ORGANIZATION YES(X) <u>Landmarks Commission</u> NO() 27. OTHER SURVEYS IN WHICH INCLUDED		1
A PART OF FETAD MES () 14 DISTRICT	En officie Sources in which weever	40. VISIBLE FROM YES(X) PUBLIC ROAD? NO() 41. DISTANCE FROM AND FRONTAGE ON ROAD 10' and 40'	
entry is centered on the s shed roofed canopy that re The windows are rectilined features may be hidden be	T FEATURES ers the main "T" shaped portion of the facade and is approached by a concrete eplaces an entry porch which appears on ar and framed by simple moulding. Other neath the artificial siding.	stoop with contemporar n the 1888 Sanborn Map. er architectural in 1877. The house	
The original architectural scale of the building would district in the Robidoux H	l features have been sheathed in siding Id render it a contributing member of a Hill area of high quality 19th and 20th	potential historic	
corrugated fiber-glass fer alley. There is a low roo	ne-car garage with gabled roof and a ten nce and canopy. The property is bounded ck-faced stone retaining wall along the	ed on the west by an east side.	
1888 Sanborn Map; 1868 Ill	Permit:1887, Dennis Mullen, City Direc astrated Map of St. Joseph. ETED TO: OFFICE OF HISTORIC PRESERVATION	Susan Ide Symington 47. ORGANIZATION Landmarks Commission	

IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM

3

JEFFERSON CITY, MISSOURI 65102 8/85 PH. 314-751-4096

ł




ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

R NO.	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		
BN-AC-017-098	- P-1, Ce		NO,
Ruchanan	5. OTHER NAME(S)	Contraction of the second seco	
3. LOCATION OF City Hall	Hart C. Fisher Residence		
3 SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	16. THEMATIC CATEGORY	28. NO. OF STORIES 2	N.
F CITY OR TOWN, STREET ADDRESS	Architecture	29. BASEMENT ? YES (X) NO ()	
716 N. 6th St.	c.1879	30. FOUNDATION MATERIAL	N
Saint Joseph, Missouri	18. STYLE OR DESIGN Italianate Vernacular	Brick	
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	31. WALL CONSTRUCTION	
	20. CONTRACTOR OR BUILDER	32. ROOF TYPE AND MATERIAL Hip:Asphalt Shingle	
Robidoux's Addition	20. CONTRACTOR OR BUILDER	33. NO. OF BAYS	
Block 15 Lot 9	21. ORIGINAL USE, IF APPARENT	FRONT 3 SIDE 3	
	Residence	Asphalt Shingle	PHESENT
	22. PRESENT USE Residence	35. PLAN SHAPE Irregular	
	23. OWNERSHIP PUBLIC (36. CHANGES ADDITION ()	
	PRIVATE	A NO. 42)	Å
	24. OWNER'S NAME AND ADDRESS	MOVED () 37. CONDITION	LUCAL MARE(S)
9 COORDINATES UTM	Lois Buckles	INTERIOR	
LAT		EXTERIOR GOOD	ģ
LONG	25. OPEN TO PUBLIC ? YES(TURE()		
	JECT () 28. LOCAL CONTACT PERSON OR ORGANIZATION	39. ENDANGERED? YES()	
II. CN NATIONAL YES () 12. IS IT REGISTER ? NO (X) ELIGIBLE ?	YES(X) Landmarks Commission	AY WHAT ? NO (X)	
IS PART OF ESTAR VES () IA DISTRICT	YES (X) 1972 Historical Inventory	40. VISIBLE FROM YES (X)	
HIST. DISTRICT ? NO (x) POTENTIAL	Johnson, Johnson & Roy	PUBLIC ROAD ? NO () 41. DISTANCE FROM AND	
		FRONTAGE ON ROAD	
ment of the original. The which is peaked in the cent has be retained despite the is deeply recessed on the a and is covered by a porch w ^{43.} HISTORY AND SIGNIFICANCE Hart C. Fisher, a wholesale address in 1880. The house circa 1879	FEATURES predely crafted boxed cornice which is windows are rectilinear and are frame ter on the front facades. This origin asphalt shingle sheathing of the fac south. The entry is placed perdendicu- with elegantly carved wooden brackets is a one story extension in the rear. merchant in tea and spices, was first did not appear on an 1868 map and mis	ad by simple moulding hal window treatment bades. The entry bay hlarly to the street and a Doric column. t listed at this ght have been constructed	
bute strongly to the establi	ate massing, fenestration and window ishment of an historic district in the 20th Century residential architecture	e Robidoux Hill area of	
44. DESCRIPTION OF ENVIRONMENT AND There is a vacant lot to the vest.	OUTBUILDINGS he north of this property which falls	away steeply to the	
45. SOURCES OF INFORMATION Water	Permit:1883, H.C. Fisher; City Direct	OTTS, PREPARED BY	1-
1888 Sanborn Fire Insurance		Susan Ide Symington	1
	TED TO: OFFICE OF HISTORIC PRESERVATION	Landmarks Commission	
IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	48. DATE 49. REVISION DATE(S) 8/85	1



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

BN-195-017-099	ESENT LOCAL NAME(S) OR DESIGNATION(S)		I. NO.
	HER NAME(S) nomas Maney Residence	Ered	
B SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS 7214 N. 6th St. 7. CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri 8. DESCRIPTION OF LOCATION	16. THEMATIC CATEGORY <u>Architecture</u> 17. DATE(S) OR PERIOD <u>c. 1882</u> 18. STYLE OR DESIGN <u>Queen Anne</u> 19. Architect OR ENGINEER	28. NO. OF STORIES 2 29. BASEMENT? YES (X) NO() 30. FOUNDATION MATERIAL Brick 31. WALL CONSTRUCTION Brick 32. ROOF TYPE AND MATERIAL	2. COUNTY
Robidoux's Addition Block 15 Lot 7	20. CONTRACTOR OR BUILDER 21. ORIGINAL USE, IF APPARENT Posidence 22. PRESENT USE Apartments 23. Ownership PUBLIC() PRIVATE() 24. OWNER'S NAME AND ADDRESS		4. PRESENT LOCAL NAME(S)
9 CCORDINATES UTM LAT LONG 10. SITE () STRUCTURE() BUILDING (χ) OBJECT () 11. CN NATIONAL YES () I2. IS IT YES (χ) REGISTER ? NO (χ) I2. IS IT YES (χ) I3. PART OF ESTAB. YES () I4. DISTRICT YES (χ) HIST. DISTRICT ? NO (χ) I4. DISTRICT YES (χ) POTENTIAL ? NO (χ) 15. NAME OF ESTABLISHED DISTRICT	26. LOCAL CONTACT PERSON OR ORGANIZATION <u>Landmarks Commission</u> 27. Other Surveys IN Which Included 1972 Historical Inventory	-}	OR DESIGN
 42. FURTHER DESCRIPTION OF IMPORTANT FEATURE The two-dimensional plane of the second story with paired windows a bracketed gable which breaks the lintels on this facade are segment accented by keystones decorated of facades and those in the basement 43. HISTORY AND SIGNIFICANCE This building was constructed in and Company, dealing in wholesal 	front facade is broken by a cable and a corbelled base. This gab hrough the boxed cornice of the ntally arched. have raised brick with quatrefoils. The windows o t have segmentally arched, flush 1882 as the residence of Thomas	le is echoed above by hipped roof. The labels, and are on the south and west lintels of radiating stretchers,	
This outstanding example of the and would contribute substantial Robidoux Hill Area of high quali	Queen Anne style retains much of ly to the establishment of an hi	istoric district in the	
44. DESCRIPTION OF ENVIRONMENT AND OUTBUIL This corner lot slopes dramatica west by a rubble retaining wall.	An alley runs along the west a	orted on the north and side of the property.	
45. SOURCES OF INFORMATION Water Permit Directory; Juchanan County Onwer RETURN THIS FORM WHEN COMPLETED TO IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	ship List c. 1890.	46. PREPARED BY Susan Ide Symington 47. ORGANIZATION Landmarks Commission 48. DATE 49. REVISION DATE(S) 8/85	



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

4

IF ACDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM

	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	hat	
BN-AS-017-100		entered.	NO,
Buchanan	5. OTHER NAME(S)	the former of the second secon	
3. LOCATION OF City Hall NEGATIVES			
3 SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY	28. NO. OF STORIES 1	Ņ
TOWNSHIP RANGE SECTION _ IF CITY OR TOWN, STREET ADDRESS	Architecture	29. BASEMENT? YES() NO(X)	COUNTY
502 Antoine	1957	30. FOUNDATION MATERIAL	NTY
Z CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri	ia. style or design Vernacular	Concrete	
B. DESCRIPTION OF LOCATION	II. ARCHITECT OR ENGINEER	31. WALL CONSTRUCTION Frame	
Robidoux's Addition		32. ROOF JYPE AND MATERIAL Gable; Asphalt	
Block 14	20. CONTRACTOR OR BUILDER Cash Whitman, Inc.	33. NO. OF BAYS	A
W. 75' of Lots 5 and 6	21. ORIGINAL USE IF APPARENT RESIDENCE	FRONT 4 SIDE 3	PR
•		Artificial Siding	<i>NESE</i>
	22. PRESENT USE Residence	35. PLAN SHAPE Rectangula	PRESENT LOCAL NAME(S)
	23. OWNERSHIP PUBLIC()	36. CHANGES ADDITION ()	LOCA
	PRIVATE(X) 24. OWNER'S NAME AND ADDRESS	NO. 42) ALTERED () MOVED ()	r z
	IF KNOWN	37. CONDITION	AME
9. CCORDINATES UTM	Mrs. Lemuel Hayzlett	INTERIOR GOOD	
LAT LONG	25. OPEN TO PUBLIC 2 YES()	EXTERIOR GOOD 38. PRESERVATION YES ()	0R
IO. SITE () STRUCT	URE()NO(X)	UNDERWAY ? NO (X)	DES
	ECT () 26. LOCAL CONTACT PERSON OR ORGANIZATION	39. ENDANGERED? YES() BY WHAT 2	IGNA
REGISTER ? NO (X) ELIGIBLE ?	YES() <u>Tandmarks Commission</u> NO(X) 27. OTHER SURVEYS IN WHICH INCLUDED	NO(X)	DESIGNATION(S)
13. PART OF ESTAB. YES () 14. DISTRICT HIST. DISTRICT? NO () POTENTIAL 2	YES(X)	40. VISIBLE FROM YES(X) PUBLIC ROAD ? NO()	1(5)
IS. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND	
		25 and 70 ROAD	
42. FURTHER DESCRIPTION OF IMPORTANT	FEATURES,		S
This house is the mirror ima	age of 504 Antoine and 609 N. 5th St., house is one-story and capped by a l	ow mable roof set	OTHER
built at the same time. The	t. The windows are rectilinear and fr	amed by simple molding	÷.
The fenestration is varied	on the front facade by a tri-partite w	vindow on the west side	NAM
of the entry placed off-cen			, A
43. HISTORY AND SIGNIFICANCE		- Uill compare ones in	
This is one of three specula	ative houses built within the Robidoux an. Though noncontributing in period,	huilding material	
and profile to the architec	tural integrity of the surrounding his	storical area. these	
three buildings are compati	ble in their residential use and scale	ð.	
			<u> </u>
44. DESCRIPTION OF ENVIRONMENT AND	outBuildings n a low bank without retaining walls a	and on a corner lot.	
This building is situated o	rugated metal garden shed with trump	oeil frame door.	RANUE
The yard is enclosed by a c	hain-link fence.		
	ng Permit, August 15, 1957, Cash	46. PREPARED BY	<u> </u>
Whitman, Inc., Residence, \$		Susan Ide Symington	SE SE
	TED TO: OFFICE OF HISTORIC PRESERVATION	47. ORGANIZATION Landmarks Commission	SECTION
	P.O. BOX 176	48. DATE 49. REVISION DATE(S)	
IF ADDITIONAL SPACE IS NEEDED, ATTACH Separate sheet(s) to this form	JEFFERSON CITY, MISSOURI 65102	8/85	l

PH. 314-751-4096




1. NO.	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	
BN-A0-017-101		N O
Buchanan 3. LOCATION OF City Hall NEGATIVES	5. OTHER NAME(S) Dr. Martin's Young Ladies' Institu	te;Francis Beauvais House
3 SPECIFIC LEGAL LOCATION	16. THEMATIC CATEGORY	28. NO. OF STORIES 22 N
TOWNSHIP RANGE SECTION	Architecture	29. BASEMENT ? YES (T) 0 NO()
503-5 Antoine	505- 1850's;503- 1870's & 1880'	30. FOUNDATION MATERIAL
Z CITY OF TOWN IF RURAL, VICINITY Saint Joseph, Missouri	18. STYLE OR DESIGN Second Empire; Vernacular	Stone 31. WALL CONSTRUCTION
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick
Robidoux's Addition	20. CONTRACTOR OR BUILDER	32. ROOF TYPE AND MATERIAL Mansard; Asphalt Shingle
Block 15		33. NO. OF BAYS
Lots 1 to 4	21. ORIGINAL USE, IF APPARENT School	34. WALL TREATMENT Bond Running Bond Bond
·	22. PRESENT USE	Running Bond
	Vacant Apartments	
	23. OWNERSHIP PUBLIC() PRIVATE(T)	(EXPLAIN IN ALTERED ()
	24. OWNER'S NAME AND ADDRESS	MOVED ()
9 COORDINATES UTM	IF KNOWN Eugenia Battzer	37. CONDITION
LAT	1124 Dewey St. Joseph. Mo. 64501	Poor
	25. OPEN TO PUBLIC? YES()	38. PRESERVATION YES ()
IO. SITE () STRUCTU BUILDING (X) OBJE	CT() 26. LOCAL CONTACT PERSON OR ORGANIZATION	
	(x) Landmarks Commission	Neglect NO()
13 PART OF ESTAR YES () 14 DISTRICT)		
HIST. DISTRICT ? NO (χ) POTENTIAL?	Johnson, Johnson & Roy	PUBLIC ROAD ? NO () 41. DISTANCE FROM AND FRONTAGE ON PRAD
		FBONTAGEd of 3500
and capped by a gabled roof. by simple moldings. In cont large, brick school building is the roofline, with gabled	FEATURES roperty is the original frame structure The windows are rectilinear, gradue rast to this simple frame structure to the west. The major decorative to dormers and frontispiece tower (minu- of the main body of the building.	ated in size and framed is the richly ornamentel, feature of this building g us its original Mansard M The cornice is bracketer
and further decorated with 1	ev tracery. The projecting eastern more simple window treatment and pro	section of this building past
Francis Beauvais and his wif	e. Sylvanie, who was also the daught	er or pr. Jonebrie
founder Joseph Robidoux. liv	red in the frame house on this proper	ty as early as 1059.
1869. By 1888, Dr.Martin ha Second Empire style brick bu	blished a school for young ladies in ad developed a prestigious school hou milding constructed in stages. Pleas	sed in an elaborate
for a view of the building i Though in a state of advance	d disrepair, this excellent example	of the Second Empire
style is of landmark calibre	and would be important to the estab	lishment of an historic
The property drops off prec	OUTBUILDINGS district in the Robidoux Hil ipitously to the north and is bounded	on the east by an alley.
45. SOURCES OF INFORMATION Water P	ermit:1880, Dr.C. Martin;1888 Sanborn	46. PREPARED BY
Map; City Directory; Tales of	Old St. Joe, Hazel A. Faubion.	Susan Ide Symington # 47. ORGANIZATION Landmarks Commission
RETURN THIS FORM WHEN COMPLET	ED TO: OFFICE OF HISTORIC PRESERVATION	Landmarks Commission
IF ACDITIONAL SPACE IS NEEDED, ATTACH Separate Sheet(s) to this form	P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	8/85



Historical and Descriptive View of St. Joseph, Missouri 1889. Publisher, John Lethem THE CITY OF ST. JOSEPH.

toine, Dr. Charles Martin .--- This institution is entitled to a place on our pages not only by reason of the high reputation it justly enjoys, but also on account of its long establishment and interesting record. Exactly twenty years ago (1869), Dr. Martin opened his college in St. Joseph with seventeen pupils, on the same site it has ever since occupied; the building then consisted of but four rooms, and from time to time has been added to till it now constitutes a spacious structure, one of the commanding ornaments of the city. It now has twenty-four class rooms with modern fur-

Young Ladies' Institute, Fifth and An- and everything to sustain its name as a firstclass establishment. The tone of its attendants is refined and intellectual, and eminently conducive to make a girl a peeress of society. Dr. Martin has to be congratulated in his efforts, which at first were very much discouraged. During the last decade his college has been in a most flourishing condition. It might be in keeping here to note that this much-esteemed gentleman is a Pennsylvanian, took his M. D. from the State University in 1832 and his D. D. in 1858; he soon after came west and taught in Illinois; he was chaplain in the army, later taught in Baltimore, Hagerstown, Md., and returned to St. Joseph in 1869. He is a factor in St. Joseph's happiness, as his institute does her honor and credit.



YOUNG LADIES INSTITUTE.

The property drops off precipitually to the north and is bounded on the east by an all

niture. There are this session ninety-two scholars, inclusive of fifteen boarders, who come from all over the west. The course of study is collegiate, giving a young lady a fin-ished education. The faculty consists of eleven competent teachers, including Professor Otto Behr, who has a wide reputation as a teacher of the piano. Dr. Martin himself makes his specialty mental and moral science. The other teachers give drawing, pastel, painting, botany and porters, mineral waters, etc.; they also and Latin, English and mathematics, natural social duties

A. Furst Distilling Company, Wholesale Liquor Dealers, 205 Third Street .- The A. B doing engage Furst Distilling Co. of St. Joseph, is the oldest ar floor out Bi house in its line in the west. It dates back to 1858, when it started as S. Adler & Co.; Adler, Furst & Co. succeeded them, then the A. Furst Co., and finally the present style was adopted. They deal extensively at wholesale in whiskies and wines of all kinds, also in ales rectify and sell some brands of whiskies and science, voice, music, elocution, calisthenics, brandies not equaled in the market. They French, German, etc.; there is also a lady for travel seven men west into California, and the young pupils of the primary department, south to the Mexican line. They do a business which is small. Mrs. L. C. Martin gives her, of over[half a]million. They have recently fitted supervision to the boarding department and up new premises at 205 South Third Street, which is small the source of the primary department and up new premises at 205 South Third Street, The school has ample grounds three stories, 25x140. They employ inside, five

Water Permit: 1880, Dr. C. Martin; 1888 Sanborn 146

EN-175-107-102	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		i. No
2. COUNTY <u>Buchanan</u> 3. LOCATION OF City Hall VEGATIVES	5. OTHER NAME(S)		ç
8 SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS	IG. THEMATIC CATEGORY Architecture	28. NO. CF STORIES 1 29. BASEMENT? YES() NO(X)	2. COU
504 Antoine	17. DATE(S) OR PERIOD 1957	30. FOUNDATION MATERIAL Concrete	COUNTY
z city or town IF RURAL, VICINITY Saint Joseph, Missouri	18. STYLE OR DESIGN Vernacular	31. WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Frame 32. ROOF TYPE AND MATERIAL Gable; Asphalt	
Robidoux's Addition Block 14	20. CONTRACTOR OR BUILDER Cash Whitman, Inc.	Gable, Asphalt 33. NO. OF BAYS FRONT l_1 Side 2	<u>.</u>
E. 75' of Lots 5 and 6	21. ORIGINAL USE IF APPARENT	34. WALL TREATMENT Artificial Siding	PRESENT
	22. PRESENT USE Residence	35. PLAN SHAPE Rectangula	. C
	23. OWNERSHIP PUBLIC() PRIVATE(X)	36. CHANGES ADDITION () (EXPLAIN IN NO. 42) ALTERED ()	LOCAL
9 COORDINATES UTM	24. OWNER'S NAME AND ADDRESS IF KNOWN Douglas Weston	MOVED () 37. CONDITION INTERIOR	LOCAL NAME(S)
LAT LONG	25. OPEN TO PUBLIC ? YES ()	38. PRESERVATION YES ()	D RO
	URE() NO(X) ECT() 26. LOCAL CONTACT PERSON OR ORGANIZATION		DESIGNATION(S
H. CN NATIONAL YES () 12. IS IT REGISTER ? NO (X) ELIGIBLE ?	YES() <u>Landmarks Commission</u> NO(X) 27. OTHER SURVEYS IN WHICH INCLUDED	BY WHAT? NO (X)	IATIO
I3. PART OF ESTAB. YES () 14. DISTRICT HIST. DISTRICT ? NO () POTENTIAL ?	YES(X)	40. VISIBLE FROM YES (X) PUBLIC ROAD ? NO ()	N(S)
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD 251 and 701	
neighbor to the west, 502 one-story and capped by a windows are rectilinear and on the front facade by a t center. A carport is attac	duplicate of 609 N. 6th St. and in a m Antoine; all were built at the same ti low gable roof set parallel to the nam d framed by simple moulding. The fene ri-partite window on the east side of	me. This house is ned street. The estration is varied	5. OTHER NAME(S)
1957 by builder. Cash Whit	lative houses built within the Robidou man. Though noncontributing in period	l, building material	
and profile to the archite three buildings are compat	ctural integrity of the surrounding hi ible in their residential use and scal	storical area, these le.	5. IOWNSHIP
			<u> </u>
44. DESCRIPTION OF ENVIRONMENT AND The house is on a low bank terraced land to the south property by a gravel drive	. An alley runs along the east and is	wall supporting the s adjoined to the	RANUE
\$7,500.	, 1957, Cash Whitman, Inc., Residence TED TO: OFFICE OF HISTORIC PRESERVATION P.O. BOX 176	46. PREPARED BY Susan Ide Symington 47. ORGANIZATION Landmarks Commission 48. DATE 49. REVISION DATE(S)	SECTION
IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	8/85	I



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

i. NO.	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)		
BN-145-017-103			NO.
2. COUNTY			
Buchanan 3. LOCATION OF City Hall	John Bauer's Matress Hanufacturing		
NEGATIVES			
3 SPECIFIC LEGAL LOCATION	IS. THEMATIC CATEGORY	28. NO. OF STORIES 1	Ņ
TOWNSHIP RANGE SECTION IF CITY OR TOWN, STREET ADDRESS	Architecture	29. BASEMENT ? YES (X)	COUN
•	17. DATE(S) OR PERIOD Pre-1883; Moved 1893	NO() 30. FOUNDATION MATERIAL	UNT
315 Robidoux 7 city or town IF RURAL, VICINITY		Brick	-
Saint Joseph, Missouri	18. Style or design Vernacular	31 WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Frame	
		32. ROOF TYPE AND MATERIAL	
Original Town	20. CONTRACTOR OR BUILDER	Gable & Shed;Asphalt 33. NO. OF BAYS	
Block 45		FRONT 3 SIDE 2	ھ.
Lot 6	21. ORIGINAL USE, 15 APPARENT Residential & Manufacturing	34. WALL TREATMENT	PRESENT
·	22. PRESENT USE	Clapboard .	SEN
	Residence	35. PLAN SHAPE Irregular	
	23. OWNERSHIP PUBLIC ()	(EXPLAIN IN	LOCAL
	PRIVATE(X) 24. OWNER'S NAME AND ADDRESS	NO. 42) ALTERED () MOVED ()	
	IF KNOWN Thomas ?. Wright	37. CONDITION	NARE (S)
9 COORDINATES UTM			E (S)
LAT		EXTERIOR	Q
LONG	25. OPEN TO PUBLIC ? YES()	38. PRESERVATION YES () UNDERWAY ? NO (37)	
IO. SITE () STRUCTU BUILDING (T) OBJE		// MO(<u>X</u> /	DESIGNATION(S)
	CT() 26. LOCAL CONTACT PERSON OR ORGANIZATION ES(X) Landmarks Commission	39. ENDANGERED? YES() BY WHAT? NO(X)	STIA
	NO() 27. OTHER SURVEYS IN WHICH INCLUDED		
13. PART OF ESTAB. YES () 14. DISTRICT Y		40. VISIBLE FROM YES (X)	1(s)
HIST DISTRICT? NO (X) POTENTIAL?	Johnson, Johnson & Roy	PUBLIC ROAD ? NO ()	
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD	
		5' and 135'	
42. FURTHER DESCRIPTION OF IMPORTANT	FEATURES		
The assymetrical massing of t	his clapboard structure is accentuate	d by dissimilar roof-	
lines used along the front facades: a shed roof on the western side and a wide gable on			5
the eastern side. An extension in the rear also has a shed roof. The fenestration and			
placement of entries appears to have undergone much alteration and is irregular. The rectilinear windows have simply molded frames, one facing east on a front facade retains			ļ
	ly molded frames, one facing east on	a mont facade retains	1
a peaked lintel.	·		
43. HISTORY AND SIGNIFICANCE	the Sanham Mans of 1888 and 1897, thi	s frame building was	
According to indications on the Sanborn Maps of 1888 and 1897. this frame building was a rear extension of 502 N. 4th St., the residence of John Bauer. A "T" shaped rear			
section appeared at 502 N. 4th St. on the 1888 map; on the 1897 map, the "T" shaped			
rear section was gone and and	other had appeared free standing at 3	15 Bobidoux, The	
building permit of 1893 to "m	nove building" taken ou t by John Bauer	r further supports	
this surmise. Bauer earlier	building permit of 1893 to "move building" taken out by John Bauer further supports this surmise. Bauer earlier took out a building permit to construct a "barn" in 1891		
which was later adjoined to this structure to house his matress manufacturing enterprise.			·
This vernacular structure wou	ald contribute to the establishment of	an historic district	
44. DESCRIPTION OF ENVIRONMENT AND OUTBUILDINGS in the Cobidoux Hill area.			
Attached to the west side of	the frame structure is a long, flat-	roofed brick garage in	
common bond, with a stone for	common bond, with a stone foundation. The property slopes dramatically west toward a		
large, vacant corner lot. A stone retaining wall ten feet high supported by piers runs 45. SOURCES OF INFORMATION Building Permits: 1891, John Bauer, Barn, 5150; 46. PREPARED BY			
45. SOURCES OF INFORMATION Building	g Permits: 1091, John Hauer, Barn, 5150;	46. PREPARED BY	
1893, Hove Bldg., 3100;1883,188	38 & 1897 Sanborn Maps;City Directory	47. ORGANIZATION	
RETURN THIS FORM WHEN COMPLET	ED TO: OFFICE OF HISTORIC PRESERVATION	Landmarks Commission	
	P.O. BOX 176	48. DATE 49. REVISION DATE(S)	
IF ADDITIONAL SPACE IS NEEDED, ATTACH Separate sheet(s) to this form	JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	8/85	



ARCHITECTURAL/HISTORIC INVENTORY SURVEY FORM

		أستكرأ أأكار المتكر الأراد المترك أنشاط والمتحدين فتحتص ومتحرك محتم ومشراه المتحد والمتحد	_
BN-HS-017-104	4. PRESENT LOCAL NAME(S) OR DESIGNATION(S)	en le	I. NO.
2. COUNTY Buchanan	5. OTHER NAME(S)	- e g	
3. LOCATION OF City Hall MEGATIVES	Charles A. Shoup Duplex		
8 SPECIFIC LEGAL LOCATION TOWNSHIP RANGE SECTION	Architecture	28. NO. OF STORIES 22 29. BASEMENT ? YES (X)	<u>.</u>
F CITY OR TOWN, STREET ADDRESS	IT. DATE(S) OR PERIOD	29. BASEMENT / TES ()	COUNTY
411-13 Robidoux	1890	30. FOUNDATION MATERIAL	ALA
7. CITY OR TOWN IF RURAL, VICINITY Saint Joseph, Missouri	18. STYLE OR DESIGN Richardsonian Romanesque	Brick 31. WALL CONSTRUCTION	
8. DESCRIPTION OF LOCATION	19. ARCHITECT OR ENGINEER	Brick	
Original Town		32. ROOF TYPE AND MATERIAL Hip;Asphalt Shingle	
Block 46	20. CONTRACTOR OR BUILDER	33. NO. OF BAYS	
Lots 1 and 2	21. ORIGINAL USE, IF APPARENT DUPLEX	FRONT 3 SIDE 3	ھ. ۲
	Duplex	34. WALL TREATMENT Running Bond	PHESENI
	22. PRESENT USE Apartments	35. PLAN SHAPE Rectangular	ENT
	23. OWNERSHIP PUBLIC()	· •	
	PRIVATE(X)		Â
	24. OWNER'S NAME AND ADDRESS	NO. 427 MOVED()	7
	IF KNOWN Pearl Purvis	37. CONDITION INTERIOR	LUCAL MARE(S)
9 COORDINATES UTM	411 Robidoux	EXTERIOR Fair	
LONG	25. OPEN TO PUBLIC 2 YES()	38. PRESERVATION YES ()	07
IO. SITE () STRUCTUR	E() NO(X)	UNDERWAY ? NO (X)	DESIGNATION(S)
BUILDING (X) OBJEC			10.11
REGISTER 2 ELIGIPLES	s(X) <u>Landmarks Commission</u> O() 27. OTHER SURVEYS IN WHICH INCLUDED		
13 PART OF SETAR MES () 14 DISTRICT ME	s(X) 1972 Johnson Johnson & Boy	40. VISIBLE FROM YES (X)	(a) (a)
HIST DISTRICT? NO (X) POTENTIAL?	o() Historic Inventory	PUBLIC ROAD ? NO()	
15. NAME OF ESTABLISHED DISTRICT		41. DISTANCE FROM AND FRONTAGE ON ROAD 15' and 145	
and elongated brick chimneys. patterning. The front facade coupled in the center bay of along the cornice. Transoms windows on either side. The 43. HISTORY AND SIGNIFICANCE This duplex was built as the	EATURES of is broken by gabled dormers shea: The cornice is composed of richly has mirror image symmetry centered the front facade emphasized by brick surmount the front entries and the other windows are rectilinear and ha of vertically placed brick. residence of Charles A. Shoup, the ompany, which long had a fine reputa	textured raised brick on the two doors k braces on either side wide round arch framed uve flush, splayed vice-president of the	
quality porcelains. The wide 1899 by Mr. Shoup. Only a sm Otherwise. this solid Richard	front porch with Doric columns was hall front entry porch is shown on t Isonian Romanesque duplex has been 1 hing member of the 19th Century Robi	probably added in he 1897 Sanborn Map. ittle altered and	,
44. DESCRIPTION OF ENVIRONMENT AND OF This building site slopes dra An alley runs along the east	matically toward the vacant lot on side of the duplex.	the corner to the west.	
45. SOURCES OF INFORMATION Building	Permits: 6-19-90,C.A. Shoup,\$6,000,	46. PREPARED BY	
Residence;5-11-99,C.A. Shoup		Susan Ide Symington	1
RETURN THIS FORM WHEN COMPLETE	D TO: OFFICE OF HISTORIC PRESERVATION	Landmarks Commission	
IF ADDITIONAL SPACE IS NEEDED, ATTACH SEPARATE SHEET(S) TO THIS FORM	P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 PH. 314-751-4096	48. DATE 49. REVISION DATE(S) 8/85	

