NPS Form 10-900 (Rev. 10-90)

United States Department of the Interior National Park Service

# NATIONAL REGISTER OF HISTORIC PLACES REGISTRATION FORM

This form is for use in nominating or requesting determinations for individual properties and districts. See instructions in How to Complete the National Register of Historic Places Registration Form (National Register Bulletin 16A). Complete each item by marking "x" in the appropriate box or by entering the information requested. If any item does not apply to the property being documented, enter "N/A" for "not applicable." For functions, architectural classification, materials, and areas of significance, enter only categories and subcategories from the instructions. Place additional entries and narrative items on continuation sheets (NPS Form 10-900a). Use a typewriter, word processor, or computer, to complete all items.

| historic name_Winona Ranger Statio  | n Historic District  |   |
|---|--|---|
| other names/site numberN/A  |  |   |
| 2. Location   |  |   |
| street & numberRoute 1, Box 182   | , Highway 19N  | not for publication N/A   |
| ity or town _Winona   |  | vicinity N/A  |
| tateMissouri  | code_MOcounty_Shannon  | code203 zip code_65588  |
| 3. State/Federal Agency Cer   |  |   |
| request for determination of and meets the procedural a   | of eligibility meets the documentation standards for registered professional requirements set forth in 36 CFR Part 60, eria. I recommend that this property be considered signif | s amended, I hereby certify that this nomination ering properties in the National Register of Historic Places In my opinion, the property meets does not meet icant nationally statewide locally. ( See |
| Signature of certifying off   | icial Date   | <del></del>   |
| In my opinion, the propert  | y meets does not meet the National Register crit   | teria. (See continuation sheet for additional comments.)  |
| Signature of comment  | ting or other official/Title Claire F. Blackwell/I   | Deputy SHPO Date Date   |
| Signature of comment  | of Natural Resources   | Deputy SHPO Date Date   |
| Signature of comment  Missouri Department  State or Federal agence  | of Natural Resources<br>by and bureau  | Deputy SHPO Date  |
| Signature of comment  Missouri Department State or Federal agence  4. National Park Service Ce  I, hereby certify that this property is: entered in the Nation See continu determined eligible f National Regist determined not eligit National Regist removed from the N | of Natural Resources by and bureau  ertification  al Register  uation sheet. for the ter See continuation sheet. ble for the   | Deputy SHPO Date  |

Shannon County, Missouri

\_Shannon County, Missouri\_ County and State

| 8. Statement   | t of Significance  |   |  |
|--|--|---|--|
| Applicable National Register Criteria (Mark "x" in one or more boxes for the criteria qualifying the property for National Register listing) |  | Areas of Significance (Enter categories from instructions).  CONSERVATION |  |
| _X A   | Property is associated with events that have made a significant contribution to the broad patterns of our history.   | ARCHITECTURE  |  |
| В  | Property is associated with the lives of persons significant in our past.  |   |  |
| _x c   | Property embodies the distinctive characteristics of a type, period, or method of construction or represents the work of a master, or possesses high artistic values, or represents a significant and distinguishable entity whose components lack individual distinction. | Period of Significance 1938 - 1950  Significant Dates                     |  |
| D  | Property has yielded, or is likely to yield information important in prehistory or history.  | _1938 - 1939  |  |
| Criteria Consid<br>(Mark "X" in al   | lerations I the boxes that apply.)   | Significant Person (Complete if Criterion B is marked above)N/A           |  |
| A  | owned by a religious institution or used for religious purposes.   | Cultural Affiliation N/A  |  |
| B  | removed from its original location.  |   |  |
| c  | a birthplace or a grave.   |   |  |
| D  | a cemetery.  | Architect/BuilderArchitect/Unknown Builder/Civilian Conservation Corps    |  |
| E  | a reconstructed building, object, or structure.  |   |  |
| F  | a commemorative property.  |   |  |
| G  | less than 50 years of age or achieved significance within the past 50 years.   |   |  |
|  | ment of Significance nificance of the property on one or more continuation sheets.)  |   |  |
| 9. Major Bi  | bliographical References   |   |  |
| (Cite the books,   | articles, and other sources used in preparing this form on one   | or more continuation sheets.)   |  |
| Previous docum preliminary requested. previously previously designated recorded by   | determination on file (NPS)  determination of individual listing (36 CFR 67) has been listed in the National Register determined eligible by the National Register a National Historic Landmark Historic American Buildings Survey #                                       |   |  |
| •  | ency   |   |  |

Name of repository: \_Headquarters, Mark Twain National Forest, Rolla, Missouri\_

| 10. Geographical Data   |                                    |
|---|------------------------------------|
| Acreage of Property _13.1 acres   |                                    |
| UTM References (Place additional UTM references on a continuation sheet)                      | USGS quad map: Winona, Missouri    |
| Zone Easting Northing Zone Easting Northing   |                                    |
| 1 15 649205 4097605 3 15 649305 4097545   |                                    |
| 2 15 649545 4097665 4 15 649305 4097325   |                                    |
| See continuation sheet.   |                                    |
| Verbal Boundary Description (Describe the boundaries of the property on a continuation sheet. | .)                                 |
| Boundary Justification (Explain why the boundaries were selected on a continuation she        | et.)                               |
| 11. Form Prepared By  |                                    |
| name/title_Philip Thomason/Teresa Douglass  |                                    |
| organization Thomason and Associates  |                                    |
| street & number_P.O. Box 121225   |                                    |
| city or town_Nashville  |                                    |
| ony or anni-man-man-man-man-man-man-man-man-man-man   |                                    |
| Additional Documentation  |                                    |
| Submit the following items with the completed form:   |                                    |
| Continuation Sheets   |                                    |
| Maps A USGS map (7.5 or 15 minute series) indicating the prope                                | erty's location.                   |
| A sketch map for historic districts and properties having lan                                 | rge acreage or numerous resources. |
| Photographs   |                                    |
| Representative black and white photographs of the propert                                     | y.                                 |
| Additional items (Check with the SHPO or FPO for any additional items)                        |                                    |
| Property Owner  |                                    |
| (Complete this item at the request of the SHPO or FPO.)                                       |                                    |
| пате  |                                    |
| street & number telep   | hone                               |
| city or townstate   | zip code                           |

NPS Form 10-900-a (8-86)

OMB No. 1024-0018

United States Department of the Interior National Park Service

NATIONAL REGISTER OF HISTORIC PLACES CONTINUATION SHEET

Section \_\_7\_ Page \_1\_

\_Winona Ranger Station Historic District\_ name of property \_Shannon County, Missouri\_ county and State

The Winona Ranger Station is located in Winona (1990 pop. 1,081) in Shannon County, Missouri. The Ranger Station is located just inside the northern city limits of Winona on State Highway 19. The Ranger Station is located in a residential neighborhood set in wooded, gently rolling terrain at an elevation of approximately 980 feet.

The Winona Ranger Station Historic District is composed of four frame buildings constructed by the Civilian Conservation Corps (CCC) during 1938 and 1939, under the supervision of a Works Progress Administration (WPA) project. These four buildings include a ranger's dwelling, garage, warehouse, and oil house. The original ranger's office at Winona burned in 1957 and was replaced with a one-story frame building in 1960. The office is located just east of State Highway 19. The primary facades of the office and dwelling face west. A concrete walkway leads from the dwelling to the driveway. A visitor parking area is north of the office and has an asphalt pavement. To the east of the dwelling and office are the warehouse and oil house. The garage is situated southeast of the dwelling. Concrete walkways connect dwellings, driveways, and garages. Separate walkways connect the office, oil house, and warehouse. The complex also consists of a frame annex built in 1957, which serves as an additional office and dwelling, and an adjacent frame garage also built in 1957. These post-1950 buildings were designed to complement the original character of the district, and also have wood shingle exteriors. A separate driveway from State Highway 19 leads to the dwellings and garages.

The most unifying characteristic of the district is its construction materials. All four contributing buildings are of frame construction with wood shingle exteriors. The Winona complex was one of only a few administrative sites within the Mark Twain National Forest to be constructed with this exterior material. Most complexes used local limestone or weatherboard siding. Of those sites that were constructed with wood shingle siding, Winona retains the largest percentage of original buildings. The exteriors are in excellent condition and display original craftsmanship. The designs for the district's buildings are based upon standardized plans used throughout the country by the Forest Service. The three post-1950 buildings on the site were built in accordance with the design and detailing of the original buildings. Because of the continued use of exterior wood shingles, the Winona Ranger Station retains its feeling and association as a 1930s Forest Service Administrative Site.

#### INDIVIDUAL PROPERTY DESCRIPTIONS

Ranger's Dwelling - The dwelling at the Winona Ranger Station is a one- and one-half story frame, Colonial Revival style dwelling with a gable asphalt shingle roof, a concrete foundation, a wood shingle exterior, and one interior and one exterior wall brick chimney. The dwelling has gable returns and original six-over-six wood sash windows. The main entrance is situated on the primary (west) facade and has an original four-light glass and wood panel door. The entrance has a simple molded wood cornice and is flanked by Doric motif pilasters. In front of the entrance is a poured concrete landing surrounded by brick steps. At the roofline of the main facade are two gable dormers with six-over-six wood sash windows. On the rear elevation is a single gable dormer at the roofline with a six-over-six wood sash window. The rear entrance has an original six-light glass and wood panel door. Above the door is an original frame shed roof canopy supported by knee brace brackets. Also at the rear elevation are concrete steps that lead to a basement entrance, which has a ca. 1984 flush steel door. A concrete retaining wall lines the steps and has a metal railing.

The interior of the dwelling has added floor carpeting and dropped acoustical tile ceilings. The kitchen was remodeled ca. 1970, at which time a wall was removed between the kitchen and the dining room, and wallpaper and linoleum floors were added in the kitchen. The bathroom has also been remodeled, but retains its original tub. The dwelling's interior retains some plaster walls, original wood paneled doors, and an original staircase. The upper floor retains original wood floors, textured plaster walls and ceiling, and four-panel wood doors. A small bathroom has been added to the upper floor. The basement level retains its original open floor space, concrete floor, post and lintel support system, and an original frame coal chute. (Contributing)

OMB No. 1024-0018

NPS Form 10-900-a (8-86)

United States Department of the Interior National Park Service

NATIONAL REGISTER OF HISTORIC PLACES CONTINUATION SHEET

Section \_\_7\_ Page \_2\_

\_Winona Ranger Station Historic District\_ name of property \_Shannon County, Missouri\_ county and State

Warehouse - This is a one- and one-half story gable end frame warehouse building. The warehouse was built in a rectangular plan and has a gable asphalt shingle roof, a concrete foundation, and a wood shingle exterior. The main (west) facade contains five garage bays with double doors and a single pedestrian entrance. Garage doors are original vertical board design with diagonal bracing, and one pair has six-light fixed upper windows. The pedestrian entrance has a ca. 1980 single-light glass and wood door. A pedestrian entrance on the north side of the warehouse was removed and replaced with wood shingle siding in the early 1980s. The primary facade has a full-width shed awning supported by knee brace brackets. At the roofline of the main facade is a gable dormer with a six-light fixed window. Windows in the building are six-light wood sliding track design. Window frames on the north elevation were replaced in the early 1990s. In the half-story of the south elevation is a fixed three-light window with plexiglass. A shed roof awning was added to the rear elevation ca. 1993 to provide a covering for supplies of wood and other materials. A small portion of this area was framed in for a storage room.

The overall interior open space layout has been retained with some space partitioned off for a bathroom and a tool storage room in the early 1980s. An original workshop remains sectioned off at the north end of the building. The interior of the warehouse retains original exposed ceiling rafters and an original wood staircase. The upper story retains its original open floor space with a small storage area partitioned off with screen panels. (Contributing)

- 3. Oil House Adjacent to the warehouse is a one-story frame building used to store oil, gas, and other similar supplies. This building has a concrete foundation, gable asphalt shingle roof, and a wood shingle exterior. On the main (east) facade are original double flush wood doors with diagonal bracing. Above the door is an original metal light fixture. The building's interior retains its original open floor space with an original concrete floor, exposed ceiling rafters and wood shelving. (Contributing)
- 4. Garage This is a one-story, frame, two-bay garage with a gable asphalt shingle roof, a concrete foundation, and a wood shingle exterior. The garage has ca. 1980 twenty-four light glass and wood panel overhead track garage doors on the main (north) facade. A pedestrian entrance on the west elevation has an original four-light and three horizontal panel glass and wood door. Windows are original six-over-six wood sash design. The garage has gable returns, and in the gable field are original arched wood louvered vents. The garage retains its original interior open floor plan with a concrete floor and tongue-and-groove walls and ceiling. (Contributing)
- 5. Ranger's Office The original ranger's office at the Winona Station burned in 1957. It was replaced in 1960 with a one-story frame office building, which was expanded in 1968. This building was designed with a low-pitched roofline, with horizontal massing, and an exterior of wood shingles. (Non-contributing)
- 6. Annex The Winona complex contains a one-story frame rectangular plan annex dwelling built in 1957. This building has a low-pitched roofline and exterior of wood shingles. (Non-contributing)
- 7. Annex Garage Adjacent to the annex is a one-story, frame, single-bay garage built in 1957. The building has an exterior of wood shingles. (Non-contributing)

NPS Form 10-900-a (8-86)

OMB No. 1024-0018

United States Department of the Interior National Park Service

NATIONAL REGISTER OF HISTORIC PLACES CONTINUATION SHEET

Section \_\_8 Page \_3\_

\_Winona Ranger Station Historic District\_ name of property \_Shannon County, Missouri\_ county and State

### Statement of Significance

The Winona Ranger Station Historic District is representative of the Administrative Sites property type and is included as part of the Multiple Property Documentation Form "Historic and Architectural Resources of the Mark Twain National Forest." The Winona Ranger Station Historic District is significant under Criterion A for its association with the USDA Forest Service and Civilian Conservation Corps (CCC) of the 1930s. The district is representative of the federal government's conservation and forest management programs of the New Deal era. The district is also significant under Criterion C as an example of the National Forest Service's emphasis on "rustic" architectural designs of the period, and an attempt to integrate public facilities in natural environments without detracting from the beauty of the surrounding forest. The district retains four of its original buildings, and buildings added in 1957 and 1960 were designed to complement the site. Together these buildings retain sufficient sense of time and place to possess integrity as an Administrative Site of the Forest Service. The complex continues to be used as a Ranger Station for the Mark Twain National Forest.

#### Historical Background

The Mark Twain National Forest, Missouri's only national forest, was created during the early 1930s and is presently viewed by the Forest Service as a "recovering forest." By the time the Mark Twain National Forest was established, the area barely supported its impoverished population which continued to farm exhausted lands. Efforts were underway in 1931 to correct previous land abuse by establishing a National Forest in Missouri. A law passed in 1933 created the Mark Twain National Forest and a preliminary examination of the Ozark region was initiated by Forest Service personnel. Emphasis of the study was placed upon the protection and rehabilitation of forest resources with hopes of re-establishing timber productivity. It was also during this period of time that provisions were set aside for developing recreational sites within the newly created forest system.

The establishment of the Mark Twain National Forest coincided with the Great Depression and federal relief. During this same period, the nation faced the problem of diminishing natural resources. Land-use ethics governed by economic self-interests had resulted in soil exhaustion, diminishing forests and over-grazed grasslands. In response to both the problems of unemployment and loss of natural resources, President Franklin D. Roosevelt set up a series of federal programs collectively known as "the New Deal." Roosevelt's first New Deal act, the Emergency Work Program, also known as the Civilian Conservation Corps (CCC), simultaneously addressed the problems of America's unemployed youth and rapidly diminishing natural resources. The CCC was one of Roosevelt's most popular programs, and its recruits constructed many of the Forest Service's facilities, including the administrative sites in Mark Twain National Forest.

The site for the Winona Ranger Station was purchased March 17, 1936 from Laura McClanahan. The site originally consisted of 5.87 acres and was expanded in April of 1980 when 7.27 acres of adjacent property was purchased. The first buildings constructed on the site were the Ranger's dwelling, Ranger office, and the station warehouse. These were soon followed by a garage and oil house. Men employed by the CCC provided the labor, and work was accomplished in 1938 and 1939.

Before the development of the CCC and other New Deal programs, the Forest Service's building program was quite limited. Within the State of Missouri, such projects were non-existent prior to 1933. Once confronted with the responsibility of developing work projects and operating schedules for proposed relief programs, the Forest Service made a concerted effort to include future needs as well as immediate needs in the planning process. Through thoughtful planning the agency developed a balanced arrangement of buildings and grounds, and brought economical development and conformity to existing physiographic conditions.

OMB No. 1024-0018

NPS Form 10-900-a (8-86)

United States Department of the Interior National Park Service

NATIONAL REGISTER OF HISTORIC PLACES CONTINUATION SHEET

Section 8 Page 4

\_Winona Ranger Station Historic District\_ name of property \_Shannon County, Missouri\_ county and State

The Winona Ranger Station includes four frame buildings constructed by the Civilian Conservation Corps in 1938 and 1939. These four buildings are a ranger's dwelling, garage, warehouse, and oil house. Uniformity in the buildings is displayed primarily in their wood shingle exteriors and gable rooflines. Decorative details at the Winona complex include a decorative door frame with Doric motif pilasters and a simple entablature.

The original Ranger's office at Winona was converted into a dwelling for the Timber Management Assistant sometime in the late 1940s or early 1950s. At this time office space was moved into a bay of the warehouse. Although crowded, this small space served as the Winona Ranger office for approximately ten years. The original office building that had been modified into a dwelling burned in 1957, and was replaced with a one-story frame office building in 1960. Also in 1957, a one-story frame annex office building was completed along with an adjacent garage. These later buildings were constructed in keeping with the uniformity of style set forth by the 1930s Forest Service standards, and also have a wood shingle exterior and maintain the original character of the district. The siting of the buildings of 1957 and 1960 reinforces the Forest Service's approach to placement of offices, dwellings and service buildings, taking care to allow ease of public access to the office, and placement of service buildings in an area which minimally detracts from surrounding natural areas.

The Winona Ranger Station Historic District is significant for its associations with Missouri's New Deal programs and conservation efforts. The district also retains its sense of time and place through its original buildings from the 1930s, and those which were built to complement the site in 1957 and 1960. The Winona complex is the only Ranger Station remaining within the Mark Twain National Forest with wood shingle exteriors. Original buildings in the district have undergone few changes since their construction in 1938-1939. The district continues to function as an important administrative center for the Mark Twain National Forest. Additional information regarding the district is located in the accompanying "Historic and Architectural Resources of the Mark Twain National Forest" Multiple Property Documentation Form.

OMB Approval No. 1024-0018

NPS Form 10-900-a (Rev. 10-90)

United States Department of the Interior National Park Service

# NATIONAL REGISTER OF HISTORIC PLACES CONTINUATION SHEET

Section \_9\_ Page \_5\_

\_Winona Ranger Station Historic District\_ name of property \_Shannon County, Missouri\_ county and state

#### **Bibliography**

- Burge, Thomas L. "The Formation of the Mark Twain National Forest." Resource on file at the Supervisor's Office, Mark Twain National Forest, Rolla, Missouri, 1991.
- The Forest Service and the Civilian Conservation Corps: 1933-1942. FS-395. Washington, D.C.: Government Printing Office, 1986.
- Jackson, James P. "Living Legacy of the CCC." American Forests, Vol. 94, 1988.
- Malouf, Richard T. "Thematic Evaluation of Administrative and Fire Lookout Tower Sites on the Mark Twain National Forest, Missouri." Resource on file at the Supervisor's Office, Mark Twain National Forest, Rolla, Missouri, 1991.
- Pottinger, Joan D. "An Oral History Project: The CCC in the Mark Twain National Forest." Resource on file at the Supervisor's Office, Mark Twain National Forest, Rolla, Missouri, 1991.
- Steen, Harold K. The U.S. Forest Service: A History. Seattle: University of Washington Press, 1991.
- Thomason and Associates and Cynthia Price. "An Overview of the Ozark Foothills Regional Planning Area." Prepared for the Ozark Foothills Regional Planning Commission, Poplar Bluff, Missouri, 1991.
- Throop E., Gail and Michael Beckes. "Forest Service Administrative Buildings Built by the Civilian Conservation Corps in the Eastern Region." Resource on file at the Supervisor's Office, Mark Twain National Forest, Rolla, Missouri, 1989.
- U.S. Department of Agriculture, Division of Engineering. <u>Acceptable Plans, Forest Service Administrative Buildings</u>. Washington, D.C.: Government Printing Office, 1938.
- Wright, Bonnie. "Emergency Conservation Work (ECW) Architecture in Missouri State Parks, 1933-1942, Thematic Resources."

  National Register of Historic Places Nomination Form. Resource on file at Supervisor's Office., Mark Twain National Forest, Rolla, Missouri, 1984.

| NPS  | Form    | 10-900-a |
|------|---------|----------|
| (Rev | . 10-90 | ))       |

OMB Approval No. 1024-0018

| United | States  | Department | of | the | Interior |
|--------|---------|------------|----|-----|----------|
| Nation | al Park | Service    |    |     |          |

NATIONAL REGISTER OF HISTORIC PLACES CONTINUATION SHEET

| Section | 10 | Page _6_ | Winona Ranger Station Historic District |
|---------|----|----------|---|
|         |    |          | name of property                        |
|         |    |          | _Shannon County, Missouri_              |
|         |    |          | county and state                        |

### Verbal Boundary Description

The boundary of the Winona Ranger Station Historic District is illustrated on the accompanying not-to-scale map. This map illustrates all buildings on the site as well as parking areas and landscaping features.

### Verbal Boundary Justification

The boundary for the Winona Ranger Station Historic District includes the entire parcel which encompasses the Ranger Station property. The boundary includes the original parcel purchased for by the Forest Service, and additional property acquired to the east in 1980. This boundary includes all buildings historically associated with this ranger station.

# NPS Form 10-900-a (Rev. 10-90)

## OMB Approval No. 1024-0018

United States Department of the Interior National Park Service

# NATIONAL REGISTER OF HISTORIC PLACES CONTINUATION SHEET

Section \_Photos\_ Page \_7\_

\_Winona Ranger Station Historic District name of property \_Shannon County, Missouri\_ county and state

Winona Ranger Station Historic District

Shannon County, Missouri

Photo by: Thomason and Associates

Date: November, 1999

Location of Negatives: Missouri Cultural Resource Inventory, Missouri Department of Natural Resources, Jefferson City, MO

Photo No. 1: View of Ranger's Dwelling, towards east.

Photo No. 2: View of Ranger's Dwelling living room.

Photo No. 3: View of Ranger's Office, towards southeast.

Photo No. 4: View of Warehouse, towards southeast.


Photo No. 5: View of Oil House, towards northwest.


Photo No. 6: View of Garage, towards southwest.

Photo No. 7: View of Annex, towards east.

Photo No. 8: View of Annex Garage, towards northeast.

Photo No. 9: View of residential compound, towards south.





THIS MAP COMPLIES WITH NATEOR SALE BY U.S. GEOLOGICAL SURVEY.

AND DIVISION OF GEX MISSOURI DEPARTMENT OF NATUR.
A FOLDIR DISCRIBING FOPOGRAPHIC M

CONTOUR IN

NATIONAL GEODETIC TO CONVERT HOM HELF

UTM GRID AND 1999 MAGNITIC NORTH DECLINATION AT CENTER OF SHIET

intersections are obtainable from National Geodetic Survey NADCON software

Non-National Forest System lands within the National Forest Inholdings may exist in other National or State reservations This map is not a legal land line or ownership document. Public lands are

subject to change and leasing, and may have access restrictions; check

with local offices. Obtain permission before entering private lands

North American Datum of 1983 (NAD 83) is shown by dashed corner ticks

Missouri coordinate system, east zone (transverse Mercator) Blue 1000-meter Universal Transverse Mercator ticks, zone 15 The values of the shift between NAD 27 and NAD 83 for 7.5-minute

North American Datum of 1927 (NAD 27). Projection and 10 000-foot ticks:

Topography compiled 1964. Planimetry derived from imagery taken 1995

and other sources. Public Land Survey System and survey control current

as of 1997

1½. 27 MII S

> 101' 18 MR.S

SERVICES

DARAL ESTATE SHOPE


Winoua Rança Sdadron Alsdoric Drsbrits Winoua, Shaunon Coundy, Missouri Rança's Dwelling, view do E Phosp # 10099



Wingra Range Shadron Hisdoric Disduict Rangels Dwelling, Living room



Winona Range Sastion Alsdoric District Dange's Obotice, view so SE phose # 3067



Wingra Ranger Stadton the don't District
wingrama, Shawon Courty, Missouring
peretiouse, view to sta




Wingra Ranga Shadron & Boric Dishirt Wingra, Shaunan County, Missouri Dil House, View to New Nessouri



Winone Range Speaken Hisboric District Winone, Shewner County, Missouri, Carace, view to sw physical # dod 9



Wingra Rance Shafton desdoric District Aung 1200 to 10



Winone Range Saedron disdovic District Cinone, Shaunon County, Missouris Aune barase, view to NE



Wingra Range Shafton Hisboric District 1007 none, Shaunon County, Missour, Residential compound, view 405

